




MİLLÎ SAVUNMA ÜNİVERSİTESİ

HARP SİLAH VE ARAÇLARI BIBLIYOGRAFYASI

# HARP SİLAH VE ARAÇLARI BİBLİYOGRAFYASI





**MİLLÎ SAVUNMA ÜNİVERSİTESİ YAYINLARI**

**ALPARSLAN SAVUNMA BİLİMLERİ VE MİLLÎ GÜVENLİK ENSTİTÜSÜ  
MÜDÜRLÜĞÜ**

**HARP SİLAH VE ARAÇLARI BİBLİYOGRAFYASI**

**Editörler**

Dr. Öğr. Üyesi Onur ALTUNTAŞ  
Müh.Ütğm. Yunus Emre KARAKOCA

**e-ISBN: 978-625-7791-53-3**

**İstanbul, 2023**

## İÇİNDEKİLER

Sunuş.....	III
Giriş.....	1
I. Harp Silah ve Araçları Alanında Yazılan Ulusal ve Uluslararası Kitaplar.....	2
II. Harp Silah ve Araçları Alanında Yazılan Ulusal ve Uluslararası Makaleler.....	5
III. Harp Silah ve Araçları Alanında Düzenlenen Toplantılar (Çalıştay, Seminer, Kongre, Sempozyum vb.).....	273
IV. Harp Silah ve Araçları Alanında Yazılan Ulusal Tezler.....	402

## SUNUŞ

“Harp Silah ve Araçları Bibliyografyası”nda Türk ve/veya yabancı arařtırmacılar tarafından Türkçe/İngilizce olarak hazırlanmış kitap, tez, makale, bildiriler, yurt içinde/yurt dışında gerçekleştirilmiş toplantılara (Çalıştay, Seminer, Kongre, Sempozyum vb.) yer verilmiştir. Bibliyografya, her yıl güncellenmeye tabi tutulacağından ve yıllık yayın istatistiğı güncelleneceğinden yayın yılı (Kronoloji) esas alınarak hazırlanmıştır.

Bilginin her zaman “güç” olduğu ve günümüz koşullarında zamanla yarışan arařtırmacılar için bilgi kaynağına kısa sürede ulaşabilmek çok önemlidir. Bunun için bir konuyu derinlemesine arařtırmak isteyen kişinin doğru yol izlemesi gerekir. Bu bağlamda bibliyografya ile arařtırmacı çalışmak istediğı konuyla ilgili literatüre çok kısa zamanda ulaşabilecek, çalışılan/çalışılmayan konuların neler olduğunu kolayca görebilecektir.

Harp Silah ve Araçlarında yaşanan bilimsel gelişmelerin insanlık tarihinde her daim sert güç unsurlarını doğrudan etkilediğı ve bu hususun Gazi Mustafa Kemal ATATÜRK’ün “Bir millet savaş meydanlarında ne kadar parlak zaferler elde ederse etsin o zaferlerin kalıcı sonuçlar vermesi ancak irfan ordusuyla mümkündür” veciz sözü ile anlatılmıştır.

Güncel çalışmaların bibliyografyada yer alabilmesi ve bibliyografyanın etkinliğinin artırılması maksadıyla görüş,eleřtiri ve önerilerinizi [alparslansavmilgen.hsa@kho.msu.edu.tr](mailto:alparslansavmilgen.hsa@kho.msu.edu.tr) adresine gönderebilirsiniz.


Bu çalışmanın oluşturulmasında emeğı geçen Dr.Öğr.Üyesi Onur ALTUNTAŞ ve Müh.Ütğm.Yunus Emre KARAKOCA’ya teşekkür ederim.

Prof. Dr. Hüsnü ÖZLÜ  
Öğretmen Albay  
Enstitü Müdürü

## GİRİŞ

Bu çalışma, 1976-2022 yılları arasında Harp Silah ve Araçları alanında gerçekleştirilen makale, tez ve kitap gibi akademik çalışmaların derlenmesinden oluşmaktadır. Akademik çalışmalar bibliyografya içerisinde sıralanmıştır. Bu sıralama; Harp Silah ve Araçları Alanında Yazılan Ulusal ve Uluslararası Kitaplar, Harp Silah ve Araçları Alanında Yazılan Ulusal ve Uluslararası Makaleler, Harp Silah ve Araçları Alanında Düzenlenen Ulusal ve Uluslararası Toplantılar (Çalıştay, Seminer Kongre vb.) ve Harp Silah ve Araçları Alanında Yazılan Ulusal Tezler olarak literatürde bulunan ilk çalışmalardan güncel çalışmalara doğru gerçekleştirilmiştir.

Bibliyografya kapsamında bulunan akademik çalışmalar, yıllara göre sınıflandırıldığında zaman içerisinde artış gözlemlenmektedir. Harp Silah ve Araçları alanında yapılan çalışmaların türlere ve yıllara göre dağılımı sütun grafiğinde sunulduğu üzere, 2010 yılından sonra Harp Silah ve Araçları alanında yapılan akademik çalışmaların arttığı gözlemlenmektedir.



# **I**

## **Harp Silah ve Araçları Alanında Yazılan Ulusal ve Uluslararası Kitaplar**

- Backman, M. E. (1976). **Terminal ballistics**. Naval Weapons Center China Lake CA.
- Akçay, M. (1993). **Balistik**. Atatürk Üniversitesi Matbaası, Erzurum.
- Held, M. (1998). **Brassey's Essential Guide to Explosive Reactive Armour and Shaped Charges**. Potomac Books Incorporated.
- McCoy, R. (1999). **Modern exterior ballistics: The launch and flight dynamics of symmetric projectiles**. Schiffer Pub.
- Yang, V. (2000). **Solid propellant chemistry combustion and motor interior ballistics**. Aiaa.
- Dodd, M. J. (2005). **Terminal ballistics: a text and atlas of gunshot wounds**. Crc Press.
- Carlucci, D. E. (2007). **Ballistics: theory and design of guns and ammunition**. CRC Press.
- Rice, K. D., Riley, M. A., & Forster, A. L. (2008). **Ballistic Resistance of Body Armor**.
- Litz, B. (2009). **Applied ballistics for long range shooting**. Applied Ballistics.
- Kneubuehl, B. P. (Ed.). (2011). **Wound ballistics: basics and applications**. Springer Science & Business Media.
- Heard, B. J. (2011). **Handbook of firearms and ballistics: examining and interpreting forensic evidence**. John Wiley & Sons.
- National Research Council. (2012). **Testing of body armor materials: phase III**. National Academies Press.
- Rosenberg, Z., & Dekel, E. (2012). **Terminal ballistics**. Berlin: Springer.
- Laible, R. (2012). **Ballistic materials and penetration mechanics (Vol. 5)**. Elsevier.
- Gurstelle, W. (2012). **Backyard Ballistics: Build Potato Cannons, Paper Match Rockets, Cincinnati Fire Kites, Tennis Ball Mortars, and More Dynamite Devices**. Chicago Review Press.
- Litz, B. (2014). **Modern advancements in long range shooting**. Cedar Springs,(MI): Applied Ballistics, LLC.
- Hetherington, J., & Smith, P. (2014). **Blast and ballistic loading of structures**. CRC Press.
- Crouch, I. (Ed.). (2016). **The science of armour materials**. Woodhead Publishing.
- Bhatnagar, A. (2016). **Lightweight ballistic composites: military and law-enforcement applications**. Woodhead Publishing.
- Lynch, O. (2019). **The science of ballistics**. College Publishing House.
- Güner, F. (2019). **Hafif Silahlar ve Balistik**. Nobel Bilimsel Eserler
- El Messiry, M. (2019). **Protective armor engineering design**. Apple Academic Press.
- Baykara, T. (2020). **Zırh Teknolojileri**. Yeditepe Üniversitesi Yayınevi.

Ganor, J. (2021). **Body Armor: and Light Ballistic Armor Materials and Systems.** Adept Press.

Nawab, Y., Sapuan, S. M., & Shaker, K. (2021). **Composite Solutions for Ballistics.** Woodhead Publishing.

Hazell, P. J. (2022). **Armour: materials, theory, and design.** CRC press.



## **II**

### **Harp Silah ve Araçları Alanında Yazılan Ulusal ve Uluslararası Makaleler**

Akçay, M. (1978). The flowfield over a missile configuration fitted both with and without strake in transonic flow up to high angles of incidence. *VKI PR, 1*.

Akçay, M., Richards, B. E., & Stahl, W. (1979). Aerodynamic characteristics of a missile featuring wing with strakes at high angles of attack. *AGARD High Angle of Attack Aerodyn. 7* p(SEE N 79-21996 13-01).

Nielsen, H. (1980). The crv7 weapon system-an example of weapon development in canada. *Canadian Aeronautics and Space Journal, 26*(1), 10-19.

King, H. H. (1980). Ballistic missile re-entry dispersion. *Journal of Spacecraft and Rockets, 17*(3), 240-247.

Kramer, P. A., & Buhler, R. D. (1980). Hybrid Rocket/Airbreathing propulsion for ballistic space transportation. *Journal of Spacecraft and Rockets, 17*(4), 334-341.

Royle, D., & Wang, S. S. (1981). Influence of fibre properties on ballistic penetration of textile panels. *Fibre science and technology, 14*(3), 183-190.

Barbara, F. J. (1981). Closed-form solution for ballistic vehicle motion. *Journal of Spacecraft and Rockets, 18*(1), 52-57.

Augustine, N. R. (1981). Weapon Systems Trends. *Astronautics & aeronautics, 19*(6), 28.

Moorhead, S. B. (1981). The latest in ship weapon launchers-the vertical launching system. *Naval Engineers Journal, 93*(2), 90-96.

Meisel, L. V., & Cote, P. J. (1981). Eliashberg function in amorphous metals. *Physical Review B, 23*(11), 5834.

Brooks, W. T. (1982). Ballistic optimization of the star grain configuration. *Journal of spacecraft and rockets, 19*(1), 54-59.

Diegle, R. B. (1982). Low-Cost Glassy Coatings. *Materials Engineering, 96*(1), 46-49.

Robb, E. J., & Barron, G. L. (1982). Nature's ballistic missile. *Science, 218*(4578), 1221-1222.

Pasechnik, S. G. (1982). Ballistic apparatus for examining the behavior of materials under shock loading. *Strength of Materials, 14*(8), 1148-1150.

Cornett, P. C. (1982). Naval surface weapons systems control system technology. *Naval Engineers Journal, 94*(3), 153-159.

Cote, P. J., & Meisel, L. V. (1982). Effect of pressure on electrical resistance of transition-metal-based alloys. *Physical Review B, 25*(4), 2138.

Monroe, S., & Cianfichi, A. (1982). Techniques for achieving increased operational availability of weapon delivery systems. In *Annual Reliability and Maintainability Symposium, Los Angeles, CA* (pp. 213-219).

Lewis, G. M., & Lewis, W. J. (1983). V/STOL status from the engine technology viewpoint. *Journal of Aircraft, 20*(7), 580-586.

Nagabhushan, B. L. (1983). Dynamic stability of a buoyant quad-rotor aircraft. *Journal of Aircraft, 20*(3), 243-249.

Yagla, J. J. (1983). Internal ballistics of weapon launching systems. *Naval Engineers Journal*, 95(3), 178-191.

Montgomery, R. S. (1983). The sliding behaviors of copper alloys. *Wear*, 87(3), 339-349.

Me-Bar, Y., & Shechtman, D. (1983). On the adiabatic shear of Ti-6Al-4V ballistic targets. *Materials Science and Engineering*, 58(2), 181-188.

Kondrashov, N. S. (1983). Interaction between a broken-away blade and an armor ring. *Strength of Materials*, 15(3), 361-366.

Zenin, A. A. (1984). Universal dependence for heat liberation in the k-phase and gas macrokinetics in ballistic powder combustion. *Combust., Explos. Shock Waves (Engl. Transl.);(United States)*, 19(4).

Weiss, V. C., West, D. P., Fu, T. S., Robinson, L. A., Cook, B., Cohen, R. L., & Chambers, D. A. (1984). Alopecia areata treated with topical minoxidil. *Archives of dermatology*, 120(4), 457-463.

Fletcher, J. C. (1984). The technologies for ballistic missile defense. *Issues in Science and Technology*, 1(1), 15-29.

Mraw, S. C., & Keweshan, C. F. (1984). Calvet-type calorimeter for the study of high-temperature processes II. New ballistic method for the enthalpy of vaporization of organic materials at high temperatures. *The Journal of Chemical Thermodynamics*, 16(9), 873-883.

Hodapp Jr, A. E., & LaFarge, R. A. (1984). A ballistic similitude design criterion for artillery projectiles. *Journal of Guidance, Control, and Dynamics*, 7(5), 631-633.

Hirohata, Y., Mohri, M., Yamashina, T., Trester, P. W., Hopkins, G. R., & Hino, T. (1984). Surface microanalysis of C+ SiC coating on limiter/armor exposed in doublet III. *Journal of Nuclear Materials*, 128, 477-480.

Bethe, H. A., Garwin, R. L., Gottfried, K., & Kendall, H. W. (1984). Space-based ballistic-missile defense. *Scientific American*, 251(4), 39-49.

Bhat, T. B. (1984). Principles of armor design. *Transactions of the Indian Institute of Metals*, 37(4), 313-335.

Lessels, B. (1984). Test for Aluminum Armor Weldments Earns Patent and Award. *Weld. J.*, 63(12), 62.

STEIN, K. (1984). Navy weapon support system nears full-scale development. *Aviation week & space technology*, 121(25), 36.

Cote, P. J., & Meisel, L. V. (1984). Application of the diffraction model to amorphous MgZn. *Journal of non-crystalline solids*, 61, 1167-1172.

Meisel, L. V., & Cote, P. J. (1984). Electrical resistivity in low resistivity amorphous alloys. *Journal of non-crystalline solids*, 61, 1307-1312.

Wu, H. C., Aboutorabi, M. R., & Chen, P. C. (1985). Cyclic torsion of a circular cylinder and its residual stress distribution.

Lin, H. (1985). The development of software for ballistic-missile defense. *Scientific American*, 253(6), 46-53.

- Montgomery, R. S. (1985). Wear of projectile rotating bands. *Wear*, 101(4), 347-356.
- Shen, C. N. (1986). On the second variations for the stress wave problem using the Euler-Lagrange and adjoint formulations. *Journal of sound and vibration*, 104(1), 41-54.
- Herbert, S. (1986). Diamond diced ceramic armour. *Ind. Diamond Rev.*, 46(513), 55.
- Bodner, S. R. (1986). Reply to the comments by Yuan Wenxue, Zhou Lanting and M. Xiaoqing on the ballistic penetration theory of Awerbuch and Bodner. *International Journal of Solids and Structures*, 22(1), 71-72.
- Harris, J., & Gsponer, A. (1986). Armour defuses the neutron bomb. *New Scientist*, 109, 44-7.
- Nobbe, T. A. (1986). Armor goes hi-tech. *Materials engineering*, 103(6), 30-33.
- Armor, J. N., Carlson, E. J., & Carrasquillo, G. (1986). Metallic aerogels: a novel synthesis of very fine copper powder. *Materials Letters*, 4(8-9), 373-376.
- Pröbster, M., & Schmucker, R. H. (1986). Ballistic anomalies in solid rocket motors due to migration effects. *Acta astronautica*, 13(10), 599-605.
- Drell, S. D. (1986). New Technologies and Ballistic Missile Defense Systems. *Annals of the New York Academy of Sciences*, 489(1), 66-80.
- Weinstein, D. I., Alster, J., & Marchand, A. P. (1986). Thermal studies of polynitrobishomocubanes. *Thermochimica acta*, 99, 133-137.
- Stewart, R. L. (1986). An experimental expert weapon direction system. *Naval engineers journal*, 98(3), 24-34.
- Bailey, J. L. (1987). The role of performance analysis in the life cycle of a weapons system. *Naval Engineers Journal*, 99(3), 239-248.
- Koelle, D. E., & Kleinau, W. (1987). The single-stage reusable ballistic launcher concept for economic cargo transportation. *Acta Astronautica*, 16, 125-130.
- Gautam, G. K., Singh, H., & Rao, K. R. K. (1987). Sensitivity and ballistic properties of rdx and petn based double base propellants. *Indian journal of technology*, 25(2), 75-78.
- Derep, J. L. (1987). Microstructure transformation induced by adiabatic shearing in armour steel. *Acta Metallurgica*, 35(6), 1245-1249.
- Sandberg, C. D., & Chung, K. Y. (1987, October). Interior ballistic measurement in an artillery projectile. In *international telemetering conference*.
- Vasudev, A. R. A. K. E. R. E., & Mehlman, M. J. (1987). Comparative study of the ballistic performance of glass reinforced plastic materials. *SAMPE Q.:(United States)*, 18(4).
- Johnson, W. (1988). Some conspicuous aspects of the Century of rapid changes in battleship armours, ca 1845–1945. *International Journal of Impact Engineering*, 7(2), 261-284.
- Rosenberg, Z., & Yeshurun, Y. (1988). The relation between ballistic efficiency and compressive strength of ceramic tiles. *Int J Impact Eng*, 7(3), 357e62.
- Berding, M. A., Krishnamurthy, S., Sher, A., & Chen, A. B. (1988). Ballistic transport in II–VI semiconductor compounds and alloys. *Journal of Crystal Growth*, 86(1-4), 33-38.

Gilreath, H., fristrom, R., & molder, S. (1988). The distributed-injection ballistic launcher. *Johns Hopkins APL Technical Digest*, 9, 299-309.

Devincent, S. M., Devletian, J. H., & Gedeon, S. A. (1988, November). Weld properties of the newly developed 2519-T87 aluminum armor alloy. In *journal of metals* (Vol. 40, No. 11, pp. 89-89).

Jenq, S. T., Goldsmith, W., & Kelly, J. M. (1988). Effect of target bending in normal impact of a flat-ended cylindrical projectile near the ballistic limit. *International journal of solids and structures*, 24(12), 1243-1266.

Clark, G. D. (1988). Safety and availability of airborne weapons and their control in a 1553B based architecture. *The Aeronautical Journal*, 92(912), 69-76.

White, R. W. (1988). The improved 16-inch gun weapon system. *Naval Engineers Journal*, 100(3), 194-203.

Booth, R. J. (1988). Sea lance weapon development system and naval engineering aspects of the capsule. *Naval Engineers Journal*, 100(3), 204-214.

Stimson, W. A. (1988). Principles of System Testing. *Naval Engineers Journal*, 100(6), 48-58.

Sastry, M. A., Romm, J. J., & Tsipis, K. (1989). Can the US economy survive a few nuclear weapons. *Technology Review;(USA)*, 92(3).

Brown, J. M. (1989). Evenson KM. *J. Mol. Spectrosc.*, 1989, 136.

Leiper, G. A. (1989). The behaviour of non-ideal explosives in the Ballistic Mortar. *Journal of Energetic Materials*, 7(4-5), 381-404.

Menon, P. K. A., & Duke, E. L. (1990). Time-Optimal Aircraft Pursuit-Evasion with a Weapon Envelope Constraint-Final Report. *Georgia Institute of Technology*.

Boenning, R. A. (1990, January). Mission reliability improvement by marginal checking. In *Annual Proceedings on Reliability and Maintainability Symposium* (pp. 53-58). IEEE.

Guzzi, J. F. (1990, January). R&M 2000 process: a cornerstone to the total quality movement. In *Annual Proceedings on Reliability and Maintainability Symposium* (pp. 106-108). IEEE.

Cagliostro, D. J., Mandell, D. A., Schwalbe, L. A., Adams, T. F., & Chapyak, E. J. (1990). MESA 3-D calculations of armor penetration by projectiles with combined obliquity and yaw. *International Journal of Impact Engineering*, 10(1-4), 81-92.

Charters, A. C., Menna, T. L., & Piekutowski, A. J. (1990). Penetration dynamics of rods from direct ballistic tests of advanced armor components at 2–3 km/s. *International Journal of Impact Engineering*, 10(1-4), 93-106.

Gurson, A. L. (1990). The effect of geometric scale on impact induced fragmentation, and its application to the design of dual plate armor. *International Journal of Impact Engineering*, 10(1-4), 213-229.

Holland, P. M., Gordon, J. T., Menna, T. L., & Charters, A. C. (1990). Hydrocode results for the penetration of continuous, segmented and hybrid rods compared with ballistic experiments. *International Journal of Impact Engineering*, 10(1-4), 241-250.

Rosenberg, Z., Bless, S. J., & Brar, N. S. (1990). On the influence of the loss of shear strength on the ballistic performance of brittle solids. *International journal of impact engineering*, 9(1), 45-49.

Woodward, R. L. (1990). A simple one-dimensional approach to modelling ceramic composite armour defeat. *International Journal of Impact Engineering*, 9(4), 455-474.

Johnson, W. (1990). The origin of the ballistic pendulum—the claims of Cassini, Jacques (1677-1756) and Robins, Benjamin (1707-1751). *International journal of mechanical sciences*, 32(4), 345-374.

Bhutta, B. A., & Lewis, C. H. (1990). Parabolized Navier-Stokes predictions of three-dimensional hypersonic flows with strong crossflow effects. *Journal of Thermophysics and Heat Transfer*, 4(1), 27-36.

Shepelev, Y. G., Fogel'zang, A. E., Denisyuk, A. P., & Demidov, A. E. (1990). Effect of initial temperature on combustion rate of ballistic powders in the high pressure range. *Combustion, Explosion and Shock Waves*, 26(4), 409-413.

Nolan, J. E., & Wheelon, A. D. (1990). Third World ballistic missiles. *Scientific American*, 263(2), 34-41.

Edquist, C. T. (1990). Prediction of the launch pulse for gas-generator-launched missiles. *Journal of propulsion and power*, 6(6), 705-712.

Taylor Jr, W. J., & Vinson, J. R. (1990). Modeling ballistic impact into flexible materials. *AIAA journal*, 28(12), 2098-2103.

Holt, K. (1991). Technology Strategy—Is there a Need for It?. *Journal of Engineering Design*, 2(2), 105-112.

Mahncke, F. C. (1991). Smaller Wars: Prospects for Surface Warfare. *Naval Engineers Journal*, 103(1), 79-82.

Ochoa, O. O., Roschke, P., & Bafrahi, R. (1991). Damage tolerance of composite tubes under compressive loading. *Composite structures*, 19(1), 1-14.

Sorensen, B. R., Kimsey, K. D., Silsby, G. F., Scheffler, D. R., Sherrick, T. M., & De Rosset, W. S. (1991). High velocity penetration of steel targets. *International Journal of Impact Engineering*, 11(1), 107-119.

Franzen, R. R., & Schneidewind, P. N. (1991). Observations concerning the penetration mechanics of tubular hypervelocity penetrators. *International journal of impact engineering*, 11(3), 289-303.

Orphal, D. L., & Miller, C. W. (1991). Penetration performance of nonideal segmented rods. *International journal of impact engineering*, 11(4), 457-461.

Abonneau, E., Fuchs, G., Treilleux, M., & Perez, A. (1991). Adhesion enhancement in Fe-Al<sub>2</sub>O<sub>3</sub> and Cu-Al<sub>2</sub>O<sub>3</sub> metal-ceramic systems induced by ion beam mixing. *Journal of adhesion science and technology*, 5(12), 1017-1021.

Cabrera, A. L., Kirner, J. F., & Armor, J. N. (1991). Oxidation protection for a variety of transition metals and copper via surface silicides formed with silane containing atmospheres. *Journal of materials research*, 6(1), 71-79.

Tedesco, J. W., McGill, B., & McDougal, W. G. (1991). Dynamic response of prestressed concrete armor units to pulsating loads. *Ocean engineering*, 18(3), 175-189.

Forrestal, M. J., Brar, N. S., & Luk, V. K. (1991). Penetration of strain-hardening targets with rigid spherical-nose rods. *Journal of Applied Mechanics*, 58(1), 7-10.

Luk, V. K., & Amos, D. E. (1991). Dynamic cylindrical cavity expansion of compressible strain-hardening materials. *Journal of Applied Mechanics*, 58(2), 334-340.

Wager, J. F. (1991). A statistical thermodynamic derivation of the ballistic model for vacancy migration. *Philosophical Magazine A*, 63(6), 1315-1326.

Zee, R. H., Wang, C. J., Mount, A., Jang, B. Z., & Hsieh, C. Y. (1991). Ballistic response of polymer composites. *Polymer composites*, 12(3), 196-202.

Strawa, A. W., Chapman, G. T., Canning, T. N., & Arnold, J. O. (1991). Ballistic range and aerothermodynamic testing. *Journal of Aircraft*, 28(7), 443-449.

McKnigh, B. S. (1991). Determination of breakup initial conditions. *Journal of Spacecraft and Rockets*, 28(4), 470-477.

Brown, J. R., Chappell, P. J. C., & Mathys, Z. (1991). Plasma surface modification of advanced organic fibres. *Journal of materials science*, 26(15), 4172-4178.

Ade, F. (1991). Ballistic qualification of armor steel weldments. *Welding Journal*, 70(9), 53-58.

Fällström, K. E. (1991). Determining material properties in anisotropic plates using Rayleigh's method. *Polymer composites*, 12(5), 306-314.

Cale, T. S., Gandy, T. H., Raupp, G. B., & Ramaswami, M. (1991). Model predictions of feature-size-dependent step coverages by PVD aluminum: surface diffusion. *Thin solid films*, 206(1-2), 54-58.

Heister, S. D., & Landsbaum, E. M. (1991). Analysis of ballistic anomalies in solid rocket motors. *Journal of propulsion and power*, 7(6), 887-893.

Heiser, R., & Meineke, E. (1991). Multidimensional interior ballistic two-phase flow and the chambrage problem. *Journal of Propulsion and Power*, 7(6), 909-914.

Borruso, M. (1991). High reliability in surface finishing critical components for smart weapons and safe aircraft. *Plating and surface finishing*, 78(3), 23-25.

Goodman, SA, Van de Merwe, DG & Snyman, L. W. (1991). Design and layout considerations for GaAs power MESFETs. *South African Journal of Science*, 87(3), 100-103.

Webster, W. P. (1991). Artificial neural networks and their application to weapons. *Naval engineers journal*, 103(3), 46-59.

Krinsky, J. L., & Noel, W. (1991). The Navy's chlorofluorocarbon/halon program. *Naval engineers journal*, 103(3), 107-117.

George, E. (1991). New techniques in weapon firing cutout zone design. *Naval Engineers Journal*, 103(3), 278-290.

Tahk, M., Trikas, T., & Wallace, B. (1991). Postflight data-reduction techniques for hovered kinetic energy weapons. *Journal of Guidance, Control, and Dynamics*, 14(5), 872-877.

Roe, C. L. (1991). An operational computer program to control Self Defense Surface Missile System operations. *Johns Hopkins APL Technical Digest;(United States)*, 12.

Roe, C. L. (1991). The NATO Seasparrow Surface Missile System. *Johns Hopkins APL Technical Digest*, 12(4).

Heiser, R., & Meineke, E. (1991). Multidimensional interior ballistic two-phase flow and the chambrage problem. *Journal of Propulsion and Power*, 7(6), 909-914.

Comparetto, G. M. (1991). Time-dependent performance of MSK, DPSK, and MFSK waveforms in a slow-fading nuclear disturbed satellite channel. *Space communications*, 9, 15-23.

Hanchak, S. J., Forrestal, M. J., Young, E. R., & Ehergott, J. Q. (1992). Perforation of concrete slabs with 48 MPa (7 ksi) and 140 MPa (20 ksi) unconfined compressive strengths. *International Journal of Impact Engineering*, 12(1), 1-7.

Akçay, M., & Erim, M. Z. (1992). A Study on External Ballistic Characteristics of a Projectile. *Bulletin of the Technical University of Istanbul*, 45, 515-526.

Anderson Jr, C. E., & Morris, B. L. (1992). The ballistic performance of confined Al<sub>2</sub>O<sub>3</sub> ceramic tiles. *International Journal of Impact Engineering*, 12(2), 167-187.

Bjerke, T. W., Zukas, J. A., & Kimsey, K. D. (1992). Penetration performance of disk shaped penetrators. *International Journal of Impact Engineering*, 12(2), 263-280.

Bjerke, T. W., Silsby, G. F., Scheffler, D. R., & Mudd, R. M. (1992). Yawed long-rod armor penetration. *International journal of impact engineering*, 12(2), 281-292.

Gupta, N. K., & Madhu, V. (1992). Normal and oblique impact of a kinetic energy projectile on mild steel plates. *International journal of impact engineering*, 12(3), 333-343.

Hetherington, J. G. (1992). The optimization of two component composite armours. *International journal of impact engineering*, 12(3), 409-414.

Yuan, W., Goldsmith, W., Radin, J., & Tauber, Z. (1992). Response of simulated propellant and explosives to projectile impact—I. Material behavior and penetration studies. *International journal of impact engineering*, 12(4), 475-497.

Yuan, W., & Goldsmith, W. (1992). Response of simulated propellant and explosives to projectile impact—III. Experimental and numerical results of warhead penetration and fragmentation. *International journal of impact engineering*, 12(4), 533-558.

Angel, Y. C., & Whitney, J. P. (1992). Ballistic limit for shielded plates subjected to hypervelocity impact. *International journal of impact engineering*, 12(4), 573-583.

Cortes, R., Navarro, C., Martinez, M. A., Rodriguez, J., & Sanchez-Galvez, V. (1992). Numerical modelling of normal impact on ceramic composite armours. *International journal of impact engineering*, 12(4), 639-650.

Guoqi, Z., Goldsmith, W., & Dharan, C. H. (1992). Penetration of laminated Kevlar by projectiles—I. Experimental investigation. *International Journal of Solids and Structures*, 29(4), 399-420.

Guoqi, Z., Goldsmith, W., & Dharan, C. K. H. (1992). Penetration of laminated Kevlar by projectiles—II. Analytical model. *International Journal of solids and structures*, 29(4), 421-436.



- Forrestal, M. J., Luk, V. K., Rosenberg, Z., & Brar, N. S. (1992). Penetration of 7075-T651 aluminum targets with ogival-nose rods. *International journal of solids and structures*, 29(14-15), 1729-1736.
- Brown, J. R., Chappell, P. J. C., & Mathys, Z. (1992). Plasma surface modification of advanced organic fibres. *Journal of materials science*, 27(12), 3167-3172.
- Tait, R. N., Dew, S. K., Smy, T., & Brett, M. J. (1992). Etching of thin metal films using a ballistic model. *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, 10(4), 912-915.
- Johnson, W. (1992). Encounters between Robins, and Euler and the Bernoullis; artillery and related subjects. *International journal of mechanical sciences*, 34(8), 651-679.
- Ishai, O., & Hiel, C. (1992). Damage tolerance of a composite sandwich with interleaved foam core. *Journal of Composites, Technology and Research*, 14(3), 155-168.
- Akiba, M., Araki, M., Suzuki, S., Ise, H., Nakamura, K., Yokoyama, K., ... & Tanaka, S. (1992). Experimental and analytical studies on thermal erosion of carbon-based materials with high thermal conductivity. *Journal of nuclear materials*, 191, 373-376.
- Jones, P. N. (1992). The metallography and relative effectiveness of arrowheads and armor during the Middle Ages. *Materials characterization*, 29(2), 111-117.
- Watson, J. (1992). The strategic missile submarine force and apsl role in its development. *Johns hopkins apl technical digest*, 13(1), 125-137.
- Mikhailov, M. A. (1992). Ballistic deficit correction in solid-state detector spectrometers by amplifier input signal shaping. *Measurement Science and Technology*, 3(2), 188.
- Johnson, W. (1992). Benjamin Robins (18th century founder of scientific ballistics): some European dimensions and past and future perceptions. *International journal of impact engineering*, 12(2), 293-323.
- O'Leary, B. (1992). International manned missions to Mars and the resources of Phobos and Deimos. *Acta Astronautica*, 26(1), 37-54.
- Gussow, M., & Prettyman, E. C. (1992). Typhon-a weapon system ahead of its time. *Johns Hopkins APL Technical Digest*, 13(1), 82-89.
- Hyatt, W. C. (1992). Fleet air defense-countermeasures. *Johns hopkins apl technical digest*, 13(1), 101-109.
- Hatch, R. R., Luber, J. L., & Walker, J. H. (1992). 50 years of strike warfare research at the applied physics laboratory. *Johns Hopkins APL Technical Digest*, 13(1), 113-124.
- Watson, J. (1992). The strategic missile submarine force and apsl role in its development. *Johns hopkins apl technical digest*, 13(1), 125-137.
- Hunt, R. J. (1992). Characteristics of a successful study. *Johns hopkins apl technical digest*, 13(1), 160-164.
- Herman, S., & Loeser, C. T. (1992). Damage Control—The Last Line of Shipboard Defense. *Naval Engineers Journal*, 104(1), 63-79.

- Sharp, T. J., & Ervin, C. A. (1992, January). Improving reliability and maintainability through process management. In *Annual Reliability and Maintainability Symposium 1992 Proceedings* (pp. 93-97). IEEE.
- Hansen, W. A., Edson, B. N., & Larter, P. C. (1992, January). Reliability, availability, and maintainability expert system (RAMES). In *Annual Reliability and Maintainability Symposium 1992 Proceedings* (pp. 478-482). IEEE.
- Collcutt, R. H. (1992). The reliability of equipment: Yesterday's research and tomorrow's requirements. *International journal of production economics*, 24(3), 235-242.
- Menon, P. K., & Duke, E. L. (1992). Time-optimal aircraft pursuit evasion with a weapon envelope constraint. *Journal of guidance, control, and dynamics*, 15(2), 448-456.
- Fainberg, A. (1992). Explosives detection for aviation security. *Science*, 255(5051), 1531-1537.
- Nickens, A. D., Brunner, G. P., & Hamilton, D. L. (1992). Navy Investigations of HFC-134a as a Replacement for CFC-12 in Shipboard Applications. *Naval engineers journal*, 104(3), 98-103.
- Famme, J. B., & Taylor, B. (1992). Integration of ship control systems for total ship survivability. *Naval engineers journal*, 104(3), 210-218.
- McKenzie, K. J., & Moores, N. (1992). The Type 23 Frigate—Britain's ASW Frigate for the Nineties. *Naval Engineers Journal*, 104(3), 228-235.
- Wilson, N. G., Still, G. J., & Ward, C. O. (1992). Historical perspective of vacuum system application at the Nevada Test Site. *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, 10(4), 2609-2618.
- Doherr, K. F., & Schilling, H. (1992). Nine-degree-of-freedom simulation of rotating parachute systems. *Journal of Aircraft*, 29(5), 774-781.
- Jenq, S. T., Wang, S. B., & Sheu, L. T. (1992). A model for predicting the residual strength of GFRP laminates subject to ballistic impact. *Journal of reinforced plastics and composites*, 11(10), 1127-1141.
- Briscoe, B. J., & Motamedi, F. (1992). The ballistic impact characteristics of aramid fabrics: the influence of interface friction. *Wear*, 158(1-2), 229-247.
- Simmons III, J. J. (1992). Early modern wrought-iron artillery macroanalyses of instruments of enforcement. *Materials characterization*, 29(2), 129-138.
- Prevorsek, D. C., Chin, H. B., & Bhatnagar, A. (1993). Damage tolerance: design for structural integrity and penetration. *Composite Structures*, 23(2), 137-148.
- Mouritz, A. P. (1993). Residual tensile strength of ballistically damaged aluminium-based laminates. *International journal of impact engineering*, 13(2), 319-328.
- Zee, R. H., & Hsieh, C. Y. (1993). Energy loss partitioning during ballistic impact of polymer composites. *Polymer Composites*, 14(3), 265-271.
- Gazonas, G. A. (1993). A uniaxial nonlinear viscoelastic constitutive model with damage for M30 gun propellant. *Mechanics of Materials*, 15(4), 323-335.

- Hansen, J. S., & Turner, P. C. (1993). A Process for Making Lightweight Cast-Steel Armor. *Advanced Materials & Processes(USA)*, 144(2), 22-24.
- Janghorban, K. (1993). Processing of ceramic matrix SiC/Al composites. *Journal of Materials Processing Technology*, 38(1-2), 361-368.
- Desper, C. R., Cohen, S. H., & King, A. O. (1993). Morphological effects of ballistic impact on fabrics of highly drawn polyethylene fibers. *Journal of applied polymer science*, 47(7), 1129-1142.
- Martinez, M. A., Navarro, C., Cortes, R., Rodriguez, J., & Sanchez-Galvez, N. (1993). Friction and wear behaviour of Kevlar fabrics. *Journal of materials science*, 28(5), 1305-1311.
- Wierzbicki, T., & Fatt, M. S. H. (1993). Damage assessment of cylinders due to impact and explosive loading. *International Journal of Impact Engineering*, 13(2), 215-241.
- O'donnell, R. G. (1993). Deformation energy of Kevlar backing plates for ceramic armours. *Journal of materials science letters*, 12(18), 1485-1486.
- Lee, S., Cho, K. M., Lee, C. S., & Choo, W. Y. (1993). Microstructural study of adiabatic shear formed by ballistic impact in an HY-100 band steel. *Metallurgical and Materials Transactions A*, 24(10), 2217-2224.
- Tauber, M., Chargin, M., Henline, W., Chiu, A., Yang, L., Hamm Jr, K. R., & Miura, H. (1993). Aerobrake design studies for manned Mars missions. *Journal of Spacecraft and Rockets*, 30(6), 656-664.
- Martinez, M. A., Cortés, R., Sanchez-Galvez, V., & Navarro, C. (1993). Techniques for the determination of the static and dynamic internal friction coefficients of ceramic powder. *Journal of testing and evaluation*, 21(6), 494-499.
- Olofsson, K., & Lindgren, L. E. (1993). Holographic interferometry measurements of transient bending waves in tubes and rings. *Experimental mechanics*, 33(4), 308-313.
- Cortes, R., Martinez, M. A., Navarro, C., & Sanchez-Galvez, V. (1993). Measurements of internal friction coefficient of SiC and Al<sub>2</sub>O<sub>3</sub> powders. *Journal of materials science*, 28(24), 6737-6740.
- Lee, S. W., & Sun, C. T. (1993). Dynamic penetration of graphite/epoxy laminates impacted by a blunt-ended projectile. *Composites Science and Technology*, 49(4), 369-380.
- Angel, Y. C., & Smith, J. P. (1993). Critical response of shielded plates subjected to hypervelocity impact. *International Journal of Impact Engineering*, 14(1-4), 25-35.
- Baker, J. R., & Persechino, M. A. (1993). An analytical model of hole size in finite plates for both normal and oblique hypervelocity impact for all target thicknesses up to the ballistic limit. *International Journal of Impact Engineering*, 14(1-4), 73-84.
- Bless, S. J., & Anderson Jr, C. E. (1993). Penetration of hard layers by hypervelocity rod projectiles. *International Journal of Impact Engineering*, 14(1-4), 85-93.
- Jolly, W. H., & Williamsen, J. E. (1993). Statistical ballistic limit curve regression for space station freedom meteoroid/orbital debris shielding. *International Journal of Impact Engineering*, 14(1-4), 395-406.

- Schonberg, W. P. (1993). Effect of internal stress fields on the perforation response of dual-wall structures under hypervelocity impact. *International Journal of Impact Engineering*, 14(1-4), 637-646.
- Schonberg, W. P., & Yang, F. (1993). Response of space structures to orbital debris particle impact. *International Journal of Impact Engineering*, 14(1-4), 647-658.
- Schultz, P. H. (1993). Impact crater growth in an atmosphere. *International Journal of Impact Engineering*, 14(1-4), 659-670.
- Bless, S. J., & Anderson Jr, C. E. (1993). Penetration of hard layers by hypervelocity rod projectiles. *International Journal of Impact Engineering*, 14(1-4), 85-93.
- Yatteau, J. D., & Dickinson, D. L. (1993). An engineering model to predict perforation damage to plates impacted by high velocity debris clouds. *International Journal of Impact Engineering*, 14(1-4), 831-842.
- Sobota, T. H., Babcock, S. M., & Humphrey, J. W. (1993). Development of a scramaccelerator based hypervelocity launcher. *International Journal of Impact Engineering*, 14(1-4), 695-706.
- Lem, K. W., Kwon, Y. D., & Prevorsek, D. C. (1993). Flammability Evaluation of Spectra (r) Composites Under Exposure to a Turbo-Torch Flame. *International Journal of Polymeric Materials*, 23(1-2), 87-108.
- Wright, S. C., Fleck, N. A., & Stronge, W. J. (1993). Ballistic impact of polycarbonate-an experimental investigation. *International Journal of Impact Engineering*, 13(1), 1-20.
- Anderson Jr, C. E., Mullin, S. A., & Kuhlman, C. J. (1993). Computer simulation of strain-rate effects in replica scale model penetration experiments. *International journal of impact engineering*, 13(1), 35-52.
- Schonberg, W. P., & Peck, J. A. (1993). Multi-wall structural response to hypervelocity impact: Numerical predictions vs experimental results. *International journal of impact engineering*, 13(1), 117-132.
- Navarro, C., Martinez, M. A., Cortes, R., & Sanchez-Galvez, V. (1993). Some observations on the normal impact on ceramic faced armours backed by composite plates. *International journal of impact engineering*, 13(1), 145-156.
- Carling, R. L. (1993). A Knowledge-Base System for the Threat Evaluation and Weapon Assignment Process. *Naval Engineers Journal*, 105(1), 31-41.
- Ousborne, D. R. (1993). Ship self-defense against air threats. *Johns Hopkins APL Technical Digest*, 14(2), 125-140.
- Greer, R. A. (1993). The navigation sensor system interface project. *The Journal of Navigation*, 46(2), 238-244.
- Ward, R. E. (1993). Information Technology Insertion: Key System Engineering Element for Affordable, Mission Flexible Ships. *Naval Engineers Journal*, 105(3), 52-60.
- Mittura, A., & Karp, M. S. (1993). Combat system engineering: a return to fundamentals. *Naval Engineers Journal*, 105(3), 61-69.
- Ferreira, D. M., & Marcell, F. C. (1993). Navy high energy laser weapon system. *Naval Engineers Journal*, 105(3), 105-117.

- Jacobs, K. S. (1993). Maintenance Engineering for Maintenance Managers. *Naval Engineers Journal*, 105(4), 143-151.
- Rowley, U. H., & Smith, J. L. (1993). Chief Engineer as Chief Logistician. *Naval Engineers Journal*, 105(5), 31-36.
- Skolnick, A. (1993). Sea Power, Peacekeeping, Defense Conversion and Budgets... Can They Be Balanced?. *Naval Engineers Journal*, 105(5), 59-67.
- Gowland, R. J., Lewis, W. P., & Wilshire, B. (1993). Powder Product Research: University College Swansea. *Int. J. Powder Metallurgy*, 29(4), 393-399.
- Bachinsky, J. A., & Pienkoski, B. A. (1993, September). Rapid Prototyping to Support Flexible Computer Integrated Manufacturing. In *Proceedings of the IFIP TC5/WG5. 3 Conference on Towards World Class Manufacturing 1993* (pp. 349-353).
- Liu, X. (1993). Dynamic optimization of structures with non-linearities. *International journal for numerical methods in engineering*, 36(19), 3271-3282.
- Lee, B. L., Song, J. W., & Ward, J. E. (1994). Failure of Spectra® polyethylene fiber-reinforced composites under ballistic impact loading. *Journal of composite materials*, 28(13), 1202-1226.
- Kang, T. J., & Lee, S. H. (1994). Effect of stitching on the mechanical and impact properties of woven laminate composite. *Journal of composite materials*, 28(16), 1574-1587.
- Wu, E., Tsai, C. Z., & Chen, Y. C. (1994). Penetration into glass/epoxy composite laminates. *Journal of composite materials*, 28(18), 1783-1802.
- Kelly, A. M., Reiswig, R. D., Hill, M. A., & Blumenthal, W. R. (1994). Preparation of B4C/Al composites for image analysis. *Materials characterization*, 32(1), 35-39.
- Prevorsek, D. C., Kwon, Y. D., & Chin, H. B. (1994). Analysis of the temperature rise in the projectile and extended chain polyethylene fiber composite armor during ballistic impact and penetration. *Polymer Engineering & Science*, 34(2), 141-152.
- Chae, K. H., Jang, H. G., Choi, I. S., Jung, S. M., Kim, K. S., & Whang, C. N. (1994). Mechanism of adhesion improvement in ion-beam mixed Cu/SiO<sub>2</sub>. *Journal of materials science*, 29(3), 749-753.
- Grey, J. (1994). Whither ballistic-missile defense. *Aerospace america*, 32(3), 16.
- Magness Jr, L. S. (1994). High strain rate deformation behaviors of kinetic energy penetrator materials during ballistic impact. *Mechanics of materials*, 17(2-3), 147-154.
- Holt, W. H., Mock Jr, W., Zerilli, F. J., & Clark, J. B. (1994). Experimental and computational study of the impact deformation of titanium Taylor cylinder specimens. *Mechanics of materials*, 17(2-3), 195-201.
- Weiner, C., SáRa, M., Dasgupta, G., & Sleytr, U. B. (1994). Affinity cross-flow filtration: purification of IgG with a novel protein A affinity matrix prepared from two-dimensional protein crystals. *Biotechnology and bioengineering*, 44(1), 55-65.
- Woodward, R. L., & Baxter, B. J. (1994). Ballistic evaluation of ceramics: influence of test conditions. *International journal of impact engineering*, 15(2), 119-124.

- Sorrell, C. A., & Hoffman, P. A. (1994). Innovative composite materials research at the US Department of Energy, Office of Energy Efficiency and Renewable Energy. *Composites Engineering*, 4(8), 857-882.
- Hetherington, J. G., & Lemieux, P. F. (1994). The effect of obliquity on the ballistic performance of two component composite armours. *International journal of impact engineering*, 15(2), 131-137.
- Weeks, C. A., & Sun, C. T. (1994). Multi-core composite laminates. *Journal of advanced materials*, 25(3), 28-37.
- Rawlings, R. D. (1994). Glass-ceramic matrix composites. *Composites*, 25(5), 372-379.
- Nastasi, M., & Mayer, J. W. (1994). Ion beam mixing in metallic and semiconductor materials. *Materials Science and Engineering: R: Reports*, 12(1), 1-52.
- Davidson, S. A., Grimm, J. G., Blumenau, P. M., Schultz, K. I., Kachelmyer, A. L., Sullivan, L. J., ... & Martin, M. (1994). An Airborne Passive/Active Electro-Optic Sensor System for Theater Ballistic Missile Defense. *Naval Engineers Journal*, 106(3), 192-207.
- McInnes, C. R. (1994). Aero-assisted trajectories for direct launch systems. *Acta Astronautica*, 32(6), 411-417.
- Wu, E., Sheen, H. J., Chen, Y. C., & Chang, L. C. (1994). Penetration force measurement of thin plates by laser Doppler anemometry. *Experimental mechanics*, 34(2), 93-99.
- Freitas, G., Magee, C., Dardzinski, P., & Fusco, T. (1994). Fiber insertion process for improved damage tolerance in aircraft laminates. *Journal of Advanced Materials(USA)*, 25(4), 36-43.
- Jenq, S. T., Jing, H. S., & Chung, C. (1994). Predicting the ballistic limit for plain woven glass/epoxy composite laminate. *International Journal of Impact Engineering*, 15(4), 451-464.
- Ravid, M., Bodner, S. R., & Holcman, I. (1994). Penetration into thick targets—refinement of a 2D dynamic plasticity approach. *International journal of impact engineering*, 15(4), 491-499.
- Mileiko, S. T., Sarkissyan, O. A., & Kondakov, S. F. (1994). Ballistic limits of Al-6% Mg alloy plates laminated by diffusion bonding. *Theoretical and applied fracture mechanics*, 21(1), 9-16.
- Tauber, M., Wercinski, P., Henline, W., Paterson, J., & Yang, L. (1994). Uranus and Neptune atmospheric-entry probe study. *Journal of Spacecraft and Rockets*, 31(5), 799-805.
- Mill, J. D., O'Neil, R. R., Price, S., Romicks, G. J., Uy, O. M., Gaposchkin, E. M., ... & Stair Jr, A. T. (1994). Midcourse Space Experiment: Introduction to the Spacecraft, Instruments, and Scientific Objectives. *Journal of Spacecraft and Rockets*, 31(5), 900-907.
- Woodward, R. L., Gooch Jr, W. A., O'donnell, R. G., Perciballi, W. J., Baxter, B. J., & Pattie, S. D. (1994). A study of fragmentation in the ballistic impact of ceramics. *International Journal of Impact Engineering*, 15(5), 605-618.
- Raftenberg, M. N. (1994). Lagrangian hydrocode simulations of rolled-homogeneous-armor plate perforation by a shaped charge jet. *International journal of impact engineering*, 15(5), 619-643.

- Tuckness, D. G. (1994). Precision landing on Mars using imaging penetrator beacons. *Journal of Spacecraft and Rockets*, 31(6), 1085-1091.
- Tuckness, D. G. (1994). Imaging penetrator-beacon design for Mars. *Journal of Spacecraft and Rockets*, 31(6), 1123-1129.
- Rajendran, A. M. (1994). Modeling the impact behavior of AD85 ceramic under multiaxial loading. *International Journal of Impact Engineering*, 15(6), 749-768.
- Johnson, W. (1994). Congreve's details of the rocket system and the Artillery Museum in the Rotunda at Woolwich, London. *International journal of impact engineering*, 15(6), 833-842.
- von Oppen, F. (1994). Magnetic susceptibility of ballistic microstructures. *Physical Review B*, 50(23), 17151.
- Bartels, B. E., & Chang, N. (1994). Future fighter fable: a day in the life of a future fighter-how do we get there from here?. *IEEE Aerospace and Electronic Systems Magazine*, 9(1), 6-11.
- Wilkinson, C. K. (1994). Coverage regions: how they are computed and used. *Journal of the Astronautical Sciences*, 42(1), 47-70.
- Cosci, S. (1994). Getting together to test. *Rivista aeronautica*, 70(1), 48-57.
- Rose, M. F., Johnson, C., Owens, T., & Stephens, B. (1994). Limiting factors for carbon-based chemical double-layer capacitors. *Journal of Power Sources*, 47(3), 303-312.
- Robinson, S. D., & Matlock, R. S. (1994). Leap Technology Upgrades to Tactical Missiles Provide Near-Term Options for Theater Missile Defense. *Naval Engineers Journal*, 106(2), 93-109.
- Woodward, R. L., Egglestone, G. T., Baxter, B. J., & Challis, K. (1994). Resistance to penetration and compression of fibre-reinforced composite materials. *Composites Engineering*, 4(3), 329-341.
- Prevorsek, D. C., Chin, H. B., Kwon, Y. D., Sund, S. E., & Hsieh, D. (1994). Dynamics of an Explosion Blast-proof Aircraft Luggage Container. Part I—Deformation Rates. *International Journal of Polymeric Materials*, 26(1-2), 87-102.
- Woods, D. W., Hine, P. J., Duckett, R. A., & Ward, I. M. (1994). Effect of high modulus polyethylene fibre surface treatment on epoxy resin composite impact properties. *The Journal of Adhesion*, 45(1-4), 173-189.
- Sguerri, F. (1994). Stealth and antistealth. *Rivista aeronautica*, 70(2), 16-23.
- Tatake, S. G., Daniel, K. J., Ghosh, A. A., Tokekar, K. P., Rao, K. R., & Khan, I. I. (1994). Modelling and simulation of a railgun powered by a capacitor bank. *Defence Science Journal*, 44(2), 131.
- Cheng, C. H., & Mon, D. L. (1994). Evaluating weapon system using fuzzy analytical hierarchy process. *Defence Science Journal*, 44(2), 165.
- Surko, S. W. (1994). An assessment of current warship damaged stability criteria. *Naval Engineers Journal*, 106(3), 120-131.

Bloom, J. B., Reese, R. M., & Hopkins, T. M. (1994). Live fire test and evaluation for ships. *Naval Engineers Journal*, 106(3), 228-245.

Benren, T. (1994). An ECCM model and the technical development trends to the demands of the future EW combat. *IEEE Aerospace and Electronic Systems Magazine*, 9(6), 12-16.

Matha, J. (1994). The weapon system of the rafale aircraft efficiency through versatility, flexibility, and ruggedness. *Nouvelle revue aeronautique astronautique*, (2), 29-38.

Jaiswal, N. K. (1994). Growth of Military Operational Research in India. *Defence Science Journal*, 44(3), 215.

Nielson, J. T. (1994). CALCM-the untold story of the weapon used to start the Gulf War. *IEEE Aerospace and Electronic Systems Magazine*, 9(7), 18-22.

Landi, C. (1994). Tornado ecr/sead, a new role and a new aircraft for electronic warfare in the am. *Rivista aeronautica*, 70(4), 38-45.

Moore, F. G., Hymer, T., & McInville, R. (1994). An improved version of the Naval Surface Warfare Center aeroprediction code (AP93). *Journal of Spacecraft and Rockets*, 31(5), 783-791.

Adler, L. S. (1994). CITIS Holds Promise for both DoD and Commercial Contractors: IVE w standard expands paperless environment through computer access to defined types of contractor data and enhances concurrent engineering. *Naval engineers journal*, 106(5), 68-72.

Cerruti, F. (1994). Reconversion of usaf strategical bombers. *Rivista aeronautica*, 70(5), 26-33.

Hsu, C., Babin, G., Bouziane, M. H., Cheung, W., Rattner, L., Rubenstein, A., & Yee, L. (1994). The metadatabase approach to integrating and managing manufacturing information systems. *Journal of Intelligent Manufacturing*, 5(5), 333-349.

May, M. M. (1994). Nuclear weapons supply and demand. *American Scientist*, 82(6), 526-537.

Anderson Jr, C. E., Hohler, V., Walker, J. D., & Stilp, A. J. (1995). Time-resolved penetration of long rods into steel targets. *International Journal of Impact Engineering*, 16(1), 1-18.

Lipanov, A. M. (1995). Stationarity conditions for physicochemical processes in the interior ballistics of a gun. *Combustion, Explosion and Shock Waves*, 31(2), 251-258.

Wu, C. H., & Mszanowski, U. (1995). A comparison of lifetimes of beryllium, carbon, molybdenum and tungsten as divertor armour materials. *Journal of nuclear materials*, 218(3), 293-301.

Kumar, K. S., & DiPietro, M. S. (1995). Ballistic penetration response of intermetallic matrix composites. *Scripta Metallurgica et Materialia;(United States)*, 32(5).

Lee, C. G., Lee, Y. J., & Lee, S. (1995). Observation of adiabatic shear bands formed by ballistic impact in aluminum-lithium alloys. *Scripta metallurgica et materialia*, 32(6), 821-826.



Dikshit, S. N., Kutumbarao, V. V., & Sundararajan, G. (1995). The influence of plate hardness on the ballistic penetration of thick steel plates. *International journal of impact engineering*, 16(2), 293-320.

Goldsmith, W., & Louie, D. L. (1995). Axial perforation of aluminum honeycombs by projectiles. *International Journal of Solids and Structures*, 32(8-9), 1017-1046.

Tzeng, J. T., & Abrahamian, A. S. (1995). Dynamic compressive properties of composites at interior ballistic rates of loading—Experimental method. *Composites Engineering*, 5(5), 501-508.

Campbell, L. L., & Cable, A. J. (1995). The upgraded ballistic range facilities at AEDC. *International journal of impact engineering*, 17(1-3), 131-138.

Charters, A. C. (1995). The early years of aerodynamics ranges, light-gas guns, and high-velocity impact. *International journal of impact engineering*, 17(1-3), 151-182.

Christiansen, E. L., Crews, J. L., Kerr, J. H., Cour-Palais, B. G., & Cykowski, E. (1995). Testing the validity of cadmium scaling. *International journal of impact engineering*, 17(1-3), 205-215.

Fahrenthold, E. P., & Yew, C. H. (1995). Hydrocode simulation of hypervelocity impact fragmentation. *International journal of impact engineering*, 17(1-3), 303-310.

Lehr, H. F., Wollman, E., & Koerber, G. (1995). Experiments with jacketed rods of high fineness ratio. *International journal of impact engineering*, 17(4-6), 517-526.

McKnight, D., Maher, R., & Nagl, L. (1995). Refined algorithms for structural breakup due to hypervelocity impact. *International journal of impact engineering*, 17(4-6), 547-558.

Nebolsine, P. E., Lo, E. Y., & Fersugon, R. D. (1995). Tungsten pellet fragment field characterization. *International journal of impact engineering*, 17(4-6), 583-593.

Rosenberg, Z., Dekel, E., Yeshurun, Y., & Bar-On, E. (1995). Experiments and 2-D simulations of high velocity penetrations into ceramic tiles. *International journal of impact engineering*, 17(4-6), 697-706.

Stilp, A. J., & Hohler, V. (1995). Aeroballistic and impact physics research at EMI an historical overview. *International journal of impact engineering*, 17(4-6), 785-805.

Subramanian, R., & Bless, S. J. (1995). Penetration of semi-infinite AD995 alumina targets by tungsten long rod penetrators from 1.5 to 3.5 km/s. *International Journal of Impact Engineering*, 17(4-6), 807-816.

Tedeschi, W. J., Remo, J. L., Schulze, J. F., & Young, R. P. (1995). Experimental hypervelocity impact effects on simulated planetesimal materials. *International Journal of Impact Engineering*, 17(4-6), 837-848.

Trucano, T. G., & Chhabildas, L. C. (1995). Computational design of hypervelocity launchers. *International journal of impact engineering*, 17(4-6), 849-860.

Wang, X., Zhao, G., Shen, P., & Zha, H. (1995). High velocity impact of segmented rods with an aluminum carrier tube. *International journal of impact engineering*, 17(4-6), 915-923.

Goldsmith, W., Dharan, C. K. H., & Chang, H. (1995). Quasi-static and ballistic perforation of carbon fiber laminates. *International Journal of Solids and Structures*, 32(1), 89-103.

Sloan, F., & Nguyen, H. (1995). Mechanical characterization of extended-chain polyethylene (ecpe) fiber-reinforced composites. *Journal of composite materials*, 29(16), 2092-2107.

Hong, L. B., Anthony, L., & Fultz, B. (1995). B2 and B32 ordering transformations of equiatomic bcc alloys with ballistic and thermal atom movements. *Journal of materials research*, 10(1), 126-132.

Magness, L. S., Kapoor, D., & Dowding, R. (1995). Novel flow-softening and flow-anisotropy approaches to developing improved tungsten kinetic energy penetrator materials. *MATERIAL AND MANUFACTURING PROCESS*, 10(3), 531-540.

Hyer, S. A., Johnston, J. J., & Roe, C. L. (1995). Combat System Effectiveness Modeling to Support the Development of Anti-Air Warfare Tactics. *Johns Hopkins APL Technical Digest*, 16(1), 69-82.

Tai, C. H., Sheu, J. H., & Tzeng, S. C. (1995). Roe's solver with different turbulence models for three-dimensional high-speed inlets. *Journal of Spacecraft and Rockets*, 32(1), 43-47.

Ascasibar, E., Alejaldre, C., Alonso, J., De Aragón, F., Balbín, R., Brañas, B., ... & Tai, Y. M. (1995). First results of the TJ-I U Torsatron. *Fusion Technology*, 27(3T), 198-201.

Hull, D. G., & Salguero, D. E. (1995). Missile sizing for ascent-phase intercept. *Journal of Spacecraft and Rockets*, 32(3), 445-449.

Kohlman, W. G., & Petrie, S. P. (1995). Mechanical properties of polycarbonate-polysulfone and polycarbonate-polyetherimide blends. *Advances in Polymer Technology: Journal of the Polymer Processing Institute*, 14(2), 111-127.

Parga-Landa, B., & Hernandez-Olivares, F. (1995). An analytical model to predict impact behaviour of soft armours. *International journal of impact engineering*, 16(3), 455-466.

Goldsmith, W., Tam, E., & Tomer, D. (1995). Yawing impact on thin plates by blunt projectiles. *International journal of impact engineering*, 16(3), 479-498.

Wu, E., & Chang, L. C. (1995). Woven glass/epoxy laminates subject to projectile impact. *International Journal of Impact Engineering*, 16(4), 607-619.

Liu, D., & Stronge, W. J. (1995). Perforation of rigid-plastic plate by blunt missile. *International journal of impact engineering*, 16(5-6), 739-758.

Bundy, M. L., Horst, A. W., & Robbins, F. W. (1995). Projectile fin damage from propellant combustion. *Journal of thermophysics and heat transfer*, 9(4), 784-789.

Espinosa, H. D. (1995). On the dynamic shear resistance of ceramic composites and its dependence on applied multiaxial deformation. *International journal of solids and structures*, 32(21), 3105-3128.

Rydin, R. W., Locurcio, A., & Karbhari, V. M. (1995). Influence of reinforcing layer orientation on impact response of plain weave RTM composites. *Journal of reinforced plastics and composites*, 14(11), 1199-1225.

Kohlman, W. G. (1995). Ballistic performance of polycarbonate/polyester and polycarbonate/styrene-acrylonitrile microlayer sheets. *Polymer Engineering & Science*, 35(14), 1191-1195.

Graham, J. H., Brockman, G., & Shea, J. (1995). Hybrid expert maintenance advisory system for naval systems applications. *Naval engineers journal*, 107(1), 23-32.

Barron, R. L. (1995). Reduced-computation end-game steering laws for predictive guidance. *Journal of Guidance, Control, and Dynamics*, 18(2), 306-315.

LoPresto, M. D., Pollack, A. F., Florence, J., Ferguson, R. C., & Feldberg, I. E. (1995). Operator support concepts for Tomahawk strike management. *Johns Hopkins APL technical digest*, 16(2), 148-159.

Frederick, J. W., & Miller Jr, R. E. (1995). Weapons structural test firing aboard the USS Arleigh Burke. *Naval Engineers Journal*, 107(3), 19-34.

Baehr, L. J. S. (1995). The Advanced TOMAHAWK Weapons Control System for Submarines. *Naval Engineers Journal*, 107(3), 35-40.

Hornhaver, H. (1995). STANDARD FLEX Distributed Architecture Combat System. *Naval Engineers Journal*, 107(3), 41-48.

McCartney, F. N., Mayer, J. C., & Doyle, D. J. (1995). The patrol coastal cyclone class: a description of the newest addition to the US Navy. *Naval engineers journal*, 107(3), 61-75.

Tibbitts, C. B., & Keane Jr, R. G. (1995). Making design everybody's job: the warship design process. *Naval engineers journal*, 107(3), 283-301.

Kott, A., & Peasant, J. L. (1995). Representation and management of requirements: The RAPID-WS project. *Concurrent Engineering*, 3(2), 93-106.

Petitpas, E. (1995). Design of composite structures in land armaments. *Mecanique industrielle et materiaux*, 48(2), 90-92.

Blackwood, L. G., Rodriquez, J. G., & Tow, D. M. (1995). Discrimination of munition fill types by k-nearest neighbour classification tree analysis of acoustic resonance signatures. *NDT & E International*, 28(3), 137-146.

Singh, R. N., & Negi, S. S. (1995). Target Acquisition System for Antitank Guided Missile Systems. *Defence Science Journal*, 45(3), 199.

Said, M. O. (1995). Theory and practice of total ship survivability for ship design. *Naval Engineers Journal*, 107(4), 191-203.

Soannini, R., & Froment, P. (1995). Survivability Increase of Military Transport Aircraft. *Nouvelle Revue Aeronautique Astronautique*, (4), 44-52.

Richards, M. B. (1995). A preferred RAPD-based strategy for permanent disposal of commercial LWR, spent nuclear fuel. *Energy*, 20(8), 811-822.

Chakraborty, R. C. (1995). Target Detection: New Techniques for Defence Applications. *Defence Science Journal*, 45(4), 307.

Lomov, S. V. (1996). Resistance of cloth barriers made of high-modulus fibres to ballistic impact. *Fibre Chemistry*, 27(3), 172-175.

Orphal, D. L., Franzen, R. R., Piekutowski, A. J., & Forrestal, M. J. (1996). Penetration of confined aluminum nitride targets by tungsten long rods at 1.5–4.5 km/s. *International Journal of Impact Engineering*, 18(4), 355-368.

Elaldi, F., & Akçay, M. (1996). Design and testing of a recoil mechanism used for self propelled Howitzers. *Bulteni-Istanbul Teknik Universitesi*, 49, 301-316.

Matchen, B. (1996). Applications of ceramics in armor products. In *Key Engineering Materials* (Vol. 122, pp. 333-344). Trans Tech Publications Ltd.

Iremonger, M. J., & Went, A. C. (1996). Ballistic impact of fibre composite armours by fragment-simulating projectiles. *Composites Part A: Applied Science and Manufacturing*, 27(7), 575-581.

Almohandes, A. A., Abdel-Kader, M. S., & Eleiche, A. M. (1996). Experimental investigation of the ballistic resistance of steel-fiberglass reinforced polyester laminated plates. *Composites Part B: Engineering*, 27(5), 447-458.

Anderson Jr, C. E., Mullin, S. A., Piekijtowski, A. J., Blaylock, N. W., & Poormon, K. L. (1996). Scale model experiments with ceramic laminate targets. *International journal of impact engineering*, 18(1), 1-22.

Aidun, J. B., & Addessio, F. L. (1996). An enhanced cell model with nonlinear elasticity. *Journal of composite materials*, 30(2), 248-280.

Reddy, G. M., & Mohandas, T. (1996). Ballistic performance of high-strength low-alloy steel weldments. *Journal of materials processing technology*, 57(1-2), 23-30.

Wang, B., & Lu, G. X. (1996). On the optimisation of two-component plates against ballistic impact. *Journal of Materials Processing Technology*, 57(1-2), 141-145.

Pillai, A. G. S., Dayanandan, C. R., Joshi, M. M., Patgaonkar, S. S., & Karir, J. S. (1996). Studies on the effects of RDX particle size on the burning rate of gun propellants. *defence science journal*, 46(2), 83.

Horsfall, I., & Buckley, D. (1996). The effect of through-thickness cracks on the ballistic performance of ceramic armour systems. *International journal of impact engineering*, 18(3), 309-318.

Hetherington, J. G. (1996). Energy and momentum changes during ballistic perforation. *International Journal of Impact Engineering*, 18(3), 319-337.

Sun, C. T., & Potti, S. V. (1996). A simple model to predict residual velocities of thick composite laminates subjected to high velocity impact. *International Journal of Impact Engineering*, 18(3), 339-353.

Venkataraman, S. (1996). Impact resistance and fragmentation behaviour of glassceramics. *Bulletin of Materials Science*, 19(5), 749-758.

Zhang, T. G., & Stronge, W. J. (1996). Theory for ballistic limit of thin ductile tubes hit by blunt missiles. *International journal of impact engineering*, 18(7-8), 735-752.

Piekutowski, A. J., Forrestal, M. J., Poormon, K. L., & Warren, T. L. (1996). Perforation of aluminum plates with ogive-nose steel rods at normal and oblique impacts. *International Journal of Impact Engineering*, 18(7-8), 877-887.

Choo, S. H., Baek, E. R., & Lee, S. (1996). Ballistic impact behavior of multilayered armor plates processed by hardfacing. *Metallurgical and Materials Transactions A*, 27(10), 3335-3340.

Murr, L. E., Ferreyra, E., Pappu, T. S., Garcia, E. P., Sanchez, J. C., Huang, W., ... & Niou, C. S. (1996). Novel deformation processes and microstructures involving ballistic penetrator formation and hypervelocity impact and penetration phenomena. *Materials characterization*, 37(5), 245-276.

Woodward, R. L. (1996). Modelling geometrical and dimensional aspects of ballistic penetration of thick metal targets. *International journal of impact engineering*, 18(4), 369-381.

Lundberg, P., Westerling, L., & Lundberg, B. (1996). Influence of scale on the penetration of tungsten rods into steel-backed alumina targets. *International journal of impact engineering*, 18(4), 403-416.

Lankford, J., Anderson Jr, C. E., Royal, S. A., & Riegel III, J. P. (1996). Penetration erosion phenomenology. *International journal of impact engineering*, 18(5), 565-578.

Sambamurthi, J. K., Alvarado, A., & Mathias, E. C. (1996). Correlation of slag expulsion with ballistic anomalies in Shuttle solid rocket motors. *Journal of propulsion and power*, 12(4), 625-631.

Hamdan, S., & Swallowe, G. M. (1996). A crossbow system for high-strain-rate mechanical testing. *Measurement Science and Technology*, 7(7), 1068.

Mustafa, S. I. (1996). ANVIL 5000—a tool in aerospace design and development. *Aircraft Engineering and Aerospace Technology*.

McGrath, S. F., & Olinger, D. J. (1996). Control of pressure oscillations in deep cavities excited by grazing flow. *Journal of aircraft*, 33(1), 29-36.

Raley, G. C., & Lewellyn, A. H. (1996). Phalanx integrated maintenance system. *Naval engineers journal*, 108(2), 65-67.

Gondet, J. F. (1996). An essential dimension for future military hardware. *Nouvelle revue aeronautique astronautique*, (2), 45-53.

Goddard, C. H., Kirkpatrick, D. G., Rainey, P. G., & Ball, J. E. (1996). How much STEALTH?. *Naval engineers journal*, 108(3), 105-116.

Patton, T., & Quallen, J. R. (1996). Standards-Based IETMs: The Key to Integrated Weapon System Support. *Naval engineers journal*, 108(3), 193-198.

Miller, R. E., & Lamontagne, R. A. (1996). Test and Analysis of Missile Exhaust Effects on the Collective Protection System. *Naval engineers journal*, 108(3), 299-314.

Goodnow, M. O., & Rumburg, J. W. (1996). Combat Casualty Simulation on Shipboard Electrical Power Systems (Active Demonstration). *Naval engineers journal*, 108(3), 335-342.

Pawlak, R., Horman, R., Stapleton, R., & Headley, R. (1996). Design of a Real-Time Multisensor Search and Track System. *Naval Engineers Journal*, 108(3), 363-374.

Bonleux, S., & Rohmer, P. (1996). Multiple-target tests at the Landes Test Centre. *Nouvelle revue aeronautique astronautique*, (3), 28-36.

Dube, S. N., Mazumder, P. K., Kumar, D., Rao, P. V. L., & Bhaskar, A. S. B. (1996). Cardiorespiratory and Neuromuscular Effects of Freshwater Cyanophyte *Anabena flosaquae* in Rats. *Defence Science Journal*, 46(3), 135.

Manthorpe, W. H. (1996, July). The emerging joint system of systems: A systems engineering challenge and opportunity for APL. In *Johns Hopkins APL Technical Digest* (Vol. 17, No. 3, pp. 305-313).

McKay, P. J., Murphy, J. A., Cameron, S., Burnett, A. K., Campbell, M., Tansey, P., & Franklin, I. M. (1996). Iron overload and liver dysfunction after allogeneic or autologous bone marrow transplantation. *Bone marrow transplantation*, 17(1), 63-66.

DiDomizio, J., Fish, C., Moyer, L., & Glikerdas, P. (1996). Firefinder: Position analysis system advanced development model. *IEEE Aerospace and Electronic Systems Magazine*, 11(9), 25-29.

Rosenberg, Z., & Dekel, E. (1996). A computational study of the influence of projectile strength on the performance of long-rod penetrators. *International journal of impact engineering*, 18(6), 671-677.

Huang, X. G., Gillespie Jr, J. W., Kumar, V., & Gavin, L. (1996). Mechanics of integral armor: discontinuous ceramic-cored sandwich structure under tension and shear. *Composite Structures*, 36(1-2), 81-90.

McMichael, T., McKay, K., Walker, M. J., Fielding, C., Lockley, G., Curtis, P., ... & Moretti, G. (1996). Aerodynamic technology—the role of aerodynamic technology in the design and development of modern combat aircraft. *The Aeronautical Journal*, 100(1000), 410-424.

Lesquois, O., Serra, J. J., Kapsa, P., Serror, S., & Boher, C. (1996). Degradations in a high-speed sliding contact in transient regime. *Wear*, 201(1-2), 163-170.

Larsson, F. (1997). Damage tolerance of a stitched carbon/epoxy laminate. *Composites Part A: applied science and manufacturing*, 28(11), 923-934.

Kettle, A. P., Beck, A. J., O'toole, L., Jones, F. R., & Short, R. D. (1997). Plasma polymerisation for molecular engineering of carbon-fibre surfaces for optimised composites. *Composites science and technology*, 57(8), 1023-1032.

Dikshit, S. N. (1997). Add on Armour Repair: Concepts & Techniques. *Defence Science Journal*, 47(1), 89.

Rao, S. S., & Bhat, T. B. (1997). Depleted Uranium Penetrators: Hazards and Safety. *Defence Science Journal*, 47(1), 97.

Nicholls, J. R., Jaslier, Y., & Rickerby, D. S. (1997). Erosion and foreign object damage of thermal barrier coatings. In *Materials science forum* (Vol. 251, pp. 935-948). Trans Tech Publications Ltd.

Christiansen, E. L., & Friesen, L. (1997). Penetration equations for thermal protection materials. *International Journal of Impact Engineering*, 20(1-5), 153-164.

Destefanis, R., & Faraud, M. (1997). Testing of advanced materials for high resistance debris shielding. *International journal of impact engineering*, 20(1-5), 209-222.

Grace, F. I., & Rupert, N. L. (1997). Analysis of long rods impacting ceramic targets at high velocity. *International journal of impact engineering*, 20(1-5), 281-292.

Orphal, D. L., & Franzen, R. R. (1997). Penetration of confined silicon carbide targets by tungsten long rods at impact velocities from 1.5 to 4.6 km/s. *International Journal of Impact Engineering*, 19(1), 1-13.

Orphal, D. L., Franzen, R. R., Charters, A. C., Menna, T. L., & Piekutowski, A. J. (1997). Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s. *International journal of impact engineering*, 19(1), 15-29.

Potti, S. V., & Sun, C. T. (1997). Prediction of impact induced penetration and delamination in thick composite laminates. *International Journal of Impact Engineering*, 19(1), 31-48.

Littlefield, D. L., Anderson Jr, C. E., Partom, Y., & Bless, S. J. (1997). The penetration of steel targets finite in radial extent. *International journal of impact engineering*, 19(1), 49-62.

Taylor, E. A., Herbert, M. K., Gardner, D. J., Kay, L., Thomson, R., & Burchell, M. J. (1997). Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 211(5), 355-363.

Haridas, V. (1997). Assuring Quality and Reliability in Complex Avionics Systems hardware & Software. *Defence Science Journal*, 47(1), 27.

Pillal, A. S., Lal, V. N., & Rao, K. S. (1997). Concurrent engineering experiences in high-tech defence projects. *International Journal of Technology Management*, 14(6-8), 712-726.

Steidle, C. E. (1997). The joint strike fighter program. *Johns Hopkins APL Technical Digest*, 18(1), 7.

Pollack, A. F., Ferguson, R. C., & Chrysostomou, A. K. (1997). Tomahawk Deconfliction: An Exercise in System Engineering. *Johns Hopkins APL Technical Digest*, 18(1), 79.

Moore, F. G., & McInville, R. M. (1997). New semiempirical model for wing-tail interference. *Journal of spacecraft and rockets*, 34(1), 48-53.

Akçay, M., & Elaldi, F. (1997). Experimental investigation of the effects of explosive length and standoff distance on shaped charges. *Turkish Journal of Engineering & Environmental Sciences/Turk Muhendislik*, 21(5), 285-287.

Lin, J. M., Chang, C. H., & Tsai, H. L. (1997). Optimal feedforward and feedback controllers designed by LQG/LTR method. *Journal of the Chinese Institute of Engineers*, 20(1), 57-66.

Chaltiel, P. Y., Trouche, J. M., & Bernard-Guelle, C. (1997). SPECTRA- Protection and avoidance system for the Rafale fighter aircraft fire control. *Nouvelle Revue d'Aeronautique et d'Astronautique*, (1), 23-33.

Andoh, E. (1997). Effects of pressure, initial temperature, and propellant ingredients on flame-spreading into a hole. *Combustion and flame*, 108(4), 397-407.

Burke Jr, L. W., Irwin, E. S., Faulstich, R., Newnham, C. E., & Scholey, N. (1997). High-g power sources for the US Army's HSTSS programme. *Journal of power sources*, 65(1-2), 263-270.

Sigaud, B. (1997). The Rafale combat aircraft programme: The logistic integrated support. *Nouvelle revue aeronautique astronautique*, (2), 31-35.

Geissinger, O. W., & Traldi, S. L. (1997). NH90—the new all military services helicopter. *The Aeronautical Journal*, 101(1004), 159-168.

Kumar, V. A. (1997). Automatic checkout system for ground electronics of a weapon system. *Defence Science Journal*, 47(2), 207.

Waltrup, P. J., White, M. E., Zarlino, F., & Gravlin, E. S. (1997). History of ramjet and scramjet propulsion development for US navy missiles. *Johns Hopkins APL Technical Digest*, 18(2), 235.

Bryden, W. A., Benson, R. C., Ko, H. W., Donlon, M., & Milton, S. (1997). Universal agent sensor for counterproliferation applications. *Johns Hopkins APL Technical Digest*, 18(2), 303.

Grubb, M. J., & Skolnick, A. (1997). Operational systems, logistics engineering and technology insertion. *Naval engineers journal*, 109(3), 205-220.

McCarthy, P. J., & Munkacsy, M. (1997). The Joint Tactical Combat Training System Model. *Naval engineers journal*, 109(3), 293-298.

Patel, A., Kjos, K., Sasso, F., & Robinson, S. (1997). Architecting a missile system for navy theater ballistic missile defense. *Naval engineers journal*, 109(3), 373-380.

Edgemon, G. L., Danielson, M. J., & Bell, G. E. C. (1997). Detection of stress corrosion cracking and general corrosion of mild steel in simulated defense nuclear waste solutions using electrochemical noise analysis. *Journal of Nuclear Materials*, 245(2-3), 201-209.

Subramanyam, P. S. (1997). Simulation of Fighter Aircraft Weapon Systems for Design and Performance Evaluation. *Defence Science Journal*, 47(3), 317.

Bhattacharjee, R. N., & Saha, A. (1997). On a New Six Degree of Freedom Modelling Method for Homing Missiles and its Application for Design/Analysis. *Defence Science Journal*, 47(3), 327.

Bhattacharjee, R. N., & Saha, A. (1997). On a New Six Degree of Freedom Modelling Method for Homing Missiles and its Application for Design/Analysis. *Defence Science Journal*, 47(3), 327.

Liguori, F. (1997). New approaches to weapon system testing or" back to the future". *IEEE Aerospace and Electronic Systems Magazine*, 12(7), 31-34.

Rzemien, R., & Roulette, J. F. (1997). Coherent data collection efforts in support of Phalanx. *Johns Hopkins APL Technical Digest*, 18(3), 407.

Sherman, D., & Brandon, D. G. (1997). The ballistic failure mechanisms and sequence in semi-infinite. supported alumina tiles. *Journal of materials research*, 12(5), 1335-1343.

Schonberg, W. P., & Williamsen, J. E. (1997). Cracking Characteristics of Dual-Wall Structures Following Simulated Orbital Debris Particle Impact. *Journal of spacecraft and rockets*, 34(3), 318-324.

Patel, A., Kjos, K., Sasso, F., & Robinson, S. (1997). Architecting a missile system for navy theater ballistic missile defense. *Naval engineers journal*, 109(3), 373-380.



Syal, R. K., & Narr, P. S. (1997). Study of Brass Obturator Design for Combustible Cartridge Case for 105mm Tank Gun Ammunition. *Defence Science Journal*, 47(3), 373.

Ben-Dor, G., Dubinsky, A. B. G. U. O. T. N., & Elperin, T. (1997). Optimal 3D impactors penetrating into layered targets. *Theoretical and Applied Fracture Mechanics*, 27(3), 161-166.

Wang, B., & Chou, S. M. (1997). The behaviour of laminated composite plates as armour. *Journal of materials processing technology*, 68(3), 279-287.

Ostwaldt, D., & Klimanek, P. (1997). The influence of temperature and strain rate on microstructural evolution of polycrystalline copper. *Materials Science and Engineering: A*, 234, 810-813.

CharlesE, A. (1997). Ballistic Performance of Confined 99.5%-Al<sub>2</sub>O<sub>3</sub> Ceramic Tiles. *IntJImpactEng*, 19(8), 703-713.

Franzen, R. R., Orphal, D. L., & Anderson Jr, C. E. (1997). The influence of experimental design on depth-of-penetration (DOP) test results and derived ballistic efficiencies. *International Journal of Impact Engineering*, 19(8), 727-737.

Roisman, I. V., Yarin, A. L., & Rubin, M. B. (1997). Oblique penetration of a rigid projectile into an elastic-plastic target. *International journal of impact engineering*, 19(9-10), 769-795.

Sadanandan, S., & Hetherington, J. G. (1997). Characterisation of ceramic/steel and ceramic/aluminium armours subjected to oblique impact. *International journal of impact engineering*, 19(9-10), 811-819.

Me-Bar, Y. (1997). A method for scaling ballistic penetration phenomena. *International journal of impact engineering*, 19(9-10), 821-829.

Trötzschel, J., Müller, S., Pantleon, W., & Klimanek, P. (1997). Investigation of local strain fields during high-speed deformation. *Computational materials science*, 9(1-2), 207-217.

Walston, W. S., Darolia, R., & Demania, D. A. (1997). Impact resistance of NiAl alloys. *Materials Science and Engineering: A*, 239, 353-361.

Tenopir, T. J., & Schwartz, L. (1997). Gel-Filled Boots for Corrosion Protection of Shipboard Waveguide Joints. *Naval engineers journal*, 109(4), 47-52.

Gussow, M. I. L. T. O. N. (1997). Typhon: A Weapon System Ahead of its Time: A Personal History of the Navy's Shipboard Guided Missile System Development. *Naval engineers journal*, 109(4), 53-62.

Fulghum, D. A. (1997). Cruise missile threat spurs pentagon research. *Aviation Week & Space Technology*, 147(2), 44-46.

Liu, C. S., Yang, T. W., & Wu, W. H. (1997). A generalized numerical creep equation. *Scripta materialia*, 37(4), 425-429.

Salwan, S. K. (1997). Conventional Armaments for coming decades. *Defence Science Journal*, 47(4), 417.

Kohli, S. L., Dutta, G. G., & Srinivasan, S. (1997). Submunition dispensing mechanisms. *Defence science journal*, 47(4), 435-444.

- Handler, F., & Stevenson, D. (1997). Weapon system effectiveness. *Aerospace america*, 35(12), 72-72.
- Edwards, M. R., & Mathewson, A. (1997). The ballistic properties of tool steel as a potential improvised armour plate. *International journal of impact engineering*, 19(4), 297-309.
- Me-Bar, Y., & Rosenberg, Z. (1997). On the correlation between the ballistic behavior and dynamic properties of titanium-alloy plates. *International journal of impact engineering*, 19(4), 311-318.
- Robinson, M. J. (1997). Composite structures on the DC-XA reusable launch vehicle. *Journal of advanced materials*, 28(3), 9-18.
- Ben-Dor, G., Dubinsky, A., & Elperin, T. (1997). Area rules for penetrating bodies. *Theoretical and Applied Fracture Mechanics*, 26(3), 193-198.
- Vinson, J. R., & Walker, J. M. (1997). Ballistic impact of thin-walled composite structures. *AIAA journal*, 35(5), 875-878.
- Goldsmith, W., Wang, G. T., Li, K., & Crane, D. (1997). Perforation of cellular sandwich plates. *International Journal of Impact Engineering*, 19(5-6), 361-379.
- Gupta, N. K., & Madhu, V. (1997). An experimental study of normal and oblique impact of hard-core projectile on single and layered plates. *International journal of impact engineering*, 19(5-6), 395-414.
- Srivathsa, B., & Ramakrishnan, N. (1997). On the ballistic performance of metallic materials. *Bulletin of materials science*, 20(1), 111-123.
- Benloulou, I. C., Rodriguez, J., Martinez, M. A., & Galvez, V. S. (1997). Dynamic tensile testing of aramid and polyethylene fiber composites. *International Journal of Impact Engineering*, 19(2), 135-146.
- Chaouat, B. (1997). Flow analysis of a solid propellant rocket motor with aft fins. *Journal of propulsion and power*, 13(2), 194-196.
- Uy, O. M., Benson, R. C., Erlandson, R. E., Boies, M. T., Lesho, J. F., Galica, G. E., ... & Hall, D. F. (1997). Contamination experiments in the midcourse space experiment. *Journal of spacecraft and rockets*, 34(2), 218-225.
- Camacho, G. T., & Ortiz, M. (1997). Adaptive Lagrangian modelling of ballistic penetration of metallic targets. *Computer methods in applied mechanics and engineering*, 142(3-4), 269-301.
- Orgogozo, J. M., Dartigues, J. F., Lafont, S., Letenneur, L., Commenges, D., Salamon, R., ... & Breteler, M. B. (1997). Wine consumption and dementia in the elderly: a prospective community study in the Bordeaux area. *Revue neurologique*, 153(3), 185-192.
- Lin, H., & Lai, C. L. (1997). Systematic study and numerical simulation of sabot projectile aerodynamics. *Journal of the Chinese Institute of Engineers*, 20(3), 275-284.
- Czarnecki, G. J. (1998). Estimation of the V50 using semi-empirical (1-point) procedures. *Composites Part B: Engineering*, 29(3), 321-329.

DeLuca, E., Prifti, J., Betheney, W., & Chou, S. C. (1998). Ballistic impact damage of S 2-glass-reinforced plastic structural armor. *Composites Science and Technology*, 58(9), 1453-1461.

Nandlall, D., Williams, K., & Vaziri, R. (1998). Numerical simulation of the ballistic response of GRP plates. *Composites Science and Technology*, 58(9), 1463-1469.

Geer, D. W. (1998). Total ship real time control: an operational necessity whose time has come. *Naval engineers journal*, 110(1), 225-234.

Chen, J. K., & Medina, D. F. (1998). The effects of projectile shape on laminated composite perforation. *Composites science and technology*, 58(10), 1629-1639.

Dikshit, S. N. (1998). Lip height and its significance in ballistic studies. *Defence Science Journal*, 48(1), 99.

Papanicolaou, G. C., Blanas, A. M., Pournaras, A. V., & Stavropoulos, C. D. (1998). Impact damage and residual strength of FRP composites. In *Key Engineering Materials* (Vol. 141, pp. 127-148). Trans Tech Publications Ltd.

Siva Kumar, K., & Balakrishna Bhat, T. (1998). Response of composite laminates on impact of high velocity projectiles. In *Key Engineering Materials* (Vol. 141, pp. 337-348). Trans Tech Publications Ltd.

Jenq, S. T., Kuo, J. T., & Sheu, L. T. (1998). Ballistic impact response of 3-D four-step braided glass/epoxy composites. In *Key engineering materials* (Vol. 141, pp. 349-366). Trans Tech Publications Ltd.

Walsh, T. F., Lee, B. H., & Song, J. W. (1998). Penetration failure of Spectra® polyethylene fiber-reinforced ballistic-grade composites. In *Key engineering materials* (Vol. 141, pp. 367-382). Trans Tech Publications Ltd.

Navarro, C. A. (1998). Simplified modelling of the ballistic behaviour of fabrics and fibre-reinforced polymeric matrix composites. In *Key Engineering Materials* (Vol. 141, pp. 383-402). Trans Tech Publications Ltd.

Wen, H. M., Reddy, T. Y., Reid, S. R., & Soden, P. D. (1998). Indentation, penetration and perforation of composite laminate and sandwich panels under quasi-static and projectile loading. In *Key Engineering Materials* (Vol. 141, pp. 501-552). Trans Tech Publications Ltd.

Ben-Dor, G., Dublinsky, A., & Elperin, T. (1998). Optimization of layered shields with a given areal density. *International journal of fracture*, 91, L9-L14.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (1998). New area rules for penetrating impactors. *International journal of impact engineering*, 21(1-2), 51-59.

Wu, E., & Chang, L. C. (1998). Loading rate effect on woven glass laminated plates by penetration force. *Journal of composite materials*, 32(8), 702-721.

Espinosa, H. D., Lu, H. C., & Xu, Y. (1998). A novel technique for penetrator velocity measurement and damage identification in ballistic penetration experiments. *Journal of Composite Materials*, 32(8), 722-743.

Ellis, R. L., Lalande, F., Jia, H., & Rogers, C. A. (1998). Ballistic impact resistance of SMA and spectra hybrid graphite composites. *Journal of reinforced plastics and composites*, 17(2), 147-164.

Asan, H., Akçay M. (1998). Prediction of Aerodynamic Characteristics of Missiles with Circular and Noncircular Cross Sections. *Turkish Journal of Engineering and Environmental Sciences*, 23(3), 149-160.

Wen, H. M. (1998). Deformation and perforation of spherical shells by normal impact of blunt-ended projectiles. *Journal of Structural Mechanics*, 26(3), 239-255.

Lee, C. G., & Lee, S. (1998). Correlation of dynamic torsional properties with adiabatic shear banding behavior in ballistically impacted aluminum-lithium alloys. *Metallurgical and Materials Transactions A*, 29(1), 227-235.

Akhavan, J. (1998). Investigation into the network structure of plasticized rocket propellant. *Polymer*, 39(1), 215-221.

Bassett, J. (1998). Laser welding of high hardness armour steel. *Science and Technology of Welding and Joining*, 3(5), 244-248.

Reddy, G. M., Mohandas, T., & Papukutty, K. K. (1998). Effect of welding process on the ballistic performance of high-strength low-alloy steel weldments. *Journal of materials processing technology*, 74(1-3), 27-35.

Lee, C. G., Park, W. J., Lee, S., & Shin, K. S. (1998). Microstructural development of adiabatic shear bands formed by ballistic impact in a weldalite 049 alloy. *Metallurgical and Materials Transactions A*, 29(2), 477-483.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (1998). A model of high speed penetration into ductile targets. *Theoretical and applied fracture mechanics*, 28(3), 237-239.

Wernersson, L. E., Litwin, A., Samuelson, L., & Xu, H. (1998). Performance and design of vertical, ballistic, heterostructure field-effect transistors. *Materials Science and Engineering: B*, 51(1-3), 76-80.

Woodward, R. L., & Cimpoeru, S. J. (1998). A study of the perforation of aluminium laminate targets. *International Journal of Impact Engineering*, 21(3), 117-131.

Zaera, R., & Sánchez-Gálvez, V. (1998). Analytical modelling of normal and oblique ballistic impact on ceramic/metal lightweight armours. *International journal of impact engineering*, 21(3), 133-148.

Tzeng, J. T., & Abrahamian, A. S. (1998). An experimental method for compressive properties of laminated composites at high rates of loading. *Journal of Thermoplastic Composite Materials*, 11(2), 133-143.

Deepak, D., Jeenu, R., & Sridharan, P. (1998). Application of Ultrasonic Technique for Measurement of Instantaneous Burn Rate of Solid Propellants. *Defence Science Journal*, 48(2), 197.

Dinovitzer, A. S., Szymczak, M., & Erickson, D. (1998). Fragmentation of targets during ballistic penetration events. *International journal of impact engineering*, 21(4), 237-244.

Sherman, D., & Ben-Shushan, T. (1998). Quasi-static impact damage in confined ceramic tiles. *International Journal of Impact Engineering*, 21(4), 245-265.

Rosenberg, Z., & Dekel, E. (1998). A computational study of the relations between material properties of long-rod penetrators and their ballistic performance. *International journal of impact engineering*, 21(4), 283-296.

Gellert, E. P., Pattie, S. D., & Woodward, R. L. (1998). Energy transfer in ballistic perforation of fibre reinforced composites. *Journal of materials science*, 33(7), 1845-1850.

Zhang, G., Patuwo, B. E., & Hu, M. Y. (1998). Forecasting with artificial neural networks:: The state of the art. *International journal of forecasting*, 14(1), 35-62.

Deepak, D., Jeenu, R., Sridharan, P., & Padmanabhan, M. S. (1998). Determination of pressure dependence of burning rate in solid motors using ultrasonic technique. *Journal of propulsion and power*, 14(3), 290-294.

Zee, R. H., & Hsieh, C. Y. (1998). Energy absorption processes in fibrous composites. *Materials Science and Engineering: A*, 246(1-2), 161-168.

Kim, D. K., Lee, S., & Baek, W. H. (1998). Microstructural study of adiabatic shear bands formed by high-speed impact in a tungsten heavy alloy penetrator. *Materials Science and Engineering: A*, 249(1-2), 197-205.

Dikshit, S. N. (1998). Ballistic Behaviour of Thick Steel Armour Plate under Oblique Impact: Experimental Investigation. *Defence Science Journal*, 48(3), 271.

Rajendran, A. M. (1998). Penetration of tungsten alloy rods into shallow-cavity steel targets. *International journal of impact engineering*, 21(6), 451-460.

Benloulo, I. C., & Sanchez-Galvez, V. (1998). A new analytical model to simulate impact onto ceramic/composite armors. *International journal of impact engineering*, 21(6), 461-471.

Espinosa, H. D., Dwivedi, S., Zavattieri, P. D., & Yuan, G. (1998). A numerical investigation of penetration in multilayered material/structure systems. *International journal of solids and structures*, 35(22), 2975-3001.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (1998). On the ballistic resistance of multi-layered targets with air gaps. *International Journal of Solids and Structures*, 35(23), 3097-3103.

Robinson, K. W., & Leishman, J. G. (1998). Effects of ballistic damage on the aerodynamics of helicopter rotor airfoils. *Journal of aircraft*, 35(5), 695-703.

Fogelzang, A. E., Pimenov, A. Y., Denisyuk, A. P., & Margolin, A. D. (1998). Mechanism of modifying ballistic properties of propellant formulations by fast-burning inclusions. *Defence Science Journal*, 48(4), 357.

DeLuca, L., Veeri, M., Cozzi, F., & Colombo, G. (1998). Surface pyrolysis of high energy materials. *Defence Science Journal*, 48(4), 379.

Wen, H. M., & Reid, S. R. (1998). Deformation and perforation of cylindrical shells struck normally by blunt projectiles. *International journal of pressure vessels and piping*, 75(3), 213-219.

Sammour, M. H. (1998). Competitive reactivity of stabilizers and ballistic modifiers during simulated aging of propellants. *Journal of propulsion and power*, 14(2), 152-159.

Djerassi, S. (1998). Algorithm for simulation of motions of variable-mass systems. *Journal of guidance, control, and dynamics*, 21(3), 427-434.

Phillips, C. A., & Malyevac, D. S. (1998). Pulse motor optimization via mission charts for an exoatmospheric interceptor. *Journal of guidance, control, and dynamics*, 21(4), 611-617.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (1998). Effect of air gaps on ballistic resistance of targets for conical impactors. *Theoretical and applied fracture mechanics*, 30(3), 243-249.

Koenig, B. E., Hoffman, S. M., Nakasone, H., & Beck, S. D. (1998). Signal convolution of recorded free-field gunshot sounds. *Journal of the Audio Engineering Society*, 46(7/8), 634-653.

Fan, L., Last, H., Wood, R., Dudley, B., Khan Malek, C., & Ling, Z. (1998). SLIGA based underwater weapon safety and arming system. *Microsystem Technologies*, 4(4), 168-171.

Watson, J. M. (1998). The origin of the APL Strategic Systems Department. *Johns hopkins apl technical digest*, 19(4), 375.

Botto, M., Dell'Agnola, C., Bygrave, A. E., Thompson, E. M., Cook, H. T., Petry, F., ... & Walport, M. J. (1998). Homozygous C1q deficiency causes glomerulonephritis associated with multiple apoptotic bodies. *Nature genetics*, 19(1), 56-59.

Botto, M., Dell'Agnola, C., Bygrave, A. E., Thompson, E. M., Cook, H. T., Petry, F., ... & Walport, M. J. (1998). Homozygous C1q deficiency causes glomerulonephritis associated with multiple apoptotic bodies. *Nature genetics*, 19(1), 56-59.

Criss, T. B., South, M. M., & Levy, L. J. (1998). Multiple image coordinate extraction (mice) technique for rapid targeting of precision guided munitions. *Johns Hopkins APL technical digest*, 19(4), 493-500.

Dacheux, N., Thomas, A. C., Brandel, V., & Genet, M. (1998). Investigation of the system ThO<sub>2</sub>-NpO<sub>2</sub>-P<sub>2</sub>O<sub>5</sub>. Solid solutions of thorium-neptunium (IV) phosphate-diphosphate. *Journal of nuclear materials*, 257(2), 108-117.

Mori, Y. (1998). Indirect He reactor system burning up Pu from Light Water Reactor (LWR) spent fuel for turbine power generation and desalinated freshwater production. *JSME International Journal Series B Fluids and Thermal Engineering*, 41(4), 918-926.

Jr, E. A., & Morgan, D. (1998). Collaborative virtual prototyping and test. *Naval engineers journal*, 110(6), 17-23.

Bennett, J. G., Haberman, K. S., Johnson, J. N., & Asay, B. W. (1998). A constitutive model for the non-shock ignition and mechanical response of high explosives. *Journal of the Mechanics and Physics of Solids*, 46(12), 2303-2322.

Morye, S. S., Hine, P. J., Duckett, R. A., Carr, D. J., & Ward, I. M. (1999). A comparison of the properties of hot compacted gel-spun polyethylene fibre composites with conventional gel-spun polyethylene fibre composites. *Composites Part A: applied science and manufacturing*, 30(5), 649-660.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (1999). Some ballistic properties of non-homogeneous shields. *Composites Part A: Applied Science and Manufacturing*, 30(6), 733-736.

Anderson Jr, C. E., Orphal, D. L., Franzen, R. R., & Walker, J. D. (1999). On the hydrodynamic approximation for long-rod penetration. *International Journal of Impact Engineering*, 22(1), 23-43.

Sorensen, B. R., Kimsey, K. D., Zukas, J. A., & Frank, K. (1999). Numerical analysis and modeling of jacketed rod penetration. *International journal of impact engineering*, 22(1), 71-91.

Flanagan, M. P., Zikry, M. A., Wall, J. W., & El-Shiekh, A. (1999). An experimental investigation of high velocity impact and penetration failure modes in textile composites. *Journal of composite materials*, 33(12), 1080-1103.

Gupta, A., Markworth, A. J., & Saunders, J. H. (1999). A discrete model for particle deposition. *Journal of materials science*, 34(17), 4141-4147.

Chin, E. S. (1999). Army focused research team on functionally graded armor composites. *Materials Science and Engineering: A*, 259(2), 155-161.

Goldsmith, W. (1999). Non-ideal projectile impact on targets. *International Journal of Impact Engineering*, 22(2-3), 95-395.

Leite, M. J., & Mensh, D. R. (1999). Definition of evaluation criteria for system development acquisition modeling and simulation. *Naval engineers journal*, 111(1), 55-64.

Putnam, R. L., Navrotsky, A., Woodfield, B. F., Boerio-Goates, J., & Shapiro, J. L. (1999). Thermodynamics of formation for zirconolite (CaZrTi<sub>2</sub>O<sub>7</sub>) from T= 298.15 K to T= 1500 K. *The Journal of Chemical Thermodynamics*, 31(2), 229-243.

Young, F. C., & Houston, J. A. (1999). Formal verification and legacy redesign. *IEEE aerospace and electronic systems magazine*, 14(3), 31-36.

Bennett, K., Varma, R., & Von Dreele, R. B. (1999). Texture development in S200-D,-E and P31664 beryllium blocks from neutron diffraction spectra. *Scripta materialia*, 40(7).

Verma, S., & Jaynes, C. J. (1999). Aircraft P-3 corrosion control issues. *Journal of advanced materials*, 31(2), 34-40.

Walden, B. S. (1999). The commercialization of weapons Control software. *Naval engineers journal*, 111(3), 139-151.

Pillai, A. G. S., Joshi, M. M., Barve, A. M., Velapure, S. P., & Karir, J. S. (1999). Cellulose Acetate Binder-Based LOVA Gun Propellant for Tank Guns. *Defence Science Journal*, 49(2), 141.

Carr, D. J. (1999). Failure mechanisms of yarns subjected to ballistic impact. *Journal of materials science letters*, 18(7), 585-588.

Pappu, S., Kennedy, C., Murr, L. E., Magness, L. S., & Kapoor, D. (1999). Microstructure analysis and comparison of tungsten alloy rod and [001] oriented columnar-grained tungsten rod ballistic penetrators. *Materials Science and Engineering: A*, 262(1-2), 115-128.

Malaczynski, G. W., Leung, C. H., Elmoursi, A. A., Hamdi, A. H., Campbell, A. B., Balogh, M. P., ... & Waldo, R. A. (1999). Characterization of surface modified  $\alpha$ -iron by nitrogen plasma immersion ion implantation: a microstructural study. *Materials Science and Engineering: A*, 262(1-2), 289-299.

Parameswaran, V., Bentley, W., Shukla, A., & Prosser, R. A. (1999). A new approach for improving ballistic performance of composite armor. *Experimental mechanics*, 39(2), 103-110.

Ganagi, M. S., & Singh, V. P. (1999). Approximate Closed-Form Solution for projectile Trajectory and its Applications to lead Angle Computations. *Defence Science Journal*, 49(3), 179.

Dikshit, S. N. (1999). Ballistic Behaviour of Thick Steel Armour Plate under Oblique Impact: Experimental Investigation II. *Defence Science Journal*, 49(3), 257.

Kondakov, I. V., Loboika, B. G., & Pestrechikhin, V. A. (1999). Explosive materials combustion by heated wires. *Defence Science Journal*, 49(3), 269.

Mines, R. A. W., Roach, A. M., & Jones, N. (1999). High velocity perforation behaviour of polymer composite laminates. *International Journal of Impact Engineering*, 22(6), 561-588.

Anderson Jr, C. E., Hohler, V., Walker, J. D., & Stilp, A. J. (1999). The influence of projectile hardness on ballistic performance. *International journal of impact engineering*, 22(6), 619-632.

Verolme, J. L., Szymczak, M., & Broos, J. P. F. (1999). Metallic witness packs for behind-armour debris characterisation. *International journal of impact engineering*, 22(7), 693-705.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (1999). On the order of plates providing the maximum ballistic limit velocity of a layered armor. *International Journal of Impact Engineering*, 22(8), 741-755.

Reddy, G. M., Mohandas, T., & Papukutty, K. (1999). Enhancement of ballistic capabilities of soft welds through hardfacing. *International journal of impact engineering*, 22(8), 775-791.

Lok, J. G. S., Geim, A. K., Wyder, U., Maan, J. C., & Dubonos, S. V. (1999). Thermally activated annihilation of an individual domain in submicrometer nickel particles. *Journal of magnetism and magnetic materials*, 204(3), 159-164.

Børvik, T., Langseth, M., Hopperstad, O. S., & Malo, K. A. (1999). Ballistic penetration of steel plates. *International journal of impact engineering*, 22(9-10), 855-886.

Forrestal, M. J., & Hanchak, S. J. (1999). Perforation experiments on HY-100 steel plates with 4340 Rc 38 and maraging T-250 steel rod projectiles. *International journal of impact engineering*, 22(9-10), 923-933.

Hosur, M. V., Vaidya, U. K., Abraham, A., Jadhav, N., & Jeelani, S. (1999). Static and high strain rate compression response of thick section twill weave S-2 glass/vinyl ester composites manufactured by affordable liquid molding processes.

Arnold, W., & Schäfer, F. K. (1999). Behind Armor Blast (BAB) caused by shaped charges. *International journal of impact engineering*, 23(1), 13-25.

Best, S. R., & Rose, M. F. (1999). A plasma drag hypervelocity particle accelerator (HYPER). *International journal of impact engineering*, 23(1), 67-76.

Christiansen, E. L., Cour-Palais, B. G., & Friesen, L. J. (1999). Extravehicular activity suit penetration resistance. *International journal of impact engineering*, 23(1), 113-124.

Christiansen, E. L., Kerr, J. H., De La Fuente, H. M., & Schneider, W. C. (1999). Flexible and deployable meteoroid/debris shielding for spacecraft. *International Journal of Impact Engineering*, 23(1), 125-136.



Faraud, M., Destefanis, R., Palmieri, D., & Marchetti, M. (1999). SPH simulations of debris impacts using two different computer codes. *International Journal of Impact Engineering*, 23(1), 249-260.

Akcay, M., & Yükselen, M. A. (1999). Drag reduction of a nonnewtonian fluid by fluid injection on a moving wall. *Archive of Applied Mechanics*, 69(3), 215-225.

Grace, F. I. (1999). Ballistic limit velocity for long rods from ordinance velocity through hypervelocity impact. *International journal of impact engineering*, 23(1), 295-306.

Kozhushko, A. A., Orphal, D. L., Sinani, A. B., & Franzen, R. R. (1999). Possible detection of failure wave velocity using hypervelocity penetration experiments. *International journal of impact engineering*, 23(1), 467-475.

Kruse, G. R., Mendes, W. R., Sommers, W. J., Weed, R. A., Nash, K. D., & Mayo, D. V. (1999). Testing and simulation of microdebris from impacts with complex targets. *International journal of impact engineering*, 23(1), 489-500.

Kryukov, P. V. (1999). Review of investigations under way on the large-scale TsNIIMASH ballistic facility. *International journal of impact engineering*, 23(1), 501-508.

Lach, E., Koerber, G., Scharf, M., & Bohmann, A. (1999). Comparison of nitrogen alloyed austenitic steels and high strength armor steels impacted at high velocity. *International journal of impact engineering*, 23(1), 509-517.

Legendre, J. F., Giraud, M., & Henner, M. (1999). Ram-accelerator: A new hypervelocity launcher for ballistic studies. *International journal of impact engineering*, 23(1), 533-545.

Littlefield, D. L., Garcia, R. M., & Bless, S. J. (1999). The effect of offset on the performance of segmented penetrators. *International journal of impact engineering*, 23(1), 547-560.

Normandia, M. J., & Lee, M. (1999). Penetration performance of multiple segmented rods at 2.6 km/s. *International journal of impact engineering*, 23(1), 675-686.

Piekutowski, A. J., Forrestal, M. J., Poormon, K. L., & Warren, T. L. (1999). Penetration of 6061-T6511 aluminum targets by ogive-nose steel projectiles with striking velocities between 0.5 and 3.0 km/s. *International Journal of Impact Engineering*, 23(1), 723-734.

Rabb, R. J., & Fahrenthold, E. P. (1999). Numerical simulation of oblique impact on orbital debris shielding. *International journal of impact engineering*, 23(1), 735-744.

Raftenberg, M. N., & Krause, C. D. (1999). Metallographic observations of armor steel specimens from plates perforated by shaped charge jets. *International journal of impact engineering*, 23(1), 757-770.

Reaugh, J. E., Holt, A. C., Welkins, M. L., Cunningham, B. J., Hord, B. L., & Kusubov, A. S. (1999). Impact studies of five ceramic materials and pyrex. *International Journal of Impact Engineering*, 23(1), 771-782.

Taylor, E. A., Herbert, M. K., Vaughan, B. A. M., & McDonnell, J. A. M. (1999). Hypervelocity impact on carbon fibre reinforced plastic/aluminium honeycomb: comparison with Whipple bumper shields. *International Journal of Impact Engineering*, 23(1), 883-893.

Yatteau, J. D., Recht, G. W., & Edquist, K. T. (1999). Transverse loading and response of long rod penetrators during high velocity plate perforation. *International Journal of Impact Engineering*, 23(1), 967-980.

Zilberbrand, E. L., Vlasov, A. S., Cazamias, J. U., Bless, S. J., & Kozhushko, A. A. (1999). Failure wave effects in hypervelocity penetration. *International journal of impact engineering*, 23(1), 995-1001.

Nicholls, J. R., Deakin, M. J., & Rickerby, D. S. (1999). A comparison between the erosion behaviour of thermal spray and electron beam physical vapour deposition thermal barrier coatings. *Wear*, 233, 352-361.

Campbell, G., & Stotler, T. (1999). Friction stir welding of armor grade aluminum plate. *Welding journal*, 78(12), 45-47.

Hockberger, W. A. (1999). Determining the level of ship protection. *Naval engineers journal*, 111(3), 335-345.

Gooding, M. (1999). VSI plug'n pray. *IEEE aerospace and electronic systems magazine*, 14(7), 9-12.

Donlon, M., & Jackman, J. (1999). DARPA integrated chemical and biological detection system. *Johns Hopkins APL technical digest*, 20(3), 320-325.

Scholl, P. F., Leonardo, M. A., Rule, A. M., Carlson, M. A., Antoine, M. D., & Buckley, T. J. (1999). The development of matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for the detection of biological warfare agent aerosols. *Johns Hopkins APL Technical Digest*, 20(3), 343-351.

White, M. E., & Price, W. R. (1999). Affordable hypersonic missiles for long-range precision strike. *Johns Hopkins APL technical digest*, 20(3), 415-423.

Erriksson, L. J. (1999). A brief social history of active sound control. *Sound and Vibration*, 14.

Akie, H., Takano, H., & Anoda, Y. (1999). Core design study on rock-like oxide fuel light water reactor and improvements of core characteristics. *Journal of nuclear materials*, 274(1-2), 139-145.

Mishchenko, V. I. (1999). Characteristic features of the process of modeling the interaction of complex technical weapons systems with their method of operation. *Measurement Techniques*, 42(10), 926-929.

Kennedy, W. S., Kovacic, S. M., Rea, E. C., & Lin, T. C. (1999). Solid rocket motor development for land-based intercontinental ballistic missiles. *Journal of Spacecraft and Rockets*, 36(6), 890-901.

Smith, M. (1999). Weapon system effectiveness. *Aerospace america*, 37(12), 52-52.

Horsfall, I., Austin, S. J., & Bishop, W. (1999). Structural ballistic armour for transport aircraft. *Materials & Design*, 21(1), 19-25.

Dávila, C. G., & Chen, T. K. (2000). Advanced modeling strategies for the analysis of tile-reinforced composite armor. *Applied Composite Materials*, 7(1), 51-68.

Nesterenko, V. F., Indrakanti, S. S., Brar, S. N., & Gu, Y. (2000). Ballistic performance of hot isostatically pressed (HIPed) Ti-based targets. In *Key Engineering Materials* (Vol. 177, pp. 243-248). Trans Tech Publications Ltd.

Jovicic, J., Zavaliangos, A., & Ko, F. (2000). Modeling of the ballistic behavior of gradient design composite armors. *Composites Part A: applied science and manufacturing*, 31(8), 773-784.

Fatt, M. H., & Park, K. S. (2000). Perforation of honeycomb sandwich plates by projectiles. *Composites Part A: applied science and manufacturing*, 31(8), 889-899.

Bhat, S. (2000). Detonation type ram accelerator: A computational investigation. *Defence Science Journal*, 50(1), 3.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2000). The optimum arrangement of the plates in a multi-layered shield. *International journal of solids and structures*, 37(4), 687-696.

Castro, A., Espejo, E., & Martínez, L. (2000). Estudio de los tipos de cráteres obtenidos en el impacto de proyectiles 5, 56 SS109, sobre blancos de acero AISI-SAE 1045. *Revista de metalurgia*, 36(1), 24-32.

Eames, I., & Dalziel, S. B. (2000). Dust resuspension by the flow around an impacting sphere. *Journal of Fluid Mechanics*, 403, 305-328.

Starratt, D., Sanders, T., Cepuš, E., Poursartip, A., & Vaziri, R. (2000). An efficient method for continuous measurement of projectile motion in ballistic impact experiments. *International journal of impact engineering*, 24(2), 155-170.

Yarin, A. L., Roisman, I. V., Weber, K., & Hohler, V. (2000). Model for ballistic fragmentation and behind-armor debris. *International Journal of Impact Engineering*, 24(2), 171-201.

Mahfuz, H., Zhu, Y., Haque, A., Abutalib, A., Vaidya, U., Jeelani, S., ... & Fink, B. (2000). Investigation of high-velocity impact on integral armor using finite element method. *International journal of impact engineering*, 24(2), 203-217.

Sherman, D. (2000). Impact failure mechanisms in alumina tiles on finite thickness support and the effect of confinement. *International Journal of Impact Engineering*, 24(3), 313-328.

Liu, D., & Stronge, W. J. (2000). Ballistic limit of metal plates struck by blunt deformable missiles: experiments. *International Journal of Solids and Structures*, 37(10), 1403-1423.

Conner, R. D., Dandliker, R. B., Scruggs, V., & Johnson, W. L. (2000). Dynamic deformation behavior of tungsten-fiber/metallic-glass matrix composites. *International Journal of Impact Engineering*, 24(5), 435-444.

Gellert, E. P., Cimpoeru, S. J., & Woodward, R. L. (2000). A study of the effect of target thickness on the ballistic perforation of glass-fibre-reinforced plastic composites. *International Journal of Impact Engineering*, 24(5), 445-456.

Ben-Dor, G., Dubinsky, A., Elperin, T., & Frage, N. (2000). Optimization of two component ceramic armor for a given impact velocity. *Theoretical and Applied Fracture Mechanics*, 33(3), 185-190.

Wen, H. M. (2000). Predicting the penetration and perforation of FRP laminates struck normally by projectiles with different nose shapes. *Composite structures*, 49(3), 321-329.

Dames, R. S., & Redkar, A. S. (2000). High impetus cool burning gun propellants. *Defence Science Journal*, 50(3), 281.

Kerns, J., Hsieh, A., Hiltner, A., & Baer, E. (2000). Comparison of irreversible deformation and yielding in microlayers of polycarbonate with poly (methylmethacrylate) and poly (styrene-co-acrylonitrile). *Journal of Applied Polymer Science*, 77(7), 1545-1557.

Parshikov, A. N., Medin, S. A., Loukashenko, I. I., & Milekhin, V. A. (2000). Improvements in SPH method by means of interparticle contact algorithm and analysis of perforation tests at moderate projectile velocities. *International Journal of Impact Engineering*, 24(8), 779-796.

Cox, B. N., Sridhar, N., Davis, J. B., Mayer, A., McGregor, T. J., & Kurtz, A. G. (2000). Chain composites under ballistic impact conditions. *International journal of impact engineering*, 24(8), 809-820.

Sanghavi, R. R., Asthana, S. N., & Singh, H. (2000). Thermoplastic elastomers (TPEs) as binders for futuristic propellants and explosives: A review. *Journal of Polymer Materials*, 17(3), 221-232.

Espinosa, H. D., Brar, N. S., Yuan, G., Xu, Y., & Arrieta, V. (2000). Enhanced ballistic performance of confined multi-layered ceramic targets against long rod penetrators through interface defeat. *International Journal of Solids and Structures*, 37(36), 4893-4913.

Krishnan, S., George, P., & Sathyan, S. (2000). Design and control of solid-fuel ramjet for pseudovacuum trajectories. *Journal of Propulsion and Power*, 16(5), 815-822.

Fink, B. K. (2000). Performance metrics for composite integral armor. *Journal of thermoplastic composite materials*, 13(5), 417-431.

Barabash, V., Akiba, M., Cardella, A., Mazul, I., Odegard Jr, B. C., Plöchl, L., ... & Vieider, G. (2000). Armor and heat sink materials joining technologies development for ITER plasma facing components. *Journal of Nuclear Materials*, 283, 1248-1252.

Pinchak, S. J., & Ray, A. (2000). Pilot safety enhancement for on-board ground collision avoidance systems. *Aircraft Engineering and Aerospace Technology*.

Singh, V. P., & Singh, Y. (2000). Generalised model for aircraft vulnerability by different weapon systems. *Defence Science Journal*, 50(1), 13.

Rodrigues, M. A., & Poff, R. E. (2000). A Multi-Mission Launcher System for Next Generation Surface Combatants. *Naval Engineers Journal*, 112(1), 77-90.

Smooke, M. D., Yetter, R. A., Parr, T. P., Hanson-Parr, D. M., Tanoff, M. A., Colket, M. B., & Hall, R. J. (2000). Computational and experimental study of ammonium perchlorate/ethylene counterflow diffusion flames. *Proceedings of the Combustion Institute*, 28(2), 2013-2020.

Barsoum, R. G. S. (2000). Interdisciplinary computational mechanics—some computational problems in naval ship design. *International Journal for Numerical Methods in Engineering*, 47(1-3), 729-734.

- Obringer, J. W., Phipps, S., & Johnson, M. D. (2000). Genetic induction of cultured human cells by high energy, ultrashort pulse laser light. *Journal of Laser Applications*, 12(1), 10-15.
- Gong, W. L., Lutze, W., & Ewing, R. C. (2000). Zirconia ceramics for excess weapons plutonium waste. *Journal of Nuclear Materials*, 277(2-3), 239-249.
- Yeh, M. F., & Lu, H. C. (2000). Evaluating weapon systems based on grey relational analysis and fuzzy arithmetic operations. *Journal of the Chinese Institute of Engineers*, 23(2), 211-221.
- Lloyd, R. M. (2000). New technology counters ballistic missile weapons. *Aerospace America*, 38(4), 26-27.
- Dudeja, J. P., & Kalsey, G. S. (2000). Shipborne laser beam weapon system for defence against cruise missiles. *DEFENCE SCIENCE JOURNAL-NEW DELHI-*, 50(2), 231-240.
- McWhite, J. D. (2000). CVNX—expanded capability baseline aircraft carrier design study. *Naval engineers journal*, 112(3), 47-57.
- Kishore, M. S. (2000). Weapon Control System for Airborne Application. *Defence Science Journal*, 50(3), 255.
- Vizhakat, M. (2000). Viability Study of Concept of Hybrid Antitank & Air Defence Armoured Vehicle. *Defence Science Journal*, 50(3), 273.
- Salamacha, C., Smoot, S., & Farris, K. (2000). C 4 ISRT in an operational context. *Johns Hopkins APL technical digest*, 21(3), 378-386.
- Foard, T. R. (2000). Theater air defense cornerstones. *Johns Hopkins APL technical digest*, 21(3), 387-392.
- Myers, S. E., Pandolfini, P. P., Keane, J. F., Younossi, O., Roth, J. K., Clark, M. J., ... & Dechoretz, J. A. (2000). Evaluating affordability initiatives. *Johns Hopkins APL technical digest*, 21(3), 426-437.
- Schell, J. D., & Rechtsteiner, M. (2000). Replacement of chromium electroplating using advanced material technologies on gas turbine engine components. *Plating and surface finishing*, 87(7), 17-23.
- Asokan, T. (2000). Ceramic dielectrics for space applications. *Current Science*, 348-351.
- Lipson, H., & Pollack, J. B. (2000). Automatic design and manufacture of robotic lifeforms. *Nature*, 406(6799), 974-978.
- Atwater, T. B., Cygan, P. J., & Leung, F. C. (2000). Man portable power needs of the 21st century: I. Applications for the dismounted soldier. II. Enhanced capabilities through the use of hybrid power sources. *Journal of Power Sources*, 91(1), 27-36.
- Walker, J. D. (2000). Weapon system effectiveness. *AEROSPACE AMERICA*, 38(12), 90-90.
- Kasano, H. (2001). Impact perforation of orthotropic and quasi-isotropic CFRP laminates by a steel ball projectile. *Advanced Composite Materials*, 10(4), 309-318.

Khristenko, Y. F. (2001). Experimental methods for studying the combustion of granular powders in a broad range of process parameters. *Combustion, Explosion and Shock Waves*, 37(1), 72-77.

Vaidya, U. K., Abraham, A., & Bhide, S. (2001). Affordable processing of thick section and integral multi-functional composites. *Composites Part A: Applied Science and Manufacturing*, 32(8), 1133-1142.

Mouritz, A. P. (2001). Ballistic impact and explosive blast resistance of stitched composites. *Composites Part B: Engineering*, 32(5), 431-439.

Tanoglu, M., McKnight, S. H., Palmese, G. R., & Gillespie Jr, J. W. (2001). The effects of glass-fiber sizings on the strength and energy absorption of the fiber/matrix interphase under high loading rates. *Composites science and technology*, 61(2), 205-220.

Wen, H. M. (2001). Penetration and perforation of thick FRP laminates. *Composites Science and Technology*, 61(8), 1163-1172.

Espinosa, H. D., Lu, H. C., Zavattieri, P. D., & Dwivedi, S. (2001). A 3-D finite deformation anisotropic visco-plasticity model for fiber composites. *Journal of Composite Materials*, 35(5), 369-410.

Lee, B. L., Walsh, T. F., Won, S. T., Patts, H. M., Song, J. W., & Mayer, A. H. (2001). Penetration failure mechanisms of armor-grade fiber composites under impact. *Journal of composite materials*, 35(18), 1605-1633.

Hsieh, A. J., & Song, J. W. (2001). Measurements of ballistic impact response of novel coextruded PC/PMMA multilayered-composites. *Journal of reinforced plastics and composites*, 20(3), 239-254.

Sasoh, A., Ogawa, T., Takayama, K., Ikuta, K., Nagayasu, N., & Ohtsubo, S. (2001). Gun interior ballistic performance with ammonium nitrate-alcohol propellants. *Journal of Propulsion and Power*, 17(1), 120-124.

Pappu, S., Sen, S., Murr, L. E., Kapoor, D., & Magness, L. S. (2001). Deformation twins in oriented, columnar-grained tungsten rod ballistic penetrators. *Materials Science and Engineering: A*, 298(1-2), 144-157.

Raftenberg, M. N. (2001). A shear banding model for penetration calculations. *International journal of impact engineering*, 25(2), 123-146.

Roeder, B. A., & Sun, C. T. (2001). Dynamic penetration of alumina/aluminum laminates: experiments and modeling. *International journal of impact engineering*, 25(2), 169-185.

Holmquist, T. J., Templeton, D. W., & Bishnoi, K. D. (2001). Constitutive modeling of aluminum nitride for large strain, high-strain rate, and high-pressure applications. *International Journal of Impact Engineering*, 25(3), 211-231.

Lipanov, A. M. (2001). Variation of interior ballistic parameters at a constant mean pressure in the postprojectile space of a gun barrel. *Combustion, Explosion and Shock Waves*, 37(4), 443-447.

Børvik, T., Leinum, J. R., Solberg, J. K., Hopperstad, O. S., & Langseth, M. (2001). Observations on shear plug formation in Weldox 460 E steel plates impacted by blunt-nosed projectiles. *International journal of impact engineering*, 25(6), 553-572.

Jacobs, M. J. N., & Van Dingenen, J. L. J. (2001). Ballistic protection mechanisms in personal armour. *Journal of materials science*, 36(13), 3137-3142.

Borghs, G., & DeBoeck, J. (2001). Material aspects of spin injection in semiconductors. *Materials Science and Engineering: B*, 84(1-2), 75-80.

Gupta, N. K., Ansari, R., & Gupta, S. K. (2001). Normal impact of ogive nosed projectiles on thin plates. *International journal of impact engineering*, 25(7), 641-660.

Satapathy, S. (2001). Dynamic spherical cavity expansion in brittle ceramics. *International Journal of Solids and Structures*, 38(32-33), 5833-5845.

Li, Y., Ramesh, K. T., & Chin, E. S. C. (2001). Dynamic characterization of layered and graded structures under impulsive loading. *International Journal of Solids and Structures*, 38(34-35), 6045-6061.

Børvik, T., Hopperstad, O. S., Berstad, T., & Langseth, M. (2001). Numerical simulation of plugging failure in ballistic penetration. *International Journal of Solids and Structures*, 38(34-35), 6241-6264.

Pereira, J. M., & Lerch, B. A. (2001). Effects of heat treatment on the ballistic impact properties of Inconel 718 for jet engine fan containment applications. *International Journal of Impact Engineering*, 25(8), 715-733.

Yadav, S., Repetto, E. A., Ravichandran, G., & Ortiz, M. (2001). A computational study of the influence of thermal softening on ballistic penetration in metals. *International Journal of Impact Engineering*, 25(8), 787-803.

Cayzac, R., Carette, E., Denis, P., & Guillen, P. (2011). Magnus effect: physical origins and numerical prediction. *Journal of applied mechanics*, 78(5).

Singh, B. B., & Bhat, T. B. (2001). A screening method for ballistic evaluation of metallic armor materials. *Journal of testing and evaluation*, 29(5), 509-511.

Lee, M., & Yoo, Y. H. (2001). Analysis of ceramic/metal armour systems. *International Journal of Impact Engineering*, 25(9), 819-829.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2001). A class of models implying the Lambent–Jonas relation. *International journal of solids and structures*, 38(40-41), 7113-7119.

Badmos, A. Y., & Ivey, D. G. (2001). Characterization of structural alumina ceramics used in ballistic armour and wear applications. *Journal of materials science*, 36(20), 4995-5005.

McGee, J. D., & Nemat-Nasser, S. (2001). Dynamic bi-axial testing of woven composites. *Materials Science and Engineering: A*, 317(1-2), 135-139.

Sarva, S., & Nemat-Nasser, S. (2001). Dynamic compressive strength of silicon carbide under uniaxial compression. *Materials Science and Engineering: A*, 317(1-2), 140-144.

Draper, S. L., Nathal, M. V., Lerch, B. A., Pereira, J. M., Austin, C. M., & Erdmann, O. (2001). The effect of ballistic impacts on the high-cycle fatigue properties of Ti-48Al-2Nb-2Cr (atomic percent). *Metallurgical and Materials Transactions A*, 32(11), 2743-2758.

Yang, H. B., Deng, J., Li, Y. L., & Xin, H. Y. (2001). ASB of perforated region of Ti-6Al-1.7 Fe-0.1 Si targets. *Rare metal materials and engineering*, 30, 222-226.

Arnold, W., & Paul, W. (2001). Behind armor debris investigation and their application into a new vulnerability model. *International journal of impact engineering*, 26(1-10), 21-32.

Christiansen, E. L., & Kerr, J. H. (2001). Ballistic limit equations for spacecraft shielding. *International Journal of Impact Engineering*, 26(1-10), 93-104.

Corvonato, E., Destefanis, R., & Faraud, M. (2001). Integral model for the description of the debris cloud structure and impact. *International journal of impact engineering*, 26(1-10), 115-128.

Gee, D. J., & Littlefield, D. L. (2001). Yaw impact of rod projectiles. *International journal of impact engineering*, 26(1-10), 211-220.

Hayhurst, C. J., Livingstone, I. H., Clegg, R. A., Destefanis, R., & Faraud, M. (2001). Ballistic limit evaluation of advanced shielding using numerical simulations. *International Journal of Impact Engineering*, 26(1-10), 309-320.

Hohler, V., Weber, K., Tham, R., James, B., Barker, A., & Pickup, I. (2001). Comparative analysis of oblique impact on ceramic composite systems. *International journal of impact engineering*, 26(1-10), 333-344.

Katayama, M., & Kibe, S. (2001). Numerical study of the conical shaped charge for space debris impact. *International journal of impact engineering*, 26(1-10), 357-368.

Lambert, M., Schäfer, F. K., & Geyer, T. (2001). Impact damage on sandwich panels and multi-layer insulation. *International Journal of Impact Engineering*, 26(1-10), 369-380.

Lee, M. (2001). A numerical comparison of the ballistic performance of unitary rod and segmented-rods against stationary and moving oblique plates. *International Journal of Impact Engineering*, 26(1-10), 399-407.

Littlefield, D. L. (2001). Effect of alignment on the penetration of segmented rods. *International journal of impact engineering*, 26(1-10), 421-431.

Meyer Jr, H. W., & Kleponis, D. S. (2001). Modeling the high strain rate behavior of titanium undergoing ballistic impact and penetration. *International Journal of Impact Engineering*, 26(1-10), 509-521.

Palmieri, D., Faraud, M., Destefanis, R., & Marchetti, M. (2001). Whipple shield ballistic limit at impact velocities higher than 7 km/s. *International journal of impact engineering*, 26(1-10), 579-590.

Sokolov, V. G., Christiansen, E. L., Gorbenko, A. V., Feldstein, V. A., Romanchenkov, V. P., Panichkin, N. G., ... & Zinchenko, L. V. (2001). The effect of thin deployable construction elements of the international space station on the probability of its hull penetration by meteoroids and orbital debris. *International journal of impact engineering*, 26(1-10), 725-734.

Turner, R. J., Taylor, E. A., McDonnell, J. A. M., Stokes, H., Marriott, P., Wilkinson, J., ... & Lambert, M. (2001). Cost effective honeycomb and multi-layer insulation debris shields for unmanned spacecraft. *International journal of impact engineering*, 26(1-10), 785-796.

Weber, K., Holmquist, T. J., & Templeton, D. W. (2001). The response of layered aluminum nitride targets subjected to hypervelocity impact. *International journal of impact engineering*, 26(1-10), 831-841.



Yatteau, J. D., Recht, G. W., Zernow, R. H., & Edquist, K. T. (2001). Time resolved plastic deformations in rods subjected to transverse impact. *International journal of impact engineering*, 26(1-10), 879-890.

Lin, J., Zhang, Y., Lin, Z., & Chen, G. (2001). Relationship between ballistic coefficient and static mechanical properties for armor materials. *International Journal of Minerals, Metallurgy and Materials*, 8(1), 53-54.

Smoliner, J., Heer, R., Strasser, G., & Strahberger, C. (2001). Magnetic field effects and kll-filtering in BEEM on GaAsAlGaAs resonant tunneling structures. *Applied Physics A*, 72(2), S233-S237.

Pillai, A. G. S., Sanghavi, R. R., Dayanandan, C. R., Joshi, M. M., & Karir, J. S. (2001). Ballistic evaluation of LOVA propellant in high calibre gun. *Defence Science Journal*, 51(2), 147-153.

Billon, H. H., & Robinson, D. J. (2001). Models for the ballistic impact of fabric armour. *International Journal of Impact Engineering*, 25(4), 411-422.

Montgomery, J. S., & Wells, M. G. (2001). Titanium armor applications in combat vehicles. *JOM*, 53(4), 29-32.

Gama, B. A., Bogetti, T. A., Fink, B. K., Yu, C. J., Claar, T. D., Eifert, H. H., & Gillespie Jr, J. W. (2001). Aluminum foam integral armor: a new dimension in armor design. *Composite structures*, 52(3-4), 381-395.

Chocron, S., Anderson Jr, C. E., Grosch, D. J., & Popelar, C. H. (2001). Impact of the 7.62-mm APM2 projectile against the edge of a metallic target. *International Journal of Impact Engineering*, 25(5), 423-437.

Ravishankar, N., Abinandanan, T. A., & Chattopadhyay, K. (2001). Application of effective potential formalism to mechanical alloying in Ag-Cu and Cu-Fe systems. *Materials Science and Engineering: A*, 304, 413-417.

Lanciotti, A., & Ottaviano, S. (2001). Some fracture mechanics properties in high-velocity impact-damaged aluminium plates. *Fatigue & Fracture of Engineering Materials & Structures*, 24(6), 419-427.

Onn, S. C., Su, A., Wei, C. K., & Sun, C. C. (2001). Computational drag and Magnus force reduction for a transonic spinning projectile using passive porosity. *Computer methods in applied mechanics and engineering*, 190(46-47), 6125-6139.

Ahmadian, M., & Poynor, J. C. (2001). An evaluation of magneto rheological dampers for controlling gun recoil dynamics. *Shock and Vibration*, 8(3-4), 147-155.

Chang, S. C., Wang, C. C., Huang, C. A., Chang, Y., & Chen, T. L. (2001). Fabrication of 2024 aluminum spun tube using a thermomechanical treatment process. *Journal of Materials Processing Technology*, 108(3), 294-299.

Edwards, K. L., Lloyd, S. J., & Ralph, J. F. (2001). Air-to-ground weapon aiming—a synopsis and a look to the future. *The Aeronautical Journal*, 105(1044), 53-62.

Lumpkin, G. R. (2001). Alpha-decay damage and aqueous durability of actinide host phases in natural systems. *Journal of nuclear materials*, 289(1-2), 136-166.

Frazier, W. E., Polakovics, D., & Koegel, W. (2001). Qualifying of metallic materials and structures for aerospace applications. *Jom*, 53(3), 16-18.

Froggett, S., & Liu, S. (2001). System Performance Modeling in C4ISR/Weapon System Design and Development. *Naval engineers journal*, 113(2), 55-64.

Osborne, J. H., Blohowiak, K. Y., Taylor, S. R., Hunter, C., Bierwagon, G., Carlson, B., ... & Donley, M. S. (2001). Testing and evaluation of nonchromated coating systems for aerospace applications. *Progress in Organic Coatings*, 41(4), 217-225.

Scott, W. B. (2001). Navy Accelerates Transition Of Technology to Weapon Systems. *Aviation Week & Space Technology*, 154(19), 82-82.

Kishore, M. S., & Rao, K. V. (2001). Robust correlation tracker. *Sadhana*, 26(3), 227-236.

Siegel, J. H., Loo, G., Dischinger, P. C., Burgess, A. R., Wang, S. C., Schneider, L. W., ... & Tenenbaum, N. (2001). Factors influencing the patterns of injuries and outcomes in car versus car crashes compared to sport utility, van, or pick-up truck versus car crashes: Crash Injury Research Engineering Network Study. *Journal of Trauma and Acute Care Surgery*, 51(5), 975-990.

Malhotra, A., & Jain, R. K. (2001). Genetic algorithm for optimal weapon allocation in multilayer defence scenario. *Defence science journal*, 51(3), 285.

Montoya, M. (2001). Standard Missile: A Cornerstone of Navy Theater Air Missile Defense. *Johns Hopkins APL Technical Digest*, 22(3), 234-247.

Marcotte, F. J., Carey, G. M., & Tropf, W. J. (2001). The APL Guidance System Evaluation Laboratory. *Johns Hopkins APL Technical Digest*, 22(3), 324-332.

Kitzman, K. V. (2001). Parametric multispectral infrared bulk filtering for Theater Ballistic Missile Defense. *Johns Hopkins APL Technical Digest*, 22(3), 369-378.

Richardson, J. G. (2001). Serious misapplications of military research: Dysfunction between conception and implementation. *Science and Engineering Ethics*, 7(3), 347-364.

Costerton, J. W., & Stewart, P. S. (2001). Battling biofilms. *Scientific American*, 285(1), 74-81.

Greenfield, S. (2001). Oil debris monitoring for the Eurofighter 2000 aircraft. *Insight*, 43(8), 513-17.

Garg, D. P., Zikry, M. A., & Anderson, G. L. (2001). Current and potential future research activities in adaptive structures: an ARO perspective. *Smart materials and structures*, 10(4), 610.

Markle, S. P., & Gill, S. E. (2001). T-AKE: Acquiring the Environmentally Sound Ship of the 21. *Naval engineers journal*, 113(4), 23-52.

Hansen, I. S. (2001). Passive protection versus active defenses. *Naval engineers journal*, 113(4), 113-122.

Dando, M. R., & Pearson, G. S. (2001). Challenge of Biotechnology. *Defence Science Journal*, 51(4), 333.

Mathew, T. L. (2001). Biotechnology in defence. *Defence Science Journal*, 51(4), 393.

Kishore, M. S. (2001). Microcontroller based ground weapon control system. *Defence Science Journal*, 51(4), 429.

Landis, M. (2001). Overview of the fire control for Aegis LEAP Intercept loop process. *Johns Hopkins APL Technical Digest*, 22(4), 436-446.

Rottier, J. R., Rowland, J. R., Konstanzer, G. C., Goldhirsh, J., & Dockery, G. D. (2001). APL environmental assessment for Navy anti-air warfare. *Johns Hopkins APL technical digest*, 22(4), 447-461.

Whitely, J. E. (2001). An introduction to SSDS concepts and development. *Johns Hopkins APL Technical Digest*, 22(4), 516-522.

Pregaman, R. J., Wetzlar, E. C., & Bailey, R. J. (2001). Integrated ship defense. *Johns Hopkins APL technical digest*, 22(4), 523-535.

Norcutt, L. S. (2001). Ship Self-Defense System Architecture. *Johns Hopkins APL technical digest*, 22(4), 536-546.

Thomas, J. W., Bailey, R. J., Stuckey, W. D., Roulette, J. F., Silberman, G. L., Marable, D. L., ... & Allen, E. B. (2001). SSDS Mk 2 combat system integration. *Johns Hopkins APL technical digest*, 22(4), 547-563.

Elko, E. C., Howard, J. W., Kochanski, R. C., Nguyen, T. P. T., & Sanders, W. M. (2001). Rolling airframe missile: development, test, evaluation, and integration. *Johns Hopkins APL technical digest*, 22(4), 573-582.

Kochanski, R. C., & Bredland, B. A. (2001). Use of AN/SLQ-32A (V) Electronic Support Data for ASCM Engagement and Situational Awareness. *Johns Hopkins APL technical digest*, 22(4), 583-587.

York, R. R., & Bateman, K. L. (2001). Self-Defense Test Ship Remote Combat System Operation. *Johns Hopkins APL technical digest*, 22(4), 588-597.

Maurer, D. E., Rogala, E. W., Bankman, I. N., Boone, B. G., Vogel, K. K., & Parris, C. (2001). A low cost gun launched seeker concept design for naval fire support. *Johns Hopkins APL technical digest*, 22(4), 634-647.

Harel, H., Marom, G., & Kenig, S. (2002). Delamination controlled ballistic resistance of polyethylene/polyethylene composite materials. *Applied Composite Materials*, 9(1), 33-42.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2002). Optimal nose geometry of the impactor against FRP laminates. *Composite structures*, 55(1), 73-80.

Larsson, F., & Svensson, L. (2002). Carbon, polyethylene and PBO hybrid fibre composites for structural lightweight armour. *Composites part A: applied science and manufacturing*, 33(2), 221-231.

Thakur, Y. A., Joshi, A. L., Conroy, C., Desai, P. R., & Halli, M. D. (2002). Improving productivity of goats during the rainy season in rural Karnataka. *Helping smallstock keepers enhance their livelihoods: improving management of smallholder owned sheep and goats by utilising local resources*, 77.

Børvik, T., Langseth, M., Hopperstad, O. S., & Malo, K. A. (2002). Perforation of 12 mm thick steel plates by 20 mm diameter projectiles with flat, hemispherical and conical noses: Part I: Experimental study. *International journal of impact engineering*, 27(1), 19-35.

Børvik, T., Hopperstad, O. S., Berstad, T., & Langseth, M. (2002). Perforation of 12 mm thick steel plates by 20 mm diameter projectiles with flat, hemispherical and conical noses: part II: numerical simulations. *International journal of impact engineering*, 27(1), 37-64.

Simha, C. H. M., Bless, S. J., & Bedford, A. (2002). Computational modeling of the penetration response of a high-purity ceramic. *International journal of impact engineering*, 27(1), 65-86.

Wen, H. M. (2002). Predicting the penetration and perforation of targets struck by projectiles at normal incidence. *Mechanics of Structures and Machines*, 30(4), 543-577.

Kad, B. K., Schoenfeld, S. E., & Burkins, M. S. (2002). Through thickness dynamic impact response in textured Ti-6Al-4V plates. *Materials Science and Engineering: A*, 322(1-2), 241-251.

Martinez, C. M., Eylon, D., Nicholas, T., Thompson, S. R., Ruschau, J. J., Birkbeck, J., & Porter, W. J. (2002). Effects of ballistic impact damage on fatigue crack initiation in Ti-6Al-4V simulated engine blades. *Materials Science and Engineering: A*, 325(1-2), 465-477.

Berger, C., Yi, Y., Wang, Z. L., & De Heer, W. A. (2002). Multiwalled carbon nanotubes are ballistic conductors at room temperature. *Applied Physics A*, 74(3), 363-365.

Gupta, Y. M., & Ding, J. L. (2002). Impact load spreading in layered materials and structures: concept and quantitative measure. *International Journal of Impact Engineering*, 27(3), 277-291.

Nalla, R. K., Ritchie, R. O., Boyce, B. L., Campbell, J. P., & Peters, J. O. (2002). Influence of microstructure on high-cycle fatigue of Ti-6Al-4V: Bimodal vs. lamellar structures. *Metallurgical and Materials Transactions A*, 33(3), 899-918.

Kad, B. K., Schoenfeld, S. E., & Burkins, M. S. (2002). Computational modeling of through-thickness dynamic impact response in cross-rolled Ti-6Al-4V plates. *Metallurgical and Materials Transactions A*, 33(3), 937-947.

Tarim, N., Findik, F., & Uzun, H. (2002). Ballistic impact performance of composite structures. *Composite Structures*, 56(1), 13-20.

Talwar, M. B., Nair, J. K., Palaiah, R. S., Mukundan, T., & Singh, H. (2002). TEX: The new insensitive high explosive. *Defence Science Journal*, 52(2), 157.

Lee, S., Hong, M. H., Noh, J. W., & Hyoung Baek, W. (2002). Microstructural evolution of a shaped-charge liner and target materials during ballistic tests. *Metallurgical and Materials Transactions A*, 33(4), 1069-1074.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2002). A model for predicting penetration and perforation of FRP laminates by 3-D impactors. *Composite structures*, 56(3), 243-248.

Gailly, B. A., & Espinosa, H. D. (2002). Modelling of failure mode transition in ballistic penetration with a continuum model describing microcracking and flow of pulverized media. *International Journal for Numerical Methods in Engineering*, 54(3), 365-398.

Hamouda, A. M. S. (2002). Effect of energy losses during an impact event on the dynamic flow stress. *Journal of materials processing technology*, 124(1-2), 209-215.

Cudzilo, S., Kohlicek, P., Trzcinski, V. A., & Zeman, S. (2002). Performance of emulsion explosives. *Combustion, Explosion and Shock Waves*, 38(4), 463-469.

Zohdi, T. I. (2002). Modeling and simulation of progressive penetration of multilayered ballistic fabric shielding. *Computational Mechanics*, 29(1), 61-67.

Lim, C. T., Tan, V. B. C., & Cheong, C. H. (2002). Perforation of high-strength double-ply fabric system by varying shaped projectiles. *International Journal of Impact Engineering*, 27(6), 577-591.

Hanssen, A. G., Enstock, L., & Langseth, M. (2002). Close-range blast loading of aluminium foam panels. *International journal of impact engineering*, 27(6), 593-618.

Wu, Y., Zhong, W., Sun, Z., Torki, A., & Zhang, Z. (2002). Behavior of aramid fiber/ultrahigh molecular weight polyethylene fiber hybrid composites under Charpy impact and ballistic impact. *Cailiao Kexue Yu Jishu(Journal of Materials Science & Technology)(China)(USA)*, 18, 357-360.

Trillo, E. A., Esquivel, E. V., Murr, L. E., & Magness, L. S. (2002). Dynamic recrystallization-induced flow phenomena in tungsten-tantalum (4%)[001] single-crystal rod ballistic penetrators. *Materials characterization*, 48(5), 407-421.

Cipparone, G., Bourne, B., Orphal, D., & Goldsmith, W. (2002). Momentum exchange alteration in projectile/target impact. *International journal of impact engineering*, 27(7), 691-707.

Murr, L. E., Trillo, E. A., Pappu, S., & Kennedy, C. (2002). Adiabatic shear bands and examples of their role in severe plastic deformation. *Journal of materials science*, 37(16), 3337-3360.

Fasiska, E. J., Pang, Y., Dax, F. R., Yu, K. O., Crist, E. M., Martin, B. W., ... & Florence, J. (2002). Titanium armor plate: titanium alloy armor for combat vehicles has been successfully manufactured via plasma arc cold hearth melting (PAM) at a cost significantly lower than possible with current commercial processes. *Advanced materials & processes*, 160(9), 35-38.

Yossifon, G., & Yarin, A. L. (2002). Behind-the-armor debris analysis. *International journal of impact engineering*, 27(8), 807-835.

Will, M. A., Franz, T., & Nurick, G. N. (2002). The effect of laminate stacking sequence of CFRP filament wound tubes subjected to projectile impact. *Composite structures*, 58(2), 259-270.

Rodriguez, S., Munoz, V. B., Esquivel, E. V., Murr, L. E., & Rupert, N. L. (2002). Microstructural characterization of TiB<sub>2</sub> armor targets. *Journal of materials science letters*, 21(21), 1661-1666.

Breton, P. L., & Ribéreau, D. (2002). Casting process impact on small-scale solid rocket motor ballistic performance. *Journal of propulsion and power*, 18(6), 1211-1217.

Bao, Y., Su, S., Yang, J., & Fan, Q. (2002). Prestressed ceramics and improvement of impact resistance. *Materials Letters*, 57(2), 518-524.

Prahlada, M. (2002). Quality and reliability of missile system. *Defence Science Journal*, 52(1), 5.

Bose, V. S. C., & Krishna, V. (2002). Integrated Process for Smooth Transition from Development to Production of Weapon Systems. *Defence Science Journal*, 52(1), 11.

Waltrup, P. J., White, M. E., Zarlingo, F., & Gravlin, E. S. (2002). History of US Navy ramjet, scramjet, and mixed-cycle propulsion development. *Journal of propulsion and power*, 18(1), 14-27.

- See, D. W., Dulaney, J. L., Clauer, A. H., & Tenaglia, R. D. (2002). The air force manufacturing technology laser peening initiative. *Surface Engineering*, 18(1), 32-36.
- Dutta, D., & Sabhanval, S. (2002). Modelling Effectiveness of Machine Gun Fire. *Defence Science Journal*, 52(2), 211.
- Grant, C. J. (2002). CEC: Sensor netting with integrated fire control. *Johns Hopkins APL technical digest*, 23(2/3), 149-161.
- McDonald, E. M., Gassler, R. J., & Holub, B. L. (2002). Network models within ACES. *Johns Hopkins APL technical digest*, 23(2/3), 244-250.
- Krill, J. A., & Krummenoehl, A. F. (2002). System Concept Development Laboratory: Tooling Up for the 21st Century. *Johns Hopkins APL technical digest*, 23(2/3), 286-295.
- Colbert, D. E., & Ralston, R. E. (2002). Engineering visualization. *Johns Hopkins APL technical digest*, 23(2/3), 296-310.
- Kecskes, C. (2002). Scenarios which may lead to the rise of an asteroid-based technical civilisation. *Acta Astronautica*, 50(9), 569-577.
- Guidos, B. J., & Cooper, G. R. (2002). Linearized motion of a fin-stabilized projectile subjected to a lateral impulse. *Journal of spacecraft and rockets*, 39(3), 384-391.
- Resnyansky, A. D. (2002). DYNA-modelling of the high-velocity impact problems with a split-element algorithm. *International Journal of Impact Engineering*, 27(7), 709-727.
- Burchett, B., & Costello, M. (2002). Model predictive lateral pulse jet control of an atmospheric rocket. *Journal of Guidance, Control, and Dynamics*, 25(5), 860-867.
- FULGHUM, D. A., & Wall, R. (2002). Foiling Dumb Weapons Goal for BAE Systems. *Aviation Week & Space Technology*, 157(18), 64-64.
- Isbell, W. M., Miller, J. D., Huhn, F. J., & Atwater, J. W. (2002). Weapon system effectiveness. *AEROSPACE AMERICA*, 40(12), 94-95.
- Karamis, M. B., Tasdemirci, A., & Nair, F. E. H. M. (2003). Failure and tribological behaviour of the AA5083 and AA6063 composites reinforced by SiC particles under ballistic impact. *Composites Part A: applied science and manufacturing*, 34(3), 217-226.
- Mahdi, S., Gama, B. A., Yarlagadda, S., & Gillespie Jr, J. W. (2003). Effect of the manufacturing process on the interfacial properties and structural performance of multi-functional composite structures. *Composites Part A: applied science and manufacturing*, 34(7), 635-647.
- Gu, B. (2003). Analytical modeling for the ballistic perforation of planar plain-woven fabric target by projectile. *Composites Part B: Engineering*, 34(4), 361-371.
- Lim, C. T., Shim, V. P. W., & Ng, Y. H. (2003). Finite-element modeling of the ballistic impact of fabric armor. *International Journal of Impact Engineering*, 28(1), 13-31.
- Vaidya, U. K., Ulven, C., Pillay, S., & Ricks, H. (2003). Impact damage of partially foam-filled co-injected honeycomb core sandwich composites. *Journal of Composite Materials*, 37(7), 611-626.

Baucom, J. N., & Zikry, M. A. (2003). Evolution of failure mechanisms in 2D and 3D woven composite systems under quasi-static perforation. *Journal of composite materials*, 37(18), 1651-1674.

Gillespie Jr, J. W., Monib, A. M., & Carlsson, L. A. (2003). Damage tolerance of thick-section S-2 glass fabric composites subjected to ballistic impact loading. *Journal of composite materials*, 37(23), 2131-2147.

Vaidya, U. K., Ulven, C. A., Hosur, M. V., Alexander, J., & Liudahl, L. (2003). Intermediate velocity impact response of carbon/epoxy composites with polycarbonate facing. *Polymers and Polymer Composites*, 11(6), 421-432.

Kaufmann, C., Cronin, D., Worswick, M., Pageau, G., & Beth, A. (2003). Influence of material properties on the ballistic performance of ceramics for personal body armour. *Shock and Vibration*, 10(1), 51-58.

Nesterenko, V. F., Goldsmith, W., Indrakanti, S. S., & Gu, Y. (2003). Response of hot isostatically pressed Ti-6Al-4V targets to normal impact by conical and blunt projectiles. *International journal of impact engineering*, 28(2), 137-160.

Tan, V. B. C., Lim, C. T., & Cheong, C. H. (2003). Perforation of high-strength fabric by projectiles of different geometry. *International Journal of Impact Engineering*, 28(2), 207-222.

Grujicic, M., DeLong, J. R., & DeRosset, W. S. (2003). The effect of lining segmentation on the reliability of hybrid ceramic/steel gun barrels. *Materials & design*, 24(1), 69-78.

Khan, W. U., Ansari, R., & Gupta, N. K. (2003). Oblique impact of projectile on thin aluminium plates. *Defence Science Journal*, 53(2), 139.

Madhu, V., Bhat, T. B., & Gupta, N. K. (2003). Normal and oblique impacts of hard projectile on single and layered plates-an experimental study. *Defence Science Journal*, 53(2), 147.

Børvik, T., Hopperstad, O. S., Langseth, M., & Malo, K. A. (2003). Effect of target thickness in blunt projectile penetration of Weldox 460 E steel plates. *International journal of impact engineering*, 28(4), 413-464.

Grujicic, M., DeLong, J. R., & Derosset, W. S. (2003). Reliability analysis of hybrid ceramic/steel gun barrels. *Fatigue & Fracture of Engineering Materials & Structures*, 26(5), 405-420.

Chen, X. W., & Li, Q. M. (2003). Shear plugging and perforation of ductile circular plates struck by a blunt projectile. *International Journal of Impact Engineering*, 28(5), 513-536.

Yadav, S., & Ravichandran, G. (2003). Penetration resistance of laminated ceramic/polymer structures. *International Journal of Impact Engineering*, 28(5), 557-574.

Gilev, V. G. (2003). Rapid fracture of layered shields based on Al-Si<sub>3</sub>N<sub>4</sub> composite material. *Metal science and heat treatment*, 45(5), 177-182.

Esquivel, E. V., Murr, L. E., Trillo, E. A., & Martinez, A. (2003). Comparison of flow and shear band structures in oriented, columnar tungsten, single crystal tungsten-tantalum and intermetallic tungsten heavy alloy ballistic penetrators. *Powder metallurgy*, 46(2), 137-142.

Vermeeren, C. A. J. R. (2003). An historic overview of the development of fibre metal laminates. *Applied Composite Materials*, 10(4), 189-205.

Fatt, M. S. H., Lin, C., Revilock Jr, D. M., & Hopkins, D. A. (2003). Ballistic impact of GLARE™ fiber–metal laminates. *Composite structures*, 61(1-2), 73-88.

Ulven, C., Vaidya, U. K., & Hosur, M. V. (2003). Effect of projectile shape during ballistic perforation of VARTM carbon/epoxy composite panels. *Composite structures*, 61(1-2), 143-150.

Arias, A., Zaera, R., Lopez-Puente, J., & Navarro, C. (2003). Numerical modeling of the impact behavior of new particulate-loaded composite materials. *Composite Structures*, 61(1-2), 151-159.

Cheeseman, B. A., & Bogetti, T. A. (2003). Ballistic impact into fabric and compliant composite laminates. *Composite structures*, 61(1-2), 161-173.

Mitchell, T. J., Kendall, M. A., & Bellhouse, B. J. (2003). A ballistic study of micro-particle penetration to the oral mucosa. *International journal of impact engineering*, 28(6), 581-599.

Lee, Y. S., Wetzel, E. D., & Wagner, N. J. (2003). The ballistic impact characteristics of Kevlar® woven fabrics impregnated with a colloidal shear thickening fluid. *Journal of materials science*, 38(13), 2825-2833.

Divekar, C. N., Asthana, S. N., & Singh, H. (2003). Combustion and thermal studies on Al/Ti/Ni/Zr composite modified double-base systems. *Journal of propulsion and power*, 19(4), 614-622.

Skvortsov, V., Kepler, J., & Bozhevolnaya, E. (2003). Energy partition for ballistic penetration of sandwich panels. *International Journal of Impact Engineering*, 28(7), 697-716.

Mariotti, C., Perlat, J. P., & Guérin, J. M. (2003). A numerical approach for partially saturated geomaterials under shock. *International Journal of Impact Engineering*, 28(7), 717-741.

Chen, X. W., & Li, Q. M. (2003). Perforation of a thick plate by rigid projectiles. *International Journal of Impact Engineering*, 28(7), 743-759.

Hebsur, M. G., Noebe, R. D., & Revilock, D. M. (2003). Impact resistance of lightweight hybrid structures for gas turbine engine fan containment applications. *Journal of materials engineering and performance*, 12(4), 470-479.

Hancock, R. (2003). Underwater welding in nuclear power plants. *Welding journal*, 82(9), 48-49.

Hosur, M. V., Vaidya, U. K., Myers, D., & Jeelani, S. (2003). Studies on the repair of ballistic impact damaged S2-glass/vinyl ester laminates. *Composite structures*, 61(4), 281-290.

Tamura, H., Iwawaki, M., & Sawaoka, A. B. (2003). Quantitative analysis of debris clouds from duralumin and SiC-fiber/aluminum-matrix composite bumpers. *International journal of impact engineering*, 28(8), 829-848.

Di Sciuva, M., Frola, C., & Salvano, S. (2003). Low and high velocity impact on Inconel 718 casting plates: ballistic limit and numerical correlation. *International journal of impact engineering*, 28(8), 849-876.



Shin, H. S., Erlich, D. C., & Shockey, D. A. (2003). Test for measuring cut resistance of yarns. *Journal of materials science*, 38(17), 3603-3610.

Stevenson, M. E., Jones, S. E., & Bradt, R. C. (2003). The high strain rate dynamic stress-strain curve for OFHC copper. *Journal of the Society of Materials Science, Japan*, 52(9Appendix), 187-195.

Fujii, K., Yasuda, E., Akatsu, T., & Tanabe, Y. (2003). Effect of characteristics of materials on fracture behavior and modeling using graphite-related materials with a high-velocity steel sphere. *International journal of impact engineering*, 28(9), 985-999.

Mahfuz, H., Gama, B., Das, P., Jeelani, S., & Gillespie, J. (2003). Response of S2-Glass/Vinyl Ester composites under high strain rate loading: An experimental and finite element study. *Journal of advanced materials*, 35(4), 36-43.

Forquin, P., Tran, L., Louvigné, P. F., Rota, L., & Hild, F. (2003). Effect of aluminum reinforcement on the dynamic fragmentation of SiC ceramics. *International journal of impact engineering*, 28(10), 1061-1076.

Tan, V. B. C., Shim, V. P. W., & Tay, T. E. (2003). Experimental and numerical study of the response of flexible laminates to impact loading. *International Journal of Solids and Structures*, 40(23), 6245-6266.

Duan, Z. Q., Li, S. X., & Huang, D. W. (2003). Microstructures and adiabatic shear bands formed by ballistic impact in steels and tungsten alloy. *Fatigue & Fracture of Engineering Materials & Structures*, 26(12), 1119-1126.

Anderson Jr, C. E. (2003). From fire to ballistics: a historical retrospective. *International Journal of Impact Engineering*, 29(1-10), 13-67.

Anderson Jr, C. E., & Orphal, D. L. (2003). Analysis of the terminal phase of penetration. *International journal of impact engineering*, 29(1-10), 69-80.

Arnold, W., & Rottenkolber, E. (2003). Behind armor debris investigation (Part II). *International journal of impact engineering*, 29(1-10), 95-104.

Cheng, W. L., Langlie, S., & Itoh, S. (2003). High velocity impact of thick composites. *International journal of impact engineering*, 29(1-10), 167-184.

Destefanis, R., Schäfer, F., Lambert, M., Faraud, M., & Schneider, E. (2003). Enhanced space debris shields for manned spacecraft. *International Journal of Impact Engineering*, 29(1-10), 215-226.

Galanov, B. A., Ivanov, S. M., & Kartuzov, V. V. (2003). Investigation of penetration resistance using a new modification of the Alekseevskii-Tate model. *International journal of impact engineering*, 29(1-10), 263-272.

Hu, K., & Schonberg, W. P. (2003). Ballistic limit curves for non-spherical projectiles impacting dual-wall spacecraft systems. *International journal of impact engineering*, 29(1-10), 345-355.

Kozachuk, A. I., Kozhushko, A. A., Rumyantsev, B. V., Sinani, A. B., Vlasov, A. S., & Zilberbrand, E. L. (2003). On interaction of shaped-charge jets with the crater walls in penetrating metals and brittle materials. *International journal of impact engineering*, 29(1-10), 385-390.

Phoenix, S. L., & Porwal, P. K. (2003). A new membrane model for the ballistic impact response and V50 performance of multi-ply fibrous systems. *International Journal of Solids and Structures*, 40(24), 6723-6765.

Yatteau, J. D., & Dzwilewski, P. T. (2003). Adaptation of full impact penetration models to partial impact geometries for tumbling rods penetrating spaced plates. *International journal of impact engineering*, 29(1-10), 821-831.

Wohlers, W., & Reimerdes, H. G. (2003). Analytical optimisation of protection systems. *International journal of impact engineering*, 29(1-10), 803-819.

Taylor, E. A., Glanville, J. P., Clegg, R. A., & Turner, R. G. (2003). Hypervelocity impact on spacecraft honeycomb: hydrocode simulation and damage laws. *International journal of impact engineering*, 29(1-10), 691-702.

Shin, H. S., Oh, S. Y., Kim, D. K., Kim, C. W., & Chang, S. N. (2003). Investigation on fracture behavior of armor ceramics against HEAT penetration. *International journal of impact engineering*, 29(1-10), 631-638.

Palmieri, D., Lambert, M., & Mendoza, M. (2003). Effect of multi-layer insulation on top of spacecraft meteoroids/debris shields: predictions of the automated transfer vehicle pressure module ballistic limit. *International journal of impact engineering*, 29(1-10), 537-548.

Palmieri, D., Destefanis, R., Faraud, M., & Lambert, M. (2003). Penetration effectiveness of inhibited shaped charge launcher projectiles and solid spheres on spacecraft shields. *International journal of impact engineering*, 29(1-10), 513-526.

Palmieri, D., Deloo, P., & Lambert, M. (2003). Hypervelocity impact simulation on the cupola windows shutters. *International journal of impact engineering*, 29(1-10), 503-511.

Lynch, N. J., & Townsend, I. (2003). Progress towards an analytical modelling capability for kinetic energy penetrators and complex armours. *International journal of impact engineering*, 29(1-10), 437-447.

Lee, M. (2003). Hypervelocity impact into oblique ceramic/metal composite systems. *International Journal of Impact Engineering*, 29(1-10), 417-424.

Liang, C. C., Jen, C. Y., Yang, M. F., & Wu, P. W. (2003). Resistant performance of perforation in protective structures using a semi-empirical method with marine applications. *Ocean Engineering*, 30(9), 1137-1162.

Brooks, R. E. (2003). The multi-mission maritime aircraft and maritime patrol and reconnaissance force transformation. *Johns Hopkins APL technical digest*, 24(3), 238-241.

Keane, J. F., & Easterling, A. (2003). Maritime patrol aviation: 90 years of continuing innovation. *Johns Hopkins APL technical digest*, 24(3), 242-256.

Lilly, T. C., & Russell, B. R. (2003). The Multi-Mission Maritime Aircraft Design Reference Mission. *Johns Hopkins APL technical digest*, 24(3), 257-262.

Kroschl, W. M., & Osborne, S. R. (2003). Multi-mission Maritime Aircraft mission area analysis. *Johns Hopkins APL technical digest*, 24(3), 270-275.

Lin, T. C. (2003). Development of US air force intercontinental ballistic missile weapon systems. *Journal of Spacecraft and Rockets*, 40(4), 491-509.

Burkhard, A., & Deitrich, R. (2003). Joint strike fighter integrated subsystems technology, a demonstration for industry, by industry. *Journal of aircraft*, 40(5), 906-913.

Mishra, S. N., Deshrnukh, S. G., & Vrat, P. (2003). Technological forecasting applications: Framework and case study on combat vehicles. *Defence Science Journal*, 53(4), 371.

Journet, L., Agrain, C., Broz, P., & Cornelis, G. R. (2003). The needle length of bacterial injectisomes is determined by a molecular ruler. *Science*, 302(5651), 1757-1760.

Bushnell, D. M. (2003). The 'air side' of future warfare—military aeronautics. *The Aeronautical Journal*, 107(1072), 301-305.

Liang, C. C., Jen, C. Y., Yang, M. F., & Wu, P. W. (2003). Resistant performance of perforation in protective structures using a semi-empirical method with marine applications. *Ocean Engineering*, 30(9), 1137-1162.

Lilly, T. C., & Russell, B. R. (2003). The Multi-Mission Maritime Aircraft Design Reference Mission. *Johns Hopkins APL technical digest*, 24(3), 257-262.

Kroshl, W. M., & Osborne, S. R. (2003). Multi-mission Maritime Aircraft mission area analysis. *Johns Hopkins APL technical digest*, 24(3), 270-275.

Lin, T. C. (2003). Development of US air force intercontinental ballistic missile weapon systems. *Journal of Spacecraft and Rockets*, 40(4), 491-509.

Burkhard, A., & Deitrich, R. (2003). Joint strike fighter integrated subsystems technology, a demonstration for industry, by industry. *Journal of aircraft*, 40(5), 906-913.

Bais, H. P., Vepachedu, R., Gilroy, S., Callaway, R. M., & Vivanco, J. M. (2003). Allelopathy and exotic plant invasion: from molecules and genes to species interactions. *Science*, 301(5638), 1377-1380.

Mishra, S. N., Deshrnukh, S. G., & Vrat, P. (2003). Technological forecasting applications: Framework and case study on combat vehicles. *Defence Science Journal*, 53(4), 371.

Journet, L., Agrain, C., Broz, P., & Cornelis, G. R. (2003). The needle length of bacterial injectisomes is determined by a molecular ruler. *Science*, 302(5651), 1757-1760.

Bushnell, D. M. (2004). Shock wave drag reduction. *Annu. Rev. Fluid Mech.*, 36, 81-96.

Bansevicus, R., Fedaravicius, A., Ostasevicus, V., & Ragulskis, M. (2004). Development of laser rifle trainer with full shot imitation. *Shock and Vibration*, 11(2), 81-88.

Moore, F. G., & Hymer, T. C. (2004). 2002 Version of the Aeroprediction Code (AP02). *Journal of spacecraft and rockets*, 41(2), 232-247.

Bisht, S. (2004). Hybrid genetic-simulated annealing algorithm for optimal weapon allocation in multilayer defence scenario. *Defence Science Journal*, 54(3), 395.

Mahdi, S., & Gillespie, J. W. (2004). Finite element analysis of tile-reinforced composite structural armor subjected to bending loads. *Composites Part B: Engineering*, 35(1), 57-71.

Gu, B., & Xu, J. (2004). Finite element calculation of 4-step 3-dimensional braided composite under ballistic perforation. *Composites Part B: Engineering*, 35(4), 291-297.

Villanueva, G. R., & Cantwell, W. J. (2004). The high velocity impact response of composite and FML-reinforced sandwich structures. *Composites Science and Technology*, 64(1), 35-54.

Bushnell, D. M. (2004). Shock wave drag reduction. *Annu. Rev. Fluid Mech.*, 36, 81-96.

Bansevicius, R., Fedaravicius, A., Ostasevicius, V., & Ragulskis, M. (2004). Development of laser rifle trainer with full shot imitation. *Shock and Vibration*, 11(2), 81-88.

Moore, F. G., & Hymer, T. C. (2004). 2002 Version of the Aeroprediction Code (AP02). *Journal of spacecraft and rockets*, 41(2), 232-247.

Sodano, H. A., Park, G., & Inman, D. J. (2004). Estimation of electric charge output for piezoelectric energy harvesting. *Strain*, 40(2), 49-58.

Cheng, W. L., & Itoh, S. (2004). High velocity impact of steel fragment on thick aluminum target. In *Materials Science Forum* (Vol. 465, pp. 49-54). Trans Tech Publications Ltd.

Cheng, W., Itoh, S., & Kuo, A. Y. (2004). Calculation of dynamic strain energy release rates due to shock wave loading. In *Materials Science Forum* (Vol. 465, pp. 415-420). Trans Tech Publications Ltd.

Walley, S. M., Field, J. E., Blair, P. W., & Milford, A. J. (2004). The effect of temperature on the impact behaviour of glass/polycarbonate laminates. *International journal of impact engineering*, 30(1), 31-53.

Yoo, Y. H., & Shin, H. (2004). Protection capability of dual flying plates against obliquely impacting long-rod penetrators. *International journal of impact engineering*, 30(1), 55-68.

Becker, R. (2004). Effects of crystal plasticity on materials loaded at high pressures and strain rates. *International Journal of Plasticity*, 20(11), 1983-2006.

Gu, B. (2004). Ballistic penetration of conically cylindrical steel projectile into plain-woven fabric target—a finite element simulation. *Journal of composite materials*, 38(22), 2049-2074.

Baucom, J. N., Zikry, M. A., & Qiu, Y. (2004). Dynamic and quasi-static failure evolution of 3D woven cellular composite systems. *Journal of reinforced plastics and composites*, 23(5), 471-481.

Hosur, M. V., Karim, M. R., & Jeelani, S. (2004). Studies on stitched woven S2 glass/epoxy laminates under low velocity and ballistic impact loading. *Journal of reinforced plastics and composites*, 23(12), 1313-1323.

Balandin, D. V., Bolotnik, N. N., & Pilkey, W. D. (2004). Capabilities of helmets for preventing head injuries induced by ballistic impacts. *Shock and Vibration*, 11(5-6), 547-562.

Fawaz, Z., Zheng, W., & Behdinin, K. (2004). Numerical simulation of normal and oblique ballistic impact on ceramic composite armours. *Composite Structures*, 63(3-4), 387-395.

Goncalves, D. P., De Melo, F. C. L., Klein, A. N., & Al-Qureshi, H. A. (2004). Analysis and investigation of ballistic impact on ceramic/metal composite armour. *International Journal of Machine Tools and Manufacture*, 44(2-3), 307-316.

Lee, D. G., Lee, S., & Lee, C. S. (2004). Quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy containing fine  $\alpha$ -Ti<sub>3</sub>Al precipitates. *Materials Science and Engineering: A*, 366(1), 25-37.

Da Silva Junior, J. E. L., Paciornik, S., & D'almeida, J. R. M. (2004). Evaluation of the effect of the ballistic damaged area on the residual impact strength and tensile stiffness of glass-fabric composite materials. *Composite Structures*, 64(1), 123-127.

Patel, B. P., Bholra, S. K., Ganapathi, M., & Makhecha, D. P. (2004). Penetration of projectiles in composite laminates. *Defence Science Journal*, 54(2), 151.

Børvik, T., Clausen, A. H., Hopperstad, O. S., & Langseth, M. (2004). Perforation of AA5083-H116 aluminium plates with conical-nose steel projectiles—experimental study. *International Journal of Impact Engineering*, 30(4), 367-384.

Lopatnikov, S. L., Gama, B. A., Haque, M. J., Krauthauser, C., & Gillespie Jr, J. W. (2004). High-velocity plate impact of metal foams. *International Journal of impact engineering*, 30(4), 421-445.

Akçay, M. (2004). Development of universal flight trajectory calculation method for unguided projectiles. *Turkish Journal of Engineering and Environmental Sciences*, 28(6), 369-376.

Veazey, M. V. (2004). Old warriors get new armor. *Materials performance*, 43(4), 16-19.

Martineau, R. L., Prime, M. B., & Duffey, T. (2004). Penetration of HSLA-100 steel with tungsten carbide spheres at striking velocities between 0.8 and 2.5 km/s. *International Journal of Impact Engineering*, 30(5), 505-520.

Mescheryakov, Y. I., Divakov, A. K., & Zhigacheva, N. I. (2004). Shock-induced structural transitions and dynamic strength of solids. *International journal of solids and structures*, 41(9-10), 2349-2362.

Hosur, M. V., Vaidya, U. K., Ulven, C., & Jeelani, S. (2004). Performance of stitched/unstitched woven carbon/epoxy composites under high velocity impact loading. *Composite Structures*, 64(3-4), 455-466.

Nunes, L. M., Paciornik, S., & d'Almeida, J. R. M. (2004). Evaluation of the damaged area of glass-fiber-reinforced epoxy-matrix composite materials submitted to ballistic impacts. *Composites science and technology*, 64(7-8), 945-954.

Robbins, J. R., Ding, J. L., & Gupta, Y. M. (2004). Load spreading and penetration resistance of layered structures—a numerical study. *International journal of impact engineering*, 30(6), 593-615.

Chen, X. W., Fan, S. C., & Li, Q. M. (2004). Oblique and normal perforation of concrete targets by a rigid projectile. *International Journal of Impact Engineering*, 30(6), 617-637.

Grimal, Q., Gama, B. A., Naili, S., Watzky, A., & Gillespie Jr, J. W. (2004). Finite element study of high-speed blunt impact on thorax: linear elastic considerations. *International journal of impact engineering*, 30(6), 665-683.

- Chen, X., & Chandra, N. (2004). The effect of heterogeneity on plane wave propagation through layered composites. *Composites science and technology*, 64(10-11), 1477-1493.
- Field, J. E., Walley, S. M., Proud, W. G., Goldrein, H. T., & Siviour, C. R. (2004). Review of experimental techniques for high rate deformation and shock studies. *International journal of impact engineering*, 30(7), 725-775.
- Rosenberg, Z., & Dekel, E. (2004). On the role of material properties in the terminal ballistics of long rods. *International journal of impact engineering*, 30(7), 835-851.
- Jethi, S. C., & Jain, R. K. (2004). Simulation of naval wargames. *Defence Science Journal*, 54(3), 407.
- da Silva Jr, J. E. L., Paciornik, S., & d'Almeida, J. R. M. (2004). Determination of the post-ballistic impact mechanical behavior of a±45 glass–fabric composite. *Polymer testing*, 23(5), 599-604.
- Dey, S. A., Børvik, T., Hopperstad, O. S., Leinum, J. R., & Langseth, M. (2004). The effect of target strength on the perforation of steel plates using three different projectile nose shapes. *International Journal of Impact Engineering*, 30(8-9), 1005-1038.
- Guden, M., Yildirim, U., & Hall, I. W. (2004). Effect of strain rate on the compression behavior of a woven glass fiber/SC-15 composite. *Polymer Testing*, 23(6), 719-725.
- Kerechanin, C. W., Cytgusm, P. N., Vincent, J. A., Smith, D. G., & Wenstrand, D. S. (2004). Development of field portable ventilator systems for domestic and military emergency medical response. *John Hopkins Apl Tech Digest*, 25(3).
- Patel, M., Morrell, P. R., & Evans, J. (2004). Load bearing property testing of a silica filled room temperature vulcanised polysiloxane rubber. *Polymer testing*, 23(5), 605-611.
- Corti, D., & Portioli-Staudacher, A. (2004). A concurrent engineering approach to selective implementation of alternative processes. *Robotics and Computer-Integrated Manufacturing*, 20(4), 265-280.
- Pywell, M. (2004). A question of survival—military aircraft vs the electromagnetic environment. *The Aeronautical Journal*, 108(1087), 453-464.
- Bolonkin, A. (2004). Light multi-reflex engine. *Journal of the British Interplanetary Society*, 57, 353-359.
- Moses, E. I. (2004). The national ignition facility high-energy ultraviolet laser system. *Optical Materials*, 26(4), 515-521.
- Moore, F. G., & Hymer, T. C. (2004). Approximate method to estimate wing trailing-edge bluntness effects on normal force. *Journal of spacecraft and rockets*, 41(6), 932-941.
- Simmers Jr, G. E., Hodgkins, J. R., Mascarenas, D. D., Park, G., & Sohn, H. (2004). Improved piezoelectric self-sensing actuation. *Journal of Intelligent Material Systems and Structures*, 15(12), 941-953.
- Toms, G. S., Frank, M. V., & Bein, T. W. (2004). Navy shipboard CFC-114 elimination program. *Naval engineers journal*, 116(1), 55-68.
- Wonderly, C., Grenestedt, J., Fernlund, G., & Čěpus, E. (2005). Comparison of mechanical properties of glass fiber/vinyl ester and carbon fiber/vinyl ester composites. *Composites Part B: Engineering*, 36(5), 417-426.

Yuen, S. C. K., & Nurick, G. N. (2005). Experimental and numerical studies on the response of quadrangular stiffened plates. Part I: subjected to uniform blast load. *International Journal of Impact Engineering*, 31(1), 55-83.

Langdon, G. S., Yuen, S. C. K., & Nurick, G. N. (2005). Experimental and numerical studies on the response of quadrangular stiffened plates. Part II: localised blast loading. *International Journal of Impact Engineering*, 31(1), 85-111.

Gu, B., & Zhang, H. (2005). Ballistic impact damage of laminated composite penetrated by cylindrical rigid projectile: a finite element simulation. *International Journal of Nonlinear Sciences and Numerical Simulation*, 6(3), 215-222.

Park, M., Yoo, J., & Chung, D. T. (2005). An optimization of a multi-layered plate under ballistic impact. *International Journal of Solids and Structures*, 42(1), 123-137.

Tsai, L., & Prakash, V. (2005). Structure of weak shock waves in 2-D layered material systems. *International journal of solids and structures*, 42(2), 727-750.

LIAGHAT, G. H., MOSLEMI, N. H., & Felli, S. (2005). The mechanics of normal and oblique penetration of conical projectiles into multi layer metallic targets.

Roberts, C. K., & Barnard, R. J. (2005). Effects of exercise and diet on chronic disease. *Journal of applied physiology*, 98(1), 3-30.

Gu, B., & Ding, X. (2005). A refined quasi-microstructure model for finite element analysis of three-dimensional braided composites under ballistic penetration. *Journal of composite materials*, 39(8), 685-710.

Mahdi, S., Gama, B. A., Yarlagadda, S., & Gillespie Jr, J. W. (2005). Structural repair of composite structural armor. *Journal of composite materials*, 39(19), 1695-1717.

Lee, D. G., Kim, Y. G., Nam, D. H., Hur, S. M., & Lee, S. (2005). Dynamic deformation behavior and ballistic performance of Ti-6Al-4V alloy containing fine  $\alpha_2$  (Ti<sub>3</sub>Al) precipitates. *Materials Science and Engineering: A*, 391(1-2), 221-234.

Boccaccini, A. R., Atiq, S., Boccaccini, D. N., Dlouhy, I., & Kaya, C. (2005). Fracture behaviour of mullite fibre reinforced-mullite matrix composites under quasi-static and ballistic impact loading. *Composites Science and Technology*, 65(2), 325-333.

Holmquist, T. J., & Johnson, G. R. (2005). Modeling prestressed ceramic and its effect on ballistic performance. *International Journal of Impact Engineering*, 31(2), 113-127.

Elek, P., Jaramaz, S., & Micković, D. (2005). Modeling of perforation of plates and multi-layered metallic targets. *International Journal of Solids and Structures*, 42(3-4), 1209-1224.

Rosário, P. W. S., de Faria, S., Bicalho, L., Alves, M. F. G., Borges, M. A. R., Purisch, S., ... & Barroso, Á. L. (2005). Ultrasonographic differentiation between metastatic and benign lymph nodes in patients with papillary thyroid carcinoma. *Journal of Ultrasound in Medicine*, 24(10), 1385-1389.

Bartus, S. D., & Vaidya, U. K. (2005). Performance of long fiber reinforced thermoplastics subjected to transverse intermediate velocity blunt object impact. *Composite structures*, 67(3), 263-277.

Santra, S. B., & Sapoval, B. (2005). Multifractal collision spectrum of ballistic particles with fractal surfaces. *Fractals*, 13(01), 9-18.

Rosenberg, Z., Surujon, Z., Yeshurun, Y., Ashuach, Y., & Dekel, E. (2005). Ricochet of 0.3 "AP projectile from inclined polymeric plates. *International journal of impact engineering*, 31(3), 221-233.

Silva, M. A., Cismaşiu, C., & Chiorean, C. G. (2005). Numerical simulation of ballistic impact on composite laminates. *International Journal of Impact Engineering*, 31(3), 289-306.

Tan, V. B. C., Tay, T. E., & Teo, W. K. (2005). Strengthening fabric armour with silica colloidal suspensions. *International journal of solids and structures*, 42(5-6), 1561-1576.

Meda, L. U. I. S. A., Marra, G., Galfetti, L., Inchingalo, S., Severini, F., & De Luca, L. (2005). Nano-composites for rocket solid propellants. *Composites Science and Technology*, 65(5), 769-773.

Klepaczko, J. R., & Hughes, M. L. (2005). Scaling of wear in kinetic energy penetrators. *International journal of impact engineering*, 31(4), 435-459.

Velayudham, A., Krishnamurthy, R., & Soundarapandian, T. (2005). Evaluation of drilling characteristics of high volume fraction fibre glass reinforced polymeric composite. *International Journal of Machine Tools and Manufacture*, 45(4-5), 399-406.

Silva Porto De Oliveira, J. L. D., Mesquita Furtado Filho, A. A., Platt, G. M., & Peixoto, F. C. (2005). Modeling of closed-vessel experiments and ballistic parameter estimation. *Journal of Energetic Materials*, 23(2), 59-73.

Duan, Y., Keefe, M., Bogetti, T. A., & Cheeseman, B. A. (2005). Modeling the role of friction during ballistic impact of a high-strength plain-weave fabric. *Composite Structures*, 68(3), 331-337.

Russell, S. J., Pourmohammadi, A., Ezra, I., & Jacobs, M. (2005). Formation and properties of fluid jet entangled HMPE impact resistant fabrics. *Composites science and technology*, 65(6), 899-907.

Odeshi, A. G., Al-Ameeri, S., & Bassim, M. N. (2005). Effect of high strain rate on plastic deformation of a low alloy steel subjected to ballistic impact. *Journal of Materials Processing Technology*, 162, 385-391.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2005). Optimization of two-component composite armor against ballistic impact. *Composite Structures*, 69(1), 89-94.

Jha, A. K., Shiresha, N., Murty, S. N., Diwakar, V., & SreeKumar, K. (2005). Ballistic impact testing of AA2219 aluminium alloy welded plates and their metallurgical characterisation.

King, M. J., Jearanaisilawong, P., & Socrate, S. (2005). A continuum constitutive model for the mechanical behavior of woven fabrics. *International journal of solids and structures*, 42(13), 3867-3896.

Li, C. W., Wang, C. A., & Huang, Y. (2005). Effect of geometric factor on ballistic properties of Si<sub>3</sub>N<sub>4</sub>/BN laminated ceramics. *Rare metal materials and engineering*, 34, 475-478.

Thomas, T. (2005). Guidance scheme for solid propelled vehicle during atmospheric phase. *Defence Science Journal*, 55(3), 253.

Teng, X., & Wierzbicki, T. (2005). Dynamic shear plugging of beams and plates with an advancing crack. *International journal of impact engineering*, 31(6), 667-698.



Qian, L., Qu, M., & Feng, G. (2005). Study on terminal effects of dense fragment cluster impact on armor plate. Part I: analytical model. *International journal of impact engineering*, 31(6), 755-767.

Qian, L., & Qu, M. (2005). Study on terminal effects of dense fragment cluster impact on armor plate. Part II: numerical simulations. *International journal of impact engineering*, 31(6), 769-780.

Uddin, N., & Vaidya, U. (2005). Ballistic testing of polymer composites to manufacture emergency safe house shelters. *Journal of Composites for Construction*, 9(4), 369-375.

Chen, X. W., Li, Q. M., & Fan, S. C. (2005). Initiation of adiabatic shear failure in a clamped circular plate struck by a blunt projectile. *International Journal of Impact Engineering*, 31(7), 877-893.

Tan, V. B. C., & Khoo, K. J. L. (2005). Perforation of flexible laminates by projectiles of different geometry. *International Journal of Impact Engineering*, 31(7), 793-810.

Lee, D. G., & Lee, S. (2005). Effects of nano-sized  $\alpha_2$  (Ti<sub>3</sub>Al) particles on quasi-static and dynamic deformation behavior of Ti-6Al-4V alloy with bimodal microstructure. *Journal of materials science*, 40(15), 4077-4084.

Brooks, G., Pan, Y., & Coley, K. (2005). Modeling of trajectory and residence time of metal droplets in slag-metal-gas emulsions in oxygen steelmaking. *Metallurgical and Materials Transactions B*, 36(4), 525-535.

De Moraes, W. A., Monteiro, S. N., & d'Almeida, J. R. M. (2005). Effect of the laminate thickness on the composite strength to repeated low energy impacts. *Composite structures*, 70(2), 223-228.

Porwal, P. K., & Phoenix, S. L. (2005). Modeling system effects in ballistic impact into multi-layered fibrous materials for soft body armor. *International journal of fracture*, 135(1), 217-249.

Duan, Y., Keefe, M., Bogetti, T. A., & Cheeseman, B. A. (2005). Modeling friction effects on the ballistic impact behavior of a single-ply high-strength fabric. *International Journal of Impact Engineering*, 31(8), 996-1012.

Tabiei, A., Yi, W., & Goldberg, R. (2005). Non-linear strain rate dependent micro-mechanical composite material model for finite element impact and crashworthiness simulation. *International Journal of Non-Linear Mechanics*, 40(7), 957-970.

Pizana, C., Esquivel, E. V., Murr, L. E., Pina, C. Y., Baquera, M. T., Anchondo, I. A., & Magness, L. S. (2005). The role of dynamic recrystallization in [001] single-crystal W and W-Ta alloy ballistic rod penetration into steel targets. *Journal of materials science*, 40(18), 4849-4857.

Kim, B. J., & Hughes, O. F. (2005). Analytical solution for the ultimate strength of metal-faced elastomer-cored sandwich panels under in-plane edge compression and lateral pressure. *Journal of Sandwich Structures & Materials*, 7(5), 363-394.

Sampath, K. (2005). Welding aluminum armor. *Advanced materials & processes*, 163(10), 27-30.

Sarpen, G. (2005). Stryker slat armor protects troops. *Advanced Materials and Processes*, 163(10), 31.

Shekhar, H. (2005). Parametric studies on star port propellant grain for ballistic evaluation. *Defence Science Journal*, 55(4), 459.

Nicholas, T., Thompson, S. R., Porter, W. J., & Buchanan, D. J. (2005). Comparison of fatigue limit strength of Ti-6Al-4V in tension and torsion after real and simulated foreign object damage. *International journal of fatigue*, 27(10-12), 1637-1643.

Anderson Jr, C. E., & Walker, J. D. (2005). An analytical model for dwell and interface defeat. *International Journal of Impact Engineering*, 31(9), 1119-1132.

Tamura, H., & Mutou, Y. (2005). Quantitative analysis of debris clouds from SiC-fiber-reinforced silicon nitride bumpers. *International journal of impact engineering*, 31(9), 1192-1207.

Živković, I., Perisić, P., Burzić, Z., Uskoković, P., & Aleksić, R. (2005). Aramid fiber reinforced laminar thermoplastic composite materials. *Journal of advanced materials*, 37(4), 23-31.

Orlovskaya, N., Lugovy, M., Subbotin, V., Radchenko, O., Adams, J., Chheda, M., ... & Yarmolenko, S. (2005). Robust design and manufacturing of ceramic laminates with controlled thermal residual stresses for enhanced toughness. *Journal of Materials Science*, 40(20), 5483-5490.

Xu, T., & Farris, R. J. (2005). Shapeable matrix-free Spectra® fiber-reinforced polymeric composites via high-temperature high-pressure sintering: Process-structure-property relationship. *Journal of Polymer Science Part B: Polymer Physics*, 43(19), 2767-2789.

De Luca, L. T., Galfetti, L., Severini, F., Meda, L., Marra, G., Vorozhtsov, A. B., ... & Babuk, V. A. (2005). Burning of nano-aluminized composite rocket propellants. *Combustion, Explosion and Shock Waves*, 41(6), 680-692.

de Rosset, W. S. (2005). Patterned armor performance evaluation. *International Journal of Impact Engineering*, 31(10), 1223-1234.

Esquivel, E. V., & Murr, L. E. (2005). Grain boundary contributions to deformation and solid-state flow in severe plastic deformation. *Materials Science and Engineering: A*, 409(1-2), 13-23.

Kim, C., & Liu, X. (2005). Electromechanical Behaviors and Application of Carbon Nanotube Composite Actuators Consisting of Bundles and Mats. *Composites Research*, 18(5), 34-39.

Kim, C. S., & Lee, H. B. (2005). Synthesis of Alumina-Silica ceramic material (II). *Composites Research*, 18(6), 48-53.

Børvik, T., Clausen, A. H., Eriksson, M., Berstad, T., Hopperstad, O. S., & Langseth, M. (2005). Experimental and numerical study on the perforation of AA6005-T6 panels. *International Journal of Impact Engineering*, 32(1-4), 35-64.

López-Puente, J., Arias, A., Zaera, R., & Navarro, C. (2005). The effect of the thickness of the adhesive layer on the ballistic limit of ceramic/metal armours. An experimental and numerical study. *International journal of impact engineering*, 32(1-4), 321-336.

Madhu, V., Ramanjaneyulu, K., Bhat, T. B., & Gupta, N. K. (2005). An experimental study of penetration resistance of ceramic armour subjected to projectile impact. *International journal of impact engineering*, 32(1-4), 337-350.

Tan, V. B. C., Shim, V. P. W., & Zeng, X. (2005). Modelling crimp in woven fabrics subjected to ballistic impact. *International journal of impact engineering*, 32(1-4), 561-574.

Zeng, X. S., Shim, V. P. W., & Tan, V. B. C. (2005). Influence of boundary conditions on the ballistic performance of high-strength fabric targets. *International Journal of Impact Engineering*, 32(1-4), 631-642.

Fanning, J. C. (2005). Military applications for  $\beta$  titanium alloys. *Journal of Materials Engineering and Performance*, 14(6), 686-690.

Naik, N. K., Shrirao, P., & Reddy, B. C. K. (2005). Ballistic impact behaviour of woven fabric composites: Parametric studies. *Materials Science and Engineering: A*, 412(1-2), 104-116.

Yun, K. H., Yun, K. Y., Cha, G. Y., Lee, B. H., Kim, J. C., Lee, D. D., & Huh, J. S. (2005). Gas sensing characteristics of ZnO-doped SnO<sub>2</sub> sensors for simulants of the chemical agents. In *Materials Science Forum* (Vol. 486, pp. 9-12). Trans Tech Publications Ltd.

Nicodemi, W., Mapelli, C., Venturini, R., & RIVA, R. (2005). Metallurgical investigations on two sword blades of 7th and 3rd century BC found in Central Italy. *ISIJ international*, 45(9), 1358-1367.

Demirev, P. A., Feldman, A. B., & Lin, J. S. (2005). Chemical and biological weapons: current concepts for future defenses. *Johns Hopkins APL Technical Digest*, 26(4), 321-333.

Levy, L. J. (2005). The systems analysis, test, and evaluation of strategic systems. *Johns Hopkins APL technical digest*, 26(4), 438-442.

Goerger, S. R., McGinnis, M. L., & Darken, R. P. (2005). A validation methodology for human behavior representation models. *The Journal of Defense Modeling and Simulation*, 2(1), 39-51.

Wait, J. R., Park, G., & Farrar, C. R. (2005). Integrated structural health assessment using piezoelectric active sensors. *Shock and Vibration*, 12(6), 389-405.

Teng, T. L., Chu, Y. A., Chang, F. A., & Chin, H. S. (2005). Numerical analysis of oblique impact on reinforced concrete. *Cement and Concrete Composites*, 27(4), 481-492.

Salwan, P. (2005). Technology Transfer and Technology Management in Strategic Systems. *Defence Science Journal*, 55(2), 141.

Tonthat, H., Fung, J., Timm, J., & Godwin, L. (2005). ORTSTARS: The way ahead for distance support. *Naval engineers journal*, 117(3), 87-93.

Rajanikanth, K. N., Rao, R. S., Subramanyam, P. S., & Vohra, A. (2005). Guidance Systems of Fighter Aircraft. *Defence Science Journal*, 55(3), 231.

Penmetsa, R. C. (2005). Determining probability of mission success when using deep penetration weapons. *International journal of mechanical sciences*, 47(9), 1442-1454.

Hainz III, L. C., & Costello, M. (2005). Modified projectile linear theory for rapid trajectory prediction. *Journal of Guidance, Control, and Dynamics*, 28(5), 1006-1014.

Walker, J. D. (2005). Weapon system effectiveness. *Aerospace America*, 43(12), 90.

Andrade, B. B., Teixeira, C. R., Barral, A., & Barral-Netto, M. (2005). Haematophagous arthropod saliva and host defense system: a tale of tear and blood. *Anais da Academia Brasileira de Ciências*, 77(4), 665-693.

Vaze, S. (2005). Deploying Titanium Joining Technologies on Army Weapon Systems. *Welding Journal*, 84(1), 58.

Waitz, I. A., Lukachko, S. P., & Lee, J. J. (2005). Military aviation and the environment: Historical trends and comparison to civil aviation. *Journal of aircraft*, 42(2), 329-339.

Moore, F. G., & Hymer, T. C. (2005). 2005 version of the aeroprediction code (AP05). *Journal of spacecraft and rockets*, 42(2), 240-256.

Tsai, Y. S., Chang, Y. M., Chan, J. H., Wu, S. C., & Chen, Y. M. (2005). Enhancement of thermal performance in a sintered miniature heat pipe. *Journal of the Chinese Institute of Engineers*, 28(2), 359-363.

Martin, J. H. (2005). Atmospheric corrosion suppression through controlled humidity protection: An operational readiness and force multiplier. *Materials performance*, 44(3), 38-42.

Song, J. W. (2006). Fabrics and composites for ballistic protection of personnel. In *Lightweight Ballistic Composites* (pp. 210-239). Woodhead Publishing.

Thomas, H. L. (2006). Non-woven ballistic composites. In *Lightweight Ballistic Composites* (pp. 240-271). Woodhead Publishing.

Bhatnagar, A., Arvidson, B., & Pataki, W. (2006). Prepreg ballistic composites. In *Lightweight ballistic composites* (pp. 272-304). Woodhead Publishing.

Hannibal, A., & Weir, B. (2006). Ballistic material processing. In *Lightweight Ballistic Composites* (pp. 305-335). Woodhead Publishing.

Scott, B. R. (2006). New ballistic products and technologies. In *Lightweight ballistic composites* (pp. 336-363). Woodhead Publishing.

Bhatnagar, A., & Lang, D. (2006). Military and law enforcement applications of lightweight ballistic materials. In *Lightweight Ballistic Composites* (pp. 364-397). Woodhead Publishing.

Salame, J. M., & Quefelec, B. (2006). Ceramic-faced molded armor. In *Lightweight Ballistic Composites* (pp. 398-415). Woodhead Publishing.

Faur-Csukat, G. (2006). A study on the ballistic performance of composites. In *Macromolecular symposia* (Vol. 239, No. 1, pp. 217-226). Weinheim: WILEY-VCH Verlag.

Lipperheide, R., & Wille, U. (2006). Theory of spin-polarized transport in ferromagnet–semiconductor structures: Unified description of ballistic and diffusive transport. *Materials Science and Engineering: B*, 126(2-3), 245-249.

Khoda-Rahmi, H., Fallahi, A., & Liaghat, G. H. (2006). Incremental deformation and penetration analysis of deformable projectile into semi-infinite target. *International Journal of Solids and Structures*, 43(3-4), 569-582.

O'leary, S. K., Foutz, B. E., Shur, M. S., & Eastman, L. F. (2006). Steady-state and transient electron transport within the III–V nitride semiconductors, GaN, AlN, and InN: a review. *Journal of Materials Science: Materials in Electronics*, 17(2), 87-126.

Cui, X. D., Zeng, T., & Fang, D. N. (2006). Study on ballistic energy absorption of laminated and sandwich composites. In *Key Engineering Materials* (Vol. 306, pp. 739-744). Trans Tech Publications Ltd.

Yang, I. Y., Cho, Y. J., Im, K. H., Cha, C. S., & Kim, Y. N. (2006). Penetration fracture characteristics of CFRP curved shells according to oblique impact. In *Key Engineering Materials* (Vol. 306, pp. 291-296). Trans Tech Publications Ltd.

Velmurugan, R., Babu, M. G., & Gupta, N. K. (2006). Projectile impact on sandwich panels. *International Journal of Crashworthiness*, 11(2), 153-164.

Duan, Y., Keefe, M., Bogetti, T. A., & Powers, B. (2006). Finite element modeling of transverse impact on a ballistic fabric. *International journal of mechanical sciences*, 48(1), 33-43.

Biermann, P. J., Ward, E. E., Cain, R. P., Carkhuff, B., & Merkle, A. C. (2006). Development of a physical human surrogate torso model for ballistic impact and blast. *Journal of advanced materials*, 38(1), 3-12.

Shahkarami, A., Cepus, E., Vaziri, R., & Poursartip, A. (2006). Material responses to ballistic impact. In *Lightweight ballistic composites* (pp. 72-100). Woodhead Publishing.

Bhatnagar, A. (2006). Bullets, fragments and bullet deformation. In *Lightweight ballistic composites* (pp. 29-71). Woodhead Publishing.

Bhatnagar, A. (2006). Standards and specifications for lightweight ballistic materials. In *Lightweight Ballistic Composites* (pp. 127-167). Woodhead Publishing.

Bhatnagar, A. (2006). Standards and specifications for lightweight ballistic materials' in lightweight ballistic composites. *Military and lawenforcement applications*. Cambridge: Woodhead Publishing Limited.

Bhingarkar, V., & Singh, H. (2006). Influence of Cellulosic Binders on Sensitivity and Combustion Behaviour of B-KNO<sub>3</sub> Ignition System. *Defence Science Journal*, 56(3), 345.

Maggi, F., DeLuca, L. T., Bandera, A., Subith, V. S., & Annovazzi, A. (2006). Burn-rate measurement on small-scale rocket motors. *Defence Science Journal*, 56(3), 353.

Palmer, A., Neilson, A., & Sivadasan, S. (2006). Pipe perforation by medium-velocity impact. *International Journal of Impact Engineering*, 32(7), 1145-1157.

Caruso, K. S., Hijuelos, J. C., Peck, G. E., Biermann, P. J., & Roberts, J. C. (2006). Development of synthetic cortical bone for ballistic and blast testing. *Journal of advanced materials*, 38(3), 27-36.

Holmes, G. A., Rice, K., & Snyder, C. R. (2006). Ballistic fibers: a review of the thermal, ultraviolet and hydrolytic stability of the benzoxazole ring structure. *Journal of Materials Science*, 41(13), 4105-4116.

Pizaña, C., Murr, L. E., Baquera, M. T., Anchondo, I. A., Putrevu, A., Pina, C. Y., ... & Cytron, S. J. (2006). Solid-state flow, mechanical alloying, and melt-related phenomena for [0 0 1] single-crystal W ballistic rod penetrators interacting with steel targets. *Materials Science and Engineering: A*, 428(1-2), 301-313.

Duan, Y., Keefe, M., Bogetti, T. A., Cheeseman, B. A., & Powers, B. (2006). A numerical investigation of the influence of friction on energy absorption by a high-strength

fabric subjected to ballistic impact. *International journal of impact engineering*, 32(8), 1299-1312.

Carter, R. H., Underwood, J. H., Swab, J. J., Wereszczak, A. A., Leveritt, C., Emerson, R., & Burton, L. (2006). Material selection for ceramic gun tube liner. *Materials and manufacturing processes*, 21(6), 584-590.

Emerson, R., Carter, R., & Tzeng, J. (2006). Press-fit sheathing for ceramic gun liners. *Materials and manufacturing processes*, 21(6), 597-601.

Huang, X., Garner, J., & Conroy, P. (2006). Thermal and ballistic dynamic analyses for gun ceramic nozzles. *Materials and manufacturing processes*, 21(6), 602-611.

Booth, C. J., Kindinger, M., McKenzie, H. R., Handcock, J., Bray, A. V., & Beall, G. W. (2006). Copolyterephthalates containing tetramethylcyclobutane with impact and ballistic properties greater than bisphenol A polycarbonate. *Polymer*, 47(18), 6398-6405.

Alcock, B., Cabrera, N. O., Barkoula, N. M., & Peijs, T. (2006). Low velocity impact performance of recyclable all-polypropylene composites. *Composites Science and Technology*, 66(11-12), 1724-1737.

Segletes, S. B. (2006). A model for rod ricochet. *International Journal of Impact Engineering*, 32(9), 1403-1439.

Termonia, Y. (2006). Puncture resistance of fibrous structures. *International Journal of Impact Engineering*, 32(9), 1512-1520.

Naik, N. K., Shrirao, P., & Reddy, B. C. K. (2006). Ballistic impact behaviour of woven fabric composites: Formulation. *International journal of impact engineering*, 32(9), 1521-1552.

Wei, Q., Ramesh, K. T., Schuster, B. E., Kecskes, L. J., & Dowding, R. J. (2006). Nanoengineering opens a new era for tungsten as well. *Jom*, 58(9), 40-44.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2006). Effect of the order of plates on the ballistic resistance of ductile layered shields perforated by nonconical impactors. *Journal of mechanics of materials and structures*, 1(7), 1161-1177.

Maweja, K., & Stumpf, W. (2006). Fracture and ballistic-induced phase transformation in tempered martensitic low-carbon armour steels. *Materials Science and Engineering: A*, 432(1-2), 158-169.

Naidu, V. P. S., Girija, G., & Raol, J. R. (2006). Estimation of launch and impact points of a flight trajectory using UD Kalman filter/smoothen. *Defence Science Journal*, 56(4), 451.

Lin, C., & Fatt, M. S. H. (2006). Perforation of composite plates and sandwich panels under quasi-static and projectile loading. *Journal of composite materials*, 40(20), 1801-1840.

Bazhenov, S. L. (2006). On the role of friction in energy dissipation upon transverse ballistic impact on fabric. *Polymer Science Series B*, 48(5), 282-286.

Lin, C. L., Chen, K. M., Wu, M. T., & Huang, S. W. (2006). Hybrid guidance law for interception of ballistic targets. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 220(5), 525-536.

Lundin, L. L. (2006). AFRL tests transparent armor: researchers investigate a transparent ceramic material that provides better protection than today's bulletproof glass at a fraction of the weight and thickness. *Advanced materials & processes*, 164(11), 45-47.

Dey, S., Børvik, T., Hopperstad, O. S., & Langseth, M. (2006). On the influence of fracture criterion in projectile impact of steel plates. *Computational Materials Science*, 38(1), 176-191.

Iqbal, M. A., Gupta, N. K., & Sekhon, G. S. (2006). Behaviour of thin aluminium plates subjected to impact by ogive-nosed projectiles. *Defence Science Journal*, 56(5), 841.

Tan, V. B. C., & Ching, T. W. (2006). Computational simulation of fabric armour subjected to ballistic impacts. *International journal of impact engineering*, 32(11), 1737-1751.

Cheng, X., Wang, F., Li, S., & Yuan, S. (2006). Research on novel self-sharpen tungsten alloys. *Xiyou Jinshu Cailiao yu Gongcheng(Rare Metal Materials and Engineering)*, 35(11), 1761-1764.

Grujicic, M., Pandurangan, B., Koudela, K. L., & Cheeseman, B. A. (2006). A computational analysis of the ballistic performance of light-weight hybrid composite armors. *Applied Surface Science*, 253(2), 730-745.

Arnold, W., & Rottenkolber, E. (2006). Physics of behind armor debris threat reduction. *International journal of impact engineering*, 33(1-12), 53-61.

Behner, T., Orphal, D. L., Hohler, V., Anderson Jr, C. E., Mason, R. L., & Templeton, D. W. (2006). Hypervelocity penetration of gold rods into SiC-N for impact velocities from 2.0 to 6.2 km/s. *International journal of impact engineering*, 33(1-12), 68-79.

Chocron, I. S., Anderson Jr, C. E., Behner, T., & Hohler, V. (2006). Lateral confinement effects in long-rod penetration of ceramics at hypervelocity. *International journal of impact engineering*, 33(1-12), 169-179.

Destefanis, R., Schäfer, F., Lambert, M., & Faraud, M. (2006). Selecting enhanced space debris shields for manned spacecraft. *International Journal of Impact Engineering*, 33(1-12), 219-230.

Fahrenthold, E. P., & Hernandez, R. J. (2006). Simulation of orbital debris impact on the space shuttle wing leading edge. *International journal of impact engineering*, 33(1-12), 231-243.

Lloyd, R. M., & Sebeny, J. L. (2006). Novel penetrator study for defeat of ballistic missile payloads. *International journal of impact engineering*, 33(1-12), 380-389.

Lynch, N. J., Bless, S. J., Cullis, I. G., & Berry, D. (2006). The influence of confinement on the penetration of ceramic targets by KE projectiles at 1.8 and 2.6 km/s. *International journal of impact engineering*, 33(1-12), 390-401.

Milman, Y. V., Chugunova, S. I., Goncharova, I. V., Goncharuk, V. A., & Yefimov, N. A. (2006). Physics of deformation and fracture at impact loading and penetration. *International journal of impact engineering*, 33(1-12), 452-462.

Ohtani, K., Numata, D., Kikuchi, T., Sun, M., Takayama, K., & Togami, K. (2006). A study of hypervelocity impact on cryogenic materials. *International journal of impact engineering*, 33(1-12), 555-565.

Paulus, G., & Schirm, V. (2006). Impact behaviour of PELE projectiles perforating thin target plates. *International Journal of Impact Engineering*, 33(1-12), 566-579.

Pedersen, B., & Bless, S. (2006). Behind-armor debris from the impact of hypervelocity tungsten penetrators. *International journal of impact engineering*, 33(1-12), 605-614.

Piekutowski, A. J., & Poormon, K. L. (2006). Development of a three-stage, light-gas gun at the University of Dayton Research Institute. *International journal of impact engineering*, 33(1-12), 615-624.

Quan, X., Clegg, R. A., Cowler, M. S., Birnbaum, N. K., & Hayhurst, C. J. (2006). Numerical simulation of long rods impacting silicon carbide targets using JH-1 model. *International Journal of Impact Engineering*, 33(1-12), 634-644.

Ryan, S., Schaefer, F., & Riedel, W. (2006). Numerical simulation of hypervelocity impact on CFRP/Al HC SP spacecraft structures causing penetration and fragment ejection. *International journal of impact engineering*, 33(1-12), 703-712.

Schonberg, W. P., & Williamsen, J. E. (2006). RCS-based ballistic limit curves for non-spherical projectiles impacting dual-wall spacecraft systems. *International journal of impact engineering*, 33(1-12), 763-770.

Vogler, T. J., & Chhabildas, L. C. (2006). Strength behavior of materials at high pressures. *International Journal of Impact Engineering*, 33(1-12), 812-825.

Walters, W., Williams, C., & Normandia, M. (2006). An explicit solution of the Alekseevski–Tate penetration equations. *International journal of impact engineering*, 33(1-12), 837-846.

Williamsen, J. E., & Evans, S. W. (2006). Predicting orbital debris shape and orientation effects on spacecraft shield ballistic limits based on characteristic length. *International journal of impact engineering*, 33(1-12), 862-871.

Gupta, N. K., Iqbal, M. A., & Sekhon, G. S. (2006). Experimental and numerical studies on the behavior of thin aluminum plates subjected to impact by blunt-and hemispherical-nosed projectiles. *International Journal of Impact Engineering*, 32(12), 1921-1944.

Wedzinga, G. (2006). E-CATS: First time demonstration of embedded training in a combat aircraft. *Aerospace science and technology*, 10(1), 73-84.

Markle, S. P., & Gill, S. E. (2006). T-AKE: Acquiring the Environmentally Sound Ship of the 21st Century. *Naval engineers journal*, 118(3), 89-113.

Ohlmeyer, E. J., & Phillips, C. A. (2006). Generalized vector explicit guidance. *Journal of guidance, control, and dynamics*, 29(2), 261-268.

Li, T. C., Lwo, B. J., Pu, N. W., Yu, S. P., & Kao, C. H. (2006). The effects of nitrogen partial pressure on the properties of the TaN<sub>x</sub> films deposited by reactive magnetron sputtering. *Surface and Coatings Technology*, 201(3-4), 1031-1036.

Guidotti, R. A., & Masset, P. (2006). Thermally activated (“thermal”) battery technology: Part I: An overview. *Journal of Power Sources*, 161(2), 1443-1449.

Simmons, L. W., & Emlen, D. J. (2006). Evolutionary trade-off between weapons and testes. *Proceedings of the National Academy of Sciences*, 103(44), 16346-16351.



Walker, J. D. (2006). Weapon system effectiveness. *AEROSPACE AMERICA*, 44(12), 82-82.

Jeong, D. Y., & Yoon, S. J. (2006). Relaxor Ferroelectric Polymer-ceramic Composites for High Energy Density Capacitor Applications. *Electronic materials letters*, 2(3), 207-211.

Deng, S., & Hwang, Y. (2006). Applying neural networks to the solution of forward and inverse heat conduction problems. *International Journal of Heat and Mass Transfer*, 49(25-26), 4732-4750.

Deng, S., & Hwang, Y. (2006). Applying the Hopfield neural network to the solution of the temperature distribution field in heat conduction problems. *Numerical Heat Transfer, Part B: Fundamentals*, 50(6), 535-559.

Linares, J. F., Gustafsson, I., Baquero, F., & Martinez, J. L. (2006). Antibiotics as intermicrobial signaling agents instead of weapons. *Proceedings of the National Academy of Sciences*, 103(51), 19484-19489.

McCarthy, C., Wyllie, R., Vaidyanathan, R., & Paulo, E. P. (2006). An integrated systems architecture to provide maritime domain protection. *The Journal of Defense Modeling and Simulation*, 3(2), 63-75.

Mayo, M., Singer, M. J., & Kusumoto, L. (2006). Massively multi-player (MMP) environments for asymmetric warfare. *The Journal of Defense Modeling and Simulation*, 3(3), 155-166.

Mann, J., Fisher, D., Kraus, M., Lowndes, E., & York, A. (2006). An analysis of engagement algorithms for real-time weapons effects. *The Journal of Defense Modeling and Simulation*, 3(3), 189-201.

Littlefield, A., Hyland, E., Andalora, A., Klein, N., Langone, R., & Becker, R. (2006). Carbon fiber/thermoplastic overwrapped gun tube.

Deng, S., & Heh, T. Y. (2006). The study of structural system dynamic problems by recursive estimation method. *The International Journal of Advanced Manufacturing Technology*, 30(3), 195-202.

Selvi, S. T., & Malmathanraj, R. (2006). Solving Battle Management/Command Control and Communication Problem using Modified BIONET. *Defence Science Journal*, 56(4), 627.

Carney, K. S., Benson, D. J., DuBois, P., & Lee, R. (2006). A phenomenological high strain rate model with failure for ice. *International Journal of Solids and Structures*, 43(25-26), 7820-7839.

Shabana, Y. M., Bruck, H. A., Pines, M. L., & Kruff, J. G. (2006). Modeling the evolution of stress due to differential shrinkage in powder-processed functionally graded metal-ceramic composites during pressureless sintering. *International Journal of Solids and Structures*, 43(25-26), 7852-7868.

Shah, Q. H. (2006). Strain rate effect on the failure strain and hardness of metallic armor plates subjected to high velocity projectile impact. *Journal of Engineering Science and Technology*, 1(2), 166-175.

Park, J. S., & Baek, S. W. (2006). Numerical study of base effects on population inversion in DF chemical laser cavity. *International journal of heat and mass transfer*, 49(21-22), 4043-4057.

Li, T. C., Lwo, B. J., Pu, N. W., Yu, S. P., & Kao, C. H. (2006). The effects of nitrogen partial pressure on the properties of the TaN<sub>x</sub> films deposited by reactive magnetron sputtering. *Surface and Coatings Technology*, 201(3-4), 1031-1036.

Guidotti, R. A., & Masset, P. (2006). Thermally activated ("thermal") battery technology: Part I: An overview. *Journal of Power Sources*, 161(2), 1443-1449.

Simmons, L. W., & Emlen, D. J. (2006). Evolutionary trade-off between weapons and testes. *Proceedings of the National Academy of Sciences*, 103(44), 16346-16351.

Walker, J. D. (2006). Weapon system effectiveness. *AEROSPACE AMERICA*, 44(12), 82-82.

Deng, S., & Hwang, Y. (2006). Applying neural networks to the solution of forward and inverse heat conduction problems. *International Journal of Heat and Mass Transfer*, 49(25-26), 4732-4750.

Deng, S., & Hwang, Y. (2006). Applying the Hopfield neural network to the solution of the temperature distribution field in heat conduction problems. *Numerical Heat Transfer, Part B: Fundamentals*, 50(6), 535-559.

Linares, J. F., Gustafsson, I., Baquero, F., & Martinez, J. L. (2006). Antibiotics as intermicrobial signaling agents instead of weapons. *Proceedings of the National Academy of Sciences*, 103(51), 19484-19489.

Kandlikar, S. G., & Bapat, A. V. (2007). Evaluation of jet impingement, spray and microchannel chip cooling options for high heat flux removal. *Heat Transfer Engineering*, 28(11), 911-923.

Grujicic, M., Zhao, C. L., Biggers, S. B., Kennedy, J. M., & Morgan, D. R. (2007). Suitability of a Coal-Derived Carbon-Based Foam for use in Thermal Protection Systems of Common Aero Vehicles. *Multidiscipline Modeling in Materials and Structures*.

Snow, J. P., Ross, J. M., Berkin, M. G., & Boschen, E. D. (2007). Integrating naval aviation maintenance training with sailors' proficiency qualification and its correlation with improved weapon system readiness. *Naval Engineers Journal*, 119(1), 45-57.

Wallace, D. F., ROBERT BOST, J., Thurber, J. B., & Hamburger, P. S. (2007). Importance of addressing human systems integration issues early in the science and technology process. *Naval Engineers Journal*, 119(1), 59-64.

Lindberg, R. M., & Carr, L. A. (2007). Human systems integration in education and training: A grassroots effort to obtain total systems performance at an affordable cost. *Naval Engineers Journal*, 119(1), 71-81.

Harney, R. C. (2007). Fighting Dirty! Sustaining operations in a CBRN environment. *Naval Engineers Journal*, 119(3), 107-121.

Deng, S., & Hwang, Y. (2007). Solving the temperature distribution field in nonlinear heat conduction problems using the Hopfield neural network. *Numerical Heat Transfer, Part B: Fundamentals*, 51(4), 375-389.

Asahina, K., Tamai, K., Takeda, Y., & Kurose, K. (2007). Study on controlled detonation chamber system of chemical weapons (I). *Science and technology of energetic materials*, 68(2), 41.

Asahina, K., Koide, K., Shirakura, T., Ouchi, M., & Tada, T. (2007). Study on controlled detonation chamber system of chemical weapons (II): Implosion and sequential detonation. *Science and technology of energetic materials*, 68(2), 48.

Asahina, K., Kitamura, R., Katayama, M., Imakita, T., & Ueda, M. (2007). Study on controlled detonation chamber system of chemical weapons (III): A study on destruction efficiency of chemical warfare materials by controlled detonation. *Science and technology of energetic materials*, 68(2), 55.

Cho, B., Kim, D. Y., Kim, S. H., & Youn, C. (2007). Real-time distributed simulation environment for air defense system using a software framework. *The Journal of Defense Modeling and Simulation*, 4(2), 64-79.

Gardels, A. (2007). Lighter armor for future ground vehicles: lightweight armor made of titanium and other alloys is transforming military logistics. *Advanced materials & processes*, 165(1), 41-44.

Wambua, P., Vangrimde, B., Lomov, S., & Verpoest, I. (2007). The response of natural fibre composites to ballistic impact by fragment simulating projectiles. *Composite Structures*, 77(2), 232-240.

Hockauf, M., Meyer, L. W., Pursche, F., & Diestel, O. (2007). Dynamic perforation and force measurement for lightweight materials by reverse ballistic impact. *Composites Part A: Applied Science and Manufacturing*, 38(3), 849-857.

Rusowicz, A., Fortuna, E., Lisowski, W., & Wolski, T. (2007). Gradientowe kompozyty/powłoki W+ Cu otrzymywane metodą natryskiwania plazmowego. *Kompozyty*, 7(2), 98-103.

Rasuo, B. (2007). An experimental methodology for evaluating survivability of an aeronautical construction from composite materials: An overview. *International journal of crashworthiness*, 12(1), 9-15.

Mueller, D., & Langlotz, W. (2007). Low temperature coefficient (LTC) propellants. *International Journal of Energetic Materials and Chemical Propulsion*, 6(3).

Ferrara, P. J., & Moore, J. D. (2007). Method of characteristics simulation of interior ballistic processes of M1020 ignition cartridge in a 120-mm mortar system. *International Journal of Energetic Materials and Chemical Propulsion*, 6(5).

Novotny, W. R., Cepuš, E., Shahkarami, A., Vaziri, R., & Poursartip, A. (2007). Numerical investigation of the ballistic efficiency of multi-ply fabric armours during the early stages of impact. *International journal of impact engineering*, 34(1), 71-88.

Shahkarami, A., & Vaziri, R. (2007). A continuum shell finite element model for impact simulation of woven fabrics. *International Journal of Impact Engineering*, 34(1), 104-119.

Grujicic, M., Pandurangan, B., Zecevic, U., Koudela, K. L., & Cheeseman, B. A. (2007). Ballistic Performance of Alumina/S-2 Glass-reinforced Polymer-matrix Composite Hybrid Lightweight Armor Against Armor Piercing (ap) and Non-AP Projectiles. *Multidiscipline Modeling in Materials and Structures*.

Konstantinova, O. V., Kuz'mov, A. V., Skorokhod, V. V., & Shtern, M. B. (2007). Effect of the particle size ratio on the conductivity of conductor-insulator powder composites: Numerical simulation. *Powder Metallurgy and Metal Ceramics*, 46(1), 25-31.

Vivas, V., de Souto, M. B. G., & Suarez, J. C. M. (2007). Effect of thermal and irradiation aging on the ballistic behavior of aramid reinforced epoxy composite. *Science and Engineering of Composite Materials*, 14(1), 1-16.

Chan, S., Fawaz, Z., Behdinin, K., & Amid, R. (2007). Ballistic limit prediction using a numerical model with progressive damage capability. *Composite Structures*, 77(4), 466-474.

Gee, D. J., Reinecke, W. G., & Levinson, S. J. (2007). Blast phenomena associated with high-speed impact. *International journal of impact engineering*, 34(2), 178-188.

Sarva, S., Nemat-Nasser, S., McGee, J., & Isaacs, J. (2007). The effect of thin membrane restraint on the ballistic performance of armor grade ceramic tiles. *International Journal of Impact Engineering*, 34(2), 277-302.

Caprino, G., Lopresto, V., & Santoro, D. (2007). Ballistic impact behaviour of stitched graphite/epoxy laminates. *Composites science and technology*, 67(3-4), 325-335.

Decker, M. J., Halbach, C. J., Nam, C. H., Wagner, N. J., & Wetzel, E. D. (2007). Stab resistance of shear thickening fluid (STF)-treated fabrics. *Composites science and technology*, 67(3-4), 565-578.

Colombo, D., & Giglio, M. (2007). Determination of the fatigue life of a helicopter tail rotor transmission subjected to ballistic damage. *Engineering fracture mechanics*, 74(4), 481-499.

Couque, H., Nicolas, G., & Altmayer, C. (2007). Relation between shear banding and penetration characteristics of conventional tungsten alloys. *International journal of impact engineering*, 34(3), 412-423.

Dey, S., Børvik, T., Hopperstad, O. S., & Langseth, M. (2007). On the influence of constitutive relation in projectile impact of steel plates. *International Journal of Impact Engineering*, 34(3), 464-486.

Cork, C. R., & Foster, P. W. (2007). The ballistic performance of narrow fabrics. *International Journal of Impact Engineering*, 34(3), 495-508.

Aare, M., & Kleiven, S. (2007). Evaluation of head response to ballistic helmet impacts using the finite element method. *International journal of impact engineering*, 34(3), 596-608.

Dolce, M., Cardone, D., Moroni, C., & Nigro, D. (2007). Dynamic response of a volcanic shelter subjected to ballistic impacts. *International journal of impact engineering*, 34(4), 681-701.

Gu, Y., & Nesterenko, V. F. (2007). Dynamic behavior of HIPed Ti-6Al-4V. *International journal of impact engineering*, 34(4), 771-783.

Segletes, S. B. (2007). The erosion transition of tungsten-alloy long rods into aluminum targets. *International journal of solids and structures*, 44(7-8), 2168-2191.

Sarva, S., Mulliken, A. D., & Boyce, M. C. (2007). Mechanics of Taylor impact testing of polycarbonate. *International Journal of Solids and Structures*, 44(7-8), 2381-2400.

Li, J., Li, X. J., Zhao, Z., Ou, Y. X., & Jiang, D. A. (2007). Simulation on projectile with high rotating speed penetrating into the moving vehicular door. *Theoretical and applied fracture mechanics*, 47(2), 113-119.

Devarajan, A., Khadar, M. A., & Chattopadhyay, K. (2007). Effect of ball milling on chemically synthesized nanoparticles of CaCO<sub>3</sub>. *Materials Science and Engineering: A*, 452, 395-400.

Martinez, F., Murr, L. E., Ramirez, A., Lopez, M. I., & Gaytan, S. M. (2007). Dynamic deformation and adiabatic shear microstructures associated with ballistic plug formation and fracture in Ti-6Al-4V targets. *Materials Science and Engineering: A*, 454, 581-589.

Neuberger, A., Peles, S., & Rittel, D. (2007). Scaling the response of circular plates subjected to large and close-range spherical explosions. Part I: Air-blast loading. *International Journal of Impact Engineering*, 34(5), 859-873.

Neuberger, A., Peles, S., & Rittel, D. (2007). Scaling the response of circular plates subjected to large and close-range spherical explosions. Part II: Buried charges. *International journal of impact engineering*, 34(5), 874-882.

Segletes, S. B. (2007). Further development of a model for rod ricochet. *International journal of impact engineering*, 34(5), 899-925.

Grogan, J., Tekalur, S. A., Shukla, A., Bogdanovich, A., & Coffelt, R. A. (2007). Ballistic resistance of 2D and 3D woven sandwich composites. *Journal of Sandwich Structures & Materials*, 9(3), 283-302.

Gupta, N. K., Iqbal, M. A., & Sekhon, G. S. (2007). Effect of projectile nose shape, impact velocity and target thickness on deformation behavior of aluminum plates. *International Journal of Solids and Structures*, 44(10), 3411-3439.

Owolabi, G. M., Odeshi, A. G., Singh, M. N. K., & Bassim, M. N. (2007). Dynamic shear band formation in Aluminum 6061-T6 and Aluminum 6061-T6/Al<sub>2</sub>O<sub>3</sub> composites. *Materials Science and Engineering: A*, 457(1-2), 114-119.

Jang, J. S. C., Fwu, J. C., Chang, L. J., Chen, G. J., & Hsu, C. T. (2007). Study on the solid-phase sintering of the nano-structured heavy tungsten alloy powder. *Journal of alloys and compounds*, 434, 367-370.

Song, H. S., Yoon, B. I., Kim, C. Y., Park, J. L., & Kang, T. T. (2007). Ballistic Resistance Performance of Kevlar Fabric Impregnated with Shear Thickening Fluid. *Composites Research*, 20(3), 1-7.

Yoon, B. I., Song, H. S., & Paik, J. G. (2007). A Study on the Failure Modes of Neat Kevlar Fabric and Kevlar Liquid Armor Impregnated with Shear Thickening Fluid. *Composites Research*, 20(3), 17-24.

Langdon, G. S., Nurick, G. N., Lemanski, S. L., Simmons, M. C., Cantwell, W. J., & Schleyer, G. K. (2007). Failure characterisation of blast-loaded fibre-metal laminate panels based on aluminium and glass-fibre reinforced polypropylene. *Composites Science and Technology*, 67(7-8), 1385-1405.

Forquin, P., Arias, A., & Zaera, R. (2007). An experimental method of measuring the confined compression strength of geomaterials. *International Journal of Solids and Structures*, 44(13), 4291-4317.

Shi, J., & Grow, D. (2007). Effect of double constraints on the optimization of two-component armor systems. *Composite structures*, 79(3), 445-453.

Shaikh, M. A. R., Sanghavi, R. R., Shelar, S. D., Chakraborty, T. K., & Singh, A. (2007). Feasibility study of processing estane-based LOVA gun propellant. *Defence Science Journal*, 57(4), 411.

Wu, J., Liu, J., & Du, Y. (2007). Experimental and numerical study on the flight and penetration properties of explosively-formed projectile. *International journal of impact engineering*, 34(7), 1147-1162.

Langdon, G. S., Lemanski, S. L., Nurick, G. N., Simmons, M. C., Cantwell, W. J., & Schleyer, G. K. (2007). Behaviour of fibre-metal laminates subjected to localised blast loading: Part I—Experimental observations. *International journal of impact engineering*, 34(7), 1202-1222.

Lemanski, S. L., Nurick, G. N., Langdon, G. S., Simmons, M. C., Cantwell, W. J., & Schleyer, G. K. (2007). Behaviour of fibre metal laminates subjected to localised blast loading—Part II: Quantitative analysis. *International Journal of Impact Engineering*, 34(7), 1223-1245.

Barauskas, R., & Abraitienė, A. (2007). Computational analysis of impact of a bullet against the multilayer fabrics in LS-DYNA. *International journal of impact engineering*, 34(7), 1286-1305.

Bartus, S. D. (2007). A review: impact damage of composite materials. *Journal of advanced materials*, 39(3), 3-21.

Zivkovic, I., Tomic, M., Brajovic, L., Milinkovic, S., & Aleksic, R. (2007). Ballistic damage detection in thermoplastic composite laminates by means of embedded optical fibers. *Journal of advanced materials*, 39(3), 49-53.

Golfman, Y., & Sudbury, M. A. (2007). Self-sealing fuel tank technology development. *An International Journal of Processing, Science, Characterization and Application of Advanced Materials*, 29.

Golfman, Y., & Sudbury, M. A. (2007). Develop a Low Cost Method to Reduce Delamination Resistance in Multi-Layer Protection Systems. *An International Journal of Processing, Science, Characterization and Application of Advanced Materials*, 47.

Chu, C. K., Chen, Y. L., Hseu, G. C., & Hwang, D. G. (2007). The study of obliquity on the ballistic performance of basket fabric composite materials. *Journal of composite materials*, 41(13), 1539-1558.

Grujicic, M., Pandurangan, B., Angstadt, D. C., Koudela, K. L., & Cheeseman, B. A. (2007). Ballistic-performance optimization of a hybrid carbon-nanotube/E-glass reinforced poly-vinyl-ester-epoxy-matrix composite armor. *Journal of materials science*, 42(14), 5347-5359.

Banovic, S. W. (2007). Microstructural characterization and mechanical behavior of Cu-Sn frangible bullets. *Materials Science and Engineering: A*, 460, 428-435.

Paik, S. H., Kim, S. J., Yoo, Y. H., & Lee, M. (2007). Protection performance of dual flying oblique plates against a yawed long-rod penetrator. *International Journal of Impact Engineering*, 34(8), 1413-1422.

Li, C., Wang, C., & Huang, Y. (2007). Bullet-Proof Structure Design of Si<sub>3</sub>N<sub>4</sub>/BN Laminated Ceramics. *Xiyou Jinshu Cailiao yu Gongcheng (Rare Metal Materials and Engineering)*, 36, 351-353.

Wu, F., Cheng, X., & Cai, H. (2007). Influence of Y<sub>2</sub>O<sub>3</sub> on Self-Sharpener of 93 WNiFe Alloy. *Xiyou Jinshu Cailiao yu Gongcheng (Rare Metal Materials and Engineering)*, 36, 379-382.

Ghosh, A. K. (2007). On the measurement of strain-rate sensitivity for deformation mechanism in conventional and ultra-fine grain alloys. *Materials Science and Engineering: A*, 463(1-2), 36-40.

Raguraman, M., Deb, A., & Gupta, N. K. (2007). A numerical study of projectile impact on mild steel armour plates. *Current science*, 498-506.

Jawalkar, S. N., Kurva, R., Singh, P. P., & Bhattacharya, B. (2007). Influence of bicurative on processibility of composite propellant. *Defence Science Journal*, 57(5), 669.

Grebot, C., & Burtheret, A. (2007). Effects of temperature changes on the mechanical and ballistic responses in biathlon shooting.

Gu, Y., & Nesterenko, V. F. (2007). Design and Ballistic Testing of Ti—6Al—4V Matrix Composites. *Journal of composite materials*, 41(19), 2313-2323.

Teng, X., Dey, S., Børvik, T., & Wierzbicki, T. (2007). Protection performance of double-layered metal shields against projectile impact. *Journal of mechanics of materials and structures*, 2(7), 1309-1329.

Meda, L., Marra, G., Galfetti, L., Severini, F., & De Luca, L. (2007). Nano-aluminum as energetic material for rocket propellants. *Materials Science and Engineering: C*, 27(5-8), 1393-1396.

Pereira, J. M., & Revilock, D. M. (2007). Ballistic impact response of Kevlar 49 and Zylon under conditions representing jet engine fan containment.

Bhattacharyya, S., Rojas, L. G., Henley, S. J., & Silva, S. R. P. (2007). Switching behaviour and high frequency response of amorphous carbon double-barrier structures. *Materials Science and Engineering: C*, 27(5-8), 957-960.

Solberg, J. K., Leinum, J. R., Embury, J. D., Dey, S., Børvik, T., & Hopperstad, O. S. (2007). Localised shear banding in Weldox steel plates impacted by projectiles. *Mechanics of materials*, 39(9), 865-880.

Elliott, S. (2007). Silicon carbide ceramic armor. *Advanced Materials & Processes*, 165(10), 29-31.

Jung, W. K., Lee, H. S., Jung, J. W., Ahn, S. H., Lee, W. I., Kim, H. J., & Kwon, J. W. (2007). [Retraction] Penetration Mechanisms of Ceramic Composite Armor Made of Alumina/GFRP. *International Journal of Precision Engineering and Manufacturing*, 8(4), 38-44.

Dey, S., Børvik, T., Teng, X., Wierzbicki, T., & Hopperstad, O. S. (2007). On the ballistic resistance of double-layered steel plates: an experimental and numerical investigation. *International journal of solids and structures*, 44(20), 6701-6723.

Xu, T., & Farris, R. J. (2007). Comparative studies of ultra high molecular weight polyethylene fiber reinforced composites. *Polymer Engineering & Science*, 47(10), 1544-1553.

Rajesh, G., Kim, H. D., Setoguchi, T., & Raghunathan, S. (2007). Performance analysis and enhancement of the ballistic range. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 221(5), 649-659.

Rajesh, G., Kim, H. D., Matsuo, S., & Setoguchi, T. (2007). A study of unsteady projectile aerodynamics using a moving coordinate method. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 221(5), 691-706.

He, T., Wen, H. M., & Qin, Y. (2007). Ballistic penetration and perforation of thick FRP laminates by ogival-nosed projectiles. *Journal of composite materials*, 41(23), 2829-2842.

Kandlikar, S. G., & Bapat, A. V. (2007). Evaluation of jet impingement, spray and microchannel chip cooling options for high heat flux removal. *Heat Transfer Engineering*, 28(11), 911-923.

Grujicic, M., Zhao, C. L., Biggers, S. B., Kennedy, J. M., & Morgan, D. R. (2007). Suitability of a Coal-Derived Carbon-Based Foam for use in Thermal Protection Systems of Common Aero Vehicles. *Multidiscipline Modeling in Materials and Structures*.

Snow, J. P., Ross, J. M., Berkin, M. G., & Boschen, E. D. (2007). Integrating naval aviation maintenance training with sailors' proficiency qualification and its correlation with improved weapon system readiness. *Naval Engineers Journal*, 119(1), 45-57.

Wallace, D. F., ROBERT BOST, J., Thurber, J. B., & Hamburger, P. S. (2007). Importance of addressing human systems integration issues early in the science and technology process. *Naval Engineers Journal*, 119(1), 59-64.

Lindberg, R. M., & Carr, L. A. (2007). Human systems integration in education and training: A grassroots effort to obtain total systems performance at an affordable cost. *Naval Engineers Journal*, 119(1), 71-81.

Harney, R. C. (2007). Fighting Dirty! Sustaining operations in a CBRN environment. *Naval Engineers Journal*, 119(3), 107-121.

Deng, S., & Hwang, Y. (2007). Solving the temperature distribution field in nonlinear heat conduction problems using the Hopfield neural network. *Numerical Heat Transfer, Part B: Fundamentals*, 51(4), 375-389.

Asahina, K., Koide, K., Shirakura, T., Ouchi, M., & Tada, T. (2007). Study on controlled detonation chamber system of chemical weapons (II): Implosion and sequential detonation. *Science and technology of energetic materials*, 68(2), 48.

Cho, B., Kim, D. Y., Kim, S. H., & Youn, C. (2007). Real-time distributed simulation environment for air defense system using a software framework. *The Journal of Defense Modeling and Simulation*, 4(2), 64-79.

Koller, J., & Ulmke, M. (2007). Data fusion for ground moving target tracking. *Aerospace Science and Technology*, 11(4), 261-270.

Chang, J. C., Lin, C. M., & Huang, S. L. (2007). Experimental study on the extinction of liquid pool fire by water droplet streams and sprays. *Fire safety journal*, 42(4), 295-309.

Deng, S., & Hwang, Y. (2007). Solution of inverse heat conduction problems using Kalman filter-enhanced Bayesian back propagation neural network data fusion. *International Journal of Heat and Mass Transfer*, 50(11-12), 2089-2100.

Hundhausen, R. J., Adams, D. E., & Derriso, M. (2007). Impact loads identification in standoff metallic thermal protection system panels. *Journal of intelligent material systems and structures*, 18(6), 531-541.



Chu, C. K., Chen, Y. L., Hseu, G. C., & Hwang, D. G. (2007). The study of obliquity on the ballistic performance of basket fabric composite materials. *Journal of composite materials*, 41(13), 1539-1558.

Camponeschi, E. T., Crane, R., Lipetzky, K., & Bandos, B. (2007). The role and use of nondestructive testing for US navy composite ship structures. *Materials evaluation*, 65(7), 752-758.

Kess, H. R., Sundararaman, S., Shah, C. D., Adams, D. E., Walsh, S. M., Pergantis, C., & Triplett, M. (2007). Identification of impact damage in S-2 glass composite missile casings using complementary vibration and wave propagation approaches. *Experimental mechanics*, 47(4), 497-509.

Chao, C. C., Lee, S. C., & Soong, C. Y. (2007). Analytical Study of CLOS Guidance Law against head-on high-speed maneuvering targets. *Transactions of the Japan Society for Aeronautical and Space Sciences*, 50(168), 88-96.

Hurley, W. J., & Andrews, W. S. (2007). Normal Approximation to a Sum of Geometric Random Variables with Application to Ammunition Stockpile Planning. *Defence science journal-new delhi-*, 57(5), 733.

Hu, F., & Huang, J. G. (2007). Measuring the effectiveness of methods for evaluating noise jammers. *Journal of Marine Science and Application*, 6(3), 46-50.

Clark, D. L., Choppin, G. R., Dayton, C. S., Janecky, D. R., Lane, L. J., & Paton, I. (2007). Rocky Flats closure: The role of models in facilitating scientific communication with stakeholder groups. *Journal of alloys and compounds*, 444, 11-18.

Vaidya, U. K., Serrano, J. C., Villalobos, A., Sands, J., & Garner, J. (2008). Design and analysis of a long fiber thermoplastic composite tailcone for a tank gun training round. *Materials & Design*, 29(2), 305-318.

Ahmad, M. R., Ahmad, W. Y. W., Salleh, J., & Samsuri, A. (2008). Effect of fabric stitching on ballistic impact resistance of natural rubber coated fabric systems. *Materials & Design*, 29(7), 1353-1358.

Hazell, P. J., Roberson, C. J., & Moutinho, M. (2008). The design of mosaic armour: The influence of tile size on ballistic performance. *Materials & Design*, 29(8), 1497-1503.

Grujicic, M., Bell, W. C., Biggers, S. B., Koudela, K. L., Tarter, J. F., & Cheeseman, B. A. (2008). The effect of a carbon-nanotube forest-mat strike face on the ballistic-protection performance of E-glass reinforced poly-vinyl-ester-epoxy composite armour. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 222(1), 15-28.

Naik, N. K., & Doshi, A. V. (2008). Ballistic impact behaviour of thick composites: Parametric studies. *Composite structures*, 82(3), 447-464.

Pedersen, B., & Bless, S. (2008). Fragments produced when tungsten penetrates aluminum. *Metallurgical and Materials Transactions A*, 39(2), 335-339.

Varley, R. J., & van der Zwaag, S. (2008). Development of a quasi-static test method to investigate the origin of self-healing in ionomers under ballistic conditions. *Polymer Testing*, 27(1), 11-19.

Pilyugin, N. N. (2008). Destruction of filled polymer targets by high-velocity impact. *Combustion, Explosion, and Shock Waves*, 44(2), 239-247.

Risby, M. S., Wong, S. V., Hamouda, A. M. S., Khairul, A. R., & Elsadig, M. (2008). Ballistic performance of coconut shell powder/twaron fabric against Non-armour piercing projectiles. *Defence Science Journal*, 58(2), 248.

Reddy, P. R. S., Madhu, V., Ramanjaneyulu, K., Bhat, T. B., Jayaraman, K., & Gupta, N. K. (2008). Influence of polymer restraint on ballistic performance of alumina ceramic tiles. *Defence Science Journal*, 58(2), 264.

Forquin, P., Arias, A., & Zaera, R. (2008). Role of porosity in controlling the mechanical and impact behaviours of cement-based materials. *International Journal of Impact Engineering*, 35(3), 133-146.

Lee, B. W., Lee, S. H., Kim, C. G., Yoon, B. I., & Paik, J. G. (2008). A Study on the Low Speed Impact Response and Frictional Characteristics of Shear Thickening Fluid Impregnated Kevlar Fabrics. *Composites Research*, 21(2), 15-24.

Arias, A., Rodríguez-Martínez, J. A., & Rusinek, A. (2008). Numerical simulations of impact behaviour of thin steel plates subjected to cylindrical, conical and hemispherical non-deformable projectiles. *Engineering Fracture Mechanics*, 75(6), 1635-1656.

Porwal, P., & Phoenix, S. (2008). Effects of layer stacking order on the V 50 velocity of a two-layered hybrid armor system. *Journal of Mechanics of Materials and Structures*, 3(4), 627-639.

Kim, J., McDonough, W. G., Blair, W., & Holmes, G. A. (2008). The modified-single fiber test: A methodology for monitoring ballistic performance. *Journal of applied polymer science*, 108(2), 876-886.

Dannemann, K. A., Chocron, S., Nicholls, A. E., & Anderson Jr, C. E. (2008). Compressive damage development in confined borosilicate glass. *Materials Science and Engineering: A*, 478(1-2), 340-350.

Grujicic, M., Bell, W. C., Thompson, L. L., Koudela, K. L., & Cheeseman, B. A. (2008). Ballistic-protection performance of carbon-nanotube-doped poly-vinyl-ester-epoxy matrix composite armor reinforced with E-glass fiber mats. *Materials Science and Engineering: A*, 479(1-2), 10-22.

Deb, A., Raguraman, M., Gupta, N. K., & Madhu, V. (2008). Numerical Simulation of Projectile Impact on Mild Steel Armour Plates using LS-DYNA: Part I: Validation. *Defence Science Journal*, 58(3), 422.

Lachaud, J., Aspa, Y., & Vignoles, G. L. (2008). Analytical modeling of the steady state ablation of a 3D C/C composite. *International Journal of Heat and Mass Transfer*, 51(9-10), 2614-2627.

Clayton, J. D. (2008). A model for deformation and fragmentation in crushable brittle solids. *International Journal of Impact Engineering*, 35(5), 269-289.

Polanco-Loria, M., Hopperstad, O. S., Børvik, T., & Berstad, T. (2008). Numerical predictions of ballistic limits for concrete slabs using a modified version of the HJC concrete model. *International Journal of Impact Engineering*, 35(5), 290-303.

- Tham, C. Y., Tan, V. B. C., & Lee, H. P. (2008). Ballistic impact of a KEVLAR® helmet: Experiment and simulations. *International Journal of Impact Engineering*, 35(5), 304-318.
- Armstrong, R. W., & Walley, S. M. (2008). High strain rate properties of metals and alloys. *International Materials Reviews*, 53(3), 105-128.
- Haynes, N., Masters, K., Perritt, C., Simmons, D., Zheng, J., & Youngberg, J. E. (2008). Automated Nondestructive Testing System for Hard Body Armor Protective Inserts. *Materials evaluation*, 66(5), 471-474.
- Wu, X. F., Ghoshal, G., Kartashov, M., Aslan, Z., Turner, J. A., & Dzenis, Y. A. (2008). Experimental characterization of the impact-damage tolerance of a cross-ply graphite-fiber/epoxy laminate. *Polymer composites*, 29(5), 534-543.
- Lo, W. T., Jeng, C. A., Huang, J. L., Lu, H. H., & Lii, D. F. (2008). Investigation of ballistic impact properties and fracture mechanisms of Ti<sub>3</sub>SiC<sub>2</sub> ternary ceramics. *Journal of alloys and compounds*, 455(1-2), 413-419.
- Maweja, K., & Stumpf, W. (2008). The design of advanced performance high strength low-carbon martensitic armour steels: Microstructural considerations. *Materials Science and Engineering: A*, 480(1-2), 160-166.
- Mates, S. P., Rhorer, R., Banovic, S., Whintont, E., & Fields, R. (2008). Tensile strength measurements of frangible bullets using the diametral compression test. *International journal of impact engineering*, 35(6), 511-520.
- Chen, X. W., Yang, Y. B., Lu, Z. H., & Chen, Y. Z. (2008). Perforation of metallic plates struck by a blunt projectile with a soft nose. *International journal of impact engineering*, 35(6), 549-558.
- Maweja, K., & Stumpf, W. (2008). The design of advanced performance high strength low-carbon martensitic armour steels: Part 1. Mechanical property considerations. *Materials Science and Engineering: A*, 485(1-2), 140-153.
- Tekalur, S. A., Shukla, A., & Shivakumar, K. (2008). Blast resistance of polyurea based layered composite materials. *Composite Structures*, 84(3), 271-281.
- Raguraman, M., Deb, A., Gupta, N. K., & Kharat, D. K. (2008). Numerical Simulation of Projectile Impact on Mild Steel Armour Plates using LS-DYNA, Part II: Parametric Studies. *Defence Science Journal*, 58(4), 573.
- Rusinek, A., Rodríguez-Martínez, J. A., Arias, A., Klepaczko, J. R., & López-Puente, J. (2008). Influence of conical projectile diameter on perpendicular impact of thin steel plate. *Engineering Fracture Mechanics*, 75(10), 2946-2967.
- Littell, J. D., Ruggeri, C. R., Goldberg, R. K., Roberts, G. D., Arnold, W. A., & Binienda, W. K. (2008). Measurement of epoxy resin tension, compression, and shear stress-strain curves over a wide range of strain rates using small test specimens. *Journal of Aerospace Engineering*, 21(3), 162-173.
- Xu, J., Askari, A., Weckner, O., & Silling, S. (2008). Peridynamic analysis of impact damage in composite laminates. *Journal of Aerospace Engineering*, 21(3), 187-194.

Deka, L. J., Bartus, S. D., & Vaidya, U. K. (2008). Damage evolution and energy absorption of E-glass/polypropylene laminates subjected to ballistic impact. *Journal of materials science*, 43(13), 4399-4410.

Banovic, S. W., & Mates, S. P. (2008). Microscopic fracture mechanisms observed on Cu–Sn frangible bullets under quasi-static and dynamic compression. *Journal of materials science*, 43(14), 4840-4848.

Anderson Jr, C. E., Behner, T., Orphal, D. L., Nicholls, A. E., & Templeton, D. W. (2008). Time-resolved penetration into pre-damaged hot-pressed silicon carbide. *International Journal of Impact Engineering*, 35(8), 661-673.

Bourne, N. K. (2008). The relation of failure under 1D shock to the ballistic performance of brittle materials. *International journal of impact engineering*, 35(8), 674-683.

McKown, S. S. S. S., Shen, Y., Brookes, W. K., Sutcliffe, C. J., Cantwell, W. J., Langdon, G. S., ... & Theobald, M. D. (2008). The quasi-static and blast loading response of lattice structures. *International Journal of Impact Engineering*, 35(8), 795-810.

Teng, X., Wierzbicki, T., & Huang, M. (2008). Ballistic resistance of double-layered armor plates. *International journal of impact engineering*, 35(8), 870-884.

Yungwirth, C. J., Wadley, H. N., O'Connor, J. H., Zakraysek, A. J., & Deshpande, V. S. (2008). Impact response of sandwich plates with a pyramidal lattice core. *International Journal of Impact Engineering*, 35(8), 920-936.

Zhu, F., Zhao, L., Lu, G., & Wang, Z. (2008). Deformation and failure of blast-loaded metallic sandwich panels—experimental investigations. *International Journal of Impact Engineering*, 35(8), 937-951.

Sabet, A. R., Beheshty, M. H., & Rahimi, H. (2008). High velocity impact behavior of GRP panels containing coarse-sized sand filler. *Polymer composites*, 29(8), 932-938.

Nia, A. A., Razavi, S. B., & Majzoobi, G. H. (2008). Ballistic limit determination of aluminum honeycombs—experimental study. *Materials Science and Engineering: A*, 488(1-2), 273-280.

Zhen, L., Li, G. A., Zou, D. L., & Shao, W. Z. (2008). Characterization of the deformed microstructure in 1Cr18NiTi stainless steel under ballistic impact. *Materials Science and Engineering: A*, 489(1-2), 213-219.

Pilyugin, N. N. (2008). Determining the strength of filled epoxy from ballistic experiments. *Combustion, Explosion, and Shock Waves*, 44(5), 607-613.

Gower, H. L., Cronin, D. S., & Plumtree, A. (2008). Ballistic impact response of laminated composite panels. *International Journal of Impact Engineering*, 35(9), 1000-1008.

Grujicic, M., Pandurangan, B., Coutris, N., Cheeseman, B. A., Fountzoulas, C., Patel, P., & Strassburger, E. (2008). A ballistic material model for starphire®, a soda-lime transparent-armor glass. *Materials Science and Engineering: A*, 491(1-2), 397-411.

Chocron, S., Pintor, A., Gálvez, F., Roselló, C., Cendón, D., & Sánchez-Gálvez, V. (2008). Lightweight polyethylene non-woven felts for ballistic impact applications: Material characterization. *Composites Part B: Engineering*, 39(7-8), 1240-1246.

Chen, X. W., Li, X. L., Huang, F. L., Wu, H. J., & Chen, Y. Z. (2008). Normal perforation of reinforced concrete target by rigid projectile. *International Journal of Impact Engineering*, 35(10), 1119-1129.

Lou, C. W., Lin, C. M., Hsu, C. H., Meng, H. H., Chen, J. M., & Lin, J. H. (2008). Process and impact properties of ballistic resistant compound material made of polyamide nonwoven fabric and Kevlar woven fabric. *Journal of advanced materials*, 40(4), 27-36.

Qiao, P., Yang, M., & Bobaru, F. (2008). Impact mechanics and high-energy absorbing materials. *Faculty Publications from the Department of Engineering Mechanics*, 62.

Grujicic, M., Bell, W. C., He, T., & Cheeseman, B. A. (2008). Development and verification of a meso-scale based dynamic material model for plain-woven single-ply ballistic fabric. *Journal of materials science*, 43(18), 6301-6323.

Grujicic, M., Arakere, G., He, T., Gogulapati, M., & Cheeseman, B. A. (2008). A numerical investigation of the influence of yarn-level finite-element model on energy absorption by a flexible-fabric armour during ballistic impact. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 222(4), 259-276.

Hui-Xia, S., Zheng, L., & Ning, X. (2008). Ballistic missile warhead recognition based on micro-Doppler frequency. *Defence Science Journal*, 58(6), 705.

Shah, Q. H., & Abakr, Y. A. (2008). Effect of distance from the support on the penetration mechanism of clamped circular polycarbonate armor plates. *International Journal of Impact Engineering*, 35(11), 1244-1250.

Yong, M., Falzon, B. G., & Iannucci, L. (2008). On the application of genetic algorithms for optimising composites against impact loading. *International journal of impact engineering*, 35(11), 1293-1302.

Tan, V. B. C., Zeng, X. S., & Shim, V. P. W. (2008). Characterization and constitutive modeling of aramid fibers at high strain rates. *International Journal of Impact Engineering*, 35(11), 1303-1313.

Zhou, D. W., & Stronge, W. J. (2008). Ballistic limit for oblique impact of thin sandwich panels and spaced plates. *International journal of impact engineering*, 35(11), 1339-1354.

Greatrix, D. R. (2008). Inert particles for axial-combustion-instability suppression in a solid rocket motor. *Journal of Propulsion and Power*, 24(6), 1347-1354.

Parker, J. S., & Born, G. H. (2008). Modeling a low-energy ballistic lunar transfer using dynamical systems theory. *Journal of Spacecraft and Rockets*, 45(6), 1269-1281.

Vajpai, S. K., Dube, R. K., & Tewari, A. (2008). Studies on the mechanical alloying of Ni-Fe-Co powders and its explosive compaction. *Metallurgical and Materials Transactions A*, 39(11), 2725-2735.

Gama, B. A., & Gillespie Jr, J. W. (2008). Punch shear based penetration model of ballistic impact of thick-section composites. *Composite Structures*, 86(4), 356-369.

Jena, P. K., Kumar, K. S., Krishna, V. R., Singh, A. K., & Bhat, T. B. (2008). Studies on the role of microstructure on performance of a high strength armour steel. *Engineering Failure Analysis*, 15(8), 1088-1096.

- Beissel, S. R., Gerlach, C. A., & Johnson, G. R. (2008). A quantitative analysis of computed hypervelocity debris clouds. *International Journal of Impact Engineering*, 35(12), 1410-1418.
- Carver, D., Campbell, L. L., & Roebuck, B. (2008). Large-scale, hypervelocity, high-fidelity interceptor lethality development in AEDC's range G. *International Journal of Impact Engineering*, 35(12), 1459-1464.
- Ding, L., Li, C., Pang, B., & Zhang, W. (2008). Ballistic limit equations in ballistic and shatter regions. *International Journal of Impact Engineering*, 35(12), 1490-1496.
- Vitanov, N. K., & Panchev, S. (2008). Generalization of the model of conflict between two armed groups. *arXiv preprint arXiv:0810.3975*.
- Kenefic, R. (2008). Path Planning for Global-Positional-System-Guided Indirect Fire Weapons. *Journal of Aerospace Computing, Information, and Communication*, 5(11), 479-489.
- Vaidya, U. K., Serrano, J. C., Villalobos, A., Sands, J., & Garner, J. (2008). Design and analysis of a long fiber thermoplastic composite tailcone for a tank gun training round. *Materials & Design*, 29(2), 305-318.
- Harris, M. W., & Trippel, A. A. (2008). Precision Material Condition Assessments. *Naval Engineers Journal*, 120(1), 51-57.
- Gongshun, G., Baojun, P., Wei, Z., & Yue, H. (2008). Crater distribution on the rear wall of AL-Whipple shield by hypervelocity impacts of AL-spheres. *International journal of impact engineering*, 35(12), 1541-1546.
- Horner, J. K. (2008). A comparison of ballistic limit with adaptive-mesh Eulerian hydrocode predictions of one-and two-plate aluminum shielding protection against millimeter-sized Fe-Ni space debris. *International Journal of Impact Engineering*, 35(12), 1602-1605.
- Lach, E., Anderson, C., Schirm, V., & Koerber, G. (2008). Hypervelocity impact into a high strength and ductile steel alloy. *International Journal of Impact Engineering*, 35(12), 1625-1630.
- Lee, M., Kim, E. Y., & Yoo, Y. H. (2008). Simulation of high speed impact into ceramic composite systems using cohesive-law fracture model. *International Journal of Impact Engineering*, 35(12), 1636-1641.
- Saburi, T., Kubota, S., Yoshida, M., Wada, Y., & Ogata, Y. (2008). Experimental impact study using an explosive driven projectile accelerator and numerical simulation. *International Journal of Impact Engineering*, 35(12), 1764-1769.
- Schäfer, F. K., Ryan, S., Lambert, M., & Putzar, R. (2008). Ballistic limit equation for equipment placed behind satellite structure walls. *International Journal of Impact Engineering*, 35(12), 1784-1791.
- Schonberg, W. P., & Compton, L. E. (2008). Application of the NASA/JSC Whipple shield ballistic limit equations to dual-wall targets under hypervelocity impact. *International Journal of Impact Engineering*, 35(12), 1792-1798.
- Sibaud, J. M., Thamie, L., & Puillet, C. (2008). Hypervelocity impact on honeycomb target structures: Experiments and modeling. *International Journal of Impact Engineering*, 35(12), 1799-1807.

Sorensen, B. R., Kimsey, K. D., & Love, B. M. (2008). High-velocity impact of low-density projectiles on structural aluminum armor. *International Journal of Impact Engineering*, 35(12), 1808-1815.

White, D. M., Wicklein, M., Clegg, R. A., & Nahme, H. (2008). Multi-layer insulation material models suitable for hypervelocity impact simulations. *International Journal of Impact Engineering*, 35(12), 1853-1860.

Williamson, J. E., Schonberg, W. P., Evans, H., & Evans, S. (2008). A comparison of NASA, DoD, and hydrocode ballistic limit predictions for spherical and non-spherical shapes versus dual-and single-wall targets, and their effects on orbital debris penetration risk. *International Journal of Impact Engineering*, 35(12), 1870-1877.

Lin, T. Z., Yang, Q., Tan, C., Liu, B., & McDonald, A. (2008). Processing and ballistic performance of lightweight armors based on ultra-fine-grain aluminum composites. *Journal of materials science*, 43(23), 7344-7348.

Iqbal, M. A., & Gupta, N. K. (2008). Energy absorption characteristics of aluminum plates subjected to projectile impact. *Latin American Journal of Solids and Structures*, 259-587.

Grujicic, M., Arakere, G., He, T., Bell, W. C., Cheeseman, B. A., Yen, C. F., & Scott, B. (2008). A ballistic material model for cross-plyed unidirectional ultra-high molecular-weight polyethylene fiber-reinforced armor-grade composites. *Materials Science and Engineering: A*, 498(1-2), 231-241.

Sharma, M. K., Bhagwat, R., & Dangayach, G. S. (2008). Performance measurement of information systems in small and medium sized enterprises: a strategic perspective. *Production Planning and Control*, 19(1), 12-24.

Senesac, L., & Thundat, T. G. (2008). Nanosensors for trace explosive detection. *materials today*, 11(3), 28-36.

Narayanan, A., Varnavski, O., Mongin, O., Majoral, J. P., Blanchard-Desce, M., & Goodson, T. (2008). Detection of TNT using a sensitive two-photon organic dendrimer for remote sensing. *Nanotechnology*, 19(11), 115502.

Futakawa, M., Kogawa, H., Hasegawa, S., Ikeda, Y., Riemer, B., Wendel, M., ... & Tanaka, N. (2008). Cavitation damage prediction for spallation target vessels by assessment of acoustic vibration. *Journal of nuclear materials*, 377(1), 182-188.

Thilagavathi, G., Raja, A. S. M., & Kannaian, T. (2008). Nanotechnology and protective clothing for defence personnel. *Defence Science Journal*, 58(4), 451.

Pratt, D. M., & Moorhouse, D. (2008). System integration of high intensity energy subsystems—a thermal management challenge. *The Aeronautical Journal*, 112(1134), 477-482.

Neunck, G. (2008). The revolution in military affairs: Its driving forces, elements, and complexity. *Complexity*, 14(1), 50-61.

Altmann, J. (2008). Military uses of nanotechnology—Too much complexity for international security?. *Complexity*, 14(1), 62-70.

Chen, J. C., Chen, K. H., Wu, J. J., & Chen, C. W. (2008). A study of the flexible job shop scheduling problem with parallel machines and reentrant process. *The International Journal of Advanced Manufacturing Technology*, 39(3), 344-354.

Zhou, X. Q., Kuznetsov, V. A., Hao, H., & Waschl, J. (2008). Numerical prediction of concrete slab response to blast loading. *International Journal of Impact Engineering*, 35(10), 1186-1200.

Balikci, A. (2008). High velocity linear induction launchers. *International Journal of Impact Engineering*, 35(12), 1405-1409.

Vaidyanathan, R., Prince, T. S., Modarreszadeh, M., Gupta, L., & Lisy, F. J. (2008). Computationally efficient predictive adaptive control for robotic operation in dynamic environments and task domains. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 222(12), 1695-1713.

Donohue, D., Ciurapinski, A., Cliff Iii, J., Rüdener, F., Kuno, T., & Poths, J. (2008). Microscopic studies of spherical particles for nuclear safeguards. *Applied Surface Science*, 255(5), 2561-2568.

Kumazawa, H., Susuki, I., Hasegawa, O., & Kasano, H. (2009). Influence of biaxial loads on impact fracture of high-strength membrane materials. *Journal of the Japan Society for Composite Materials*, 35(3), 129-138.

Dębski, A., Janiszewski, J., & Paszkowski, R. (2009). Pociski kompozytowe do ćwiczebnej amunicji strzeleckiej. *Kompozyty*, 2, 192-196.

Naik, D., Sankaran, S., Mobasher, B., Rajan, S. D., & Pereira, J. M. (2009). Development of reliable modeling methodologies for fan blade out containment analysis—Part I: Experimental studies. *International Journal of Impact Engineering*, 36(1), 1-11.

Bonorchis, D., & Nurick, G. N. (2009). The influence of boundary conditions on the loading of rectangular plates subjected to localised blast loading—importance in numerical simulations. *International Journal of Impact Engineering*, 36(1), 40-52.

Neuberger, A., Peles, S., & Rittel, D. (2009). Springback of circular clamped armor steel plates subjected to spherical air-blast loading. *International Journal of Impact Engineering*, 36(1), 53-60.

Hazell, P. J., Edwards, M. R., Longstaff, H., & Erskine, J. (2009). Penetration of a glass-faced transparent elastomeric resin by a lead-antimony-cored bullet. *International Journal of Impact Engineering*, 36(1), 147-153.

Golfman, Y. (2009). High-strength low-cost polymer fibers hybrid with carbon fibers in continuous molding/pultrusion processes. *Journal of advanced materials*, 41(1), 34-39.

Rai, K. N., & Singh, D. (2009). Impact resistance behavior of polymer nanocomposite transparent panels. *Journal of composite materials*, 43(2), 139-151.

Børvik, T., Dey, S., Hopperstad, O. S., & Langseth, M. (2009). On the main mechanisms in ballistic perforation of steel plates at sub-ordnance impact velocities. In *Predictive modeling of dynamic processes* (pp. 189-219). Springer, Boston, MA.

Talebi, H., Wong, S. V., & Hamouda, A. M. S. (2009). Finite element evaluation of projectile nose angle effects in ballistic perforation of high strength fabric. *Composite Structures*, 87(4), 314-320.

Forrestal, M. J., & Warren, T. L. (2009). Perforation equations for conical and ogival nose rigid projectiles into aluminum target plates. *International Journal of Impact Engineering*, 36(2), 220-225.



Garzon, C. M., & Giraldo, J. E. (2009). Numerical and experimental analysis of microstructure evolution during arc welding in armor plate steels. *Journal of Materials Processing Technology*, 209(4), 1688-1700.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2009). Improved Florence model and optimization of two-component armor against single impact or two impacts. *Composite Structures*, 88(1), 158-165.

El Sayed, T., Mock, W., Mota, A., Fraternali, F., & Ortiz, M. (2009). Computational assessment of ballistic impact on a high strength structural steel/polyurea composite plate. *Computational Mechanics*, 43(4), 525-534.

Grujicic, M., Pandurangan, B., Coutris, N., Cheeseman, B. A., Fountzoulas, C., Patel, P., ... & Bishnoi, K. D. (2009). A simple ballistic material model for soda-lime glass. *International Journal of Impact Engineering*, 36(3), 386-401.

Børvik, T., Forrestal, M. J., Hopperstad, O. S., Warren, T. L., & Langseth, M. (2009). Perforation of AA5083-H116 aluminium plates with conical-nose steel projectiles—calculations. *International Journal of Impact Engineering*, 36(3), 426-437.

Liu, Y., Ma, A., & Huang, F. (2009). Numerical simulations of oblique-angle penetration by deformable projectiles into concrete targets. *International Journal of Impact Engineering*, 36(3), 438-446.

Stahlecker, Z., Mobasher, B., Rajan, S. D., & Pereira, J. M. (2009). Development of reliable modeling methodologies for engine fan blade out containment analysis. Part II: Finite element analysis. *International Journal of Impact Engineering*, 36(3), 447-459.3.

Greatrix, D. R. (2009). Simulation of axial combustion instability development and suppression in solid rocket motors. *International Journal of Spray and Combustion Dynamics*, 1(1), 143-167.

Rao, M. P., Nilakantan, G., Keefe, M., Powers, B. M., & Bogetti, T. A. (2009). Global/local modeling of ballistic impact onto woven fabrics. *Journal of composite materials*, 43(5), 445-467.

Browne, D., Li, H., Giorgi, E., Dutta, S., Biser, J., Vinci, R. P., & Chan, H. M. (2009). Templated epitaxial coatings on magnesium aluminate spinel using the sol-gel method. *Journal of materials science*, 44(5), 1180-1186.

Xie, F., Xiao, S., Blunt, L., Zeng, W., & Jiang, X. (2009). Automated bullet-identification system based on surface topography techniques. *Wear*, 266(5-6), 518-522.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2009). An engineering approach to shape optimization of impactors against fiber-reinforced plastic laminates. *Composites Part B: Engineering*, 40(3), 181-188.

Virk, A. S., Summerscales, J., Hall, W., Grove, S. M., & Miles, M. E. (2009). Design, manufacture, mechanical testing and numerical modelling of an asymmetric composite crossbow limb. *Composites Part B: Engineering*, 40(3), 249-257.

Rosenberg, Z., Ashuach, Y., Yeshurun, Y., & Dekel, E. (2009). On the main mechanisms for defeating AP projectiles, long rods and shaped charge jets. *International Journal of Impact Engineering*, 36(4), 588-596.

- Singh, B. B., Sivakumar, K., & Bhat, T. B. (2009). Effect of cold rolling on mechanical properties and ballistic performance of nitrogen-alloyed austenitic steels. *International journal of impact engineering*, 36(4), 611-620.
- Shakour, E. R., Ropp, P. A., & Liu, D. (2009). Effects of Fiber Geometry on Energy Absorption of Arched Composites. *Journal of composite materials*, 43(8), 809-823.
- Thom, C. G., & Cronin, D. S. (2009). Shock wave amplification by fabric materials. *Shock Waves*, 19(1), 39-48.
- Sheikh, A. H., Bull, P. H., & Kepler, J. A. (2009). Behaviour of multiple composite plates subjected to ballistic impact. *Composites Science and Technology*, 69(6), 704-710.
- Kepler, J. A., & Bull, P. H. (2009). Sensitivity of structurally loaded sandwich panels to localized ballistic penetration. *Composites science and technology*, 69(6), 696-703.
- García-Castillo, S. K., Sánchez-Sáez, S., López-Puente, J., Barbero, E., & Navarro, C. (2009). Impact behaviour of preloaded glass/polyester woven plates. *Composites Science and Technology*, 69(6), 711-717.
- Deka, L. J., Bartus, S. D., & Vaidya, U. K. (2009). Multi-site impact response of S2-glass/epoxy composite laminates. *Composites Science and Technology*, 69(6), 725-735.
- Jain, S., Mehilal, M., Nandagopal, S., Singh, P. P., Radhakrishnan, K. K., & Bhattacharya, B. (2009). Size and shape of ammonium perchlorate and their influence on properties of composite propellant. *Defence Science Journal*, 59(3), 294.
- Carney, K. S., Pereira, J. M., Revilock, D. M., & Matheny, P. (2009). Jet engine fan blade containment using an alternate geometry. *International journal of impact engineering*, 36(5), 720-728.
- Bianchi, D., Nasuti, F., & Martelli, E. (2009). Coupled analysis of flow and surface ablation in carbon-carbon rocket nozzles. *Journal of Spacecraft and Rockets*, 46(3), 492-500.
- Matečić Mušanić, S., & Sućeska, M. (2009). Artificial ageing of double base rocket propellant: Effect on dynamic mechanical properties. *Journal of thermal analysis and calorimetry*, 96(2), 523-529.
- Li, J. J., Xuan, H. J., Liao, L. F., Hong, W. R., & Wu, R. R. (2009). Penetration of disk fragments following impact on thin plate. *Journal of Zhejiang University-SCIENCE A*, 10(5), 677-684.
- Klepaczko, J. R., Rusinek, A., Rodríguez-Martínez, J. A., Peçherski, R. B., & Arias, A. (2009). Modelling of thermo-viscoplastic behaviour of DH-36 and Weldox 460-E structural steels at wide ranges of strain rates and temperatures, comparison of constitutive relations for impact problems. *Mechanics of Materials*, 41(5), 599-621.
- Kim, B. J., & Kim, T. W. (2009). Impact Absorption Performance of Multi-layered Composite Structures based on Material-Structure Optimization. *Composites Research*, 22(3), 66-73.
- Sevkat, E., Liaw, B., Delale, F., & Raju, B. B. (2009). A combined experimental and numerical approach to study ballistic impact response of S2-glass fiber/toughened epoxy composite beams. *Composites Science and Technology*, 69(7-8), 965-982.

Anderson Jr, C. E., Orphal, D. L., Behner, T., & Templeton, D. W. (2009). Failure and penetration response of borosilicate glass during short-rod impact. *International journal of impact engineering*, 36(6), 789-798.

Jena, P. K., Ramanjeneyulu, K., Kumar, K. S., & Bhat, T. B. (2009). Ballistic studies on layered structures. *Materials & Design*, 30(6), 1922-1929.

Van der Heijden, A. E. D. M., & Leeuwenburgh, A. B. (2009). HNF/HTPB propellants: Influence of HNF particle size on ballistic properties. *Combustion and flame*, 156(7), 1359-1364.

Zohdi, T. I. (2009). Microfibril-based estimates of the ballistic limit of multilayered fabric shielding. *International journal of fracture*, 158(1), 81-88.

Børvik, T., Dey, S., & Clausen, A. H. (2009). Perforation resistance of five different high-strength steel plates subjected to small-arms projectiles. *International Journal of Impact Engineering*, 36(7), 948-964.

Carney, K. S., DuBois, P. A., Buyuk, M., & Kan, S. (2009). Generalized, three-dimensional definition, description, and derived limits of the triaxial failure of metals. *Journal of Aerospace Engineering*, 22(3), 280-286.

Li, X., Binienda, W. K., & Littell, J. D. (2009). Methodology for impact modeling of triaxial braided composites using shell elements. *Journal of Aerospace Engineering*, 22(3), 310-317.

Bhattacharya, S., & Mahapatra, S. (2009). Influence of band non-parabolicity on few ballistic properties of III–V quantum wire field effect transistors under strong inversion. *Journal of Computational and Theoretical Nanoscience*, 6(7), 1605-1616.

Holmes, G. A., Kim, J. H., McDonough, W. G., Riley, M. A., & Rice, K. D. (2009). A detailed investigation of the mechanical properties of polybenzoxazole fibers within soft body armor. *Journal of materials science*, 44(14), 3619-3625. Silgado, J. U., Lopez, E. T., Ramirez, A. J., & Barrada, J. G. (2009). Evaluation of susceptibility of hydrogen induced cracking in microalloyed armor steel welds using a geometry modified implant test. *Soldagem & Inspeção*, 14, 207-214.

Chin, J., Petit, S., Forster, A., Riley, M., & Rice, K. (2009). Effect of artificial perspiration and cleaning chemicals on the mechanical and chemical properties of ballistic materials. *Journal of Applied Polymer Science*, 113(1), 567-584.

Rao, M. P., Duan, Y., Keefe, M., Powers, B. M., & Bogetti, T. A. (2009). Modeling the effects of yarn material properties and friction on the ballistic impact of a plain-weave fabric. *Composite Structures*, 89(4), 556-566.

Lomov, S. V., Bogdanovich, A. E., Ivanov, D. S., Mungalov, D., Karahan, M., & Verpoest, I. (2009). A comparative study of tensile properties of non-crimp 3D orthogonal weave and multi-layer plain weave E-glass composites. Part 1: Materials, methods and principal results. *Composites part a: applied science and manufacturing*, 40(8), 1134-1143.

Zeinstra, M., ten Thije, R. H. W., & Warnet, L. (2009). Low velocity impact on a single-ply aramid semipreg. *International journal of material forming*, 2(1), 193-196.

Hatzenbichler, T., & Buchmayr, B. (2009). Fem study on the penetration of projectiles into steel sheets. *International journal of material forming*, 2(1), 789-792.

Murr, L. E., Ramirez, A. C., Gaytan, S. M., Lopez, M. I., Martinez, E. Y., Hernandez, D. H., & Martinez, E. (2009). Microstructure evolution associated with adiabatic shear bands and shear band failure in ballistic plug formation in Ti-6Al-4V targets. *Materials Science and Engineering: A*, 516(1-2), 205-216.

Maweja, K., Stumpf, W., & van der Berg, N. (2009). Characteristics of martensite as a function of the Ms temperature in low-carbon armour steel plates. *Materials Science and Engineering: A*, 519(1-2), 121-127.

David, N. V., Gao, X. L., & Zheng, J. Q. (2009). Ballistic resistant body armor: contemporary and prospective materials and related protection mechanisms. *Applied Mechanics Reviews*, 62(5).

Voyiadjis, G. Z., Deliktas, B., & Palazotto, A. N. (2009). Thermodynamically consistent coupled viscoplastic damage model for perforation and penetration in metal matrix composite materials. *Composites Part B: Engineering*, 40(6), 427-433.

Clayton, J. D. (2009). Modeling effects of crystalline microstructure, energy storage mechanisms, and residual volume changes on penetration resistance of precipitate-hardened aluminum alloys. *Composites Part B: Engineering*, 40(6), 443-450.

Powell, D. A., & Zohdi, T. I. (2009). Attachment mode performance of network-modeled ballistic fabric shielding. *Composites Part B: Engineering*, 40(6), 451-460.

Dongare, A. M., Zhigilei, L. V., Rajendran, A. M., & LaMattina, B. (2009). Interatomic potentials for atomic scale modeling of metal-matrix ceramic particle reinforced nanocomposites. *Composites Part B: Engineering*, 40(6), 461-467.

Grujicic, M., Arakere, G., He, T., Bell, W. C., Glomski, P. S., & Cheeseman, B. A. (2009). Multi-scale ballistic material modeling of cross-plyed compliant composites. *Composites Part B: Engineering*, 40(6), 468-482.

Al-Rub, R. K. A., & Kim, S. M. (2009). Predicting mesh-independent ballistic limits for heterogeneous targets by a nonlocal damage computational framework. *Composites Part B: Engineering*, 40(6), 495-510.

Sun, B., Liu, Y., & Gu, B. (2009). A unit cell approach of finite element calculation of ballistic impact damage of 3-D orthogonal woven composite. *Composites Part B: Engineering*, 40(6), 552-560.

Walter, T. R., Subhash, G., Sankar, B. V., & Yen, C. F. (2009). Damage modes in 3D glass fiber epoxy woven composites under high rate of impact loading. *Composites Part B: Engineering*, 40(6), 584-589.

Gálvez, V. S., & Paradela, L. S. (2009). Analysis of failure of add-on armour for vehicle protection against ballistic impact. *Engineering Failure Analysis*, 16(6), 1837-1845.

Shah, Q. H. (2009). Impact resistance of a rectangular polycarbonate armor plate subjected to single and multiple impacts. *International Journal of Impact Engineering*, 36(9), 1128-1135.

Liu, X., Tan, C., Zhang, J., Wang, F., & Cai, H. (2009). Correlation of adiabatic shearing behavior with fracture in Ti-6Al-4V alloys with different microstructures. *International journal of impact engineering*, 36(9), 1143-1149.

Kane, A., Børvik, T., Hopperstad, O. S., & Langseth, M. (2009). Finite element analysis of plugging failure in steel plates struck by blunt projectiles. *Journal of Applied Mechanics*, 76(5).

Wei, Z., Evans, A. G., & Deshpande, V. S. (2009). The influence of material properties and confinement on the dynamic penetration of alumina by hard spheres. *Journal of applied mechanics*, 76(5).

Frostig, Y., & Thomsen, O. (2009). Nonlinear behavior of thermally loaded curved sandwich panels with a transversely flexible core. *Journal of Mechanics of Materials and Structures*, 4(7), 1287-1326.

Karamdel, J., Ahmadi, M. T., Damghanian, M., Majlis, B. Y., Dee, C. F., & Ismail, R. (2009). Analysis and simulation of carriers statistic for semiconducting single wall carbon nanotube. *Materials Research Innovations*, 13(3), 211-213.

Orphal, D. L., Anderson Jr, C. E., Behner, T., & Templeton, D. W. (2009). Failure and penetration response of borosilicate glass during multiple short-rod impact. *International journal of impact engineering*, 36(10-11), 1173-1181.

Dean, J., Dunleavy, C. S., Brown, P. M., & Clyne, T. W. (2009). Energy absorption during projectile perforation of thin steel plates and the kinetic energy of ejected fragments. *International journal of impact engineering*, 36(10-11), 1250-1258.

Chocron, S., Samant, K. R., Nicholls, A. E., Figueroa, E., Weiss, C. E., Walker, J. D., & Anderson Jr, C. E. (2009). Measurement of strain in fabrics under ballistic impact using embedded nichrome wires. Part I: Technique. *International journal of impact engineering*, 36(10-11), 1296-1302.

Lou, D. C., Solberg, J. K., & Børvik, T. (2009). Surface strengthening using a self-protective diffusion paste and its application for ballistic protection of steel plates. *Materials & Design*, 30(9), 3525-3536.

Grujicic, M., Bell, W. C., Arakere, G., He, T., & Cheeseman, B. A. (2009). A meso-scale unit-cell based material model for the single-ply flexible-fabric armor. *Materials & Design*, 30(9), 3690-3704.

Sabet, A. R., Beheshty, M. H., & Rahimi, H. (2009). Experimental study of sharp-tipped projectile perforation of GFRP plates containing sand filler under high velocity impact and quasi-static loadings. *Polymer Composites*, 30(10), 1497-1509.

Atkins, T. (2009). Toughness and processes of material removal. *Wear*, 267(11), 1764-1771.

Kalman, D. P., Merrill, R. L., Wagner, N. J., & Wetzel, E. D. (2009). Effect of particle hardness on the penetration behavior of fabrics intercalated with dry particles and concentrated particle– fluid suspensions. *ACS applied materials & interfaces*, 1(11), 2602-2612.

Hazell, P. J., & Appleby-Thomas, G. (2009). A study on the energy dissipation of several different CFRP-based targets completely penetrated by a high velocity projectile. *Composite structures*, 91(1), 103-109.

Lee, B. W., Kim, I. J., & Kim, C. G. (2009). The influence of the particle size of silica on the ballistic performance of fabrics impregnated with silica colloidal suspension. *Journal of composite materials*, 43(23), 2679-2698.

- Littell, J. D., Binienda, W. K., Arnold, W. A., Roberts, G. D., & Goldberg, R. K. (2009). Effect of microscopic damage events on static and ballistic impact strength of triaxial braid composites. *Composites Part A: Applied Science and Manufacturing*, 40(12), 1846-1862.
- Dong, Z., & Sun, C. T. (2009). Testing and modeling of yarn pull-out in plain woven Kevlar fabrics. *Composites Part A: Applied science and manufacturing*, 40(12), 1863-1869.
- Muhi, R. J., Najim, F., & de Moura, M. F. (2009). The effect of hybridization on the GFRP behavior under high velocity impact. *Composites Part B: Engineering*, 40(8), 798-803.
- Salisbury, C. P., & Cronin, D. S. (2009). Mechanical properties of ballistic gelatin at high deformation rates. *Experimental mechanics*, 49(6), 829-840.
- Grujicic, M., Glomski, P. S., He, T., Arakere, G., Bell, W. C., & Cheeseman, B. A. (2009). Material modeling and ballistic-resistance analysis of armor-grade composites reinforced with high-performance fibers. *Journal of Materials Engineering and Performance*, 18(9), 1169-1182.
- Sampath, K. (2009). Transverse-weld tensile properties of a new Al-4Cu-2Si alloy as filler metal. *Journal of materials engineering and performance*, 18(9), 1218-1225.
- Wang, L., Song, J., Ortiz, C., & Boyce, M. C. (2009). Anisotropic design of a multilayered biological exoskeleton. *Journal of Materials Research*, 24(12), 3477-3494.
- Magudeeswaran, G., Balasubramanian, V., Sathyanarayanan, S., Madhusudhan Reddy, G., Moitra, A., Venugopal, S., & Sasikala, G. (2009). Dynamic fracture toughness (J<sub>Id</sub>) behavior of armor-grade Q&T steel weldments: Effect of weld metal composition and microstructure. *Metals and Materials International*, 15(6), 1017-1026.
- Nassirharand, A., & Firdeh, S. M. (2009). Single-range controller design for a cruise missile. *Aircraft Engineering and Aerospace Technology*.
- Yablokov, A. V., Nesterenko, V. B., & Nesterenko, A. V. (2009). Atmospheric, water, and soil contamination after Chernobyl. *Chernobyl: Consequences of the Catastrophe for People and the Environment*, 223-236.
- Kim, P. C. (2009). Composite sandwich constructions for absorbing the electromagnetic waves. *Composite Structures*, 87(2), 161-167.
- Herzberg, E. (2009). Assessing the cost of corrosion to the aerospace industry. In *Corrosion Control in the Aerospace Industry* (pp. 17-34). Woodhead Publishing.
- Thomas, M. U. (2009). New Advances in Solving the Weapon-Target Assignment Problem. In *Handbook of Military Industrial Engineering* (pp. 205-222). CRC Press.
- Akyuz, G. A., & Rehan, M. (2009). Requirements for forming an 'e-supply chain'. *International Journal of Production Research*, 47(12), 3265-3287.
- Mekawey, H. I., Abd El-Wahab, M. S., & Hashem, M. (2009). Novel goal-based weapon target assignment doctrine. *Journal of Aerospace Computing, Information, and Communication*, 6(1), 2-29.
- Madni, A. M., & Andrecut, M. (2009). Efficient heuristic approach to the weapon-target assignment problem. *Journal of Aerospace Computing, Information, and Communication*, 6(6), 405-414.

Fiorino, S. T., Bartell, R. J., Krizo, M. J., Perram, G. P., Fedyk, D. J., Moore, K. P., ... & Cusumano, S. J. (2009). Worldwide mission planning tool for tactical laser systems. *Journal of Aerospace Computing, Information, and Communication*, 6(8), 491-505.

Mello Junior, A. W., Garcia, A. N., Ribeiro, F. N., & Mattos, D. F. V. (2009). Brazilian Air Force aircraft structural integrity program: An overview. *Journal of Aerospace Technology and Management*, 1(1), 107-111.

Wang, X., Song, B. F., & Hu, Y. F. (2009). Analytic model for aircraft survivability assessment of a one-on-one engagement. *Journal of aircraft*, 46(1), 223-229.

Dirk, S. M., Howell, S. W., Price, B. K., Fan, H., Washburn, C., Wheeler, D. R., ... & Simonson, R. J. (2009). Vapor sensing using conjugated molecule-linked Au nanoparticles in a silica matrix. *Journal of Nanomaterials*, 2009.

Zilic, A. M., & Baron, N. T. (2009). Real-Time Realities: The Application of Commercial Information Technology to Combat Control Systems. *Naval Engineers Journal*, 121(1), 17-33.

Huynh, T., Connett, B., Chiu-rourman, J. A. R. E. D., Davis, J., Kessler, A., Oravec, J., ... & Wark, S. (2009). Architecting a system of systems responding to maritime domain terrorism by orthogonal array experiment. *Naval Engineers Journal*, 121(1), 79-101.

Threston, J. T. (2009). The AEGIS weapon system. *Naval Engineers Journal*, 121(3), 85-108.

Doyle, V. A. J. H. (2009). The AEGIS Movement—An OPNAV Perspective. *Naval Engineers Journal*, 121(3), 197-207.

Tan, M., Yan, Y., Zhang, H., Han, X., Zhu, J., Han, J., & Ma, H. (2009). Corrosion protection of ultra-thin ta-C films for recording slider applications at varied substrate bias. *Surface and Coatings Technology*, 203(8), 963-966.

Sheu, H. H., Hsiung, L. C., & Sheu, J. R. (2009). Synthesis of multiphase intermetallic compounds by mechanical alloying in Ni–Al–Ti system. *Journal of Alloys and Compounds*, 469(1-2), 483-487.

Rowland, J. M., & Emlen, D. J. (2009). Two thresholds, three male forms result in facultative male trimorphism in beetles. *Science*, 323(5915), 773-776.

Sun, H. K., Liu, Y. T., & Chen, C. G. (2009). Dynamic Analysis of a Vehicular-mounted Automatic Weapon-Planar Case. *Defence Science Journal*, 59(3).

Magill, J. C., Cataldi, P., Morency, J. R., Hammer, D. X., Burgess, R., & Jeter, E. (2009). Demonstration of a wire suspension for wind-tunnel virtual flight testing. *Journal of Spacecraft and Rockets*, 46(3), 624-633.

McDaniel, D. R., Cummings, R. M., Bergeron, K., Morton, S. A., & Dean, J. P. (2009). Comparisons of computational fluid dynamics solutions of static and manoeuvring fighter aircraft with flight test data. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 223(4), 323-340.

Chatterjee, S., Purkait, P. K., & Garg, D. (2009). Athermalization of infra-red camera of projectile weapons. *Applied thermal engineering*, 29(10), 2106-2112.

David, N. V., Gao, X. L., & Zheng, J. Q. (2009). Ballistic resistant body armor: contemporary and prospective materials and related protection mechanisms. *Applied Mechanics Reviews*, 62(5).

Maini, A. K., & Verma, A. L. (2009). Pre-flight Functionality Check to Enhance Mission Efficacy of Precision Guided Munitions. *Defence Science Journal*, 59(5).

Wu, K. H., Yu, P. Y., Yang, C. C., Wang, G. P., & Chao, C. M. (2009). Preparation and characterization of polyoxometalate-modified poly (vinyl alcohol)/polyethyleneimine hybrids as a chemical and biological self-detoxifying material. *Polymer Degradation and Stability*, 94(9), 1411-1418.

Yu, Q. M., Wang, Y., Wen, Z. X., & Yue, Z. F. (2009). Notch effect and its mechanism during creep rupture of nickel-base single crystal superalloys. *Materials Science and Engineering: A*, 520(1-2), 1-10.

Xu, Y., Shi, K. Y., & Fan, G. (2009). Performance analysis of optical burst switching node with limited wavelength conversion capabilities. *Journal of Central South University of Technology*, 16(5), 794-801.

Rogers, J., & Costello, M. (2009). A variable stability projectile using an internal moving mass. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 223(7), 927-938.

Walker, J. D. (2009). Weapon system effectiveness. *Aerospace America*, 47(11), 62-62.

Yaoping, S., Zongxia, J., Xiaodong, W., & Sijun, Z. (2009). Study on friction torque loading with an electro-hydraulic load simulator. *Chinese Journal of Aeronautics*, 22(6), 691-699.

Jin, X., Mukherjee, K., Gupta, S., Ray, A., Phoha, S., & Damarla, T. (2009). Asynchronous data-driven classification of weapon systems. *Measurement Science and Technology*, 20(12), 123001.

Chandekar, G. S., Thatte, B. S., & Kelkar, A. D. (2010). On the behavior of fiberglass epoxy composites under low velocity impact loading. *Advances in Mechanical Engineering*, 2, 621406.

Choi, S., Han, T. H., Gojani, A. B., & Yoh, J. J. (2010). Thrust enhancement via gel-type liquid confinement of laser ablation of solid metal propellant. *Applied Physics A*, 98(1), 147-151.

Arlery, M., Gardou, M., Fleureau, J. M., & Mariotti, C. (2010). Dynamic behaviour of dry and water-saturated sand under planar shock conditions. *International Journal of Impact Engineering*, 37(1), 1-10.

Chocron, S., Anderson Jr, C. E., Samant, K. R., Figueroa, E., Nicholls, A. E., & Walker, J. D. (2010). Measurement of strain in fabrics under ballistic impact using embedded nichrome wires, part II: Results and analysis. *International journal of impact engineering*, 37(1), 69-81.

Amini, M. R., Amirkhizi, A. V., & Nemat-Nasser, S. (2010). Numerical modeling of response of monolithic and bilayer plates to impulsive loads. *International Journal of Impact Engineering*, 37(1), 90-102.



Munusamy, R. (2010). Semi-empirical procedures for estimation of residual velocity and ballistic limit for impact on mild steel plates by projectiles. *Latin American Journal of Solids and Structures*, 63-76.

David\*, N. V., Gao, X. L., & Zheng, J. Q. (2010). Constitutive behavior of a Twaron®/natural rubber composite. *Mechanics of Advanced Materials and Structures*, 17(4), 246-259.

Wen, H. M., & Sun, W. H. (2010). Transition of plugging failure modes for ductile metal plates under impact by flat-nosed projectiles#. *Mechanics based design of structures and machines*, 38(1), 86-104.

Srivatsan, T. S., Kuruvilla, M., & Park, L. (2010). A study at understanding the mechanisms governing the high cycle fatigue and final fracture behavior of the titanium alloy: Ti-4Al-2.5 V. *Materials Science and Engineering: A*, 527(3), 435-448.

Phoenix, S. L., Yavuz, A. K., & Porwal, P. K. (2010). New interference approach for ballistic impact into stacked flexible composite body armor. *AIAA journal*, 48(2), 490-501.

Iqbal, M. A., Chakrabarti, A., Beniwal, S., & Gupta, N. K. (2010). 3D numerical simulations of sharp nosed projectile impact on ductile targets. *International Journal of Impact Engineering*, 37(2), 185-195.

Grujicic, M., Bell, W. C., Arakere, G., He, T., Xie, X. C. B. A., & Cheeseman, B. A. (2010). Development of a meso-scale material model for ballistic fabric and its use in flexible-armor protection systems. *Journal of materials engineering and performance*, 19(1), 22-39.

Zhang, J., Wang, Y., Tang, M., Won, J., Valdez, J. A., & Sickafus, K. E. (2010). Order-to-disorder transformation in d-phase Sc<sub>4</sub>Zr<sub>3</sub>O<sub>12</sub> induced by light ion irradiation. *Journal of Materials Research*, 25(2), 248-254.

Zhang, X. F., & Li, Y. C. (2010). On the comparison of the ballistic performance of 10% zirconia toughened alumina and 95% alumina ceramic target. *Materials & Design*, 31(4), 1945-1952.

De Ruijter, C., Van Der Zwaag, S., Stolze, R., & Dingemans, T. J. (2010). Liquid crystalline matrix polymers for aramid ballistic composites. *Polymer composites*, 31(4), 612-619.

Strunin, V. A., Fedorychev, A. V., Gunin, S. V., Klyuchnikov, A. N., Milekhin, Y. M., & Manelis, G. B. (2010). Two-zone model for combustion of a composite solid propellant with a coolant. *Combustion, Explosion, and Shock Waves*, 46(3), 315-324.

Jena, P. K., Jagtap, N., Kumar, K. S., & Bhat, T. B. (2010). Some experimental studies on angle effect in penetration. *International journal of impact engineering*, 37(5), 489-501.

Jordan, J. B., & Naito, C. J. (2010). Calculating fragment impact velocity from penetration data. *International journal of impact engineering*, 37(5), 530-536.

Børvik, T., Hopperstad, O. S., & Pedersen, K. O. (2010). Quasi-brittle fracture during structural impact of AA7075-T651 aluminium plates. *International Journal of Impact Engineering*, 37(5), 537-551.

Wang, Y., Miao, Y., Swenson, D., Cheeseman, B. A., Yen, C. F., & LaMattina, B. (2010). Digital element approach for simulating impact and penetration of textiles. *International Journal of Impact Engineering*, 37(5), 552-560.

Feli, S., Aalegha, M. A., & Ahmadi, Z. (2010). A new analytical model of normal penetration of projectiles into the light-weight ceramic–metal targets. *International Journal of Impact Engineering*, 37(5), 561-567.

Forde, L. C., Proud, W. G., Walley, S. M., Church, P. D., & Cullis, I. G. (2010). Ballistic impact studies of a borosilicate glass. *International Journal of Impact Engineering*, 37(5), 568-578.

Babu, S., Balasubramanian, V., Reddy, G. M., & Balasubramanian, T. S. (2010). Improving the ballistic immunity of armour steel weldments by plasma transferred arc (PTA) hardfacing. *Materials & Design (1980-2015)*, 31(5), 2664-2669.

Soykasap, O., & Colakoglu, M. (2010). Ballistic performance of a Kevlar-29 woven fibre composite under varied temperatures. *Mechanics of Composite Materials*, 46(1), 35-42.

Holmes, G. A., Kim, J. H., Ho, D. L., & McDonough, W. G. (2010). The role of folding in the degradation of ballistic fibers. *Polymer composites*, 31(5), 879-886.

Buitrago, B. L., García-Castillo, S. K., & Barbero, E. (2010). Experimental analysis of perforation of glass/polyester structures subjected to high-velocity impact. *Materials Letters*, 64(9), 1052-1054.

Hassan, T. A., Rangari, V. K., & Jeelani, S. (2010). Synthesis, processing and characterization of shear thickening fluid (STF) impregnated fabric composites. *Materials Science and Engineering: A*, 527(12), 2892-2899.

Li, Z., Sun, B., & Gu, B. (2010). FEM simulation of 3D angle-interlock woven composite under ballistic impact from unit cell approach. *Computational Materials Science*, 49(1), 171-183.

Yong, M., Iannucci, L., & Falzon, B. G. (2010). Efficient modelling and optimisation of hybrid multilayered plates subject to ballistic impact. *International journal of impact engineering*, 37(6), 605-624.

Miranda, V., Teixeira-Dias, F., Pinho-da-Cruz, J., & Novo, F. (2010). The role of plastic deformation on the impact behaviour of high aspect ratio aluminium foam-filled sections. *International Journal of Non-Linear Mechanics*, 45(5), 550-561.

Lin, C. C., Huang, C. C., Lou, C. W., Hsieh, C. T., Lin, C. M., Chen, P., & Lin, J. H. (2010). Process and ballistic-resistant buffer effect of cushion composite layer made of three-dimensional crimped hollow fiber. *Journal of Reinforced Plastics and Composites*, 29(11), 1681-1687.

Balos, S., Grabulov, V., Sidjanin, L., Pantic, M., & Radisavljevic, I. (2010). Geometry, mechanical properties and mounting of perforated plates for ballistic application. *Materials & Design*, 31(6), 2916-2924.

Amini, M. R., Isaacs, J., & Nemat-Nasser, S. (2010). Investigation of effect of polyurea on response of steel plates to impulsive loads in direct pressure-pulse experiments. *Mechanics of Materials*, 42(6), 628-639.

Jena, P. K., Mishra, B., RameshBabu, M., Babu, A., Singh, A. K., SivaKumar, K., & Bhat, T. B. (2010). Effect of heat treatment on mechanical and ballistic properties of a high strength armour steel. *International journal of impact engineering*, 37(3), 242-249.

Dorogoy, A., Rittel, D., & Brill, A. (2010). A study of inclined impact in polymethylmethacrylate plates. *International Journal of Impact Engineering*, 37(3), 285-294.

Wadley, H. N., Dharmasena, K. P., He, M., McMeeking, R. M., Evans, A. G., Bui-Thanh, T., & Radovitzky, R. (2010). An active concept for limiting injuries caused by air blasts. *International Journal of Impact Engineering*, 37(3), 317-323.

Theobald, M. D., & Nurick, G. N. (2010). Experimental and numerical analysis of tube-core claddings under blast loads. *International Journal of Impact Engineering*, 37(3), 333-348.

Roland, C. M., Fragiadakis, D., & Gamache, R. M. (2010). Elastomer–steel laminate armor. *Composite structures*, 92(5), 1059-1064.

Ben Boubaker, B., Assidi, M., & Ganghoffer, J. F. (2010). Evaluation of Poisson's ratio of textiles from mesoscopic models. *International journal of material forming*, 3(1), 81-84.

Zhao, G., Cho, C., Lu, S., & Wang, Z. (2010). Experimental study on impact resistance properties of T300/epoxy composite laminates. *Journal of composite materials*, 44(7), 857-870.

Dong, Z., Manimala, J., & Sun, C. T. (2010). Mechanical behavior of silica nanoparticle-impregnated Kevlar fabrics. *Journal of Mechanics of Materials and Structures*, 5(4), 529-548.

Liu, S., Wang, J., Wang, Y., & Wang, Y. (2010). Improving the ballistic performance of ultra high molecular weight polyethylene fiber reinforced composites using conch particles. *Materials & Design*, 31(4), 1711-1715.

Jena, P. K., Mishra, B., Kumar, K. S., & Bhat, T. B. (2010). An experimental study on the ballistic impact behavior of some metallic armour materials against 7.62 mm deformable projectile. *Materials & Design*, 31(7), 3308-3316.

Zhen, L., Zou, D. L., Xu, C. Y., & Shao, W. Z. (2010). Microstructure evolution of adiabatic shear bands in AM60B magnesium alloy under ballistic impact. *Materials Science and Engineering: A*, 527(21-22), 5728-5733.

Gebhard, S., Peters, P. W. M., Roth-Fagaraseanu, D., Turley, F., & Voggenreiter, H. (2010). Particle impact damage in the gamma based TiAl alloy TNBV3B produced via three different processing routes. *Materials Science and Engineering: A*, 527(21-22), 5883-5891.

Santiuste, C., Sánchez-Sáez, S., & Barbero, E. (2010). A comparison of progressive-failure criteria in the prediction of the dynamic bending failure of composite laminated beams. *Composite Structures*, 92(10), 2406-2414.

Fancey, K. S. (2010). Viscoelastically prestressed polymeric matrix composites—Potential for useful life and impact protection. *Composites Part B: Engineering*, 41(6), 454-461.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2010). Effect of layering on ballistic properties of metallic shields against sharp-nosed rigid projectiles. *Engineering fracture mechanics*, 77(14), 2791-2799.

Børvik, T., Forrestal, M. J., & Warren, T. L. (2010). Perforation of 5083-H116 aluminum armor plates with ogive-nose rods and 7.62 mm APM2 bullets. *Experimental Mechanics*, 50(7), 969-978.

- Shen, J., Lu, G., Wang, Z., & Zhao, L. (2010). Experiments on curved sandwich panels under blast loading. *International Journal of Impact Engineering*, 37(9), 960-970.
- Zou, D. L., Zhen, L., Zhu, Y., Xu, C. Y., Shao, W. Z., & Pang, B. J. (2010). Deformed microstructure evolution in AM60B Mg alloy under hypervelocity impact at a velocity of 5 km s<sup>-1</sup>. *Materials & Design*, 31(8), 3708-3715.
- Forrestal, M. J., Børvik, T., & Warren, T. L. (2010). Perforation of 7075-T651 aluminum armor plates with 7.62 mm APM2 bullets. *Experimental Mechanics*, 50(8), 1245-1251.
- Hou, W., Zhu, F., Lu, G., & Fang, D. N. (2010). Ballistic impact experiments of metallic sandwich panels with aluminium foam core. *International journal of impact engineering*, 37(10), 1045-1055.
- Nilakantan, G., Keefe, M., Bogetti, T. A., & Gillespie Jr, J. W. (2010). Multiscale modeling of the impact of textile fabrics based on hybrid element analysis. *International Journal of Impact Engineering*, 37(10), 1056-1071.
- Tu, Z., & Lu, Y. (2010). Modifications of RHT material model for improved numerical simulation of dynamic response of concrete. *International Journal of Impact Engineering*, 37(10), 1072-1082.
- Prentice, H. J., Proud, W. G., Walley, S. M., & Field, J. E. (2010). The use of digital speckle radiography to study the ballistic deformation of a polymer bonded sugar (an explosive simulant). *International journal of impact engineering*, 37(11), 1113-1120.
- Parsons, E. M., Weerasooriya, T., Sarva, S., & Socrate, S. (2010). Impact of woven fabric: Experiments and mesostructure-based continuum-level simulations. *Journal of the Mechanics and Physics of Solids*, 58(11), 1995-2021.
- Xue, L., Mock Jr, W., & Belytschko, T. (2010). Penetration of DH-36 steel plates with and without polyurea coating. *Mechanics of materials*, 42(11), 981-1003.
- Trexler, M. M., & Thadhani, N. N. (2010). Mechanical properties of bulk metallic glasses. *Progress in Materials Science*, 55(8), 759-839.
- Hazell, P. J., Appleby-Thomas, G. J., Herlaar, K., & Painter, J. (2010). Inelastic deformation and failure of tungsten carbide under ballistic-loading conditions. *Materials Science and Engineering: A*, 527(29-30), 7638-7645.
- Chocron, S., Figueroa, E., King, N., Kirchdoerfer, T., Nicholls, A. E., Sagebiel, E., ... & Freitas, C. J. (2010). Modeling and validation of full fabric targets under ballistic impact. *Composites Science and Technology*, 70(13), 2012-2022.
- Grujicic, M., Pandurangan, B., He, T., Cheeseman, B. A., Yen, C. F., & Randow, C. L. (2010). Computational investigation of impact energy absorption capability of polyurea coatings via deformation-induced glass transition. *Materials Science and Engineering: A*, 527(29-30), 7741-7751.
- Do, J., Jeon, C., Nam, D. H., Kim, C. P., Song, Y. B., & Lee, S. (2010). Ballistic Properties of Zr-based Amorphous Alloy Surface Composites Fabricated by High-Energy Electron-Beam Irradiation. *Korean Journal of Metals and Materials*, 48(12), 1047-1055.

Cheng, M., Dionne, J. P., & Makris, A. (2010). On drop-tower test methodology for blast mitigation seat evaluation. *International Journal of Impact Engineering*, 37(12), 1180-1187.

Krishnan, K., Sockalingam, S., Bansal, S., & Rajan, S. D. (2010). Numerical simulation of ceramic composite armor subjected to ballistic impact. *Composites Part B: Engineering*, 41(8), 583-593.

Fu, K., Xu, H., Wang, Y., Liang, J., Wang, G., Li, S., & Zhang, J. (2010). Numerical simulation and experimental research on penetration of composite ceramic armor by rod projectile. *Journal of Wuhan University of Technology-Mater. Sci. Ed.*, 25(6), 1006-1010.

Xiao, X., Zhang, W., Wei, G., & Mu, Z. (2010). Effect of projectile hardness on deformation and fracture behavior in the Taylor impact test. *Materials & Design*, 31(10), 4913-4920.

Walter, T. R., Subhash, G., Sankar, B. V., & Yen, C. F. (2010). Monotonic and cyclic short beam shear response of 3D woven composites. *Composites Science and Technology*, 70(15), 2190-2197.

Sirakov, N. M., Suh, S. C., & Attardo, S. (2010). Automatic object identification using visual low level feature extraction and ontological knowledge. *Journal of Integrated Design and Process Science*, 14(2), 13-26.

Léchevin, N., & Rabbath, C. A. (2010). A hierarchical decision and information system for multi-aircraft combat missions. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 224(2), 133-148.

Borkar, V. G., Ghosh, A., Singh, R. K., & Chourasia, N. K. (2010). Radar cross-section measurement techniques. *Defence Science Journal*, 60(2), 204.

Nie, J. H., Hopkins, D. A., Chen, Y. T., & Hsieh, H. T. (2010). Development of an object-oriented finite element program with adaptive mesh refinement for multi-physics applications. *Advances in Engineering Software*, 41(4), 569-579.

Jussila, J. (2010). Validation of piezoelectric measurement system for weapon firing pin percussion energy. *Measurement*, 43(3), 415-420.

Wojtkiewicz, S. F., Khazanovich, L., Gaurav, G., & Velasquez, R. (2010). Probabilistic numerical simulation of pavement performance using MEPDG. *Road Materials and Pavement Design*, 11(2), 291-306.

Ou, Z., Ma, S., Hu, Z., Sun, X., & Liu, Z. (2010). In-situ characterization of non-aqueous nano-dispersion systems by freeze-etching TEM and comparative study with laser scattering method. *Journal of Wuhan University of Technology-Mater. Sci. Ed.*, 25(3), 432-436.

Kim, Y. H., Ryoo, C. K., & Tahk, M. J. (2010). Guidance synthesis for evasive maneuver of anti-ship missiles against close-in weapon systems. *IEEE Transactions on Aerospace and Electronic Systems*, 46(3), 1376-1388.

Lawson, S. J., & Barakos, G. N. (2010). Evaluation of DES for weapons bays in UCAVs. *Aerospace Science and Technology*, 14(6), 397-414.

Tiwary, K., Behera, S. K., Sharada, G., & Singh, A. (2010). Modelling and simulation of pseudolite-based navigation: A GPS-independent radio navigation system. *Defence Science Journal*, 60(5).

Wen, M., Chen, Y., & Kang, R. (2010). The Performance-Reliability Design with Uncertainty of Combining Randomness and Fuzziness. *Information-An International Interdisciplinary Journal*, 13(5), 1727-1735.

Coghe, F., Nsiampa, N., Rabet, L., & Dyckmans, G. (2010). Experimental and numerical investigations on the origins of the bodywork effect (K-Effect). *Journal of applied mechanics*, 77(5).

Houim, R. W., & Kuo, K. K. (2010). Understanding interior ballistic processes in a flash tube. *Journal of applied mechanics*, 77(5).

Zhang, X. B., & Wang, Y. Z. (2010). Analysis of dynamic characteristics for rarefaction wave gun during the launching. *Journal of applied mechanics*, 77(5).

Mishra, A., Hameed, A., & Lawton, B. (2010). Transient thermal analyses of midwall cooling and external cooling methods for a gun barrel. *Journal of heat transfer*, 132(9).

Zhou, S., & Zhang, X. (2010). Nuclear energy development in China: a study of opportunities and challenges. *Energy*, 35(11), 4282-4288.

Fan, C. Y., Fan, P. S., & Chang, P. C. (2010). A system dynamics modeling approach for a military weapon maintenance supply system. *International Journal of Production Economics*, 128(2), 457-469.

Risby, M. S., & Hamouda, A. M. S. (2011). Modeling ballistic impact on textile materials. *Computer Technology for Textiles and Apparel*, 146-172.

Vidal-Sallé, E., & Hivet, G. (2011). Mesoscopic approaches for understanding the mechanical behaviour of reinforcements in composites. In *Composite Reinforcements for Optimum Performance* (pp. 486-528). Woodhead Publishing.

Sasikumar, Y., Karthega, M., & Rajendran, N. (2011). In vitro bioactivity of surface-modified  $\beta$ -Ti alloy for biomedical applications. *Journal of materials engineering and performance*, 20(7), 1271-1277.

Santiuste, C., Thomsen, O. T., & Frostig, Y. (2011). Thermo-mechanical load interactions in foam cored axi-symmetric sandwich circular plates—High-order and FE models. *Composite Structures*, 93(2), 369-376.

Feli, S., Yas, M. H., & Asgari, M. R. (2011). An analytical model for perforation of ceramic/multi-layered planar woven fabric targets by blunt projectiles. *Composite Structures*, 93(2), 548-556.

Barcikowski, M., & Semczyszyn, B. (2011). Impact damage in polyester-matrix glass fibre-reinforced composites. Part I. Impact damage extent. *Kompozyty*, 11(3), 230-234.

Barcikowski, M., & Semczyszyn, B. (2011). Impact damage in polyester-matrix glass fibre-reinforced composites. Part II. Residual load bearing abilities. *Kompozyty*, 11(3), 235-239.

Rimdusit, S., Pathomsap, S., Kasemsiri, P., Jubsilp, C., & Tiptipakorn, S. (2011). Kevlar TM fiber-reinforced polybenzoxazine alloys for ballistic impact application. *Engineering Journal*, 15(4), 23-40.

Zaera, R. (2011). Ballistic impacts on polymer matrix composites, composite armor, personal armor. In *Impact engineering of composite structures* (pp. 305-403). Springer, Vienna.

Gawandi, A., Thostenson, E. T., & Gillespie, J. W. (2011). Tow pullout behavior of polymer-coated Kevlar fabric. *Journal of Materials Science*, 46(1), 77-89.

Morka, A., & Jackowska, B. (2011). Ballistic resistance of the carbon nanotube fibres reinforced composites—numerical study. *Computational Materials Science*, 50(4), 1244-1249.

Kolla, H. H., Mishra, B., Jena, P. K., Siva Kumar, K., Bhat, T. B., Srinivas, M., & Reddy, A. V. (2011). Development of an ultrahigh strength low alloy steel for armour applications. *Materials Science and Technology*, 27(2), 551-555.

Hur, J. W. (2011). A study on the ballistic damage tolerance design of aircraft structure from armor piercing bullet hits. *International Journal of Precision Engineering and Manufacturing*, 12(1), 85-90.

Forster, A. L., Pintus, P., Messin, G. H., Riley, M. A., Petit, S., Rossiter, W., ... & Rice, K. D. (2011). Hydrolytic stability of polybenzobisoxazole and polyterephthalamide body armor. *Polymer degradation and stability*, 96(2), 247-254.

García-Castillo, S. K., Buitrago, B. L., & Barbero, E. (2011). Behavior of sandwich structures and spaced plates subjected to high-velocity impacts. *Polymer Composites*, 32(2), 290-296.

Dean, J., S-fallah, A., Brown, P. M., Louca, L. A., & Clyne, T. W. (2011). Energy absorption during projectile perforation of lightweight sandwich panels with metallic fibre cores. *Composite Structures*, 93(3), 1089-1095.

Shariati, S. K., & Mogadas, S. M. (2011). Vibration analysis of submerged submarine pressure hull. *Journal of vibration and acoustics*, 133(1).

Balakrishnan, M., Balasubramanian, V., Reddy, G. M., & Sivakumar, K. (2011). Effect of buttering and hardfacing on ballistic performance of shielded metal arc welded armour steel joints. *Materials & Design*, 32(2), 469-479.

Nia, A. A., & Hoseini, G. R. (2011). Experimental study of perforation of multi-layered targets by hemispherical-nosed projectiles. *Materials & Design*, 32(2), 1057-1065.

Wang, Z. H., Ning, J. G., Zhao, L. M., & Yang, G. T. (2011). Experimental investigation on deformation and failure of metallic sandwich panels under blast loading. *Materials Research Innovations*, 15(sup1), s101-s98.

Zakir, S. M., Li, Y. L., & Suo, T. (2011). Numerical prediction of projectile residual velocity after penetration of reinforced concrete with different reinforcing bar arrangements. *Materials Research Innovations*, 15(sup1), s191-s194.

Dong, S. L., Ye, Z. Y., Geng, H. B., Zhang, H., Zou, Y., Yang, D. Z., ... & Han, E. H. (2011). Damage of Ti-6Al-4V alloy induced by hypervelocity impact. *Journal of Spacecraft and Rockets*, 48(2), 256-265.

Chang, H., Binner, J., Higginson, R., Myers, P., Webb, P., & King, G. (2011). High strain rate characteristics of 3-3 metal–ceramic interpenetrating composites. *Materials Science and Engineering: A*, 528(6), 2239-2245.

Yang, Y., Li, X. M., Tong, X. L., Zhang, Q. M., & Xu, C. Y. (2011). Effects of microstructure on the adiabatic shearing behaviors of titanium alloy. *Materials Science and Engineering: A*, 528(7-8), 3130-3133.

Akçay, M., & Yükselen, M. A. (2011). Flow of power-law fluids over a moving wedge surface with wall mass injection. *Archive of Applied Mechanics*, 81(1), 65-76.

Jiang, L., Guan, M. Q., Li, X. J., & Liao, H. H. (2011). High rotating speed projectile penetrating into moving vehicle door at different incident angle. *Theoretical and applied fracture mechanics*, 55(2), 113-117.

Gama, B. A., & Gillespie Jr, J. W. (2011). Finite element modeling of impact, damage evolution and penetration of thick-section composites. *International Journal of Impact Engineering*, 38(4), 181-197.

Radchenko, A., & Radchenko, P. (2011). Numerical modeling of development of fracture in anisotropic composite materials at low-velocity loading. *Journal of Materials Science*, 46(8), 2720-2725.

Wood, P. K. C., Schley, C. A., Williams, M. A., & Rusinek, A. (2011). A model to describe the high rate performance of self-piercing riveted joints in sheet aluminium. *Materials & Design*, 32(4), 2246-2259.

Nishikawa, M., Hemmi, K., & Takeda, N. (2011). Finite-element simulation for modeling composite plates subjected to soft-body, high-velocity impact for application to bird-strike problem of composite fan blades. *Composite Structures*, 93(5), 1416-1423.

Fontenot, R. S., Hollerman, W. A., & Goedeke, S. M. (2011). Initial evidence of a triboluminescent wavelength shift for ZnS: Mn caused by ballistic impacts. *Materials Letters*, 65(7), 1108-1110.

Sullivan, A., Derry, C., Robson, J. D., Horsfall, I., & Prangnell, P. B. (2011). Microstructure simulation and ballistic behaviour of weld zones in friction stir welds in high strength aluminium 7xxx plate. *Materials Science and Engineering: A*, 528(9), 3409-3422.

Popović, Z. P., Milošević, I., & Damnjanović, M. (2011). Conductivity of pentaheptite and mechanically deformed carbon nanotubes. *Materials Science and Engineering: B*, 176(6), 494-496.

Grujicic, M., Pandurangan, B., Bell, W. C., Cheeseman, B. A., Yen, C. F., & Randow, C. L. (2011). Molecular-level simulations of shock generation and propagation in polyurea. *Materials Science and Engineering: A*, 528(10-11), 3799-3808.

Chen, M. M. (2011). Analytical approach to ballistic dispersion of projectile weapons based on variant launch velocity. *Journal of applied mechanics*, 78(3).

Giglio, M., & Manes, A. (2011). Terminal ballistic effect on the crack growth assessment of a helicopter rotor drive. *Engineering fracture mechanics*, 78(8), 1542-1554.

Ha-Minh, C., Kanit, T., Boussu, F., & Imad, A. (2011). Numerical multi-scale modeling for textile woven fabric against ballistic impact. *Computational Materials Science*, 50(7), 2172-2184.

Tan, P., Lee, B., & Tsangalis, C. (2011). Finite element analysis of sandwich panels subjected to shock tube blast loadings. *Journal of Sandwich Structures & Materials*, 13(3), 263-278.

Meitzler, T. J., Reynolds, T., Ebenstein, S., & Smith, G. (2011). Evaluating the Stability of a Metric for Determining the Health of Armor Plates. *Materials evaluation*, 69(5), 597-601.



Byskov-Nielsen, J., Savolainen, J. M., Christensen, M. S., & Balling, P. (2011). Ultra-short pulse laser ablation of copper, silver and tungsten: experimental data and two-temperature model simulations. *Applied Physics A*, 103(2), 447-453.

Ong, C. W., Boey, C. W., Hixson, R. S., & Sinibaldi, J. O. (2011). Advanced layered personnel armor. *International Journal of Impact Engineering*, 38(5), 369-383.

Jia, X., Sun, B., & Gu, B. (2011). Ballistic penetration of conically cylindrical steel projectile into 3D orthogonal woven composite: a finite element study at microstructure level. *Journal of Composite Materials*, 45(9), 965-987.

Xiao, X., Zhang, W., Wei, G., Mu, Z., & Guo, Z. (2011). Experimental and numerical investigation on the deformation and failure behavior in the Taylor test. *Materials & Design*, 32(5), 2663-2674.

Do, J., Jeon, C., Nam, D. H., Kim, C. P., Song, Y. B., & Lee, S. (2011). Correlation of microstructure and ballistic performance of multilayered Zr-based amorphous surface composites fabricated by high-energy electron-beam irradiation. *Metallurgical and Materials Transactions A*, 42(5), 1191-1204.

Berns, H., Riedner, S., Gavriljuk, V., Petrov, Y., & Weihrauch, A. (2011). Microstructural changes in high interstitial stainless austenitic steels due to ballistic impact. *Materials Science and Engineering: A*, 528(13-14), 4669-4675.

Iqbal, M. A., & Gupta, N. K. (2011). Ballistic limit of single and layered aluminium plates. *Strain*, 47, e205-e219.

Ryan, S., Bjorkman, M., & Christiansen, E. L. (2011). Whipple shield performance in the shatter regime. *International Journal of Impact Engineering*, 38(6), 504-510.

Piekutowski, A. J., Poormon, K. L., Christiansen, E. L., & Davis, B. A. (2011). Performance of Whipple shields at impact velocities above 9 km/s. *International Journal of Impact Engineering*, 38(6), 495-503.

Feli, S., & Asgari, M. R. (2011). Finite element simulation of ceramic/composite armor under ballistic impact. *Composites Part B: Engineering*, 42(4), 771-780.

Kim, Y. S., Davis, R., Cain, A. A., & Grunlan, J. C. (2011). Development of layer-by-layer assembled carbon nanofiber-filled coatings to reduce polyurethane foam flammability. *Polymer*, 52(13), 2847-2855.

Zhu, D., Soranakom, C., Mobasher, B., & Rajan, S. D. (2011). Experimental study and modeling of single yarn pull-out behavior of kevlar® 49 fabric. *Composites part A: Applied Science and manufacturing*, 42(7), 868-879.

Stenzler, J. S., & Goulbourne, N. C. (2011). The effect of polyacrylate microstructure on the impact response of PMMA/PC multi-laminates. *International journal of impact engineering*, 38(7), 567-576.

Grady, D. E. (2011). Adiabatic shear failure in brittle solids. *International journal of impact engineering*, 38(7), 661-667.

Cui, F., Sun, B., & Gu, B. (2011). Fiber inclination model for finite element analysis of three-dimensional angle interlock woven composite under ballistic penetration. *Journal of Composite Materials*, 45(14), 1499-1509.

- Zhu, F., Chou, C. C., & Yang, K. H. (2011). Shock enhancement effect of lightweight composite structures and materials. *Composites Part B: Engineering*, 42(5), 1202-1211.
- Savio, S. G., Ramanjaneyulu, K., Madhu, V., & Bhat, T. B. (2011). An experimental study on ballistic performance of boron carbide tiles. *International Journal of Impact Engineering*, 38(7), 535-541.
- Børvik, T., Olovsson, L., Dey, S., & Langseth, M. (2011). Normal and oblique impact of small arms bullets on AA6082-T4 aluminium protective plates. *International Journal of Impact Engineering*, 38(7), 577-589.
- Chen, X. W., Huang, X. L., & Liang, G. J. (2011). Comparative analysis of perforation models of metallic plates by rigid sharp-nosed projectiles. *International journal of impact engineering*, 38(7), 613-621.
- Grujicic, M., Glomski, P. S., Pandurangan, B., Bell, W. C., Yen, C. F., & Cheeseman, B. A. (2011). Multi-length scale computational derivation of Kevlar® yarn-level material model. *Journal of materials science*, 46(14), 4787-4802.
- Sánchez-Sáez, S., Barbero, E., & Cirne, J. (2011). Experimental study of agglomerated-cork-cored structures subjected to ballistic impacts. *Materials Letters*, 65(14), 2152-2154.
- Chang, H., Binner, J., Higginson, R., Myers, P., Webb, P., & King, G. (2011). Preparation and characterisation of ceramic-faced metal–ceramic interpenetrating composites for impact applications. *Journal of materials science*, 46(15), 5237-5244.
- Grujicic, M., Bell, W. C., Pandurangan, B., & Glomski, P. S. (2011). Fluid/structure interaction computational investigation of blast-wave mitigation efficacy of the advanced combat helmet. *Journal of Materials Engineering and Performance*, 20(6), 877-893.
- Ávila, A. F., Neto, A. S., & Junior, H. N. (2011). Hybrid nanocomposites for mid-range ballistic protection. *International Journal of Impact Engineering*, 38(8-9), 669-676.
- Sabet, A., Fagih, N., & Beheshty, M. H. (2011). Effect of reinforcement type on high velocity impact response of GRP plates using a sharp tip projectile. *International Journal of Impact Engineering*, 38(8-9), 715-722.
- Mondal, C., Mishra, B., Jena, P. K., Kumar, K. S., & Bhat, T. B. (2011). Effect of heat treatment on the behavior of an AA7055 aluminum alloy during ballistic impact. *International Journal of Impact Engineering*, 38(8-9), 745-754.
- Chocron, S., Erice, B., & Anderson, C. E. (2011). A new plasticity and failure model for ballistic application. *International Journal of Impact Engineering*, 38(8-9), 755-764.
- Ivañez, I., Santiuste, C., Barbero, E., & Sanchez-Saez, S. (2011). Numerical modelling of foam-cored sandwich plates under high-velocity impact. *Composite structures*, 93(9), 2392-2399.
- Huang, J., Durden, H., & Chowdhury, M. (2011). Bio-inspired armor protective material systems for ballistic shock mitigation. *Materials & Design*, 32(7), 3702-3710.
- Zheng, L., Wang, B., Feng, B., Gao, C., & Yuan, J. (2011). Experimental study on trepanning drilling of the ceramic composite armor using a sintering diamond tool. *The International Journal of Advanced Manufacturing Technology*, 56(5), 421-427.

Potirniche, G. P., Pascu, A., Shoemaker, N., Wang, P. T., Horstemeyer, M. F., Stillman, D., & Lin, T. L. (2011). A visco-hyperelastic model for the thermo-mechanical behavior of polymer fibers. *International Journal of Damage Mechanics*, 20(7), 1002-1020.

Binienda, W. K., & Goldberg, R. K. (2011). Dynamic testing and characterization of woven/braided polymer composites: a review. *Applied Mechanics Reviews*, 64(5).

Maysless, M. (2011). Effectiveness of explosive reactive armor. *Journal of Applied Mechanics*, 78(5).

Zhang, W., Wu, C., Yang, W., Xu, S., & Ren, S. (2011). Research on the fragment impact resistance of a composite mast. *Journal of Marine Science and Application*, 10(3), 300-305.

Erice, B., Gálvez, F., Cendón, D. A., Sánchez-Gálvez, V., & Børvik, T. (2011). An experimental and numerical study of ballistic impacts on a turbine casing material at varying temperatures. *Journal of applied mechanics*, 78(5).

Hisley, D. M., Gurganus, J. C., & Drysdale, A. W. (2011). Experimental methodology using digital image correlation to assess ballistic helmet blunt trauma. *Journal of applied mechanics*, 78(5).

Holmquist, T. J., & Johnson, G. R. (2011). A computational constitutive model for glass subjected to large strains, high strain rates and high pressures. *Journal of Applied Mechanics*, 78(5).

Luo, Q., & Zhang, X. (2011). Research for a projectile positioning structure for stacked projectile weapons. *Journal of applied mechanics*, 78(5).

Nussbaum, J., Helluy, P., Herard, J. M., & Baschung, B. (2011). Multi-dimensional two-phase flow modeling applied to interior ballistics. *Journal of Applied Mechanics*, 78(5).

Song, B., Park, H., Lu, W. Y., & Chen, W. (2011). Transverse impact response of a linear elastic ballistic fiber yarn. *Journal of Applied mechanics*, 78(5).

Appleby-Thomas, G. J., Hazell, P. J., & Dahini, G. (2011). On the response of two commercially-important CFRP structures to multiple ice impacts. *Composite Structures*, 93(10), 2619-2627.

Yin, H., Wen, G., Hou, S., & Chen, K. (2011). Crushing analysis and multiobjective crashworthiness optimization of honeycomb-filled single and bitubular polygonal tubes. *Materials & Design*, 32(8-9), 4449-4460.

Xia, W., Adeeb, S. M., & Nadler, B. (2011). Ballistic performance study of fabric armor based on numerical simulations with multiscale material model. *International journal for numerical methods in engineering*, 87(10), 1007-1024.

Yang, Y., Zheng, H. G., Zhao, Z. D., Zhang, Q., Zhang, Q. M., Jiang, F., & Li, X. M. (2011). Effect of phase composition on self-organization of shear bands in Ti-1300 titanium alloy. *Materials Science and Engineering: A*, 528(25-26), 7506-7513.

Grujicic, M., Bell, W. C., Pandurangan, B., Cheeseman, B. A., Fountzoulas, C., Patel, P., ... & Bishnoi, K. D. (2011). The effect of high-pressure densification on ballistic-penetration resistance of a soda-lime glass. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 225(4), 298-315.

Messin, G. H., Rice, K. D., Riley, M. A., Watson, S. S., Sieber, J. R., & Forster, A. L. (2011). Effect of moisture on copolymer fibers based on 5-amino-2-(p-aminophenyl)-benzimidazole. *Polymer degradation and stability*, 96(10), 1847-1857.

Grujicic, M., Arakere, G., Yen, C. F., & Cheeseman, B. A. (2011). Computational investigation of hardness evolution during friction-stir welding of AA5083 and AA2139 aluminum alloys. *Journal of Materials Engineering and Performance*, 20(7), 1097-1108.

Grujicic, M., Bell, W. C., Glomski, P. S., Pandurangan, B., Cheeseman, B. A., Fountzoulas, C., & Patel, P. (2011). Multi-length scale modeling of high-pressure-induced phase transformations in soda-lime glass. *Journal of Materials Engineering and Performance*, 20(7), 1144-1156.

Vu, X. H., Daudeville, L., & Malecot, Y. (2011). Effect of coarse aggregate size and cement paste volume on concrete behavior under high triaxial compression loading. *Construction and Building Materials*, 25(10), 3941-3949.

Dorogoy, A., Rittel, D., & Brill, A. (2011). Experimentation and modeling of inclined ballistic impact in thick polycarbonate plates. *International Journal of Impact Engineering*, 38(10), 804-814.

Rümmeli, M. H., Rocha, C. G., Ortmann, F., Ibrahim, I., Sevincli, H., Börrnert, F., ... & Cuniberti, G. (2011). Graphene: Piecing it together. *Advanced Materials*, 23(39), 4471-4490.

Grujicic, M., Pandurangan, B., Bell, W. C., Yen, C. F., & Cheeseman, B. A. (2011). Application of a dynamic-mixture shock-wave model to the metal-matrix composite materials. *Materials Science and Engineering: A*, 528(28), 8187-8197.

Venugopal, S., Ramanujachari, V., & Rajesh, K. K. (2011). Aeronautics & Flight Mechanics-Design and Testing of Lab-scale Red Fuming Nitric Acid/Hydroxyl-terminated Polybutadiene Hybrid Rocket Motor for Studying Regression Rate. *Defence Science Journal*, 61(6), 515.

Gao, C., & Yuan, J. (2011). Efficient drilling of holes in Al<sub>2</sub>O<sub>3</sub> armor ceramic using impregnated diamond bits. *Journal of Materials Processing Technology*, 211(11), 1719-1728.

Grujicic, M., Pandurangan, B., Bell, W. C., Cheeseman, B. A., Patel, P., & Gazonas, G. A. (2011). Molecular-level analysis of shock-wave physics and derivation of the Hugoniot relations for soda-lime glass. *Journal of materials science*, 46(22), 7298-7312.

Perez-Bergquist, S. J., Gray III, G. R., Cerreta, E. K., Trujillo, C. P., & Perez-Bergquist, A. (2011). The dynamic and quasi-static mechanical response of three aluminum armor alloys: 5059, 5083 and 7039. *Materials Science and Engineering: A*, 528(29-30), 8733-8741.

Lomakin, E. V., Mossakovsky, P. A., Bragov, A. M., Lomunov, A. K., Konstantinov, A. Y., Kolotnikov, M. E., ... & Vakshtein, M. S. (2011). Investigation of impact resistance of multilayered woven composite barrier impregnated with the shear thickening fluid. *Archive of applied mechanics*, 81(12), 2007-2020.

Hui, D., & Dutta, P. K. (2011). A new concept of shock mitigation by impedance-graded materials. *Composites Part B: Engineering*, 42(8), 2181-2184.

Shepherd, C. J., Appleby-Thomas, G. J., Wilgeroth, J. M., Hazell, P. J., & Allsop, D. F. (2011). On the response of ballistic soap to one-dimensional shock loading. *International journal of impact engineering*, 38(12), 981-988.

Guiwu, L., Changye, N., Qiangwei, X., Feng, J., Guanjun, Q., & Tianjian, L. (2011). Preparation and interface structures of metal-encased SiC composite armors with interpenetrating structure. *Rare Metal Materials and Engineering*, 40(12), 2076-2079.

Hogan, J. D., Spray, J. G., Rogers, R. J., Boonsue, S., Vincent, G., & Schneider, M. (2011). Micro-scale energy dissipation mechanisms during dynamic fracture in natural polyphase ceramic blocks. *International Journal of Impact Engineering*, 38(12), 931-939.

Collins, A. L., Addiss, J. W., Walley, S. M., Promratana, K., Bobaru, F., Proud, W. G., & Williamson, D. M. (2011). The effect of rod nose shape on the internal flow fields during the ballistic penetration of sand. *International Journal of Impact Engineering*, 38(12), 951-963.

Wen, H. M., He, Y., & Lan, B. (2011). A combined numerical and theoretical study on the penetration of a jacketed rod into semi-infinite targets. *International Journal of Impact Engineering*, 38(12), 1001-1010.

Flores-Johnson, E. A., Saleh, M., & Edwards, L. (2011). Ballistic performance of multi-layered metallic plates impacted by a 7.62-mm APM2 projectile. *International Journal of Impact Engineering*, 38(12), 1022-1032.

Babaei, B., Shokrieh, M. M., & Daneshjou, K. (2011). The ballistic resistance of multi-layered targets impacted by rigid projectiles. *Materials Science and Engineering: A*, 530, 208-217.

Prentice, H. J., Proud, W. G., Walley, S. M., & Field, J. E. (2011). Optical techniques for the investigation of the ballistic impact of thin plates. *International journal of impact engineering*, 38(11), 849-863.

Anderson Jr, C. E., Behner, T., Holmquist, T. J., & Orphal, D. L. (2011). Penetration response of silicon carbide as a function of impact velocity. *International journal of impact engineering*, 38(11), 892-899.

Nilakantan, G., Keefe, M., Wetzel, E. D., Bogetti, T. A., & Gillespie Jr, J. W. (2011). Computational modeling of the probabilistic impact response of flexible fabrics. *Composite Structures*, 93(12), 3163-3174.

Hamburger, P., Miskimens, D., & Truver, S. (2011). It is not just hardware and software, anymore! Human systems integration in US submarines. *Naval Engineers Journal*, 123(4), 41-50.

Rece, D., & Stancu, I. (2011). Alternative anti money laundering solutions in emerging payment platforms. *Metalurgia International*, 16(10), 134.

Gibson, J. P., & Yanek, S. P. (2011). The Fleet Ballistic Missile Strategic Weapon System: APL's Efforts for the US Navy's Strategic Deterrent System and the Relevance to

Maini, A. K., Verma, A. L., & Agrawal, V. (2011). Target simulator for serviceability check of infrared-guided missiles. *Journal of Spacecraft and Rockets*, 48(1), 175-181.

Wright, J., & Costello, M. (2011). Use of ground-based signals of opportunity for smart projectile navigation. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 225(1), 63-76.

Pincevičius, A., Jonevičius, V., & Baušys, R. (2011). External ballistics task modelling features. *Aviation*, 15(4), 112-116.

Janzon, B., & Ostmark, H. (2011). Recent advances in energetic materials in Sweden, especially at the FOI. *International Journal of Energetic Materials and Chemical Propulsion*, 10(3).

Walsh, M. E., Walsh, M. R., Taylor, S., Douglas, T. A., Collins, C. M., & Ramsey, C. A. (2011). Accumulation of propellant residues in surface soils of military training range firing points. *International Journal of Energetic Materials and Chemical Propulsion*, 10(5).

Chu, P. C., Bushnell, J. M., Fan, C., & Watson, K. P. (2011). Modeling of underwater bomb trajectory for mine clearance. *The Journal of Defense Modeling and Simulation*, 8(1), 25-36.

Lucas, M. T., & Kirillova, O. M. (2011). Reconciling the resource-based and competitive positioning perspectives on manufacturing flexibility. *Journal of Manufacturing Technology Management*.

Collette, M. (2011). Hull structures as a system: supporting lifecycle analysis. *Naval Engineers Journal*, 123(3), 45-55.

Peterson, G. R. (2011). Advanced remediation technologies for the disposition of the department of energy's radioactive tank waste. *Technology & Innovation*, 13(2), 99-105.

Kalita, S. J. (2011). Microstructure and corrosion properties of diode laser melted friction stir weld of aluminum alloy 2024 T351. *Applied Surface Science*, 257(9), 3985-3997.

Lawson, S. J., & Barakos, G. N. (2011). Review of numerical simulations for high-speed, turbulent cavity flows. *Progress in Aerospace Sciences*, 47(3), 186-216.

Rui, X., Rong, B., Wang, G., & He, B. (2011). Discrete time transfer matrix method for dynamics analysis of complex weapon systems. *Science China Technological Sciences*, 54(5), 1061-1071.

Skennerton, C. T., Angly, F. E., Breitbart, M., Bragg, L., He, S., McMahon, K. D., ... & Tyson, G. W. (2011). Phage encoded H-NS: a potential achilles heel in the bacterial defence system. *PLoS one*, 6(5), e20095.

Hong, J. H., Seo, K. M., Seok, M. G., & Kim, T. G. (2011). Interoperation between engagement-and engineering-level models for effectiveness analyses. *The Journal of Defense Modeling and Simulation*, 8(3), 143-155.

Seo, K. M., Song, H. S., Kwon, S. J., & Kim, T. G. (2011). Measurement of effectiveness for an anti-torpedo combat system using a discrete event systems specification-based underwater warfare simulator. *The Journal of Defense Modeling and Simulation*, 8(3), 157-171.

Kim, J. H., Choi, C. B., & Kim, T. G. (2011). Battle experiments of naval air defense with discrete event system-based mission-level modeling and simulations. *The Journal of Defense Modeling and Simulation*, 8(3), 173-187.

Gkritzapis, D. N., & Panagiotopoulos, E. E. (2011). In-Bore Yaw Effects on Lateral Throw-off and Aerodynamic Jump Behavior for Small Caliber Projectiles Firing Sidewise From Air Vehicles. *Journal of applied mechanics*, 78(5).

Ma, C., & Zhang, X. (2011). Simulation of contamination prevention for optical window in laser ignition systems of large-caliber guns. *Journal of applied mechanics*, 78(5).

Jun, J., Choi, M., Lee, J., Seo, J., & Shin, K. (2011). Nondestructive testing of express train wheel using the linearly integrated Hall sensors array on a curved surface. *NDT & E International*, 44(5), 449-455.

Cayzac, R., Carette, E., Alziary de Roquefort, T., Renard, F. X., Roux, D., Balbo, P., & Patry, J. N. (2011). Computational fluid dynamics and experimental validations of the direct coupling between interior, Intermediate and Exterior Ballistics Using the Euler Equations.

Browning, P. H., Cain, R., LaBarbara, K., Huebsch, W., & Wilhelm, J. (2011). An experimental investigation of the transient effects associated with wing deployment during ballistic flight. *SAE International Journal of Aerospace*, 4(2).

Rehman, H., Chung, H., Joung, T., Suwono, A., & Jeong, H. (2011). CFD analysis of sound pressure in tank gun muzzle silencer. *Journal of Central South University of Technology*, 18(6), 2015-2020.

Johnson, O. K., Gardner, C. J., Seegmiller, D. B., Mara, N. A., Dattelbaum, A. M., Rae, P. J., ... & Hansen, G. (2011). Multiscale model for the extreme piezoresistivity in silicone/nickel nanostrand nanocomposites. *Metallurgical and Materials Transactions A*, 42(13), 3898-3906.

Dragan, K., & Leski, A. (2012). Failure of polymer matrix composites in defence applications. In *Failure Mechanisms in Polymer Matrix Composites* (pp. 279-299). Woodhead Publishing.

Esfahani, J. M., Esfandeh, M., & Sabet, A. R. (2012). Effect of nanoclay on quasi static perforation of thin-walled polymer composite laminates. *Polymers and Polymer Composites*, 20(8), 737-748.

Cánovas, M. F., & Gaitan, V. H. (2012). Behavior of steel fiber high strength concrete under impact of projectiles. *Materiales de Construcción*, 62(307), 381-396.

Taylor, D. J. (2012). Explosively-Clad, Refractory Metal Liners for Small Caliber Machinegun Barrels. *Materials and Manufacturing Processes*, 27(8), 825-828.

Hespos, M. R. (2012). M2 Machine Gun Barrel Wear with SLAP Ammunition. *Materials and Manufacturing Processes*, 27(8), 869-874.

Esfahani, J. M., Esfandeh, M., & Sabet, A. R. (2012). Analytical models versus experimental results for composites containing nanoclay as secondary reinforcement under high velocity impact. *International Journal of Crashworthiness*, 17(4), 430-444.

Gogineni, S., Gao, X. L., David, N. V., & Zheng, J. Q. (2012). Ballistic impact of Twaron CT709® plain weave fabrics. *Mechanics of Advanced Materials and Structures*, 19(6), 441-452.

Ali, A., Abbud, L. H., Talib, A. A., & Mustapha, F. (2012). Impact Resistance of Armor Composite Made of Kevlar29 and Al<sub>2</sub>O<sub>3</sub> Powder. *Materials Testing*, 54(3), 169-174.

Torki, A. M., Stojanović, D. B., Živković, I. D., Marinković, A., Škapin, S. D., Uskoković, P. S., & Aleksić, R. R. (2012). The viscoelastic properties of modified thermoplastic impregnated multiaxial aramid fabrics. *Polymer Composites*, 33(1), 158-168.

García-Castillo, S. K., Sánchez-Sáez, S., & Barbero, E. (2012). Nondimensional analysis of ballistic impact on thin woven laminate plates. *International Journal of Impact Engineering*, 39(1), 8-15.

- Lee, B. W., & Kim, C. G. (2012). Computational analysis of shear thickening fluid impregnated fabrics subjected to ballistic impacts. *Advanced composite materials*, 21(2), 177-192.
- Dateraksa, K., Sujirote, K., McCuiston, R., & Atong, D. (2012). Ballistic performance of ceramic/S 2-glass composite armor. *Journal of Metals, Materials and Minerals*, 22(2).
- Nilakantan, G., Keefe, M., Wetzel, E. D., Bogetti, T. A., & Gillespie Jr, J. W. (2012). Effect of statistical yarn tensile strength on the probabilistic impact response of woven fabrics. *Composites Science and Technology*, 72(2), 320-329.
- Yang, Y., Li, X., Xu, C., Zhang, L., Zhang, Q., & Tong, X. (2012). Effects of two different dynamic loading conditions on spall and damage of 7075 aluminum alloy. *Journal of materials engineering and performance*, 21(2), 197-201.
- Bourne, N. K. (2012). On the failure and dynamic performance of materials. *Experimental mechanics*, 52(2), 153-159.
- Appleby-Thomas, G. J., Hazell, P. J., & Cleave, R. (2012). Penetration mechanisms in glass laminate/resin structures. *Materials & Design*, 34, 541-551.
- Grujicic, M., Bell, W. C., & Pandurangan, B. (2012). Design and material selection guidelines and strategies for transparent armor systems. *Materials & Design*, 34, 808-819.
- Zhang, Y., Jiang, L., Sun, B., & Gu, B. (2012). Transverse impact behaviors of four-step 3-D rectangular braided composites from unit-cell approach. *Journal of Reinforced Plastics and Composites*, 31(4), 233-246.
- Scapin, M., Peroni, L., & Peroni, M. (2012). Parameters identification in strain-rate and thermal sensitive visco-plastic material model for an alumina dispersion strengthened copper. *International journal of impact engineering*, 40, 58-67.
- Talib, A. A., Abbud, L. H., Ali, A., & Mustapha, F. (2012). Ballistic impact performance of Kevlar-29 and Al<sub>2</sub>O<sub>3</sub> powder/epoxy targets under high velocity impact. *Materials & Design*, 35, 12-19.
- Wu, Q. G., Wen, H. M., Qin, Y., & Xin, S. H. (2012). Perforation of FRP laminates under impact by flat-nosed projectiles. *Composites Part B: Engineering*, 43(2), 221-227.
- Chiu, W. K., Zhou, Z., Wang, J., & Baker, A. (2012). Battle damage repair of a helicopter composite main rotor blade. *Composites Part B: Engineering*, 43(2), 739-753.
- Nayak, N., Sivaraman, P., Banerjee, A., Madhu, V., Dutta, A. L., Mishra, V. S., & Chakraborty, B. C. (2012). Effect of matrix on the ballistic impact of aramid fabric composite laminates by armor piercing projectiles. *Polymer Composites*, 33(3), 443-450.
- Zhu, L., Sun, B., Hu, H., & Gu, B. (2012). Ballistic impact damage of biaxial multilayer knitted composite. *Journal of composite materials*, 46(5), 527-547.
- Kim, G. S., Son, C. Y., Lee, S. B., Lee, S. K., Song, Y. B., & Lee, S. (2012). Ballistic impact properties of Zr-based amorphous alloy composites reinforced with woven continuous fibers. *Metallurgical and Materials Transactions A*, 43(3), 870-881.
- Fresconi, F., Cooper, G., Celmins, I., DeSpirito, J., & Costello, M. (2012). Flight mechanics of a novel guided spin-stabilized projectile concept. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 226(3), 327-340.



Jia, X., Sun, B., & Gu, B. (2012). A numerical simulation on ballistic penetration damage of 3D orthogonal woven fabric at microstructure level. *International Journal of Damage Mechanics*, 21(2), 237-266.

Kim, H., & Nam, I. (2012). Stab resisting behavior of polymeric resin reinforced p-aramid fabrics. *Journal of Applied Polymer Science*, 123(5), 2733-2742.

Nair, R. P., & Rao, C. L. (2012). Simulation of depth of penetration during ballistic impact on thick targets using a one-dimensional discrete element model. *Sadhana*, 37(2), 261-279.

Yashiro, S., Ogi, K., & Oshita, M. (2012). High-velocity impact damage behavior of plain-woven SiC/SiC composites after thermal loading. *Composites Part B: Engineering*, 43(3), 1353-1362.

Zheng, Z., Huang, X., Li, Y., Yang, N., Wang, X., & Shi, M. (2012). Influence factors of internal structure and interfacial compatibility of UHMWPE fiber/SEBS resin composites: Processing parameters, structure of fiber and nature of resin. *Composites Part B: Engineering*, 43(3), 1538-1544.

Li, H. C. H., Wang, J., & Baker, A. (2012). Rapid composite bonded repair for helicopter tail drive shafts. *Composites Part B: Engineering*, 43(3), 1579-1585.

Grujicic, M., Bell, W. C., Pandurangan, B., Cheeseman, B. A., Patel, P., & Dehmer, P. G. (2012). Effect of the tin-versus air-side plate-glass orientation on the impact response and penetration resistance of a laminated transparent armour structure. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 226(2), 119-143.

Alfredsson, K. S., Gawandi, A. A., Gillespie Jr, J. W., Carlsson, L. A., & Bogetti, T. A. (2012). Flexural analysis of discontinuous tile core sandwich structure. *Composite structures*, 94(5), 1524-1532.

Singh, B. B., Sukumar, G., Bhattacharjee, A., Kumar, K. S., Bhat, T. B., & Gogia, A. K. (2012). Effect of heat treatment on ballistic impact behavior of Ti-6Al-4V against 7.62 mm deformable projectile. *Materials & Design (1980-2015)*, 36, 640-649.

Rajaneesh, A., Sridhar, I., & Rajendran, S. (2012). Impact modeling of foam cored sandwich plates with ductile or brittle faceplates. *Composite Structures*, 94(5), 1745-1754.

Huang, X., Ling, Z., Liu, Z. D., Zhang, H. S., & Dai, L. H. (2012). Amorphous alloy reinforced Whipple shield structure. *International Journal of Impact Engineering*, 42, 1-10.

Iqbal, M. A., Gupta, P. K., Deore, V. S., Tak, S. K., Tiwari, G., & Gupta, N. K. (2012). Effect of target span and configuration on the ballistic limit. *International Journal of Impact Engineering*, 42, 11-24.

Li, B., Kidane, A., Ravichandran, G., & Ortiz, M. (2012). Verification and validation of the Optimal Transportation Meshfree (OTM) simulation of terminal ballistics. *International Journal of Impact Engineering*, 42, 25-36.

Meyer Jr, H. W., & Brannon, R. M. (2012). A model for statistical variation of fracture properties in a continuum mechanics code. *International Journal of Impact Engineering*, 42, 48-58.

Pandya, K. S., Dharmane, L., Pothnis, J. R., Ravikumar, G., & Naik, N. K. (2012). Stress wave attenuation in composites during ballistic impact. *Polymer Testing*, 31(2), 261-266.

Nayak, N., Banerjee, A., & Datta, D. (2012). Ultrasonic assessment of bullet inflicted damage in aramid laminated composites. *Defence Science Journal*, 62(3), 153.

Govender, R. A., Louca, L. A., Pullen, A., Fallah, A. S., & Nurick, G. N. (2012). Determining the through-thickness properties of thick glass fiber reinforced polymers at high strain rates. *Journal of Composite Materials*, 46(10), 1219-1228.

Kobayashi, H., McDonough, W. G., Dunkers, J. P., Wight, S. A., Lee, H. J., Kim, J. H., ... & Holmes, G. A. (2012). X-ray scattering study on the damage in fibers used in soft body armor after folding. *Polymer composites*, 33(5), 803-811.

Cui, X., Zhao, L., Wang, Z., Zhao, H., & Fang, D. (2012). Dynamic response of metallic lattice sandwich structures to impulsive loading. *International Journal of Impact Engineering*, 43, 1-5.

Bürger, D., De Faria, A. R., De Almeida, S. F., De Melo, F. C., & Donadon, M. V. (2012). Ballistic impact simulation of an armour-piercing projectile on hybrid ceramic/fiber reinforced composite armours. *International Journal of Impact Engineering*, 43, 63-77.

Compton, B., Gamble, E., Deshpande, V., & Zok, F. (2012). Damage development in an armor alumina impacted with ductile metal spheres. *Journal of mechanics of materials and structures*, 7(6), 575-591.

Grujicic, M., Pandurangan, B., & Coutris, N. (2012). A computational investigation of the multi-hit ballistic-protection performance of laminated transparent-armor systems. *Journal of Materials Engineering and Performance*, 21(6), 837-848.

Boakye-Yiadom, S., & Bassim, N. (2012). Effect of heat treatment on stability of impact-induced adiabatic shear bands in 4340 steel. *Materials Science and Engineering: A*, 546, 223-232.

Carrillo, J. G., Gamboa, R. A., Flores-Johnson, E. A., & Gonzalez-Chi, P. I. (2012). Ballistic performance of thermoplastic composite laminates made from aramid woven fabric and polypropylene matrix. *Polymer testing*, 31(4), 512-519.

Karbalaie, M., Yazdanirad, M., & Mirhabibi, A. (2012). High performance Dyneema® fiber laminate for impact resistance/macro structural composites. *Journal of Thermoplastic Composite Materials*, 25(4), 403-414.

Flores-Johnson, E. A., Muránsky, O., Hamelin, C. J., Bendeich, P. J., & Edwards, L. (2012). Numerical analysis of the effect of weld-induced residual stress and plastic damage on the ballistic performance of welded steel plate. *Computational Materials Science*, 58, 131-139.

Mishra, B., Jena, P. K., Ramakrishna, B., Madhu, V., Bhat, T. B., & Gupta, N. K. (2012). Effect of tempering temperature, plate thickness and presence of holes on ballistic impact behavior and ASB formation of a high strength steel. *International journal of impact engineering*, 44, 17-28.

Son, K. J., & Fahrenthold, E. P. (2012). Evaluation of magnetorheological fluid augmented fabric as a fragment barrier material. *Smart materials and structures*, 21(7), 075012.

Feli, S., & Pour, M. N. (2012). An analytical model for composite sandwich panels with honeycomb core subjected to high-velocity impact. *Composites Part B: Engineering*, 43(5), 2439-2447.

Grujicic, M., Hariharan, A., Pandurangan, B., Yen, C. F., Cheeseman, B. A., Wang, Y., ... & Zheng, J. Q. (2012). Fiber-level modeling of dynamic strength of Kevlar® KM2 ballistic fabric. *Journal of Materials Engineering and Performance*, 21(7), 1107-1119.

Zhang, X. J. (2012). Microhardness characterisation in developing high strength, high toughness and superior ballistic resistance low carbon Ni steel. *Materials Science and Technology*, 28(7), 818-822.

Yaghoubi, A. S., & Liaw, B. (2012). Thickness influence on ballistic impact behaviors of GLARE 5 fiber-metal laminated beams: Experimental and numerical studies. *Composite Structures*, 94(8), 2585-2598.

Rabiezadeh, A., Ataie, A., & Hadian, A. M. (2012). Sintering of Al<sub>2</sub>O<sub>3</sub>-TiB<sub>2</sub> nano-composite derived from milling assisted sol-gel method. *International Journal of Refractory Metals and Hard Materials*, 33, 58-64.

Beissel, S. R., Holmquist, T. J., & Johnson, G. R. (2012). Influence of the third invariant in the ballistic impact of silicon carbide. *International journal of impact engineering*, 45, 52-59.

Esfahani, J. M., Esfandeh, M., & Sabet, A. R. (2012). High-velocity impact behavior of glass fiber-reinforced polyester filled with nanoclay. *Journal of Applied Polymer Science*, 125(S1), E583-E591.

Grujicic, A., LaBerge, M., Grujicic, M., Pandurangan, B., Runt, J., Tarter, J., & Dillon, G. (2012). Potential improvements in shock-mitigation efficacy of a polyurea-augmented advanced combat helmet. *Journal of Materials Engineering and Performance*, 21(8), 1562-1579.

Dong, Y., Feng, S., Huang, G., Liu, C., Xiao, L., & Song, Q. (2012). Ballistic impact characteristics of flat-nose projectile penetrating concrete and soil compound target. *International Journal of Nonlinear Sciences and Numerical Simulation*, 13(3-4), 255-260.

Yen, C. F. (2012). A ballistic material model for continuous-fiber reinforced composites. *International Journal of Impact Engineering*, 46, 11-22.

Yen, C. F. (2012). A ballistic material model for continuous-fiber reinforced composites. *International Journal of Impact Engineering*, 46, 11-22.

Palleti, H. K. T., Gurusamy, S., Kumar, S., Soni, R., John, B., Vaidya, R., ... & Naik, N. K. (2012). Ballistic impact performance of metallic targets. *Materials & Design*, 39, 253-263.

Afshari, M., Chen, P., & Kotek, R. (2012). Relationship between tensile properties and ballistic performance of poly (ethylene naphthalate) woven and nonwoven fabrics. *Journal of applied polymer science*, 125(3), 2271-2280.

Karthikeyan, K., Russell, B., Deshpande, V., & Fleck, N. (2013). Multi-hit armour characterisation of metal-composite bi-layers. *Journal of mechanics of materials and structures*, 7(7), 721-734.

Lin, C. S., & Chen, Y. L. (2012). High velocity impact of projectiles on ceramic and metal dual layer target panels. *Journal of Mechanics*, 28(3), 499-506.

Rabinovitch, O. (2012). Interaction, instability, and simultaneity of debonding processes in flexure of masonry walls strengthened on two sides with FRP. *International journal of fracture*, 177(1), 1-24.

Termonia, Y. (2012). Speed of sound and ballistic resistance of nanocomposite films. *Polymer composites*, 33(9), 1525-1529.

Gopinath, G., Zheng, J. Q., & Batra, R. C. (2012). Effect of matrix on ballistic performance of soft body armor. *Composite Structures*, 94(9), 2690-2696.

Zheng, L., Zhou, H., Gao, C., & Yuan, J. (2012). Hole drilling in ceramics/Kevlar fiber reinforced plastics double-plate composite armor using diamond core drill. *Materials & Design*, 40, 461-466.

Xi, B., Jinxu, L., Shukui, L., Cuicui, L., Wenqi, G., & Tengeng, W. (2012). Effect of interaction mechanism between jet and target on penetration performance of shaped charge liner. *Materials Science and Engineering: A*, 553, 142-148.

Hazell, P. J., & Appleby-Thomas, G. J. (2012). The impact of structural composite materials. Part 1: ballistic impact. *The Journal of Strain Analysis for Engineering Design*, 47(7), 396-405.

Appleby-Thomas, G. J., & Hazell, P. J. (2012). The impact of structural composite materials. Part 2: hypervelocity impact and shock. *The Journal of Strain Analysis for Engineering Design*, 47(7), 406-418.

Udatha, P., Sessa Kumar, C. V., Nair, N. S., & Naik, N. K. (2012). High velocity impact performance of three-dimensional woven composites. *The Journal of Strain Analysis for Engineering Design*, 47(7), 419-431.

Shimamoto, A., Kubota, R., & Takayama, K. (2012). High-velocity impact characteristic of carbon fiber reinforced plastic composite at low temperature. *The Journal of Strain Analysis for Engineering Design*, 47(7), 471-479.

Haque, B. Z., Harrington, J. L., & Gillespie Jr, J. W. (2012). Multi-hit ballistic impact on S-2 glass/SC15 thick-section composites: experiments. *The Journal of Strain Analysis for Engineering Design*, 47(7), 480-494.

Haque, B. Z., Harrington, J. L., & Gillespie Jr, J. W. (2012). Multi-hit ballistic impact on S-2 glass/SC15 thick-section composites: finite element analyses. *The Journal of Strain Analysis for Engineering Design*, 47(7), 495-512.

Xin, S. H., & Wen, H. M. (2012). Numerical study on the perforation of fiber reinforced plastic laminates struck by high velocity projectiles. *The Journal of Strain Analysis for Engineering Design*, 47(7), 513-523.

Ha-Minh, C., Imad, A., Boussu, F., Kanit, T., & Crepin, D. (2012). Numerical study on the effects of yarn mechanical transverse properties on the ballistic impact behaviour of textile fabric. *The Journal of Strain Analysis for Engineering Design*, 47(7), 524-534.

Grujicic, M., d'Entremont, B. P., Pandurangan, B., Runt, J., Tarter, J., & Dillon, G. (2012). Concept-level analysis and design of polyurea for enhanced blast-mitigation performance. *Journal of Materials Engineering and Performance*, 21(10), 2024-2037.

D'Aries, L. J. (2012). Development and performance testing of the world's first automated individual body armor inspection system. *Emerging Materials Research*, 1(5), 279-283.

Park, J. L., Chi, Y. S., Hahn, M. H., & Kang, T. J. (2012). Kinetic dissipation in ballistic tests of soft body armors. *Experimental mechanics*, 52(8), 1239-1250.

Shim, V. P. W., Guo, Y. B., & Tan, V. B. C. (2012). Response of woven and laminated high-strength fabric to oblique impact. *International journal of impact engineering*, 48, 87-97.

Drodge, D. R., Mortimer, B., Holland, C., & Siviour, C. R. (2012). Ballistic impact to access the high-rate behaviour of individual silk fibres. *Journal of the Mechanics and Physics of Solids*, 60(10), 1710-1721.

Atkins, T. (2012). Perforation of metal plates due to through-thickness shearing and cracking. Optimum toughness/strength ratios, deformation transitions and scaling. *International journal of impact engineering*, 48, 4-14.

Deng, Y., Zhang, W., & Cao, Z. (2012). Experimental investigation on the ballistic resistance of monolithic and multi-layered plates against hemispherical-nosed projectiles impact. *Materials & Design*, 41, 266-281.

Grujicic, M., Pandurangan, B., & d'Entremont, B. (2012). The role of adhesive in the ballistic/structural performance of ceramic/polymer-matrix composite hybrid armor. *Materials & Design*, 41, 380-393.

Gupta, N., Prasad, V. V., Madhu, V., & Basu, B. (2012). Ballistic Studies on TiB 2-Ti Functionally Graded Armor Ceramics. *Defence Science Journal*, 62(6).

Li, D., & Yi, D. Y. (2012). Tracking of Midcourse Ballistic Target Group on Space-based Infrared Focal Plane using GM-CPHD Filter. *Defence Science Journal*, 62(6), 431.

Zhang, Y., Sun, B., & Gu, B. (2012). Experimental characterization of transverse impact behaviors of four-step 3-D rectangular braided composites. *Journal of composite materials*, 46(24), 3017-3029.

Shimek, M. E., & Fahrenthold, E. P. (2012). Effects of weave type on ballistic performance of fabrics. *AIAA journal*, 50(11), 2558-2565.

Pickering, E. G., Yuen, S. C. K., Nurick, G. N., & Haw, P. (2012). The response of quadrangular plates to buried charges. *International journal of impact engineering*, 49, 103-114.

Wei, Z., Yunfei, D., Sheng, C. Z., & Gang, W. (2012). Experimental investigation on the ballistic performance of monolithic and layered metal plates subjected to impact by blunt rigid projectiles. *International Journal of Impact Engineering*, 49, 115-129.

Gillespie Jr, J. W., Carlsson, L. A., Gawandi, A. A., & Bogetti, T. A. (2012). Fatigue crack growth at the face sheet-core interface in a discontinuous ceramic-tile cored sandwich structure. *Composite Structures*, 94(11), 3186-3193.

Knorr Jr, D. B., Jian, H. Y., Richardson, A. D., Hindenlang, M. D., McAninch, I. M., La Scala, J. J., & Lenhart, J. L. (2012). Glass transition dependence of ultrahigh strain rate response in amine cured epoxy resins. *Polymer*, 53(25), 5917-5923.

Iqbal, M. A., Diwakar, A., Rajput, A., & Gupta, N. K. (2012). Influence of projectile shape and incidence angle on the ballistic limit and failure mechanism of thick steel plates. *Theoretical and Applied Fracture Mechanics*, 62, 40-53.

Hassan, M. Z., Guan, Z. W., Cantwell, W. J., Langdon, G. S., & Nurick, G. N. (2012). The influence of core density on the blast resistance of foam-based sandwich structures. *International Journal of Impact Engineering*, 50, 9-16.

Bakas, M., McCauley, J. W., Greenhut, V., Niesz, D., Haber, R., & West, B. (2012). Quantitative analysis of inclusion distributions in hot pressed silicon carbide. *International journal of impact engineering*, 50, 40-48.

Liu, L., Fan, Y., Li, W., & Liu, H. (2012). Cavity dynamics and drag force of high-speed penetration of rigid spheres into 10wt% gelatin. *International journal of impact engineering*, 50, 68-75.

Svingala, F. R., Hargather, M. J., & Settles, G. S. (2012). Optical techniques for measuring the shock Hugoniot using ballistic projectile and high-explosive shock initiation. *International journal of impact engineering*, 50, 76-82.

Dutta, A., Vanderklok, A., & Tekalur, S. A. (2012). High strain rate mechanical behavior of seashell-mimetic composites: Analytical model formulation and validation. *Mechanics of Materials*, 55, 102-111.

Tan, L. B., Tse, K. M., Lee, H. P., Tan, V. B. C., & Lim, S. P. (2012). Performance of an advanced combat helmet with different interior cushioning systems in ballistic impact: Experiments and finite element simulations. *International Journal of Impact Engineering*, 50, 99-112.

Zareie Rajani, H. R., & Akbari Mousavi, S. A. A. (2012). The role of impact energy in failure of explosive cladding of inconel 625 and steel. *Journal of failure analysis and prevention*, 12(6), 646-653.

Pop, E., Varshney, V., & Roy, A. K. (2012). Thermal properties of graphene: Fundamentals and applications. *MRS bulletin*, 37(12), 1273-1281.

Nilakantan, G., & Gillespie Jr, J. W. (2012). Ballistic impact modeling of woven fabrics considering yarn strength, friction, projectile impact location, and fabric boundary condition effects. *Composite Structures*, 94(12), 3624-3634.

Garner, J., Conroy, P., Keppinger, R., & Oberlin, G. (2012). Small arms gun tube nondestructive evaluation characterization. *Materials and Manufacturing Processes*, 27(8), 815-819.

Chuang, S. W., Lih, F. L., & Miao, J. M. (2012). Effects of Reynolds number and inclined angle of stroke plane on aerodynamic characteristics of flapping corrugated airfoil. *Journal of Applied Science and Engineering*, 15(3), 247-256.

Li, M., Meng, G., Jing, J., Liu, J., & Zhong, Z. (2012). Application of Modelica/MWorks on modeling, simulation and optimization for electro-hydraulic servo valve system. *Theoretical and Applied Mechanics Letters*, 2(6), 063007.

Guo, X. J., & Wen, H. M. (2012). Performance analysis and optimization of a dual warhead system. *International Journal of Nonlinear Sciences and Numerical Simulation*, 13(1), 49-54.

- Lee, J. W., Kim, K. W., Kim, H. R., & Yoo, W. S. (2012). Prediction of unwinding behaviors and problems of cables from inner-winding spool dispensers. *Nonlinear Dynamics*, 67(3), 1791-1809.
- Pavkovic, B., Pavic, M., & Cuk, D. (2012). Frequency-modulated pulse-jet control of an artillery rocket. *Journal of Spacecraft and Rockets*, 49(2), 286-294.
- Kim, K., Kim, J. H., Choi, T. M., & Cho, D. S. (2012). Development of radar cross section analysis system of naval ships. *International Journal of Naval Architecture and Ocean Engineering*, 4(1), 20-32.
- Burleson, S. D., Everhart, D. E., Swart, R. E., & Truver, S. C. (2012). The Advanced Undersea Weapon System: On the Cusp of a Naval Warfare Transformation. *Naval Engineers Journal*, 124(1), 57-64.
- Hu, H., Jiang, X., Wang, J., & Li, Y. (2012). Design, modeling, and controlling of a large-scale magnetorheological shock absorber under high impact load. *Journal of Intelligent Material Systems and Structures*, 23(6), 635-645.
- Amenabar, J. P. (2012). Semi-Empirical Approach for Missile Seeker Sizing. *Journal of Spacecraft and Rockets*, 49(3), 529-534.
- Witt, D., Helfers, D., & Young, Y. L. (2012). Comparative study of power generation and energy storage modules for support of high energy weapons. *Naval Engineers Journal*, 124(2), 74-77.
- Parson, C. R., Miller, J. O., & Weir, J. D. (2012). Simulation and Analysis of Mission Capability Degraded Due to Supply for the B-1 Bomber. *The Journal of Defense Modeling and Simulation*, 9(3), 279-290.
- Van Weele, S., & Ramirez-Marquez, J. E. (2012). Optimization of inspection for dual contraband using a genetic algorithm. *Proceedings of the Institution of Mechanical Engineers, Part O: Journal of Risk and Reliability*, 226(5), 508-525.
- Springer, J., Thomas, T., Douglas, G., Low, S., & Bass, J. (2012). UAS Weaponization Technology Pathfinder Program: AMPM UTP. *SAE International Journal of Aerospace*, 5(1), 172.
- Livescu, V., Bingert, J. F., & Mason, T. A. (2012). Deformation twinning in explosively-driven tantalum. *Materials Science and Engineering: A*, 556, 155-163.
- Švábenská, E. (2012). Systems for Detection and Identification of Biological Aerosols. *Defence Science Journal*, 62(6).
- Walker, J. D. (2012). Weapon system effectiveness. *AEROSPACE AMERICA*, 50(11), 69-69.
- Jun-Ling, L. I., Hua, F. U., Duo-Wang, T. A. N., Fang-Yun, L. U., & Rong, C. H. E. N. (2012). Fracture behaviour investigation into a polymer-bonded explosive. *Strain*, 48(6), 463-473.
- Muja, O., & Lamper, D. (2012). Automated fault isolation of intermittent wiring/conductive path systems inside weapons replaceable assemblies. *SAE International Journal of Aerospace*, 5(2), 579.

Zaidi, A. M. A., Koslan, F. S., Othman, Z., & Manar, G. (2013). Appropriate coupling solvers for the numerical simulation of rolled homogeneous armor plate response subjected to blast loading. *Advances in Mechanical Engineering*, 5, 637564.

Neckel, L., Hotza, D., Stainer, D., Janssen, R., & Al-Qureshi, H. A. (2013). Modelling of ballistic impact over a ceramic-metal protection system. *Advances in Materials Science and Engineering*, 2013.

Jamroziak, K., Bocian, M., & Kulisiewicz, M. (2013). Energy consumption in mechanical systems using a certain nonlinear degenerate model. *Journal of Theoretical and Applied Mechanics*, 51(4), 827-835.

Panwar, S. S. (2013). Reliability demonstration of safety actuating mechanism. *Defence Science Journal*, 49(4), 323-329.

Damse, R. S., & Singh, H. (2013). Nitramine-based high energy propellant compositions for tank guns. *Defence Science Journal*, 50(1), 75-81.

Jamroziak, K., Bocian, M., & Kulisiewicz, M. (2013). Effect of the attachment of the ballistic shields on modelling the piercing process. *Mechanics*, 19(5), 549-553.

Yang, S., & Qi, C. (2013). Blast-resistant improvement of sandwich armor structure with aluminum foam composite. *Advances in Materials Science and Engineering*, 2013.

McCauley, J. W., Strassburger, E., Patel, P., Paliwal, B., & Ramesh, K. T. (2013). Experimental observations on dynamic response of selected transparent armor materials. *Experimental Mechanics*, 53(1), 3-29.

Haney, E. J., & Subhash, G. (2013). Damage mechanisms perspective on superior ballistic performance of spinel over sapphire. *Experimental Mechanics*, 53(1), 31-46.

Bless, S. (2013). Using depth-of-penetration tests to design transparent armor. *Experimental Mechanics*, 53(1), 47-51.

Swab, J. J., Thies, S. R., Wright, J. C., Schoenstein, J. A., & Patel, P. J. (2013). Influence of surface scratches on the flexure strength of soda-lime silicate and borosilicate glass. *Experimental Mechanics*, 53(1), 91-96.

Sapozhnikov, S. B., & Ignatova, A. V. (2013). Experimental and theoretical investigation of deformation and fracture of subcutaneous fat under compression. *Mechanics of composite materials*, 48(6), 649-654.

Lei, Z., Hai, Z., Chao, G., & Juntang, Y. (2013). An experimental study on machining techniques of cutting composite armors. *The International Journal of Advanced Manufacturing Technology*, 64(1), 263-268.

Grujicic, M., Pandurangan, B., Arakere, A., Yen, C. F., & Cheeseman, B. A. (2013). Friction stir weld failure mechanisms in aluminum-armor structures under ballistic impact loading conditions. *Journal of materials engineering and performance*, 22(1), 30-40.

Yue, X., Wang, J., Li, X., You, L., & Ru, H. (2013). Microstructures and mechanical properties of a two-layer B<sub>4</sub>C/Al-B<sub>4</sub>C/TiB<sub>2</sub> composite. *Materials Science and Engineering: A*, 559, 719-724.

Nilakantan, G., Wetzel, E. D., Bogetti, T. A., & Gillespie Jr, J. W. (2013). A deterministic finite element analysis of the effects of projectile characteristics on the impact response of fully clamped flexible woven fabrics. *Composite Structures*, 95, 191-201.



Varas, D., Artero-Guerrero, J. A., Pernas-Sánchez, J., & López-Puente, J. (2013). Analysis of high velocity impacts of steel cylinders on thin carbon/epoxy woven laminates. *Composite Structures*, 95, 623-629.

Yang, S., Qi, C., Wang, D., Gao, R., Hu, H., & Shu, J. (2013). A comparative study of ballistic resistance of sandwich panels with aluminum foam and auxetic honeycomb cores. *Advances in Mechanical Engineering*, 5, 589216.

Wojtaszek, M., Śleboda, T., Czulak, A., Weber, G., & Hufenbach, W. A. (2013). Quasi-static and dynamic tensile properties of Ti-6Al-4V alloy. *Archives of Metallurgy and Materials*, 58.

Szudrowicz, M. (2013). Test of ballistic resistance of composite materials used for protection of special vehicle crews. *CARBON*, 45(45), S32CX010-00410.

Idźkowska, A., & Szafran, M. (2013). The influence of nano-SiO<sub>2</sub> particle size on dilatant effect of shear thickening fluids. *Composites Theory and Practice*, 13(2), 117-121.

Kozłowska, J., & Leonowicz, M. (2013). Magnetorheological fluids as a prospective component of composite armours. *Compos. Theory Pract*, 13, 227-231.

Wierzbicki, Ł., Danelska, A., Olszewska, K., Tryznowski, M., Zielińska, D., Kucińska, I., ... & Leonowicz, M. (2013). Shear thickening fluids based on nanosized silica suspensions for advanced body armour. *Composites Theory and Practice*, 4, 241-244.

Curdaneli, S., Ulas, A., & Yazici, B. (2013). Ignition delay time measurement of a reduced smoke composite solid propellant. *International Journal of Energetic Materials and Chemical Propulsion*, 12(2).

Martin, H. T., Houim, R., Ferrara, P. J., Degges, M. J., Cortopassi, A. C., Boyer, J. E., & Kuo, K. K. (2013). A novel radiative heat flux Measurement technique for Combustion products flowing in Solid rocket motors. *International Journal of Energetic Materials and Chemical Propulsion*, 12(3).

Abdulhamid, H., Kolopp, A., Bouvet, C., & Rivallant, S. (2013). Experimental and numerical study of AA5086-H111 aluminum plates subjected to impact. *International Journal of Impact Engineering*, 51, 1-12.

Gibson, J., McKee, J., Freihofer, G., Raghavan, S., & Gou, J. (2013). Enhancement in ballistic performance of composite hard armor through carbon nanotubes. *International Journal of Smart and Nano Materials*, 4(4), 212-228.

Olthof, H., & Cervone, A. (2013). Validation of a ballistic simulation tool for the characterisation of solid propellants. *International Journal of Space Science and Engineering*, 1(3), 268-289.

Liang, Y., Liu, J., Li, J., & Liu, M. (2013). Controllable-structure semi-ballistic reentry vehicle tracking with hybrid-level multiple-model estimation. *International Journal of Space Science and Engineering*, 1(2), 190-204.

Parsons, E. M., King, M. J., & Socrate, S. (2013). Modeling yarn slip in woven fabric at the continuum level: Simulations of ballistic impact. *Journal of the Mechanics and Physics of Solids*, 61(1), 265-292.

Obradović, V., Stojanović, D., Grković, M., Živković, I., Radojević, V., Uskoković, P., & Aleksić, R. (2013). Dynamic mechanical properties of aramid fabrics impregnated with

carbon nanotube/poly (vinyl butyral)/ethanol solution. *Metallurgical & Materials Engineering*, 19(3), 259-266.

Greenhalgh, E. S., Bloodworth, V. M., Iannucci, L., & Pope, D. (2013). Fractographic observations on Dyneema® composites under ballistic impact. *Composites part A: Applied science and manufacturing*, 44, 51-62.

Mishra, B., Ramakrishna, B., Jena, P. K., Kumar, K. S., Madhu, V., & Gupta, N. K. (2013). Experimental studies on the effect of size and shape of holes on damage and microstructure of high hardness armour steel plates under ballistic impact. *Materials & Design*, 43, 17-24.

Ramadhan, A. A., Talib, A. A., Rafie, A. M., & Zahari, R. (2013). High velocity impact response of Kevlar-29/epoxy and 6061-T6 aluminum laminated panels. *Materials & Design*, 43, 307-321.

Yang, W., Chen, I. H., Gludovatz, B., Zimmermann, E. A., Ritchie, R. O., & Meyers, M. A. (2013). Natural flexible dermal armor. *Advanced Materials*, 25(1), 31-48.

Zabeen, S., Preuss, M., & Withers, P. J. (2013). Residual stresses caused by head-on and 45 degree foreign object damage for a laser shock peened Ti-6Al-4V alloy aerofoil. *Materials Science and Engineering: A*, 560, 518-527.

Zhu, D., Mobasher, B., Vaidya, A., & Rajan, S. D. (2013). Mechanical behaviors of Kevlar 49 fabric subjected to uniaxial, biaxial tension and in-plane large shear deformation. *Composites Science and Technology*, 74, 121-130.

Deletombe, E., Fabis, J., Dupas, J., & Mortier, J. M. (2013). Experimental analysis of 7.62 mm hydrodynamic ram in containers. *Journal of Fluids and Structures*, 37, 1-21.

Davidson, M., Roberts, S., Castro, G., Dillon, R. P., Kunz, A., Kozachkov, H., ... & Hofmann, D. C. (2013). Investigating amorphous metal composite architectures as spacecraft shielding. *Advanced engineering materials*, 15(1-2), 27-33.

Chen, X., Zhu, F., & Wells, G. (2013). An analytical model for ballistic impact on textile based body armour. *Composites Part B: Engineering*, 45(1), 1508-1514.

Bankar, U. H., & Parameswaran, V. (2013). Fracture of edge cracked layered plates subjected to in-plane bending. *Experimental Mechanics*, 53(2), 287-298.

Velmurugan, R., & Balaganesan, G. (2013). Energy absorption characteristics of glass/epoxy nano composite laminates by impact loading. *International Journal of crashworthiness*, 18(1), 82-92.

Naebe, M., Sandlin, J., Crouch, I., & Fox, B. (2013). Novel polymer-ceramic composites for protection against ballistic fragments. *Polymer composites*, 34(2), 180-186.

Yang, Y., Liou, W. W., Sheng, J., Gorsich, D., & Arepally, S. (2013). Shock wave impact simulation of a vehicle occupant using fluid/structure/dynamics interactions. *International Journal of Impact Engineering*, 52, 11-22.

Lim, Y. W., Choi, H. J., & Idapalapati, S. (2013). Design of Alporas aluminum alloy foam cored hybrid sandwich plates using Kriging optimization. *Composite Structures*, 96, 17-28.

You, W. Y., Kim, I. G., Lee, S., & Kim, J. H. (2013). Prediction of Ballistic Limit for Composite Laminates Subjected to High-velocity Impact Using Static Perforation Test. *Composites Research*, 26(1), 21-28.

Chi, R., Serjouei, A., Sridhar, I., & Tan, G. E. (2013). Ballistic impact on bi-layer alumina/aluminium armor: A semi-analytical approach. *International Journal of Impact Engineering*, 52, 37-46.

Balakrishnan, M., Balasubramanian, V., & Reddy, G. M. (2013). Effect of hardfaced interlayer thickness on ballistic performance of armour steel welds. *Materials & Design*, 44, 59-68.

Pandya, K. S., Pothnis, J. R., Ravikumar, G., & Naik, N. K. (2013). Ballistic impact behavior of hybrid composites. *Materials & Design*, 44, 128-135.

Deng, Y., Zhang, W., & Cao, Z. (2013). Experimental investigation on the ballistic resistance of monolithic and multi-layered plates against ogival-nosed rigid projectiles impact. *Materials & Design*, 44, 228-239.

Othman, A. R., & Hassan, M. H. (2013). Effect of different construction designs of aramid fabric on the ballistic performances. *Materials & Design*, 44, 407-413.

Tehrani, M., Boroujeni, A. Y., Hartman, T. B., Haugh, T. P., Case, S. W., & Al-Haik, M. S. (2013). Mechanical characterization and impact damage assessment of a woven carbon fiber reinforced carbon nanotube–epoxy composite. *Composites Science and Technology*, 75, 42-48.

Banichuk, N. V., Ivanova, S. Y., Ragnedda, F., & Serra, M. (2013). Multiobjective approach for optimal design of layered plates against penetration of strikers. *Mechanics Based Design of Structures and Machines*, 41(2), 189-201.

Zhou, N., Wang, J. X., & Yang, R. (2013). Study on the anti-penetration performance of two-layer explosively welded plates impacted by a spherical projectile. *Combustion, Explosion, and Shock Waves*, 49(3), 374-381.

Bivin, Y. K. (2013). Oblique impact by a spherical solid on a metal plate. *Mechanics of Solids*, 48(2), 228-233.

Naik, N. K., Kumar, S., Ratnaveer, D., Joshi, M., & Akella, K. (2013). An energy-based model for ballistic impact analysis of ceramic-composite armors. *International Journal of Damage Mechanics*, 22(2), 145-187.

Grujicic, M., Pandurangan, B., Snipes, J. S., Yen, C. F., & Cheeseman, B. A. (2013). Multi-length scale-enriched continuum-level material model for Kevlar®-fiber-reinforced polymer-matrix composites. *Journal of Materials Engineering and Performance*, 22(3), 681-695.

Balakrishnan, M., Balasubramanian, V., & Madhusudhan Reddy, G. (2013). Effect of PTA hardfaced interlayer thickness on ballistic performance of shielded metal arc welded armor steel welds. *Journal of materials engineering and performance*, 22(3), 806-814.

Ni, C. Y., Li, Y. C., Xin, F. X., Jin, F., & Lu, T. J. (2013). Ballistic resistance of hybrid-cored sandwich plates: Numerical and experimental assessment. *Composites Part A: Applied Science and Manufacturing*, 46, 69-79.

Wang, Z. Y., & Chang, S. J. (2013). Impact point prediction and analysis of lateral correction analysis of two-dimensional trajectory correction projectiles. *Defence Technology*, 9(1), 48-52.

Sutter, G., & List, G. (2013). Very high speed cutting of Ti-6Al-4V titanium alloy—change in morphology and mechanism of chip formation. *International Journal of Machine Tools and Manufacture*, 66, 37-43.

Browning, A., Ortiz, C., & Boyce, M. C. (2013). Mechanics of composite elasmoid fish scale assemblies and their bioinspired analogues. *Journal of the mechanical behavior of biomedical materials*, 19, 75-86.

Zou, L. C., Zhang, Q., Pang, B. J., Wu, G. H., Jiang, L. T., & Su, H. (2013). Dynamic compressive behavior of aluminum matrix syntactic foam and its multilayer structure. *Materials & Design*, 45, 555-560.

Yuen, S. C. K., Altenhof, W., Opperman, C. J., & Nurick, G. N. (2013). Axial splitting of circular tubes by means of blast load. *International Journal of Impact Engineering*, 53, 17-28.

Krug Iii, D. J., Asuncion, M. Z., Popova, V., & Laine, R. M. (2013). Transparent fiber glass reinforced composites. *Composites science and technology*, 77, 95-100.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2013). Empirical models for predicting protective properties of concrete shields against high-speed impact. *Journal of Mechanics of Materials and Structures*, 8(2), 199-232.

List, G., Sutter, G., & Arnoux, J. J. (2013). Analysis of the high speed sliding interaction between titanium alloy and tantalum. *Wear*, 301(1-2), 663-670.

Wei, Z., Peng, G., Haiying, X., Xiaonan, M., Quan, H., & Yunlian, Q. (2013). Penetration Damaging behavior of a sort of high strength titanium alloy target. *Rare metal materials and engineering*, 42(4), 781-784.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2013). About effect of layering on ballistic properties of metal shields against sharp-nosed rigid projectiles. *Engineering Fracture Mechanics*, 102, 358-361.

Ha-Minh, C., Imad, A., Kanit, T., & Boussu, F. (2013). Numerical analysis of a ballistic impact on textile fabric. *International Journal of Mechanical Sciences*, 69, 32-39.

Kpenyigba, K. M., Jankowiak, T., Rusinek, A., & Pesci, R. (2013). Influence of projectile shape on dynamic behavior of steel sheet subjected to impact and perforation. *Thin-Walled Structures*, 65, 93-104.

Yue, X., Wang, J., Li, Y., & Ru, H. (2013). Properties of B4C/Al-B4C composite with a two-layer structure. *Materials Research Bulletin*, 48(4), 1720-1724.

Bobbili, R., Madhu, V., & Gogia, A. K. (2013). Effect of wire-EDM machining parameters on surface roughness and material removal rate of high strength armor steel. *Materials and Manufacturing Processes*, 28(4), 364-368.

Park, J., Koo, M. H., Kim, H. S., & Park, J. (2013). Multiscale Simulations for Impact Load-Induced Vibration: Assessing a Structure's Vulnerability. *Journal of engineering materials and technology*, 135(2).

Majumdar, A., Butola, B. S., & Srivastava, A. (2013). Optimal designing of soft body armour materials using shear thickening fluid. *Materials & Design*, 46, 191-198.

Zhu, G., Xue, J., Yang, Y., & Nie, J. (2013). Experimental and theoretical research on mechanical behavior of innovative composite beams. *Steel and Composite Structures, An International Journal*, 14(4), 313-333.

Hazell, P. J., Appleby-Thomas, G. J., Philbey, D., & Tolman, W. (2013). The effect of gilding jacket material on the penetration mechanics of a 7.62 mm armour-piercing projectile. *International Journal of Impact Engineering*, 54, 11-18.

Voyiadjis, G. Z., & Faghihi, D. (2013). Localization in stainless steel using microstructural based viscoplastic model. *International Journal of Impact Engineering*, 54, 114-129.

Yaghoubi, A. S., & Liaw, B. (2013). Effect of lay-up orientation on ballistic impact behaviors of GLARE 5 FML beams. *International Journal of Impact Engineering*, 54, 138-148.

Sukumar, G., Singh, B. B., Bhattacharjee, A., Kumar, K. S., & Gogia, A. K. (2013). Ballistic impact behaviour of  $\beta$ -CEZ Ti alloy against 7.62 mm armour piercing projectiles. *International Journal of Impact Engineering*, 54, 149-160.

Iqbal, M. A., Khan, S. H., Ansari, R., & Gupta, N. K. (2013). Experimental and numerical studies of double-nosed projectile impact on aluminum plates. *International Journal of Impact Engineering*, 54, 232-245.

Yue, X., Wang, J., Yu, S., Wang, W., & Ru, H. (2013). Microstructure and mechanical properties of a three-layer B4C/Al-B4C/TiB<sub>2</sub>-B4C composite. *Materials & Design*, 46, 285-290.

Wang, Q., Chen, Z., & Chen, Z. (2013). Design and characteristics of hybrid composite armor subjected to projectile impact. *Materials & Design*, 46, 634-639.

Hassanin, A. H., Said, M. A., & Seyam, A. F. M. (2013). Composite porous membrane for protecting high-performance fibers from ultraviolet-visible radiation. *Journal of applied polymer science*, 128(2), 1297-1303

Kandasubramanian, B., & Ramdayal, M. (2013). Advancement in textile technology for defence application. *Defence Science Journal*, 63(3), 331.

Cayzac, R., Carette, E., & Heddadj, S. (2013). Complex aerodynamics behavior of high spin APFSDS projectile. *Journal of Applied Mechanics*, 80(3), 031601.

Chocron, S., King, N., Bigger, R., Walker, J. D., Heisserer, U., & Van der Werff, H. (2013). Impacts and waves in Dyneema® HB80 strips and laminates. *Journal of Applied Mechanics*, 80(3), 031806.

Ma, C., & Zhang, X. (2013). Interior ballistic modeling and simulation for different charge zones in modular charge system. *Journal of Applied Mechanics*, 80(3), 031404.

Micković, D., Jaramaz, S., Elek, P., Jaramaz, D., & Micković, D. (2013). Determination of pressure profiles behind projectiles during interior ballistic cycle. *Journal of Applied Mechanics*, 80(3), 031402.

Strassburger, E., Hunzinger, M., Patel, P., & McCauley, J. W. (2013). Analysis of the fragmentation of AlON and spinel under ballistic impact. *Journal of Applied Mechanics*, 80(3), 031807.

Yu, W., & Zhang, X. (2013). Numerical simulation and analysis of the muzzle flow during the revolving barrel gun firing. *Journal of Applied Mechanics*, 80(3), 031602.

BALISTI, N. Z., & MATERIALE, N. (2013). Nanotechnology for ballistic materials: from concepts to products. *Materiali in tehnologije*, 47(3), 267-271.

Omidvar, H., Azari, K. K., Taheri, A. M., & Saghafi, A. A. (2013). Impact and ballistic behavior optimization of kevlar–epoxy composites by taguchi method. *Arabian Journal for Science and Engineering*, 38(5), 1161-1167.

Yashiro, S., Ogi, K., Nakamura, T., & Yoshimura, A. (2013). Characterization of high-velocity impact damage in CFRP laminates: Part I–Experiment. *Composites Part A: Applied Science and Manufacturing*, 48, 93-100.

Ha-Minh, C., Imad, A., Boussu, F., & Kanit, T. (2013). On analytical modelling to predict of the ballistic impact behaviour of textile multi-layer woven fabric. *Composite Structures*, 99, 462-476.

Laurenzi, S., Pastore, R., Giannini, G., & Marchetti, M. (2013). Experimental study of impact resistance in multi-walled carbon nanotube reinforced epoxy. *Composite Structures*, 99, 62-68.

Pérez-Martín, M. J., Enfedaque, A., Dickson, W., & Gálvez, F. (2013). Impact behavior of hybrid glass/carbon epoxy composites. *Journal of Applied Mechanics*, 80(3), 031803.

Qiao, L., Zhang, X. F., He, Y., Shi, A. S., & Guan, Z. W. (2013). Mesoscale simulation on the shock compression behaviour of Al–W-Binder granular metal mixtures. *Materials & Design*, 47, 341-349.

Zhang, T., Chen, W., Guan, Y., Gao, D., & Li, S. (2013). Study on ballistic penetration resistance of titanium alloy TC4, Part II: Numerical analysis. *Chinese Journal of Aeronautics*, 26(3), 606-613.

Barcikowski, M., & Krolkowski, W. (2013). Effect of resin modification on the impact strength of glass-polyester composites. *Polimery*, 58(6), 450-460.

Pol, M. H., Liaghat, G. H., & Hajiarazi, F. (2013). Effect of nanoclay on ballistic behavior of woven fabric composites: Experimental investigation. *Journal of Composite Materials*, 47(13), 1563-1573.

Ahmadi, H., Liaghat, G. H., Sabouri, H., & Bidkhouri, E. (2013). Investigation on the high velocity impact properties of glass-reinforced fiber metal laminates. *Journal of Composite Materials*, 47(13), 1605-1615.

Grujicic, M., Arakere, A., Ramaswami, S., Snipes, J. S., Yavari, R., Yen, C. F., ... & Montgomery, J. S. (2013). Gas metal arc welding process modeling and prediction of weld microstructure in MIL A46100 armor-grade martensitic steel. *Journal of materials engineering and performance*, 22(6), 1541-1557.

Morinière, F. D., Alderliesten, R. C., Sadighi, M., & Benedictus, R. (2013). An integrated study on the low-velocity impact response of the GLARE fibre-metal laminate. *Composite Structures*, 100, 89-103.

Cho, H. J., Kim, I. G., Lee, S., Woo, K., & Kim, J. H. (2013). The experimental study on the absorbed energy of carbon/epoxy composite laminated panel subjected to high-velocity impact. *Composites Research*, 26(3), 175-181.

Park, Y., Baluch, A. H., Kim, Y., & Kim, C. G. (2013). High velocity impact characteristics of shear thickening fluid impregnated Kevlar fabric. *International Journal of Aeronautical and Space Sciences*, 14(2), 140-145.

Loft, K., Price, M. C., Cole, M. J., & Burchell, M. J. (2013). Impacts into metals targets at velocities greater than 1 km s<sup>-1</sup>: A new online resource for the hypervelocity impact community and an illustration of the geometric change of debris cloud impact patterns with impact velocity. *International Journal of Impact Engineering*, 56, 47-60.

Balakrishnan, M., Balasubramanian, V., & Madhusudhan Reddy, G. (2013). Microstructural analysis of ballistic tests on welded armor steel joints. *Metallography, Microstructure, and Analysis*, 2(3), 125-139.

Jubin, G., Fuchi, W., Yangwei, W., Zhijin, Z., & Zhuang, M. (2013). Effect of back plates on energy dissipation during interface defeat. *Rare Metal Materials and Engineering*, 42, 569-573.

Anderson Jr, C. E., & Holmquist, T. J. (2013). Application of a computational glass model to compute propagation of failure from ballistic impact of borosilicate glass targets. *International Journal of Impact Engineering*, 56, 2-11.

Liang, S. C., Li, Y., Chen, H., Huang, J., & Liu, S. (2013). Research on the technique of identifying debris and obtaining characteristic parameters of large-scale 3D point set. *International Journal of Impact Engineering*, 56, 27-31.

Miller, J. E., Bohl, W. E., Christiansen, E. L., & Davis, B. A. (2013). Ballistic performance of porous-ceramic, thermal protection systems. *International Journal of Impact Engineering*, 56, 40-46.

Ryan, S., & Thaler, S. (2013). Artificial neural networks for characterising Whipple shield performance. *International Journal of Impact Engineering*, 56, 61-70.

Williamsen, J. E., Schonberg, W. P., & Evans, H. J. (2013). Generic module wall damage prediction equations for habitable spacecraft crew survivability evaluations. *International Journal of Impact Engineering*, 56, 71-80.

Buitrago, B. L., García-Castillo, S. K., & Barbero, E. (2013). Influence of shear plugging in the energy absorbed by thin carbon-fibre laminates subjected to high-velocity impacts. *Composites Part B: Engineering*, 49, 86-92.

David, N. V., Gao, X. L., & Zheng, J. Q. (2013). Creep of a Twaron®/natural rubber composite. *Mechanics of Advanced Materials and Structures*, 20(6), 464-477.

Nayak, N., Banerjee, A., & Sivaraman, P. (2013). Ballistic impact response of ceramic-faced aramid laminated composites against 7.62 mm armour piercing projectiles. *Defence Science Journal*, 63(4), 369-375.

Kobylkin, I. F., & Dorokhov, N. S. (2013). Interaction of a shaped-charge jet with moving reactive armor plates. *Combustion, Explosion, and Shock Waves*, 49(4), 495-500.

Sun, D., Chen, X., & Mrango, M. (2013). Investigating ballistic impact on fabric targets with gripping yarns. *Fibers and Polymers*, 14(7), 1184-1189.

Kulkarni, S. G., Gao, X. L., Horner, S. E., Zheng, J. Q., & David, N. V. (2013). Ballistic helmets—their design, materials, and performance against traumatic brain injury. *Composite Structures*, *101*, 313-331.

Nilakantan, G., & Gillespie Jr, J. W. (2013). Yarn pull-out behavior of plain woven Kevlar fabrics: Effect of yarn sizing, pullout rate, and fabric pre-tension. *Composite Structures*, *101*, 215-224.

Jinzhu, L., Zhongjie, L., Hongsong, Z., & Fenglei, H. (2013). Perforation experiments of concrete targets with residual velocity measurements. *International Journal of Impact Engineering*, *57*, 1-6.

Rahman, M., Hosur, M., Zainuddin, S., Vaidya, U., Tauhid, A., Kumar, A., ... & Jeelani, S. (2013). Effects of amino-functionalized MWCNTs on ballistic impact performance of E-glass/epoxy composites using a spherical projectile. *International Journal of Impact Engineering*, *57*, 108-118.

Holmen, J. K., Johnsen, J., Jupp, S., Hopperstad, O. S., & Børvik, T. (2013). Effects of heat treatment on the ballistic properties of AA6070 aluminium alloy. *International Journal of Impact Engineering*, *57*, 119-133.

Jia, X., Huang, Z. X., Zu, X. D., Gu, X. H., Zhu, C. S., & Zhang, Z. W. (2013). Experimental study on the performance of woven fabric rubber composite armor subjected to shaped charge jet impact. *International Journal of Impact Engineering*, *57*, 134-144.

Luan, K., Sun, B., & Gu, B. (2013). Ballistic impact damages of 3-D angle-interlock woven composites based on high strain rate constitutive equation of fiber tows. *International Journal of Impact Engineering*, *57*, 145-158.

Gorfain, J. E., & Key, C. T. (2013). Damage prediction of rib-stiffened composite structures subjected to ballistic impact. *International Journal of Impact Engineering*, *57*, 159-172.

Gamble, E. A., Compton, B. G., & Zok, F. W. (2013). Impact response of layered steel–alumina targets. *Mechanics of Materials*, *60*, 80-92.

Li, W. Y., Wang, J., Zhu, H., Li, H., & Huang, C. (2013). On ultrahigh velocity micro-particle impact on steels—a single impact study. *Wear*, *305*(1-2), 216-227.

Stojanović, D. B., Zrilić, M., Jančić-Heinemann, R., Živković, I., Kojović, A., Uskoković, P. S., & Aleksić, R. (2013). Mechanical and anti-stabbing properties of modified thermoplastic polymers impregnated multiaxial p-aramid fabrics. *Polymers for advanced technologies*, *24*(8), 772-776.

Radisavljevic, I., Balos, S., Nikacevic, M., & Sidjanin, L. (2013). Optimization of geometrical characteristics of perforated plates. *Materials & Design*, *49*, 81-89.

Wang, J., & Zhou, N. (2013). Damage mechanism and anti-penetration performance of explosively welded plates impacted by projectiles with different shapes. *Materials & Design*, *49*, 966-973.

Almusallam, T. H., Siddiqui, N. A., Iqbal, R. A., & Abbas, H. (2013). Response of hybrid-fiber reinforced concrete slabs to hard projectile impact. *International Journal of Impact Engineering*, *58*, 17-30.



Fu, Y., Zhou, J., & Gao, X. (2013). Design and numerical simulation of a new sandwiched sphere structure for ballistic protection. *International Journal of Impact Engineering*, 58, 66-75.

Sun, L. L., Xiong, D. S., & Xu, C. Y. (2013). Application of shear thickening fluid in ultra high molecular weight polyethylene fabric. *Journal of Applied Polymer Science*, 129(4), 1922-1928.

Wielewski, E., Appleby-Thomas, G. J., Hazell, P. J., & Hameed, A. (2013). An experimental investigation into the micro-mechanics of spall initiation and propagation in Ti-6Al-4V during shock loading. *Materials Science and Engineering: A*, 578, 331-339.

Prabhakar, N., Kumar, I. D., Tata, S. K., & Vaithiyanathan, V. (2013). A predictive explicit guidance scheme for ballistic missiles. *Defence science journal*, 63(5), 456-461.

Bhattacharjee, D., Kumar, A., & Biswas, I. (2013). Energy absorption and dynamic deformation of backing material for ballistic evaluation of body armour. *Defence Science Journal*, 63(5), 462-466.

Cheney, D. A., & Lukes, J. R. (2013). Comparison of atomistic and continuum methods for calculating ballistic phonon transmission in nanoscale waveguides. *Journal of heat transfer*, 135(9).

Liyao, G., & Minjie, W. (2013). Experimental and theoretical research on critical characteristics for adiabatic shear localization fracture in high-speed machining. *The International Journal of Advanced Manufacturing Technology*, 68(5), 1231-1240.

Wang, H., Yu, X., Isheim, D., Seidman, D., & Babu, S. S. (2013). High strength weld metal design through nanoscale copper precipitation. *Materials & Design*, 50, 962-967.

Ben-Dor, G., Dubinsky, A., & Elperin, T. (2013). Analytical engineering models of high speed normal impact by hard projectiles on metal shields. *Open Engineering*, 3(3), 349-373.

Balakrishnan, M., Balasubramanian, V., Madhusudhan Reddy, G., & Parameswaran, P. (2013). Effect of capping front layer materials on the penetration resistance of Q&T steel welded joints against 7.62-mm armor-piercing projectile. *Metallurgical and Materials Transactions A*, 44(9), 4218-4229.

Peng, X. F., Xiong, C., Wang, X. J., Chen, L. Q., Luo, Y. F., & Li, J. B. (2013). Ballistic thermal transport in multi-terminal graphene junctions. *Computational materials science*, 77, 440-444.

Wielewski, E., Birkbeck, A., & Thomson, R. (2013). Ballistic resistance of spaced multi-layer plate structures: experiments on fibre reinforced plastic targets and an analytical framework for calculating the ballistic limit. *Materials & Design*, 50, 737-741.

Ji, G., Ouyang, Z., & Li, G. (2013). Debonding and impact tolerant sandwich panel with hybrid foam core. *Composite structures*, 103, 143-150.

Weber, R. P., Chawla, K. K., & Suarez, J. M. (2013). Influence of notch orientation and temperature on the impact behavior of a dual hardness steel composite. *Materials Science and Engineering: A*, 580, 279-287.

Liyao, G., Minjie, W., & Chunzheng, D. (2013). On adiabatic shear localized fracture during serrated chip evolution in high speed machining of hardened AISI 1045 steel. *International Journal of Mechanical Sciences*, 75, 288-298.

Yang, L., Yan, Y., & Kuang, N. (2013). Experimental and numerical investigation of aramid fibre reinforced laminates subjected to low velocity impact. *Polymer Testing*, 32(7), 1163-1173.

Woo, S. C., Kim, J. T., Cho, C. H., Kim, J. Y., & Kim, T. W. (2013). The dynamic compressive behavior of armor structural materials in split Hopkinson pressure bar test. *The Journal of Strain Analysis for Engineering Design*, 48(7), 420-436.

Grujicic, M., Ramaswami, S., Snipes, J. S., Yen, C. F., Cheeseman, B. A., & Montgomery, J. S. (2013). Multiphysics modeling and simulations of Mil A46100 armor-grade martensitic steel gas metal arc welding process. *Journal of materials engineering and performance*, 22(10), 2950-2969.

Majumdar, A., Butola, B. S., & Srivastava, A. (2013). An analysis of deformation and energy absorption modes of shear thickening fluid treated Kevlar fabrics as soft body armour materials. *Materials & Design*, 51, 148-153.

Nilakantan, G. (2013). Filament-level modeling of Kevlar KM2 yarns for ballistic impact studies. *Composite Structures*, 104, 1-13.

Barauskas, R., & Abraitene, A. (2013). Multi-resolution finite element models for simulation of the ballistic impact on non-crimped composite fabric packages. *Composite Structures*, 104, 215-229.

Wang, X., & Shi, J. (2013). Validation of Johnson-Cook plasticity and damage model using impact experiment. *International Journal of Impact Engineering*, 60, 67-75.

Rakvåg, K. G., Børvik, T., Westermann, I., & Hopperstad, O. S. (2013). An experimental study on the deformation and fracture modes of steel projectiles during impact. *Materials & Design*, 51, 242-256.

Shaktivesh, N. S., & Nair, C. V. (2013). Sessa Kumar and NK Naik. *Mater Des*, 51, 833-846.

Cho, H., Bartyczak, S., Mock Jr, W., & Boyce, M. C. (2013). Dissipation and resilience of elastomeric segmented copolymers under extreme strain rates. *Polymer*, 54(21), 5952-5964.

Ramakrishnan, K. R., & Shankar, K. (2013). Experimental and numerical analysis of low-velocity impact of plastic laminates. *Fatigue & Fracture of Engineering Materials & Structures*, 36(11), 1153-1163.

Grujicic, M., Yavari, R., Ramaswami, S., Snipes, J. S., Yen, C. F., & Cheeseman, B. A. (2013). Molecular-level study of the effect of prior axial compression/torsion on the axial-tensile strength of PPTA fibers. *Journal of materials engineering and performance*, 22(11), 3269-3287.

Karthikeyan, K., Russell, B. P., Fleck, N. A., Wadley, H. N. G., & Deshpande, V. S. (2013). The effect of shear strength on the ballistic response of laminated composite plates. *European Journal of Mechanics-A/Solids*, 42, 35-53.

Johnsen, J., Holmen, J. K., Myhr, O. R., Hopperstad, O. S., & Børvik, T. (2013). A nano-scale material model applied in finite element analysis of aluminium plates under impact loading. *Computational Materials Science*, 79, 724-735.

Nordendale, N. A., Heard, W. F., Hickman, M. A., Zhang, B., & Basu, P. K. (2013). Cementitious material models for simulating projectile impact effects. *Computational materials science*, 79, 745-758.

Selvakumar, N., Azhagurajan, A., Sheikmohamed, P., & Suresh, A. (2013). Ballistic behaviour of gun powder and flash powder for firework chemicals as a function of particle sizes. *Measurement*, 46(9), 3202-3210.

Qi, C., Yang, S., Yang, L. J., Wei, Z. Y., & Lu, Z. H. (2013). Blast resistance and multi-objective optimization of aluminum foam-cored sandwich panels. *Composite Structures*, 105, 45-57.

Kolopp, A., Rivallant, S., & Bouvet, C. (2013). Experimental study of sandwich structures as armour against medium-velocity impacts. *International Journal of Impact Engineering*, 61, 24-35.

Moriniere, F. D., Alderliesten, R. C., & Benedictus, R. (2013). Low-velocity impact energy partition in GLARE. *Mechanics of Materials*, 66, 59-68.

Grande, A. M., Castelnovo, L., Landro, L. D., Giacomuzzo, C., Francesconi, A., & Rahman, M. A. (2013). Rate-dependent self-healing behavior of an ethylene-co-methacrylic acid ionomer under high-energy impact conditions. *Journal of Applied Polymer Science*, 130(3), 1949-1958.

Lu, Z., Jing, X., Sun, B., & Gu, B. (2013). Compressive behaviors of warp-knitted spacer fabrics impregnated with shear thickening fluid. *Composites Science and Technology*, 88, 184-189.

Balakrishnan, M., Balasubramanian, V., & Madhusudhan Reddy, G. (2013). Effect of hardfaced interlayer thickness and low hydrogen ferritic capping on ballistic performance of shielded metal arc welded armour steel joints. *Journal of Iron and Steel Research International*, 20(12), 82-91.

Dziewiecki, K., Blajer, W., Mazur, Z., & Czaplicki, A. (2013). Contact modeling and inverse dynamics identification of the handspring front somersault in pike position. *Proceedings of the Institution of Mechanical Engineers, Part K: Journal of Multi-body Dynamics*, 227(4), 330-343.

Jia, X., Huang, Z., Zu, X., Gu, X., & Xiao, Q. (2013). Effect of mesoscale and multiscale modeling on the performance of Kevlar woven fabric subjected to ballistic impact: a numerical study. *Applied Composite Materials*, 20(6), 1195-1214.

Park, S. C., Lee, Y. J., Yi, H. J., Yu, G. B., & Kang, S. S. (2013). Effect of nonmetallic inclusions on cold crack susceptibility of armor casting steel weld metal. *International Journal of Precision Engineering and Manufacturing*, 14(12), 2137-2142.

Chen, Y., Pang, B., Zheng, W., & Peng, K. (2013). Experimental investigation on normal and oblique ballistic impact behavior of fiber metal laminates. *Journal of Reinforced Plastics and Composites*, 32(23), 1769-1778.

Balakrishnan, M., Balasubramanian, V., & Reddy, G. M. (2013). Effect of hardfacing consumables on ballistic performance of Q&T steel joints. *Defence Technology*, 9(4), 249-258.

Seidt, J. D., Pereira, J. M., Gilat, A., Revilock, D. M., & Nandwana, K. (2013). Ballistic impact of anisotropic 2024 aluminum sheet and plate. *International Journal of Impact Engineering*, 62, 27-34.

Ning, J., Ren, H., Guo, T., & Li, P. (2013). Dynamic response of alumina ceramics impacted by long tungsten projectile. *International Journal of Impact Engineering*, 62, 60-74.

Compton, B. G., & Zok, F. W. (2013). Impact resistance of TiC-based cermets. *International Journal of Impact Engineering*, 62, 75-87.

Wadley, H. N. G., O'Masta, M. R., Dharmasena, K. P., Compton, B. G., Gamble, E. A., & Zok, F. W. (2013). Effect of core topology on projectile penetration in hybrid aluminum/alumina sandwich structures. *International Journal of Impact Engineering*, 62, 99-113.

Wadley, H. N. G., Dharmasena, K. P., O'Masta, M. R., & Wetzel, J. J. (2013). Impact response of aluminum corrugated core sandwich panels. *International Journal of Impact Engineering*, 62, 114-128.

Wen, Y., Xu, C., Wang, H., Chen, A., & Batra, R. C. (2013). Impact of steel spheres on ballistic gelatin at moderate velocities. *International Journal of Impact Engineering*, 62, 142-151.

Haag, J., Reguly, A., & Strohaecker, T. R. (2013). Effect of tensile overloads on fatigue crack growth of high strength steel wires. *Materials & Design (1980-2015)*, 52, 190-195.

Wan, H., Bai, S., Li, S., Mo, J., Zhao, S., & Song, Z. (2013). Shielding performances of the designed hybrid laminates impacted by hypervelocity flyer. *Materials & Design (1980-2015)*, 52, 422-428.

Uth, T., & Deshpande, V. S. (2013). Unsteady penetration of a target by a liquid jet. *Proceedings of the National Academy of Sciences*, 110(50), 20028-20033.

Gero, A. (2013). Interdisciplinary program on aviation weapon systems as a means of improving high school students' attitudes towards physics and engineering. *International Journal of Engineering Education*, 29(4), 1047-1054.

Le, M., Lee, J., Jun, J., Kim, J., Moh, S., & Shin, K. (2013). Hall sensor array based validation of estimation of crack size in metals using magnetic dipole models. *NDT & E International*, 53, 18-25.

Ritter, J. J. (2013). Characterizing 5.56-mm cartridge performance with novel measurement techniques. *International Journal of Energetic Materials and Chemical Propulsion*, 12(4).

Sugimoto, M., Ueda, M., & Asahina, J. K. (2013). DESTRUCTION OF CHEMICAL WEAPONS BY DAVINCH® DETONATION CHAMBER. *International Journal of Energetic Materials and Chemical Propulsion*, 12(5).

Meharu, G., Valsan, S. K., & Kuttieri, R. A. (2013). Flight Test Evaluation of Mission Computer Algorithms for a Modern Trainer Aircraft. *Defence Science Journal*, 63(2).

Lu, X., Zhou, Y., & Chen, J. (2013). A Methodology of Noncontact Automatic Measurement and Development of an Online Measurement Unit on Charge Temperature of a Large Caliber Artillery. *Journal of Applied Mechanics*, 80(3), 031401.

Micković, D., Jaramaz, S., Elek, P., Jaramaz, D., & Micković, D. (2013). Determination of pressure profiles behind projectiles during interior ballistic cycle. *Journal of Applied Mechanics*, 80(3), 031402.

Yu, W., & Zhang, X. (2013). Numerical simulation and analysis of the muzzle flow during the revolving barrel gun firing. *Journal of Applied Mechanics*, 80(3), 031602.

Panickar, M. B., Murray, N. E., Jansen Jr, B. J., Joachim, M. P., Birkbeck, R., Kannepalli, C., & Sinha, N. (2013). Reduction of noise generated by a half-open weapons bay. *Journal of aircraft*, 50(3), 716-724.

Bruchard, M., Mignot, G., Derangère, V., Chalmin, F., Chevriaux, A., Végran, F., ... & Ghiringhelli, F. (2013). Chemotherapy-triggered cathepsin B release in myeloid-derived suppressor cells activates the Nlrp3 inflammasome and promotes tumor growth. *Nature medicine*, 19(1), 57-64.

Kaviratna, L., Costello, M., & Slegers, N. (2013). Projectile fire-control algorithm in a spatially varying wind field. *Journal of Aerospace Information Systems*, 10(11), 497-512.

Seaver, M., Chattopadhyay, A., Papandreou-Suppapola, A., Kim, S. B., Kovvali, N., Farrar, C. R., ... & Derriso, M. M. (2013). Workshop on transitioning structural health monitoring technology to military platforms. *Journal of intelligent material systems and structures*, 24(17), 2063-2073.

Brown, P. G., Assink, J. D., Astiz, L., Blaauw, R., Boslough, M. B., Borovička, J., ... & Krzeminski, Z. (2013). A 500-kiloton airburst over Chelyabinsk and an enhanced hazard from small impactors. *Nature*, 503(7475), 238-241.

Tudose, V., Tudor, D. I., Gheorghiu, H., & GHIBAN12, N. I. C. O. L. A. E. (2013). Comparative Analysis of the Mechanical Behaviour of Optical Sighting Devices Made of Plastic or Metallic Materials. *Materiale Plastice*, 50(4), 319-322.

Kerr-Anderson, E., Geiger-Willis, B., Pillay, S., & Vaidya, U. (2013). Design and Development of a Test Fixture and Method for Investigation of Impact During Pre-Stressed Compression. *Journal of Testing and Evaluation*, 42(1), 162-169.

Sabatini, R., Richardson, M. A., Cantiello, M., Toscano, M., & Fiorini, P. (2013). A novel approach to night vision imaging systems development, integration and verification in military aircraft. *Aerospace Science and Technology*, 31(1), 10-23.

Janicki, D. (2014). Disk laser welding of armor steel. *Archives of Metallurgy and Materials*, 59.

Narayanamurthy, V., Rao, C. L., & Rao, B. N. (2014). Numerical simulation of ballistic impact on armour plate with a simple plasticity model. *Defence Science Journal*, 64(1), 55.

Lim, J. S., & Kim, J. H. (2014). Ballistic behavior of Heracron®-based composites: effect of fiber density and fabrication method. *Composite Interfaces*, 21(6), 543-552.

Randjbaran, E., Zahari, R., Abdul Jalil, N. A., & Abang Abdul Majid, D. L. (2014). Hybrid composite laminates reinforced with Kevlar/carbon/glass woven fabrics for ballistic impact testing. *The Scientific World Journal*, 2014.

Zhu, Z., Wang, R., Yang, F., Hao, L., Jiao, W., Liu, Y., ... & Liu, W. (2014). The effect of crack resistance layer on ballistic performance of laminated composites. *Polymers and Polymer Composites*, 22(2), 177-180.

Garcia-Castillo, S. K., Navarro, C., & Barbero, E. (2014). Damage in preloaded glass/vinylester composite panels subjected to high-velocity impacts. *Mechanics Research Communications*, 55, 66-71.

O'Brien, D. J., Chin, W. K., Long, L. R., & Wetzel, E. D. (2014). Polymer matrix, polymer ribbon-reinforced transparent composite materials. *Composites Part A: Applied Science and Manufacturing*, 56, 161-171.

Martis, C. J., Putatunda, S. K., Boileau, J., & Spray, J. G. (2014). The static and dynamic mechanical properties of a new low-carbon, low-alloy austempered steel. *Materials Science and Engineering: A*, 589, 280-287.

Yao, H. B., Ge, J., Mao, L. B., Yan, Y. X., & Yu, S. H. (2014). 25th anniversary article: artificial carbonate nanocrystals and layered structural nanocomposites inspired by nacre: synthesis, fabrication and applications. *Advanced Materials*, 26(1), 163-188.

Rashad, M., Zhang, X., & El Sadek, H. (2014). Interior Ballistics Two-Phase Reactive Flow Model Applied to Large Caliber Guided Projectile-Gun System. *Advances in Mechanical Engineering (Hindawi Publishing Corporation)*.

Zhu, D., Vaidya, A., Mobasher, B., & Rajan, S. D. (2014). Finite element modeling of ballistic impact on multi-layer Kevlar 49 fabrics. *Composites Part B: Engineering*, 56, 254-262.

Kim, S., Kim, H., & Cho, S. (2014). Fast Parameterless Ballistic Launch Point Estimation based on k-NN Search. *Defence Science Journal*, 64(1).

Nair, R. P., & Rao, C. L. (2014). Numerical Simulation of Ballistic Impact on Particulate Composite Target using Discrete Element Method: 1-D and 2-D Models. *International Journal for Computational Methods in Engineering Science and Mechanics*, 15(1), 9-16.

Prakash, A., Rajasankar, J., Iyer, N. R., Anandavalli, N., Biswas, S. K., & Mukhopadhyay, A. K. (2014). Prediction of behavior of ceramic/metal composite panels under two consecutive ballistic impacts. *International Journal for Computational Methods in Engineering Science and Mechanics*, 15(3), 192-202.

Mohan, V., Rajasankar, J., & Iyer, N. R. (2014). Response Simulation of a Micro Reinforced Concrete Target Under Ballistic Impact. *International Journal for Computational Methods in Engineering Science and Mechanics*, 15(3), 302-308.

Brahmbhatt, V., Greatrix, D. R., Karpynczyk, J., & Trumpour, A. P. (2014). Evaluation Of A Laboratory-Scale Hybrid Rocket Engine's Performance. *International Journal of Energetic Materials and Chemical Propulsion*, 13(2).

Haase, T., Rohr, I., & Thoma, K. (2014). Dynamic temperature measurements on a thermally activated self-healing ionomer. *Journal of intelligent material systems and structures*, 25(1), 25-30.

Balakrishnan, M., Balasubramanian, V., & Reddy, G. M. (2014). Effect of Hardfacing Processes on Ballistic Performance of Q&T Steel Joints. *Materials Performance and Characterization*, 3(1), 265-284.

Grujicic, M., Snipes, J. S., Galgalikar, R., Ramaswami, S., Yavari, R., Yen, C. F., ... & Montgomery, J. S. (2014). Improved gas metal arc welding multi-physics process model and its application to MIL A46100 armor-grade steel butt-welds. *Multidiscipline Modeling in Materials and Structures*.

Ni, C., Jin, F., & Lu, T. (2014). Penetration of sandwich plates with hybrid-cores under oblique ballistic impact. *Theoretical and Applied Mechanics Letters*, 4(2), 021001.

Erice, B., & Gálvez, F. (2014). A coupled elastoplastic-damage constitutive model with Lode angle dependent failure criterion. *International Journal of Solids and Structures*, 51(1), 93-110.

Ghosh, R., & De, S. (2014). Z-fiber influence on high speed penetration of 3D orthogonal woven fiber composites. *Mechanics of materials*, 68, 147-163.

Segala, D. B., & Cavallaro, P. V. (2014). Numerical investigation of energy absorption mechanisms in unidirectional composites subjected to dynamic loading events. *Computational Materials Science*, 81, 303-312.

Woo, S. C., Kim, J. T., Kim, J. Y., & Kim, T. W. (2014). Correlation of fracture processes and damage mechanisms of armor structural materials under high strain rates with acoustic emission characteristics. *International journal of impact engineering*, 63, 29-42.

Jordan, J. B., & Naito, C. J. (2014). An experimental investigation of the effect of nose shape on fragments penetrating GFRP. *International Journal of Impact Engineering*, 63, 63-71.

Nasirzadeh, R., & Sabet, A. R. (2014). Study of foam density variations in composite sandwich panels under high velocity impact loading. *International Journal of Impact Engineering*, 63, 129-139.

Mohan, S., & Velu, S. (2014). Ballistic impact behaviour of unidirectional fibre reinforced composites. *International Journal of Impact Engineering*, 63, 164-176.

Bobbili, R., Paman, A., Madhu, V., & Gogia, A. K. (2014). The effect of impact velocity and target thickness on ballistic performance of layered plates using Taguchi method. *Materials & Design*, 53, 719-726.

McWilliams, B., Yu, J., Klier, E., & Yen, C. F. (2014). Mechanical response of discontinuous ceramic fiber reinforced metal matrix composites under quasi-static and dynamic loadings. *Materials Science and Engineering: A*, 590, 21-29.

Whittington, W. R., Oppedal, A. L., Turnage, S., Hammi, Y., Rhee, H., Allison, P. G., ... & Horstemeyer, M. F. (2014). Capturing the effect of temperature, strain rate, and stress state on the plasticity and fracture of rolled homogeneous armor (RHA) steel. *Materials Science and Engineering: A*, 594, 82-88.

Grujicic, M., Snipes, J. S., Galgalikar, R., & Ramaswami, S. (2014). Material-model-based determination of the shock-hugoniot relations in nanosegregated polyurea. *Journal of materials engineering and performance*, 23(2), 357-371.

Nilakantan, G., & Nutt, S. (2014). Effects of clamping design on the ballistic impact response of soft body armor. *Composite Structures*, 108, 137-150.

Agnew, S., Whittington, W., Oppedal, A., El Kadiri, H., Shaeffer, M., Ramesh, K. T., ... & Davis, B. (2014). Dynamic behavior of a rare-earth-containing Mg alloy, WE43B-T5, plate with comparison to conventional alloy, AM30-F. *Jom*, 66(2), 277-290.

Grujicic, M., Snipes, J. S., Galgalikar, R., & Ramaswami, S. (2014). Material-model-based determination of the shock-hugoniot relations in nanosegregated polyurea. *Journal of materials engineering and performance*, 23(2), 357-371.

Nilakantan, G., & Nutt, S. (2014). Effects of clamping design on the ballistic impact response of soft body armor. *Composite Structures*, 108, 137-150.

Li, X., Zhang, P., Wang, Z., Wu, G., & Zhao, L. (2014). Dynamic behavior of aluminum honeycomb sandwich panels under air blast: Experiment and numerical analysis. *Composite Structures*, *108*, 1001-1008.

Lin, B., Lupton, C., Spanrad, S., Schofield, J., & Tong, J. (2014). Fatigue crack growth in laser-shock-peened Ti-6Al-4V aerofoil specimens due to foreign object damage. *International journal of fatigue*, *59*, 23-33.

Jung, A., Lach, E., & Diebels, S. (2014). New hybrid foam materials for impact protection. *International Journal of Impact Engineering*, *64*, 30-38.

Levi-Sasson, A., Mustacchi, S., Amarilio, I., Benes, D., Favorsky, V., Eliasy, R., ... & Haj-Ali, R. (2014). Experimental determination of linear and nonlinear mechanical properties of laminated soft composite material system. *Composites Part B: Engineering*, *57*, 96-104.

Zhou, N., Wang, J., Peng, C., & Tong, Z. (2014). Experimental and numerical study on the ballistic resistance of steel-fibre reinforced two-layer explosively welded plates. *Materials & Design (1980-2015)*, *54*, 104-111.

Majumdar, A., Butola, B. S., & Srivastava, A. (2014). Development of soft composite materials with improved impact resistance using Kevlar fabric and nano-silica based shear thickening fluid. *Materials & Design (1980-2015)*, *54*, 295-300.

Zhang, D., Sun, Y., Chen, L., Zhang, S., & Pan, N. (2014). Influence of fabric structure and thickness on the ballistic impact behavior of Ultrahigh molecular weight polyethylene composite laminate. *Materials & Design (1980-2015)*, *54*, 315-322.

Balakrishnan, M., Balasubramanian, V., & Reddy, G. M. (2014). Effect of joint design on ballistic performance of quenched and tempered steel welded joints. *Materials & Design (1980-2015)*, *54*, 616-623.

Yunfei, D., Wei, Z., Guanghui, Q., Gang, W., Yonggang, Y., & Peng, H. (2014). The ballistic performance of metal plates subjected to impact by blunt-nosed projectiles of different strength. *Materials & Design (1980-2015)*, *54*, 1056-1067.

Sun, K., Yu, X., Tan, C., Ma, H., Wang, F., & Cai, H. (2014). Effect of microstructure on adiabatic shear band bifurcation in Ti-6Al-4V alloys under ballistic impact. *Materials Science and Engineering: A*, *595*, 247-256.

Dutta, D. (2014). Probabilistic analysis of anti-ship missile defence effectiveness. *Defence Science Journal*, *64*(2), 123.

Chen, C., Zhu, X., Hou, H., Zhang, L., Shen, X., & Tang, T. (2014). An experimental study on the ballistic performance of FRP-steel plates completely penetrated by a hemispherical-nosed projectile. *Steel and Composite Structures, An International Journal*, *16*(3), 269-288.

Bazhenov, S. L., & Goncharuk, G. P. (2014). The influence of water on the friction forces of fibers in aramid fabrics. *Polymer Science Series A*, *56*(2), 184-195.

Maini, N., Sabharwal, A., Sareen, K., Singh, A., & Kumar, P. (2014). A User Programmable Electro-optic Device for Testing Laser Seekers. *Defence Science Journal*, *64*(1).

Bing, L., Jie, L., Guanglin, H., & Dalin, L. (2014). Research on cooperative combat for integrated reconnaissance-attack-BDA of group LAVs. *Mathematical Problems in Engineering*, 2014.



Sabatini, R., Richardson, M. A., Cantiello, M., Toscano, M., Fiorini, P., Zammit-Mangion, D., & Gardi, A. (2014). Experimental flight testing of night vision imaging systems in military fighter aircraft.

Brochu, S., Brassard, M., Thiboutot, S., Ampleman, G., Brousseau, P., Petre, C. F., ... & Martel, R. (2014). Toward high-performance, greener, and low-vulnerability munitions with the RIGHTTRAC technology demonstrator program. *International Journal of Energetic Materials and Chemical Propulsion*, 13(1).

Zhou, Y., Jiang, J., Yang, Z. Y., & Tan, Y. J. (2014). A hybrid approach for multi-weapon production planning with large-dimensional multi-objective in defense manufacturing. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 228(2), 302-316.

Hodson, D. D., & Hill, R. R. (2014). The art and science of live, virtual, and constructive simulation for test and analysis. *The Journal of Defense Modeling and Simulation*, 11(2), 77-89.

Il'kaev, R. I. (2014). Scientific problems of creation of first soviet thermonuclear bomb RDS-6s. *Herald of the Russian Academy of Sciences*, 84(3), 153-161.

Costa, E., & Lagasco, F. (2014). Development of a 3D numerical methodology for fast prediction of gun blast induced loading. *Shock Waves*, 24(3), 257-265.

Shuang-Qi, H., Hong-Rong, L., Li-shuang, H., Xiong, C., Xiang-Chao, M., & Hai-Xia, Z. (2014). Study on the structures of two booster pellets having high initiation capacity. *Journal of Energetic Materials*, 32(sup1), S3-S12.

Long, D. F., Lin, J., Zhang, X. M., & Li, J. (2014). Orientation estimation algorithm applied to high-spin projectiles. *Measurement Science and Technology*, 25(6), 065001.

Liu, J. Q., Gu, W. B., Lu, M., Xu, H. M., & Wu, S. Z. (2014). Formation of explosively formed penetrator with fins and its flight characteristics. *Defence Technology*, 10(2), 119-123.

Cech, V., Jedlicka, L., & Jevicky, J. (2014). Problem of the reference height of the projectile trajectory as a reduced meteo-ballistic weighting factor. *Defence Technology*, 10(2), 131-140.

Guo, H., Luo, J. R., Shi, P. A., & Xu, J. G. (2014). Research on the fracture behavior of PBX under static tension. *Defence Technology*, 10(2), 154-160.

Choudhury, K., Kumar, A., & Nath, W. (2014). Designing Integration Unit to Integrate Navigational and Tactical Equipment Onboard Naval Platforms. *Defence Science Journal*, 64(5), 445.

Dorogoy, A., & Rittel, D. (2014). Impact of thick PMMA plates by long projectiles at low velocities. Part II: Effect of confinement. *Mechanics of Materials*, 70, 53-66.

Jia, X., Huang, Z. X., Zu, X. D., Gu, X. H., & Xiao, Q. Q. (2014). Theoretical analysis of the disturbance of shaped charge jet penetrating a woven fabric rubber composite armor. *International Journal of Impact Engineering*, 65, 69-78.

Li, X., Wang, Z., Zhu, F., Wu, G., & Zhao, L. (2014). Response of aluminium corrugated sandwich panels under air blast loadings: experiment and numerical simulation. *International Journal of Impact Engineering*, 65, 79-88.

Asgharifar, M., Kong, F., Abramovitch, J., Carlson, B., & Kovacevic, R. (2014). Wettability characterization and adhesion enhancement of arc-treated surface of aluminum alloys. *The International Journal of Advanced Manufacturing Technology*, 71(5), 1463-1481.

Milinic, M., Petrovic, D., Jeremic, O., & Kovac, M. (2014). Discrete deterministic modelling of autonomous missiles salvos. *Defence Science Journal*, 64(5), 471.

Tan, M. L. P., Chin, H. C., Lim, L. L., Wong, W. S., Su, E. L. M., & Yeong, C. F. (2014). Nanoscale device modeling and circuit-level performance projection of top-gated graphene nanoribbon field-effect transistor for digital logic gates. *Science of Advanced Materials*, 6(3), 569-576.

Hudspeth, M., Agarwal, A., Andrews, B., Claus, B., Hai, F., Funnell, C., ... & Chen, W. (2014). Degradation of yarns recovered from soft-armor targets subjected to multiple ballistic impacts. *Composites Part A: Applied Science and Manufacturing*, 58, 98-106.

Tan, P. (2014). Numerical simulation of the ballistic protection performance of a laminated armor system with pre-existing debonding/delamination. *Composites Part B: Engineering*, 59, 50-59.

Li, T. T., Wang, R., Lou, C. W., & Lin, J. H. (2014). Static and dynamic puncture behaviors of compound fabrics with recycled high-performance Kevlar fibers. *Composites Part B: Engineering*, 59, 60-66.

Chen, X., Zhou, Y., & Wells, G. (2014). Numerical and experimental investigations into ballistic performance of hybrid fabric panels. *Composites Part B: Engineering*, 58, 35-42.

Yan, L., Zhao, J. G., Shen, H. R., & Li, Y. (2014). Biased retro-proportional navigation law for interception of high-speed targets with angular constraint. *Defence Technology*, 10(1), 60-65.

Li, X. D., Yang, Y. S., & Lv, S. T. (2014). A numerical study on the disturbance of explosive reactive armors to jet penetration. *Defence Technology*, 10(1), 66-75.

Gong, X., Xu, Y., Zhu, W., Xuan, S., Jiang, W., & Jiang, W. (2014). Study of the knife stab and puncture-resistant performance for shear thickening fluid enhanced fabric. *Journal of Composite Materials*, 48(6), 641-657.

Kunz, S. N., Kirchhoff, S., Eggersmann, R., Stiefel, D., Gessinger, M., Manthei, A., ... & Peschel, O. (2014). Ricocheted rifle and shotgun projectiles: a ballistic evaluation. *Journal of Testing and Evaluation*, 42(2), 277-284.

Krell, A., & Strassburger, E. (2014). Order of influences on the ballistic resistance of armor ceramics and single crystals. *Materials Science and Engineering: A*, 597, 422-430.

Do, J., Jeon, C., Song, Y. B., & Lee, S. (2014). Ballistic impact properties of mixed multi-layered amorphous surface alloyed materials fabricated by high-energy electron-beam irradiation. *Materials Science and Engineering: A*, 598, 224-235.

Tran, P., Ngo, T., Yang, E. C., Mendis, P., & Humphries, W. (2014). Effects of architecture on ballistic resistance of textile fabrics: Numerical study. *International journal of damage mechanics*, 23(3), 359-376.

Wang, B., Zhang, G., Wang, S., Ma, L., & Wu, L. (2014). High velocity impact response of composite lattice core sandwich structures. *Applied Composite Materials*, 21(2), 377-389.

Koul, M. G., Sheetz, A., Ault, P., Repp, J., & Whitfield, A. (2014). Effect of Zn-rich coatings on the corrosion and cracking resistance of high-strength armor steel. *Corrosion*, 70(4), 337-350.

Sikarwar, R. S., Velmurugan, R., & Gupta, N. K. (2014). Influence of fiber orientation and thickness on the response of glass/epoxy composites subjected to impact loading. *Composites Part B: Engineering*, 60, 627-636.

Hasanzadeh, M., & Mottaghitalab, V. (2014). The role of shear-thickening fluids (STFs) in ballistic and stab-resistance improvement of flexible armor. *Journal of materials engineering and performance*, 23(4), 1182-1196.

Lee, M. (2014). Optimum thickness ratio of two spaced plate system against hypervelocity impact. *International Journal of Applied Mechanics*, 6(02), 1450018.

Mohotti, D., Ngo, T., Raman, S. N., Ali, M., & Mendis, P. (2014). Plastic deformation of polyurea coated composite aluminium plates subjected to low velocity impact. *Materials & Design (1980-2015)*, 56, 696-713.

Hazell, P. J., Appleby-Thomas, G. J., & Toone, S. (2014). Ballistic compaction of a confined ceramic powder by a non-deforming projectile: experiments and simulations. *Materials & Design (1980-2015)*, 56, 943-952.

Heimbs, S., Nogueira, A. C., Hombergsmeier, E., May, M., & Wolfrum, J. (2014). Failure behaviour of composite T-joints with novel metallic arrow-pin reinforcement. *Composite Structures*, 110, 16-28.

Langhorst, B., Lillo, T. M., & Chu, H. S. (2014). A Residual Mass Ballistic Testing Method to Compare Armor Materials or Components (Residual Mass Ballistic Testing Method). *Journal of Testing and Evaluation*, 42(3), 740-748.

Joselin, R., & Wilson, W. J. (2014). Investigation on Impact Strength Properties of Kevlar Fabric using Different Shear Thickening Fluid Composition. *Defence Science Journal*, 64(3).

O'Neil, P. T., & Heister, S. D. (2014). Evaluation of Physical and Ballistic Properties of Polymerized-Dicyclopentadiene-Based Composite Solid Propellants. *Journal of Propulsion and Power*, 30(3), 749-759.

Sun, D., Chen, X., & Wells, G. (2014). Engineering and analysis of gripping fabrics for improved ballistic performance. *Journal of Composite Materials*, 48(11), 1355-1364.

Freitas, C. J., Bigger, R. P., Scott, N., LaSala, V., & MacKiewicz, J. (2014). Composite materials dynamic back face deflection characteristics during ballistic impact. *Journal of Composite Materials*, 48(12), 1475-1486.

Jordan, J. B., Naito, C. J., & Haque, B. Z. G. (2014). Progressive damage modeling of plain weave E-glass/phenolic composites. *Composites Part B: Engineering*, 61, 315-323.

Morinière, F. D., Alderliesten, R. C., & Benedictus, R. (2014). Modelling of impact damage and dynamics in fibre-metal laminates—A review. *International Journal of Impact Engineering*, 67, 27-38.

Rajagopal, A., & Naik, N. K. (2014). Oblique ballistic impact behavior of composites. *International Journal of Damage Mechanics*, 23(4), 453-482.

Voznyakovskii, A. P., Dolmatov, V. Y., & Shumilov, F. A. (2014). The influence of detonation synthesis conditions on surface properties of detonation nanodiamonds. *Journal of Superhard Materials*, 36(3), 165-170.

Akçay, M., & Yükselen, M. A. (2014). Unsteady thermal studies of gun barrels during the interior ballistic cycle with non-homogenous gun barrel material thermal characteristics. *J. Therm. Sci. Technol*, 34(2), 75-81.

Dede, G., & Akçay, M. (2014). Technology foresight in practice: A proposal for Turkish space vision. *Space Policy*, 30(4), 226-230.

Ni, C. Y., Liu, G. W., Jin, F., & Lu, T. J. (2014). Ballistic performance of titanium alloy encapsulated ceramic composite plates. *Materials Research Innovations*, 18(sup2), S2-215.

Sliozberg, Y. R., Hoy, R. S., Mrozek, R. A., Lenhart, J. L., & Andzelm, J. W. (2014). Role of entanglements and bond scission in high strain-rate deformation of polymer gels. *Polymer*, 55(10), 2543-2551.

Flores-Johnson, E. A., Shen, L., Guiamatsia, I., & Nguyen, G. D. (2014). Numerical investigation of the impact behaviour of bioinspired nacre-like aluminium composite plates. *Composites Science and Technology*, 96, 13-22.

Jankowiak, T., Rusinek, A., Kpenyigba, K. M., & Pesci, R. (2014). Ballistic behavior of steel sheet subjected to impact and perforation. *Steel and Composite Structures*, 16(6), 595-609.

Kordani, N., & Vanini, A. S. (2014). Different method to make laminates by shear thickening fluid. *Science and Engineering of Composite Materials*, 21(3), 421-425.

Goel, R., Kulkarni, M. D., Pandya, K. S., & Naik, N. K. (2014). Stress wave micro-macro attenuation in ceramic plates made of tiles during ballistic impact. *International Journal of Mechanical Sciences*, 83, 30-37.

Ohlmeyer, E. J., & Menon, P. K. (2014). Tracking of spiraling reentry vehicles with varying frequency using a new target dynamic model. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 228(8), 1235-1245.

Zhou, Y., Chen, X., & Wells, G. (2014). Influence of yarn gripping on the ballistic performance of woven fabrics from ultra-high molecular weight polyethylene fibre. *Composites Part B: Engineering*, 62, 198-204.

Manning, T., Wyckoff, J., Adam, C., Rozumov, E., Klingaman, K., Panchal, V., ... & Boyd, K. (2014). Formulation development and characterization of cellulose acetate nitrate based propellants for improved insensitive munitions properties. *Defence Technology*, 10(2), 92-100.

Xue, T., Zhang, X. B., & Cui, D. H. (2014). Dynamic analysis of a guided projectile during engraving process. *Defence Technology*, 10(2), 111-118.

Cech, V., Jedlicka, L., & Jevicky, J. (2014). Problem of the reference height of the projectile trajectory as a reduced meteo-ballistic weighting factor. *Defence Technology*, 10(2), 131-140.

Strassburger, E., Bauer, S., & Popko, G. (2014). Damage visualization and deformation measurement in glass laminates during projectile penetration. *Defence Technology*, 10(2), 226-238.

Courtney, E., Courtney, A., & Courtney, M. (2014). Shock tube design for high intensity blast waves for laboratory testing of armor and combat materiel. *Defence Technology*, 10(2), 245-250.

Rodríguez-Millán, M., Vaz-Romero, A., Rusinek, A., Rodríguez-Martínez, J. A., & Arias, A. (2014). Experimental study on the perforation process of 5754-H111 and 6082-T6 aluminium plates subjected to normal impact by conical, hemispherical and blunt projectiles. *Experimental Mechanics*, 54(5), 729-742.

Zahraee, S. M., & Sabet, A. R. (2014). Ballistic Performance of Hybrid Armor with Ceramic Inserts and Polymeric Matrix for Different Threat Levels. *International Journal of Engineering*, 27(6), 945-950.

Bigeev, V. A., Nosov, S. K., & Sarychev, B. A. (2014). Development of the manufacture of armor steel in the Magnitogorsk metallurgical works. *Russian Metallurgy (Metally)*, 2014(6), 471-473.

Minh, C. H., Boussu, F., Imad, A., Kanit, T., & Crepin, D. (2014). Multi-scale model to predict the ballistic impact behavior of multi-layer plain-woven fabrics. *International Journal of Computational Methods*, 11(03), 1343011.

Masri, R. (2014). The effect of adiabatic thermal softening on specific cavitation energy and ductile plate perforation. *International Journal of Impact Engineering*, 68, 15-27.

Whisler, D., & Kim, H. (2014). A non-explosive test method for generating wide area dynamic blast-type pressure pulse loading on armored panels. *International Journal of Impact Engineering*, 68, 28-40.

Russell, B. P. (2014). Multi-hit ballistic damage characterisation of 304 stainless steel plates with finite elements. *Materials & Design*, 58, 252-264.

Yunfei, D., Wei, Z., Yonggang, Y., & Gang, W. (2014). The ballistic performance of metal plates subjected to impact by projectiles of different strength. *Materials & Design*, 58, 305-315.

Firouzi, D., Foucher, D. A., & Bougherara, H. (2014). Nylon-coated ultra high molecular weight polyethylene fabric for enhanced penetration resistance. *Journal of Applied Polymer Science*, 131(11).

Sun, K., Yu, X., Tan, C., Ma, H., Wang, F., & Cai, H. (2014). Influence of adiabatic shear bands intersection on the ballistic impact of Ti-6Al-4V alloys with three microstructures. *Materials Science and Engineering: A*, 606, 257-267.

Sockalingam, S., Gillespie Jr, J. W., & Keefe, M. (2014). On the transverse compression response of Kevlar KM2 using fiber-level finite element model. *International Journal of Solids and Structures*, 51(13), 2504-2517.

Bivin, Y. K. (2014). Fracture of metal plates on normal impact by a rigid conical body. *Mechanics of Solids*, 49(4), 445-452.

Deconinck, P., Capelle, J., Bouchart, V., Chevrier, P., & Ravaille, F. (2014). Delamination propagation analysis in tufted carbon fibre-reinforced plastic composites subjected to high-velocity impact. *Journal of Reinforced Plastics and Composites*, 33(14), 1353-1363.

Gang, G. U., Ye, L. Y., Jiang, H. C., Sun, D. X., Zhang, P., & Zhang, X. M. (2014). Effects of T9I6 thermo-mechanical process on microstructure, mechanical properties and ballistic resistance of 2519A aluminum alloy. *Transactions of Nonferrous Metals Society of China*, 24(7), 2295-2300.

Sikarwar, R. S., & Velmurugan, R. (2014). Ballistic impact on glass/epoxy composite laminates. *Defense Science Journal*, 64(4), 393-399.

Manes, A., Pagani, M., Saponara, M., Mombelli, D., Mapelli, C., & Giglio, M. (2014). Metallographic characterisation of Al6061-T6 aluminium plates subjected to ballistic impact. *Materials Science and Engineering: A*, 608, 207-220.

Fry, M. B., & Gonthier, K. A. (2014). A simplified model for ballistic initiation of thin energetic targets by micro-flier impact. *International Journal of Mechanical Sciences*, 84, 1-17.

Gupta, V., & Youssef, G. (2014). Orientation-dependent impact behavior of polymer/EVA bilayer specimens at long wavelengths. *Experimental Mechanics*, 54(6), 1133-1137.

Yaghoubi, A. S., & Liaw, B. (2014). Influences of thickness and stacking sequence on ballistic impact behaviors of GLARE 5 FML plates: Part I-experimental studies. *Journal of Composite Materials*, 48(16), 2011-2021.

Zhang, H. K., Yao, Z., Kirk, M. A., & Daymond, M. R. (2014). Stability of Ni<sub>3</sub> (Al, Ti) gamma prime precipitates in a nickel-based superalloy Inconel X-750 under heavy ion irradiation. *Metallurgical and Materials Transactions A*, 45(8), 3422-3428.

Zhang, F., Liu, K., Wan, Y., Jin, L., Gu, B., & Sun, B. (2014). Experimental and numerical analyses of the mechanical behaviors of three-dimensional orthogonal woven composites under compressive loadings with different strain rates. *International journal of damage mechanics*, 23(5), 636-660.

Zheng, C., Wang, F., Cheng, X., Fu, K., Liu, J., Wang, Y., ... & Zhu, Z. (2014). Effect of microstructures on ballistic impact property of Ti-6Al-4V targets. *Materials Science and Engineering: A*, 608, 53-62.

Fielding, L. C. D., & Bhadeshia, H. K. D. H. (2014). Shear band structure in ballistically tested bainitic steels. *Materials Science and Technology*, 30(7), 812-817.

Erice, B., Pérez-Martín, M. J., & Gálvez, F. (2014). An experimental and numerical study of ductile failure under quasi-static and impact loadings of Inconel 718 nickel-base superalloy. *International Journal of Impact Engineering*, 69, 11-24.

Manes, A., Serpellini, F., Pagani, M., Saponara, M., & Giglio, M. (2014). Perforation and penetration of aluminium target plates by armour piercing bullets. *International Journal of Impact Engineering*, 69, 39-54.

Zhang, X., Jia, G., & Huang, H. (2014). An approach for constituting double/multi wall BLE by single wall BLE of spacecraft shield. *International Journal of Impact Engineering*, 69, 114-121. Siddiqui, N. A., Khateeb, B. M., Almusallam, T. H., Al-Salloum, Y. A., Iqbal, R. A., & Abbas, H. (2014). Reliability of RC shielded steel plates against the impact of sharp nose projectiles. *International Journal of Impact Engineering*, 69, 122-135.

Wang, B. P., Wang, L., Xue, Y. F., Wang, S. Y., Wang, Y. Q., Zhang, H. F., & Fu, H. M. (2014). Strain rate-dependent compressive deformation and failure behavior of porous SiC/Ti-based metallic glass composite. *Materials Science and Engineering: A*, 609, 53-59.

Yaghoubi, A. S., & Liaw, B. (2014). Influences of thickness and stacking sequence on ballistic impact behaviors of GLARE 5 FML plates: Part II–Numerical studies. *Journal of Composite Materials*, 48(19), 2363-2374.

Jordan, J. B., Naito, C. J., & Haque, B. Z. (2014). Quasi-static, low-velocity impact and ballistic impact behavior of plain weave E-glass/phenolic composites. *Journal of Composite Materials*, 48(20), 2505-2516.

Jabbar, A., Hasan Malik, M., Hussain, T., Zulifqar, A., & Tausif, M. (2014). Comparison of mechanical and ballistic performance of composite laminates produced from single-layer and double-layer interlocked woven structures. *Polymer composites*, 35(8), 1583-1591.

Vega, J. M., Grande, A. M., Van der Zwaag, S., & Garcia, S. J. (2014). On the role of free carboxylic groups and cluster conformation on the surface scratch healing behaviour of ionomers. *European Polymer Journal*, 57, 121-126.

Sastry, Y. S., Budarapu, P. R., Krishna, Y., & Devaraj, S. (2014). Studies on ballistic impact of the composite panels. *Theoretical and Applied Fracture Mechanics*, 72, 2-12.

Yunfei, D., Wei, Z., Yonggang, Y., & Lizhong, S. (2014). Experimental investigation on the ballistic performance of double-layered plates subjected to impact by projectile of high strength. *International Journal of Impact Engineering*, 70, 38-49.

Chieffi, G., Giordano, C., Antonietti, M., & Esposito, D. (2014). FeNi nanoparticles with carbon armor as sustainable hydrogenation catalysts: towards biorefineries. *Journal of Materials Chemistry A*, 2(30), 11591-11596.

Mishra, B., Mondal, C., Goyal, R., Ghosal, P., Kumar, K. S., & Madhu, V. (2014). Plastic flow behavior of 7017 and 7055 aluminum alloys under different high strain rate test methods. *Materials Science and Engineering: A*, 612, 343-353.

Guanghu, J., Xunzhang, G., & Zhen, D. (2014). Two-dimensional Length Extraction of Ballistic Target from ISAR Images Using a New Scaling Method by Affine Registration. *Defence Science Journal*, 64(5), 458.

Savio, S. G., Madhu, V., & Gogia, A. K. (2014). Ballistic Performance of Alumina and Zirconia-toughened Alumina Against 7.62 Armour Piercing Projectile. *Defence Science Journal*, 64(5).

Behera, B. K., & Dash, B. P. (2014). An experimental investigation into the mechanical behaviour of 3D woven fabrics for structural composites. *Fibers and Polymers*, 15(9), 1950-1955.

Grujicic, M., Snipes, J. S., Galgalikar, R., Ramaswami, S., Yavari, R., Yen, C. F., & Cheeseman, B. A. (2014). Ballistic-failure mechanisms in gas metal arc welds of MIL A46100 armor-grade steel: a computational investigation. *Journal of materials engineering and performance*, 23(9), 3108-3125.

Bilisik, K., & Yildirim, B. (2014). Weft directional stick–slip force of yarn pullout in para-aramid fabric for ballistics. *Journal of Thermoplastic Composite Materials*, 27(9), 1167-1191.

Li, C. S., Huang, X. C., Li, Y., Yang, N., Shen, Z., & Fan, X. H. (2014). Stab resistance of UHMWPE fiber composites impregnated with thermoplastics. *Polymers for advanced technologies*, 25(9), 1014-1019.

Nilakantan, G., & Nutt, S. (2014). Effects of fabric target shape and size on the V50 ballistic impact response of soft body armor. *Composite Structures*, 116, 661-669.

Li, Y., Yan, L., Zhao, J. G., Liu, F., & Wang, T. (2014). Combined proportional navigation law for interception of high-speed targets. *Defence Technology*, 10(3), 298-303.

Jing, L., Wang, Z., Shim, V. P. W., & Zhao, L. (2014). An experimental study of the dynamic response of cylindrical sandwich shells with metallic foam cores subjected to blast loading. *International Journal of Impact Engineering*, 71, 60-72.

Liu, L., Jia, Z., Ma, X., Fan, Y., Li, W., & Liu, H. (2014). A spherical cavity expansion model of large elastic deformation and its application to ballistic gelatin penetration problems. *International Journal of Impact Engineering*, 71, 106-116.

Chocron, S., Nicholls, A. E., Brill, A., Malka, A., Namir, T., Havazelet, D., ... & Walker, J. D. (2014). Modeling unidirectional composites by bundling fibers into strips with experimental determination of shear and compression properties at high pressures. *Composites Science and Technology*, 101, 32-40.

Park, Y., Kim, Y., Baluch, A. H., & Kim, C. G. (2014). Empirical study of the high velocity impact energy absorption characteristics of shear thickening fluid (STF) impregnated Kevlar fabric. *International Journal of Impact Engineering*, 72, 67-74.

Hu, W., Antoine, D., & Yu, X. (2014). Optically transparent poly (methyl methacrylate) composite reinforced by polyacrylonitrile hollow nanofibers. *Journal of Composite Materials*, 48(24), 3019-3024.

Li, R., Fan, Q., Gao, R., Huo, L., Wang, F., & Wang, Y. (2014). Effects of dynamic mechanical properties on the ballistic performance of a new near- $\beta$  titanium alloy Ti684. *Materials & Design (1980-2015)*, 62, 233-240.

Milekhin, Y. M., Kluchnikov, A. N., Popov, V. S., & Pelipas, N. D. (2014). Calculation of the unsteady internal ballistic parameters of the transition of a solid rocket motor to steady-state operation using the method of characteristics. *Combustion, Explosion, and Shock Waves*, 50(6), 676-688.

Wang, J., Zhou, N., & Peng, C. (2014). Influence of different combinations of explosively welded plates with the same areal density on their antipenetration performance. *Mechanics of Composite Materials*, 50(5), 623-632.

Rezaei, H., & Soltani, M. R. (2014). An analytical and experimental study of a hybrid rocket motor. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 228(13), 2475-2486.

Wang, J., & Callinan, R. (2014). Residual strengths of composite structures subjected to ballistic impact. *Composite Structures*, 117, 423-432.

Fallah, A. S., Micallef, K., Langdon, G. S., Lee, W. C., Curtis, P. T., & Louca, L. A. (2014). Dynamic response of Dyneema® HB26 plates to localised blast loading. *International Journal of Impact Engineering*, 73, 91-100.



Somasundaram, D. S., Trabia, M. B., & O'Toole, B. J. (2014). A methodology for predicting high impact shock propagation within bolted-joint structures. *International Journal of Impact Engineering*, 73, 30-42.

Fourest, T., Laurens, J. M., Deletombe, E., Dupas, J., & Arrigoni, M. (2014). Analysis of bubbles dynamics created by hydrodynamic ram in confined geometries using the rayleigh–plessset equation. *International Journal of Impact Engineering*, 73, 66-74.

Wei, G., Zhang, W., Huang, W., Ye, N., Gao, Y., & Ni, Y. (2014). Effect of strength and ductility on deformation and fracture of three kinds of aluminum alloys during Taylor tests. *International Journal of Impact Engineering*, 73, 75-90.

Karthikeyan, K., & Russell, B. P. (2014). Polyethylene ballistic laminates: Failure mechanics and interface effect. *Materials & Design*, 63, 115-125.

Zhou, Z., Wu, G., Jiang, L., Li, R., & Xu, Z. (2014). Analysis of morphology and microstructure of B4C/2024Al composites after 7.62 mm ballistic impact. *Materials & Design*, 63, 658-663.

Yahaya, R., Sapuan, S. M., Jawaid, M., Leman, Z., & Zainudin, E. S. (2014). Quasi-static penetration and ballistic properties of kenaf–aramid hybrid composites. *Materials & Design*, 63, 775-782.

Chabera, P., Boczkowska, A., Morka, A., Niezgodą, T., Oziębło, A., & Witek, A. (2014). Numerical and experimental study of armour system consisted of ceramic and ceramic-elastomer composites. *Bulletin of the Polish Academy of Sciences: Technical Sciences*, (4).

Afeshejani, S. H. A., Sabet, S. A. R., Zeynali, M. E., & Atai, M. (2014). Energy absorption in a shear-thickening fluid. *Journal of materials engineering and performance*, 23(12), 4289-4297.

Yan, S., Zhao, J., Lu, X., & Zeng, T. (2014). An experimental investigation on the low-velocity impact behavior of 3D five-directional braided composites. *Polymers for advanced technologies*, 25(12), 1386-1390.

McAllister, Q. P., Gillespie Jr, J. W., & VanLandingham, M. R. (2014). The energy dissipative mechanisms of particle-fiber interactions in a textile composite. *Journal of Composite Materials*, 48(28), 3553-3567.

Krishna Murthy, N., Janaki Ram, G. D., Murty, B. S., Reddy, G. M., & Rao, T. J. P. (2014). Carbide-free bainitic weld metal: A new concept in welding of armor steels. *Metallurgical and Materials Transactions B*, 45(6), 2327-2337.

Jover, N., Shafiq, B., & Vaidya, U. (2014). Ballistic impact analysis of balsa core sandwich composites. *Composites Part B: Engineering*, 67, 160-169.

Bobbili, R., Madhu, V. G. O. G. I. A. A. K., & Gogia, A. K. (2014). Neural network modeling to evaluate the dynamic flow stress of high strength armor steels under high strain rate compression. *Defence Technology*, 10(4), 334-342.

Wong, Y. C., Ruan, D., & Sesso, M. L. (2014). The influence of magnetic field on ballistic performance of aramid fibre and ultrahigh molecular weight polyethylene. *Materials & Design*, 64, 360-365.

Feng, X., Li, S., Wang, Y., Wang, Y., & Liu, J. (2014). Effects of different silica particles on quasi-static stab resistant properties of fabrics impregnated with shear thickening fluids. *Materials & Design*, *64*, 456-461.

Jones, N. (2014). Dynamic inelastic response of strain rate sensitive ductile plates due to large impact, dynamic pressure and explosive loadings. *International Journal of Impact Engineering*, *74*, 3-15.

O'Masta, M. R., Deshpande, V. S., & Wadley, H. N. G. (2014). Mechanisms of projectile penetration in Dyneema® encapsulated aluminum structures. *International Journal of Impact Engineering*, *74*, 16-35.

Henchie, T. F., Yuen, S. C. K., Nurick, G. N., Ranwaha, N., & Balden, V. H. (2014). The response of circular plates to repeated uniform blast loads: An experimental and numerical study. *International Journal of Impact Engineering*, *74*, 36-45.

Tiwari, G., Iqbal, M. A., Gupta, P. K., & Gupta, N. K. (2014). The ballistic resistance of thin aluminium plates with varying degrees of fixity along the circumference. *International Journal of Impact Engineering*, *74*, 46-56.

Balaganesan, G., Velmurugan, R., Srinivasan, M., Gupta, N. K., & Kanny, K. J. I. J. I. E. (2014). Energy absorption and ballistic limit of nanocomposite laminates subjected to impact loading. *International Journal of Impact Engineering*, *74*, 57-66.

Wu, S., Chen, Q., Liu, K., & Luo, N. (2014). A front tracking algorithm for hypervelocity impact problems with crack growth, large deformations and high strain rates. *International Journal of Impact Engineering*, *74*, 145-156.

Tan, P. (2014). Ballistic protection performance of curved armor systems with or without debondings/delaminations. *Materials & Design*, *64*, 25-34.

Atabaki, M. M., Ma, J., Yang, G., & Kovacevic, R. (2014). Hybrid laser/arc welding of advanced high strength steel in different butt joint configurations. *Materials & Design*, *64*, 573-587.

Grujicic, M., Yavari, R., Snipes, J. S., Ramaswami, S., Yen, C. F., & Cheeseman, B. A. (2014). The effect of plain-weaving on the mechanical properties of warp and weft p-phenylene terephthalamide (PPTA) fibers/yarns. *Journal of materials science*, *49*(24), 8272-8293.

Zhang, Y., Gao, M., Yang, S., & Fang, D. (2015). Optimization of trajectory correction scheme for guided mortar projectiles. *International Journal of Aerospace Engineering*, 2015.

Clayton, J. D. (2015). Modeling and simulation of ballistic penetration of ceramic-polymer-metal layered systems. *Mathematical Problems in Engineering*, 2015.

Głuszek, M., Antosik, A., Żurowski, R., & Szafran, M. (2015). Application of halloysite in fabrication of composite materials for energy absorption. *Composites Theory and Practice*, *15*(2), 61-65.

Liu, N., Deng, F., Zhou, F., & Zhang, X. (2015). Modeling of combustion and propulsion processes of a new concept gun using a gaseous propellant. *Journal of theoretical and applied mechanics*, *53*(3), 531-541.

Liu, X., Liu, W., & Zhao, Y. (2015). Unsteady vibration aerodynamic modeling and evaluation of dynamic derivatives using computational fluid dynamics. *Mathematical Problems in Engineering*, 2015.

Long, D. (2015). Simulation of ballistic impact on polymer matrix composite panels. *Journal of Theoretical and Applied Mechanics*, 53(2), 263-272.

Grujicic, M., Ramaswami, S., Snipes, J., Galgalikar, R., Yavari, R., Yen, C. F., ... & Montgomery, J. (2015). Modeling of ballistic-failure mechanisms in gas metal arc welds of mil a46100 armor-grade steel. *Engineering Computations*.

Xiao, Z., Ying, S., He, W., & Xu, F. (2015). Interior ballistic prediction of gun propellants based on experimental pressure-apparent burning rate model in closed vessel. *Sci Technol Energ Mater*, 76(1-2), 1-7.

Rahimi, H., Beheshty, M. H., & Sabet, A. R. (2015). High velocity impact of glass-reinforced plastic laminates with sharp nose projectile experimental results versus some models predictions. *Mechanics of Advanced Materials and Structures*, 22(7), 521-529.

Lazzarin, M., Faenza, M., Barato, F., Bellomo, N., & Bettella, A. (2015). Numerical simulation of hybrid rockets liquid injection and comparison with experiments. *Journal of Propulsion and Power*, 31(1), 352-364.

Kumari, A., Kurva, R., Jain, S., Jawalkar, S. N., Mehilal, M., Singh, P. P., & Bhattacharya, B. (2015). Evaluation of nanoaluminum in composite propellant formulation using bicurative system. *Journal of Propulsion and Power*, 31(1), 393-399.

List, G., Sutter, G., Arnoux, J. J., & Molinari, A. (2015). Study of friction and wear mechanisms at high sliding speed. *Mechanics of Materials*, 80, 246-254.

Grujicic, M., Ramaswami, S., Snipes, J. S., Yavari, R., Yen, C. F., & Cheeseman, B. A. (2015). Optimization of gas metal arc welding (GMAW) process for maximum ballistic limit in MIL A46100 steel welded all-metal armor. *Journal of Materials Engineering and Performance*, 24(1), 229-244.

Fourest, T., Laurens, J. M., Deletombe, E., Dupas, J., & Arrigoni, M. (2015). Confined Rayleigh-Plesset equation for hydrodynamic ram analysis in thin-walled containers under ballistic impacts. *Thin-Walled Structures*, 86, 67-72.

Monteiro, S. N., Lima, É. P., Louro, L. H. L., Da Silva, L. C., & Drelich, J. W. (2015). Unlocking function of aramid fibers in multilayered ballistic armor. *Metallurgical and Materials Transactions A*, 46(1), 37-40.

Luan, K., & Gu, B. (2015). Energy absorption of three-dimensional angle-interlock woven composite under ballistic penetration based on a multi-scale finite element model. *International Journal of Damage Mechanics*, 24(1), 3-20.

Shaktivesh, Nair, N. S., & Naik, N. K. (2015). Ballistic impact behavior of 2D plain weave fabric targets with multiple layers: Analytical formulation. *International Journal of Damage Mechanics*, 24(1), 116-150.

Appleby-Thomas, G. J., Wood, D. C., Hameed, A., & Leighs, J. A. (2015). On the ballistic response of an aerospace-grade composite panel to non-spheroidised fragment simulants. *Composite Structures*, 119, 90-98.

Wang, Y., Chen, X., Young, R., Kinloch, I., & Wells, G. (2015). A numerical study of ply orientation on ballistic impact resistance of multi-ply fabric panels. *Composites Part B: Engineering*, 68, 259-265.

Chang, P. J., Wada, Y., Garg, A., Nakayama, H., Kimura, M., & Hori, K. (2015). Combustion and Performance Studies of Glycidyl Azide Polymer and Its Mixtures as Hybrid Rocket Fuel. *International Journal of Energetic Materials and Chemical Propulsion*, 14(3).

Xin, S. H., & Wen, H. M. (2015). A progressive damage model for fiber reinforced plastic composites subjected to impact loading. *International journal of impact engineering*, 75, 40-52.

O'Masta, M. R., Deshpande, V. S., & Wadley, H. N. G. (2015). Defect controlled transverse compressive strength of polyethylene fiber laminates. *International Journal of Solids and Structures*, 52, 130-149.

Keivorkijian, V., & Suvorov, D. (2015). Synthesis and characterisation of ultra-hard and lightweight AlMgB14-xTiB2 composites for wear-resistance and ballistic protection. *Metallurgical and Materials Engineering*, 21(1), 45-56.

Yavari, M. G. J. S. R., & Galgalikar, S. R. R. (2015). Multidiscipline Modeling in Materials and Structures. *Materials and Structures*, 11(2), 238-272.

Cai, L., Al-Ostaz, A., Li, X., Fowler, C., Cheng, A. H. D., & Alkhateb, H. (2015). Protection of steel railcar tank containing liquid chlorine from high speed impact by using polyhedral oligomeric silsesquioxane-enhanced polyurea. *International Journal of Impact Engineering*, 75, 1-10.

Jannotti, P., Subhash, G., & Varshneya, A. K. (2015). Impact-induced deformation mechanisms in unstrengthened and chemically strengthened glass bars. *International Journal of Impact Engineering*, 75, 53-64.

Lässig, T., Nguyen, L., May, M., Riedel, W., Heisserer, U., van der Werff, H., & Hiermaier, S. (2015). A non-linear orthotropic hydrocode model for ultra-high molecular weight polyethylene in impact simulations. *International Journal of Impact Engineering*, 75, 110-122.

Børvik, T., Dey, S., & Olovsson, L. (2015). Penetration of granular materials by small-arms bullets. *International Journal of Impact Engineering*, 75, 123-139.

Feng, Y., Siegmund, T., Habtour, E., & Riddick, J. (2015). Impact mechanics of topologically interlocked material assemblies. *International Journal of Impact Engineering*, 75, 140-149.

Nguyen, L. H., Ryan, S., Cimpoeru, S. J., Mouritz, A. P., & Orifici, A. C. (2015). The effect of target thickness on the ballistic performance of ultra high molecular weight polyethylene composite. *International Journal of Impact Engineering*, 75, 174-183.

Dhote, K. D., Murthy, K. P., Rajan, K. M., & Sucheendran, M. M. (2015). Dynamics of multi layered fragment separation by explosion. *International Journal of Impact Engineering*, 75, 194-202.

Shaw, A., Reid, S. R., Roy, D., & Chakraborty, S. (2015). Beyond classical dynamic structural plasticity using mesh-free modelling techniques. *International Journal of Impact Engineering*, 75, 268-278.

Nilakantan, G., Merrill, R. L., Keefe, M., Gillespie Jr, J. W., & Wetzell, E. D. (2015). Experimental investigation of the role of frictional yarn pull-out and windowing on the probabilistic impact response of kevlar fabrics. *Composites Part B: Engineering*, 68, 215-229.

Wu, H., Fang, Q., Chen, X. W., Gong, Z. M., & Liu, J. Z. (2015). Projectile penetration of ultra-high performance cement based composites at 510–1320 m/s. *Construction and Building Materials*, 74, 188-200.

Asgari, H., Odeshi, A. G., Szpunar, J. A., Zeng, L. J., Olsson, E., & Li, D. Y. (2015). Effect of yttrium on the twinning and plastic deformation of AE magnesium alloy under ballistic impact. *Materials Science and Engineering: A*, 623, 10-21.

Obradović, V., Stojanović, D. B., Živković, I., Radojević, V., Uskoković, P. S., & Aleksić, R. (2015). Dynamic mechanical and impact properties of composites reinforced with carbon nanotubes. *Fibers and Polymers*, 16(1), 138-145.

Wang, Y. L., Hui, S. X., Rui, L. I. U., & Ye, W. J. (2015). Evaluation of dynamic performance and ballistic behavior of Ti-5Al-5Mo-5V-3Cr-1Zr alloy. *Transactions of Nonferrous Metals Society of China*, 25(2), 429-436.

Das, S., Jagan, S., Shaw, A., & Pal, A. (2015). Determination of inter-yarn friction and its effect on ballistic response of para-aramid woven fabric under low velocity impact. *Composite Structures*, 120, 129-140.

Shim, G. I., Eom, H. W., Kim, S. H., Park, J. K., & Choi, S. Y. (2015). Fabrication of lightweight and thin bulletproof windows using borosilicate glass strengthened by ion exchange. *Composites Part B: Engineering*, 69, 44-49.

Kędzierski, P., Popławski, A., Gieleta, R., Morka, A., & Sławiński, G. (2015). Experimental and numerical investigation of fabric impact behavior. *Composites Part B: Engineering*, 69, 452-459.

Zinszner, J. L., Forquin, P., & Rossiquet, G. (2015). Experimental and numerical analysis of the dynamic fragmentation in a SiC ceramic under impact. *International Journal of Impact Engineering*, 76, 9-19.

Öberg, E. K., Dean, J., & Clyne, T. W. (2015). Effect of inter-layer toughness in ballistic protection systems on absorption of projectile energy. *International Journal of Impact Engineering*, 76, 75-82.

Dorogoy, A., & Rittel, D. (2015). Effect of confinement on thick polycarbonate plates impacted by long and AP projectiles. *International Journal of Impact Engineering*, 76, 38-48.

Pandya, K. S., & Naik, N. K. (2015). Analytical and experimental studies on ballistic impact behavior of carbon nanotube dispersed resin. *International Journal of Impact Engineering*, 76, 49-59.

Gilioli, A., Manes, A., Giglio, M., & Wierzbicki, T. (2015). Predicting ballistic impact failure of aluminium 6061-T6 with the rate-independent Bao–Wierzbicki fracture model. *International Journal of impact engineering*, 76, 207-220.

Wu, H., Fang, Q., Peng, Y., Gong, Z. M., & Kong, X. Z. (2015). Hard projectile perforation on the monolithic and segmented RC panels with a rear steel liner. *International Journal of Impact Engineering*, 76, 232-250.

Wright, J., Hebert, R., Maddala, D., & Shukla, A. (2015). Experimental study on the response of graded corrugated steel armor to shock loading. *Meccanica*, 50(2), 479-492.

Trajkovski, J., Kunc, R., Pepel, V., & Prebil, I. (2015). Flow and fracture behavior of high-strength armor steel PROTAC 500. *Materials & Design (1980-2015)*, 66, 37-45.

Masser, K. A., Knorr Jr, D. B., Hindenlang, M. D., Jian, H. Y., Richardson, A. D., Strawhecker, K. E., ... & Lenhart, J. L. (2015). Relating structure and chain dynamics to ballistic performance in transparent epoxy networks exhibiting nanometer scale heterogeneity. *Polymer*, 58, 96-106.

Hwang, H. S., Malakooti, M. H., Patterson, B. A., & Sodano, H. A. (2015). Increased interyarn friction through ZnO nanowire arrays grown on aramid fabric. *Composites Science and Technology*, 107, 75-81.

Mehta, P., Shetty, C. P., Pundkar, R. N., & Shekhar, H. (2015). Effect of loading densities in closed vessel tests on the burning rate of a propelling charge. *Defence Science Journal*, 65(2), 126.

Richardson, A., & Coventry, K. (2015). Dovetailed and hybrid synthetic fibre concrete—impact, toughness and strength performance. *Construction and Building Materials*, 78, 439-449.

Khalil, M., Rui, X., & Hendy, H. (2015). Discrete time transfer matrix method for projectile trajectory prediction. *Journal of Aerospace Engineering*, 28(2), 04014057.

Mansur, A., & Nganbe, M. (2015). Assessment of Three Finite Element Approaches for Modeling the Ballistic Impact Failure of Metal Plates. *Journal of Materials Engineering and Performance*, 24(3), 1322-1331.

Sudhakar, I., Madhu, V., Reddy, G. M., & Rao, K. S. (2015). Enhancement of wear and ballistic resistance of armour grade AA7075 aluminium alloy using friction stir processing. *Defence Technology*, 11(1), 10-17.

Serjoui, A., Chi, R., Zhang, Z., & Sridhar, I. (2015). Experimental validation of BLV model on bi-layer ceramic-metal armor. *International Journal of Impact Engineering*, 77, 30-41.

Lin, B., Zabeen, S., Tong, J., Preuss, M., & Withers, P. J. (2015). Residual stresses due to foreign object damage in laser-shock peened aerofoils: Simulation and measurement. *Mechanics of Materials*, 82, 78-90.

Iqbal, M. A., Tiwari, G., Gupta, P. K., & Bhargava, P. (2015). Ballistic performance and energy absorption characteristics of thin aluminium plates. *International Journal of Impact Engineering*, 77, 1-15.

Jenson, D., & Unnikrishnan, V. U. (2015). Energy dissipation of nanocomposite based helmets for blast-induced traumatic brain injury mitigation. *Composite structures*, 121, 211-216.

Grujicic, M., Yavari, R., Snipes, J. S., & Ramaswami, S. (2015). A zeolite absorbent/nano-fluidics protection-based blast-and ballistic-impact-mitigation system. *Journal of Materials Science*, 50(5), 2019-2037.

Kirik, I. (2015). Effect of temperature on microstructure and mechanical behavior of diffusion bonded Armor 500 and AISI 1040 steels. *Materials Testing*, 57(4), 296-300.

Molnar, W., Nugent, S., Lindroos, M., Apostol, M., & Varga, M. (2015). Ballistic and numerical simulation of impacting goods on conveyor belt rubber. *Polymer Testing*, 42, 1-7.

Seaglar, J., & Rousseau, C. E. (2015). Compressive evaluation of homogeneous and graded epoxy–glass particulate composites. *Materials Science and Engineering: C*, 49, 727-734.

Iqbal, M. A., Senthil, K., Bhargava, P., & Gupta, N. K. (2015). The characterization and ballistic evaluation of mild steel. *International Journal of Impact Engineering*, 78, 98-113.

Lindroos, M., Apostol, M., Kuokkala, V. T., Laukkanen, A., Valtonen, K., Holmberg, K., & Oja, O. (2015). Experimental study on the behavior of wear resistant steels under high velocity single particle impacts. *International Journal of Impact Engineering*, 78, 114-127.

Langdon, G. S., Lee, W. C., & Louca, L. A. (2015). The influence of material type on the response of plates to air-blast loading. *International Journal of Impact Engineering*, 78, 150-160.

Kang, T. J., Hong, K. H., & Jeong, H. (2015). Preparation and properties of ap-aramid fabric composite impregnated with a magnetorheological fluid for body armor applications. *Polymer Engineering & Science*, 55(4), 729-734.

Wang, S., Ling, Y., Wang, J., & Xu, G. (2015). Microstructure and mechanical properties of W/Cu vacuum diffusion bonding joints using amorphous Fe–W alloy as interlayer. *Vacuum*, 114, 58-65.

Bresciani, L. M., Manes, A., & Giglio, M. (2015). An analytical model for ballistic impacts against plain-woven fabrics with a polymeric matrix. *International Journal of Impact Engineering*, 78, 138-149.

Holmen, J. K., Hopperstad, O. S., & Børvik, T. (2015). Low-velocity impact on multi-layered dual-phase steel plates. *International Journal of Impact Engineering*, 78, 161-177.

Trushlyakov, V. I., Lempert, D. B., & Bel'kova, M. E. (2015). Possibility of using gas-generating compositions for increasing the rocket propulsion efficiency. *Combustion, Explosion, and Shock Waves*, 51(3), 326-332.

Javed, A., Sundaram, I. A., & Chakraborty, D. (2015). Internal Ballistic Code for Solid Rocket Motors using Minimum Distance Function for Grain Burnback. *Defence Science Journal*, 65(3).

Silva Rivera, U. S., Sandoval Pineda, J. M., Susarrey-Huerta, O., Flores Herrera, L. A., & Meza, T. (2015). Numerical Modelling of Caseless Ammunition with Coreless Bullet in Internal Ballistics. *Defence Science Journal*, 65(3).

Abdullah, M. F., Abdullah, S., Omar, M. Z., Sajuri, Z., & Sohaimi, R. M. (2015). Failure observation of the AZ31B magnesium alloy and the effect of lead addition content under ballistic impact. *Advances in Mechanical Engineering*, 7(5), 1687814015585428.

Asgari, H., Szpunar, J. A., Odeshi, A. G., Zeng, L. J., & Olsson, E. (2015). Effect of grain size on high strain rate deformation of rolled Mg–4Y–3RE alloy in compression. *Materials Science and Engineering: A*, 633, 92-102.

Pandya, K. S., Kumar, C. V. S., Nair, N. S., Patil, P. S., & Naik, N. K. (2015). Analytical and experimental studies on ballistic impact behavior of 2D woven fabric composites. *International Journal of Damage Mechanics*, 24(4), 471-511.

Arab, A., Ahmad, Z. A., & Ahmad, R. (2015). Effects of yttria stabilized zirconia (3Y-TZP) percentages on the ZTA dynamic mechanical properties. *International Journal of Refractory Metals and Hard Materials*, 50, 157-162.

Pol, M. H., Liaghat, G., Zamani, E., & Ordys, A. (2015). Investigation of the ballistic impact behavior of 2D woven glass/epoxy/nanoclay nanocomposites. *Journal of Composite Materials*, 49(12), 1449-1460.

Dahiwale, N. B., Panigrahi, S. K., & Akella, K. (2015). Numerical analyses of sandwich panels with triangular core subjected to impact loading. *Journal of Sandwich Structures & Materials*, 17(3), 238-257.

Kpenyigba, K. M., Jankowiak, T., Rusinek, A., Pesci, R., & Wang, B. (2015). Effect of projectile nose shape on ballistic resistance of interstitial-free steel sheets. *International Journal of Impact Engineering*, 79, 83-94.

Chen, X. W., Wei, L. M., & Li, J. C. (2015). Experimental research on the long rod penetration of tungsten-fiber/Zr-based metallic glass matrix composite into Q235 steel target. *International Journal of Impact Engineering*, 79, 102-116.

Nabavi, A., Goroshin, S., Frost, D. L., & Barthelat, F. (2015). Mechanical properties of chromium–chromium sulfide cermets fabricated by self-propagating high-temperature synthesis. *Journal of Materials Science*, 50(9), 3434-3446.

Suchocki, C., & Ewertowski, J. (2015). Modeling and numerical simulation of semi-automatic pistol dynamics. *Journal of theoretical and applied mechanics*, 53.

Forrestal, M. J., Warren, T. L., Børvik, T., & Chen, W. (2015). Perforation of 6082-T651 aluminum plates with 7.62 mm APM2 bullets at normal and oblique impacts. In *Dynamic Behavior of Materials, Volume 1* (pp. 389-402). Springer, Cham.

Gao, Z., Yi, Y., Zhao, H., Guo, T., & Luo, X. (2015). Numerical simulation of slot coupling of UWB to landmine shielding shell. *Journal of Computational Methods in Sciences and Engineering*, 15(3), 549-558.

Wang, Z. H., Yuan, J. T., Liu, T. T., Huang, J., & Qiao, L. (2015). Study on surface roughness in high-speed milling of AlMn1Cu using factorial design and partial least square regression. *The International Journal of Advanced Manufacturing Technology*, 76(9), 1783-1792.

Verreault, J. (2015). Analytical and numerical description of the PELE fragmentation upon impact with thin target plates. *International Journal of Impact Engineering*, 76, 196-206.

Fresconi, F., DeSpirito, J., & Celmins, I. (2015). Flight performance of a small diameter munition with a rotating wing actuator. *Journal of Spacecraft and Rockets*, 52(2), 305-319.

Khalil, M., Rui, X., & Hendy, H. (2015). Discrete time transfer matrix method for projectile trajectory prediction. *Journal of Aerospace Engineering*, 28(2), 04014057.

Dou, Y., Zhang, P., Ge, B., Jiang, J., & Chen, Y. (2015). An integrated technology pushing and requirement pulling model for weapon system portfolio selection in defence acquisition and manufacturing. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 229(6), 1046-1067.



Wang, H., DeLisio, J. B., Jian, G., Zhou, W., & Zachariah, M. R. (2015). Electro spray formation and combustion characteristics of iodine-containing Al/CuO nanothermite microparticles. *Combustion and Flame*, 162(7), 2823-2829.

Glukhov, V. S. (2015). The small arms of the countries participating in the first world war in the collection of the research institute of applied mathematics and mechanics of tsu. *Tomsk state university journal*, (397), 75-80.

Balla, J., Prochazka, S., Jankovych, R., Beer, S., Krist, Z., & Kovarik, M. (2015). Technical Diagnostics of Tank Cannon Smooth Barrel Bore and Ramming Device. *Defence Science Journal*, 65(5).

Lichorobiec, S., & Barcova, K. (2015). Verification of the Efficacy of the Special Water Shaped Charge Prototype. *Defence Science Journal*, 65(5).

Buentello-Hernandez, R. G., & Palazotto, A. (2015). Development of a model considering high-speed sliding wear. *Journal of Aerospace Engineering*, 28(5), 04014140.

Du, L., Zhao, M., Wang, A., Chen, S., & Nie, W. (2015). Fabrication of novel MEMS inertial switch with six layers on a metal substrate. *Microsystem Technologies*, 21(9), 2025-2032.

Wu, T. Y., Lu, K. T., Peng, C. H., Hong, Y. S., & Hwang, C. C. (2015). A new method for the preparation of a Fe<sub>3</sub>O<sub>4</sub>/graphene hybrid material and its applications in electromagnetic wave absorption. *Materials Research Bulletin*, 70, 486-493.

Hague, R. K., Barker, K., & Ramirez-Marquez, J. E. (2015). Interval-valued availability framework for supplier selection based on component importance. *International Journal of Production Research*, 53(20), 6083-6096.

Sabatini, R., Richardson, M. A., Gardi, A., & Ramasamy, S. (2015). Airborne laser sensors and integrated systems. *Progress in Aerospace Sciences*, 79, 15-63.

Chai, D., Fang, Y. W., Peng, W. S., & Yang, P. F. (2015). Numerical investigation of lateral jet interaction effects on the hypersonic quasi-waverider vehicle. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 229(14), 2671-2680.

Gao, Q., Hou, Y., Deng, T., Wang, C., & Hou, R. (2015). Extended state observer-based fractional order proportional-integral-derivative controller for a novel electro-hydraulic servo system with iso-actuation balancing and positioning. *Advances in Mechanical Engineering*, 7(12), 1687814015620736.

Jordan, A. B., Stauffer, P. H., Knight, E. E., Rougier, E., & Anderson, D. N. (2015). Radionuclide gas transport through nuclear explosion-generated fracture networks. *Scientific reports*, 5(1), 1-10.

Kumar, P. V., Reddy, G. M., & Rao, K. S. (2015). Microstructure and pitting corrosion of armor grade AA7075 aluminum alloy friction stir weld nugget zone—Effect of post weld heat treatment and addition of boron carbide. *Defence Technology*, 11(2), 166-173.

Bandaru, A. K., & Ahmad, S. (2015). Effect of projectile geometry on the deformation behavior of Kevlar composite armors under ballistic impact. *International Journal of Applied Mechanics*, 7(03), 1550039.

Bosco, M. A. J., Palanikumar, K., Prasad, B. D., & Velayudham, A. (2015). Analysis on influence of machining parameters on thrust force in drilling GFRP-armor steel sandwich composites. *Journal of Composite Materials*, 49(13), 1539-1551.

Kim, Y. A., Woo, K., Cho, H., Kim, I. G., & Kim, J. H. (2015). High-velocity impact damage behavior of carbon/epoxy composite laminates. *International Journal of Aeronautical and Space Sciences*, 16(2), 190-205.

Haris, A., Lee, H. P., Tay, T. E., & Tan, V. B. C. (2015). Shear thickening fluid impregnated ballistic fabric composites for shock wave mitigation. *International Journal of Impact Engineering*, 80, 143-151.

Senthil, P. P., Singh, B. B., Kumar, K. S., & Gogia, A. K. (2015). Effect of heat treatment on ballistic performance of an armour steel against long rod projectile. *International journal of impact engineering*, 80, 13-23.

Anderson Jr, C. E., & Riegel III, J. J. P. (2015). A penetration model for metallic targets based on experimental data. *International Journal of Impact Engineering*, 80, 24-35.

Masri, R. (2015). Ballistically equivalent aluminium targets and the effect of hole slenderness ratio on ductile plate perforation. *International Journal of Impact Engineering*, 80, 45-55.

Antoine, G. O., & Batra, R. C. (2015). Optimization of transparent laminates for specific energy dissipation under low velocity impact using genetic algorithm. *Composite Structures*, 124, 29-34.

Hughes, P., Fujita, S., & Suye, S. I. (2015). A holistic approach into the impact of sodium hypochlorite on polypropylene fibre reinforced concrete. *Construction and Building Materials*, 85, 175-181.

Roux, E., Longère, P., Cherrier, O., Millot, T., Capdeville, D., & Petit, J. (2015). Analysis of ASB assisted failure in a high strength steel under high loading rate. *Materials & Design*, 75, 149-159.

Wang, J. X., & Zhou, N. (2015). Experimental and numerical study of the ballistic performance of steel fibre-reinforced explosively welded targets impacted by a spherical fragment. *Composites Part B: Engineering*, 75, 65-72.

Knorr Jr, D. B., Masser, K. A., Elder, R. M., Sirk, T. W., Hindenlang, M. D., Jian, H. Y., ... & Lenhart, J. L. (2015). Overcoming the structural versus energy dissipation trade-off in highly crosslinked polymer networks: Ultrahigh strain rate response in polydicyclopentadiene. *Composites Science and Technology*, 114, 17-25.

Chen, C., Zhu, X., Hou, H., Luo, Z., & Tang, T. (2015). Analytical model for high-velocity perforation of moderately thick ultra-high molecular weight polyethylene-woven laminated plates. *Journal of Composite Materials*, 49(17), 2119-2136.

Gao, X., Gillespie Jr, J. W., Jensen, R. E., Li, W., Haque, B. G., & McKnight, S. H. (2015). Effect of fiber surface texture on the mechanical properties of glass fiber reinforced epoxy composite. *Composites Part A: Applied Science and Manufacturing*, 74, 10-17.

Haque, B. Z., & Gillespie Jr, J. W. (2015). A new penetration equation for ballistic limit analysis. *Journal of Thermoplastic Composite Materials*, 28(7), 950-972.

Zhou, Y., & Chen, X. (2015). A numerical investigation into the influence of fabric construction on ballistic performance. *Composites Part B: Engineering*, 76, 209-217.

Bandaru, A. K., Vetiyatil, L., & Ahmad, S. (2015). The effect of hybridization on the ballistic impact behavior of hybrid composite armors. *Composites Part B: Engineering*, 76, 300-319.

Li, J. Q., Wang, Y., Chen, L., & Huang, S. T. (2015). Study based on the analysis of valence electron structure for adiabatic shear sensitivity of 30CrMnMo and C45E4 steel in process of high-speed penetration. *Fatigue & Fracture of Engineering Materials & Structures*, 38(7), 828-837.

Sapozhnikov, S. B., Kudryavtsev, O. A., & Zhikharev, M. V. (2015). Fragment ballistic performance of homogenous and hybrid thermoplastic composites. *International Journal of Impact Engineering*, 81, 8-16.

Holland, C. C., & McMeeking, R. M. (2015). The influence of mechanical and microstructural properties on the rate-dependent fracture strength of ceramics in uniaxial compression. *International Journal of Impact Engineering*, 81, 34-49.

Almusallam, T. H., Abadel, A. A., Al-Salloum, Y. A., Siddiqui, N. A., & Abbas, H. (2015). Effectiveness of hybrid-fibers in improving the impact resistance of RC slabs. *International Journal of Impact Engineering*, 81, 61-73.

Park, Y., Kim, Y., Baluch, A. H., & Kim, C. G. (2015). Numerical simulation and empirical comparison of the high velocity impact of STF impregnated Kevlar fabric using friction effects. *Composite Structures*, 125, 520-529.

Gan, Y., Shen, Y., & Chen, Z. (2015). Reduction of the effect of electron relaxation behavior on the femtosecond laser-induced response of copper thin film by ballistic energy transfer. *International Journal of Thermal Sciences*, 93, 21-28.

Liu, C., Di, X., Chen, C., Guo, X., & Xue, Z. (2015). A bainite transformation kinetics model and its application to X70 pipeline steel. *Journal of Materials Science*, 50(14), 5079-5090.

Rassiah, K., Ahmad, M. M., & Ali, A. (2015). Ballistic impact performance of the layered and laminated composites: A review. *Pertanika Journal of Science and Technology*, 23(2), 177-185.

Garcia-Avila, M., Portanova, M., & Rabiei, A. (2015). Ballistic performance of composite metal foams. *Composite Structures*, 125, 202-211.

Liao, X., Zhao, J., Xu, B., & Wang, Z. S. (2015). Modeling and simulation of interior ballistics based on actual combustion characteristics of propellants. *Journal of Energetic Materials*, 33(3), 155-166.

Banerjee, A., Dhar, S., Acharyya, S., Datta, D., & Nayak, N. (2015). Determination of Johnson cook material and failure model constants and numerical modelling of Charpy impact test of armour steel. *Materials Science and Engineering: A*, 640, 200-209.

Jiang, Y., Chen, Z., Zhan, C., Chen, T., Wang, R., & Liu, C. (2015). Adiabatic shear localization in pure titanium deformed by dynamic loading: Microstructure and microtexture characteristic. *Materials Science and Engineering: A*, 640, 436-442.

- Nastic, A., Merati, A., Bielawski, M., Bolduc, M., Fakolujo, O., & Nganbe, M. (2015). Instrumented and Vickers indentation for the characterization of stiffness, hardness and toughness of zirconia toughened Al<sub>2</sub>O<sub>3</sub> and SiC armor. *Journal of Materials Science & Technology*, 31(8), 773-783.
- Cao, Y., Zhu, S., Guo, C., Vecchio, K. S., & Jiang, F. (2015). Numerical investigation of the ballistic performance of metal-intermetallic laminate composites. *Applied Composite Materials*, 22(4), 437-456.
- Yahaya, R., Sapuan, S. M., Jawaid, M., Leman, Z., & Zainudin, E. S. (2015). Effects of kenaf contents and fiber orientation on physical, mechanical, and morphological properties of hybrid laminated composites for vehicle spall liners. *Polymer composites*, 36(8), 1469-1476.
- Achrai, B., & Wagner, H. D. (2015). The red-eared slider turtle carapace under fatigue loading: The effect of rib–suture arrangement. *Materials Science and Engineering: C*, 53, 128-133.
- Choi, C., Park, Y., Kim, Y., Noh, J. Y., & Kim, C. G. (2015). Energy Absorption Characteristics of Z-shape Fabric under High Velocity Impact. *Composites Research*, 28(4), 176-181.
- Grujicic, M., Snipes, J. S., Ramaswami, S., Yavari, R., & Barsoum, R. S. (2015). RETRACTED ARTICLE: All-Atom Molecular-Level Analysis of the Ballistic-Impact-Induced Densification and Devitrification of Fused Silica. *Journal of Materials Engineering and Performance*, 24(8), 2970-2983.
- Shim, G. I., Kim, S. H., Eom, H. W., Ahn, D. L., Park, J. K., & Choi, S. Y. (2015). Improvement in ballistic impact resistance of a transparent bulletproof material laminated with strengthened soda-lime silicate glass. *Composites Part B: Engineering*, 77, 169-178.
- Khan, P. Y., Devi, M. M., & Biswas, K. (2015). Formation and stability of Pb-Sn embedded multiphase alloy nanoparticles via mechanical alloying. *Metallurgical and Materials Transactions A*, 46(8), 3365-3377.
- Park, J. M., & Hong, S. N. (2015). Efficient compact model for calculating the surface potential of carbon-nanotube field-effect transistors using a curve-fitting method. *Current Applied Physics*, 15(8), 938-942.
- Li, L., Cheng, L., Fan, S., Gao, X., Xie, Y., & Zhang, L. (2015). Dynamic pseudoplastic behavior of laminated ceramics with soft and hard interbedded dense layers. *Materials Letters*, 152, 268-271.
- LaBarre, E. D., Calderon-Colon, X., Morris, M., Tiffany, J., Wetzel, E., Merkle, A., & Trexler, M. (2015). Effect of a carbon nanotube coating on friction and impact performance of Kevlar. *Journal of Materials Science*, 50(16), 5431-5442.
- Flores-Johnson, E. A., Shen, L., Guiamatsia, I., & Nguyen, G. D. (2015). A numerical study of bioinspired nacre-like composite plates under blast loading. *Composite structures*, 126, 329-336.
- Vershinin, V. V. (2015). Validation of metal plasticity and fracture models through numerical simulation of high velocity perforation. *International Journal of Solids and Structures*, 67, 127-138.

Chakraborty, S., & Shaw, A. (2015). Prognosis for ballistic sensitivity of pre-notch in metallic beam through mesh-less computation reflecting material damage. *International Journal of Solids and Structures*, 67, 192-204.

Sockalingam, S., Gillespie Jr, J. W., & Keefe, M. (2015). Dynamic modeling of Kevlar KM2 single fiber subjected to transverse impact. *International Journal of Solids and Structures*, 67, 297-310.

Li, L., Cheng, L., Fan, S., Gao, X., Xie, Y., & Zhang, L. (2015). A novel fabrication approach for impact resistance laminated ceramics. *Materials & Design*, 79, 26-31.

Sapozhnikov, S., & Kudryavtsev, O. (2015). Modeling of thermoplastic composites used in protective structures. *Mechanics of Composite Materials*, 51(4), 419-426.

Chiang, Y. C., Liang, C. C., & Chung, C. P. (2015). Characterization of platinum nanoparticles deposited on functionalized graphene sheets. *Materials*, 8(9), 6484-6497.

Meng, W., Mingchuan, Y., Guang, R., Dewu, H., & Rongmei, L. (2015). Failure Model and Numerical Simulation of the Tungsten Alloy Long Rod when Piercing into Armor Target. *Rare Metal Materials and Engineering*, 44(9), 2170-2174.

Liu, M., Zhang, X., Yu, L., & Han, X. (2015). Theoretical study on ignition compensating temperature sensitivity. *Advances in Mechanical Engineering*, 7(9), 1687814015605769.

McDonough, W. G., Dunkers, J. P., Forster, A. L., Heckert, N. A., Kim, J. H., Wight, S. A., & Holmes, G. A. (2015). Testing and analyses of copolymer fibers based on 5-amino-2-(p-aminophenyl)-benzimidazole. *Fibers and Polymers*, 16(9), 1836-1852.

Wetzel, E. D., Balu, R., & Beaudet, T. D. (2015). A theoretical consideration of the ballistic response of continuous graphene membranes. *Journal of the Mechanics and Physics of Solids*, 82, 23-31.

Chiba, K., Kanazaki, M., Ariyarit, A., Yoda, H., Ito, S., Kitagawa, K., & Shimada, T. (2015). Multidisciplinary Design Exploration for Sounding Launch Vehicle using Hybrid Rocket Engine in View of Ballistic Performance. *International Journal of Turbo & Jet-Engines*, 32(3), 299-304.

Grujicic, M., Ramaswami, S., Snipes, J. S., Avuthu, V., Galgalikar, R., & Zhang, Z. (2015). Prediction of the grain-microstructure evolution within a friction stir welding (FSW) joint via the use of the Monte Carlo simulation method. *Journal of Materials Engineering and Performance*, 24(9), 3471-3486.

Muñoz, R., Martínez-Hergueta, F., Gálvez, F., González, C., & LLorca, J. (2015). Ballistic performance of hybrid 3D woven composites: Experiments and simulations. *Composite Structures*, 127, 141-151.

Ni, C. Y., Hou, R., Xia, H. Y., Zhang, Q. C., Wang, W. B., Cheng, Z. H., & Lu, T. J. (2015). Perforation resistance of corrugated metallic sandwich plates filled with reactive powder concrete: Experiment and simulation. *Composite Structures*, 127, 426-435.

Wang, P., Zhang, X., Lim, G., Neo, H., Malcolm, A. A., Xiang, Y., ... & Yang, J. (2015). Improvement of impact-resistant property of glass fiber-reinforced composites by carbon nanotube-modified epoxy and pre-stretched fiber fabrics. *Journal of materials science*, 50(18), 5978-5992.

Hwang, H. S., Malakooti, M. H., & Sodano, H. A. (2015). Tailored interyarn friction in aramid fabrics through morphology control of surface grown ZnO nanowires. *Composites Part A: Applied Science and Manufacturing*, 76, 326-333.

Manero II, A., Gibson, J., Freihofer, G., Gou, J., & Raghavan, S. (2015). Evaluating the effect of nano-particle additives in Kevlar® 29 impact resistant composites. *Composites Science and Technology*, 116, 41-49.

Seretis, G. V., Kostazos, P. K., Manolakos, D. E., & Provatidis, C. G. (2015). On the mechanical response of woven para-aramid protection fabrics. *Composites Part B: Engineering*, 79, 67-73.

Cartwright, B. K., Lex Mulcahy, N., Chhor, A. O., Thomas, S. G., Suryanarayana, M., Sandlin, J. D., ... & Naebe, M. (2015). Thermoforming and structural analysis of combat helmets. *Journal of Manufacturing Science and Engineering*, 137(5).

Singh, N. K., & Singh, K. K. (2015). Review on impact analysis of FRP composites validated by LS-DYNA. *Polymer Composites*, 36(10), 1786-1798.

Dolinski, M., & Rittel, D. (2015). Experiments and modeling of ballistic penetration using an energy failure criterion. *Journal of the Mechanics and Physics of Solids*, 83, 1-18.

Vuković, Đ., & Damljanović, D. (2015). Evaluation of a force balance with semiconductor strain gages in wind tunnel tests of the HB-2 standard model. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 229(12), 2272-2281.

Chi, R., Serjouei, A., Sridhar, I., & Geoffrey, T. E. (2015). Pre-stress effect on confined ceramic armor ballistic performance. *International Journal of Impact Engineering*, 84, 159-170

Monteiro, S. N., Louro, L. H. L., Trindade, W., Elias, C. N., Ferreira, C. L., de Sousa Lima, E., ... & Lima, É. P. (2015). Natural curaua fiber-reinforced composites in multilayered ballistic armor. *Metallurgical and Materials Transactions A*, 46(10), 4567-4577.

Forquin, P., Sallier, L., & Pontiroli, C. (2015). A numerical study on the influence of free water content on the ballistic performances of plain concrete targets. *Mechanics of Materials*, 89, 176-189.

Wu, H., Fang, Q., Gong, Z. M., & Peng, Y. (2015). Hard projectile impact on layered SFRHSC composite target. *International Journal of Impact Engineering*, 84, 88-95.

Holmen, J. K., Børvik, T., Myhr, O. R., Fjær, H. G., & Hopperstad, O. S. (2015). Perforation of welded aluminum components: Microstructure-based modeling and experimental validation. *International journal of impact engineering*, 84, 96-107.

Mohotti, D., Ngo, T., Raman, S. N., & Mendis, P. (2015). Analytical and numerical investigation of polyurea layered aluminium plates subjected to high velocity projectile impact. *Materials & design*, 82, 1-17.

García-González, D., Rodríguez-Millán, M., Vaz-Romero, A., & Arias, A. (2015). High impact velocity on multi-layered composite of polyether ether ketone and aluminium. *Composite Interfaces*, 22(8), 705-715.

Sun, Y., Yu, Z., Wang, Z., & Liu, X. (2015). Novel protective covering to enhance concrete resistance against projectile impact. *Construction and Building Materials*, 96, 484-490.

Balos, S., Radisavljevic, I., Rajnovic, D., Dramicanin, M., Tabakovic, S., Eric-Cekic, O., & Sidjanin, L. (2015). Geometry, mechanical and ballistic properties of ADI material perforated plates. *Materials & Design*, 83, 66-74.

Li, Y. Q., Li, X. G., & Gao, X. L. (2015). Modeling of advanced combat helmet under ballistic impact. *Journal of applied mechanics*, 82(11), 111004.

Ahuja, V., & Hartfield, R. J. (2015). Optimization of combined rocket and ramjet/scramjet ballistic missile designs. *Journal of Propulsion and Power*, 31(6), 1544-1550.

Yanyuan, L., Guangya, L., Li, Z., Ling, W., Jian, J., & Daming, C. (2015). Numerical Simulation of Penetration Process of Alumina Ceramic/Metal Compound Target. *Rare Metal Materials and Engineering*, 44, 632-635

Schiffer, A., Cantwell, W. J., & Tagarielli, V. L. (2015). An analytical model of the dynamic response of circular composite plates to high-velocity impact. *International Journal of Impact Engineering*, 85, 67-82.

Zheng, C., Wang, F., Cheng, X., Liu, J., Fu, K., Liu, T., ... & Jin, D. (2015). Failure mechanisms in ballistic performance of Ti-6Al-4V targets having equiaxed and lamellar microstructures. *International Journal of Impact Engineering*, 85, 161-169.

Kaiwen, Y., Xingwang, C., Chao, Z., Meiqi, P., & Dan, J. (2015). Dynamic mechanical properties and ballistic performance of TC21 alloy. *Rare Metal Materials and Engineering*, 44(11), 2728-2732.

Ruihua, G., Qunbo, F., Fuchi, W., Yipeng, Z., Lirui, H., & Chuanhu, P. (2015). Relationship between Dynamic Compressive Mechanical Properties and Ballistic Performance of Titanium Armor Materials. *Rare Metal Materials and Engineering*, 44(11), 2733-2736.

Song, B., & Lu, W. Y. (2015). Effect of twist on transverse impact response of ballistic fiber yarns. *International Journal of Impact Engineering*, 85, 1-4.

Petel, O. E., Ouellet, S., Loiseau, J., Frost, D. L., & Higgins, A. J. (2015). A comparison of the ballistic performance of shear thickening fluids based on particle strength and volume fraction. *International Journal of Impact Engineering*, 85, 83-96.

Clayton, J. D. (2015). Penetration resistance of armor ceramics: dimensional analysis and property correlations. *International Journal of Impact Engineering*, 85, 124-131.

Pasquali, M., Terra, C., & Gaudenzi, P. (2015). Analytical modelling of high-velocity impacts on thin woven fabric composite targets. *Composite Structures*, 131, 951-965.

Seppala, J. E., Heo, Y., Stutzman, P. E., Sieber, J. R., Snyder, C. R., Rice, K. D., & Holmes, G. A. (2015). Characterization of clay composite ballistic witness materials. *Journal of materials science*, 50(21), 7048-7057.

Ho, K. I., Boutchich, M., Su, C. Y., Moreddu, R., Marianathan, E. S. R., Montes, L., & Lai, C. S. (2015). A self-aligned high-mobility graphene transistor: decoupling the channel with fluorographene to reduce scattering. *Advanced Materials*, 27(41), 6519-6525.

Luo, P., Wang, Z., Jiang, C., Mao, L., & Li, Q. (2015). Experimental study on impact-initiated characters of W/Zr energetic fragments. *Materials & Design*, 84, 72-78.

Reddy, P. R. S., Reddy, T. S., Madhu, V., Gogia, A. K., & Rao, K. V. (2015). Behavior of E-glass composite laminates under ballistic impact. *Materials & Design*, 84, 79-86.

Yang, C. C., Ngo, T., & Tran, P. (2015). Influences of weaving architectures on the impact resistance of multi-layer fabrics. *Materials & Design*, 85, 282-295.

Otón-Martínez, R. A., Monreal-González, G., García-Cascales, J. R., Vera-García, F., Velasco, F. J. S., & Ramírez-Fernández, F. J. (2015). An approach formulated in terms of conserved variables for the characterisation of propellant combustion in internal ballistics. *International Journal for Numerical Methods in Fluids*, 79(8), 394-415.

Shi, X., Luo, A. A., Sutton, S. C., Zeng, L., Wang, S., Zeng, X., ... & Ding, W. (2015). Twinning behavior and lattice rotation in a Mg–Gd–Y–Zr alloy under ballistic impact. *Journal of Alloys and Compounds*, 650, 622-632.

Cruz, R. B. D., Lima Junior, E. P., Monteiro, S. N., & Louro, L. H. L. (2015). Giant bamboo fiber reinforced epoxy composite in multilayered ballistic armor. *Materials Research*, 18, 70-75.

Rohen, L. A., Margem, F. M., Monteiro, S. N., Vieira, C. M. F., Madeira de Araujo, B., & Lima, E. S. (2015). Ballistic efficiency of an individual epoxy composite reinforced with sisal fibers in multilayered armor. *Materials Research*, 18, 55-62.

Luz, F. S. D., Lima Junior, E. P., Louro, L. H. L., & Monteiro, S. N. (2015). Ballistic test of multilayered armor with intermediate epoxy composite reinforced with jute fabric. *Materials Research*, 18, 170-177.

Zhou, Y., Gong, X., Zhang, S., & Xu, A. (2015). A numerical investigation into the influence of layer space on panel ballistic performance. *Fibers and Polymers*, 16(12), 2663-2669.

Holland, C. C., Gamble, E. A., Zok, F. W., Deshpande, V. S., & McMeeking, R. M. (2015). Effect of design on the performance of steel–alumina bilayers and trilayers subject to ballistic impact. *Mechanics of Materials*, 91, 241-251.

Bobbili, R., & Madhu, V. (2015). An investigation into hot deformation characteristics and processing maps of high-strength armor steel. *Journal of Materials Engineering and Performance*, 24(12), 4728-4735.

Grujicic, M., Avuthu, V., Snipes, J. S., Ramaswami, S., & Galgalikar, R. (2015). The effect of high-pressure devitrification and densification on ballistic-penetration resistance of fused silica. *Journal of Materials Engineering and Performance*, 24(12), 4890-4907.

McWilliams, B., Yu, J., Pankow, M., & Yen, C. F. (2015). Ballistic impact behavior of woven ceramic fabric reinforced metal matrix composites. *International Journal of Impact Engineering*, 86, 57-66.

Sherburn, J. A., Roth, M. J., Chen, J. S., & Hillman, M. (2015). Meshfree modeling of concrete slab perforation using a reproducing kernel particle impact and penetration formulation. *International Journal of Impact Engineering*, 86, 96-110.

O'masta, M. R., Compton, B. G., Gamble, E. A., Zok, F. W., Deshpande, V. S., & Wadley, H. N. G. (2015). Ballistic impact response of an UHMWPE fiber reinforced laminate encasing of an aluminum-alumina hybrid panel. *International Journal of Impact Engineering*, 86, 131-144.



Savio, S. G., Senthil, P., Singh, V., Ghoshal, P., Madhu, V., & Gogia, A. K. (2015). An experimental study on the projectile defeat mechanism of hard steel projectile against boron carbide tiles. *International Journal of Impact Engineering*, 86, 157-166.

O'Masta, M. R., Crayton, D. H., Deshpande, V. S., & Wadley, H. N. G. (2015). Mechanisms of penetration in polyethylene reinforced cross-ply laminates. *International Journal of Impact Engineering*, 86, 249-264.

Vargas-Gonzalez, L. R., & Gurganus, J. C. (2015). Hybridized composite architecture for mitigation of non-penetrating ballistic trauma. *International Journal of Impact Engineering*, 86, 295-306.

Fras, T., Colard, L., Lach, E., Rusinek, A., & Reck, B. (2015). Thick AA7020-T651 plates under ballistic impact of fragment-simulating projectiles. *International Journal of Impact Engineering*, 86, 336-353.

Rahimzadeh, T., Arruda, E. M., & Thouless, M. D. (2015). Design of armor for protection against blast and impact. *Journal of the Mechanics and Physics of Solids*, 85, 98-111.

Bobbili, R., Madhu, V., & Gogia, A. K. (2015). Multi response optimization of wire-EDM process parameters of ballistic grade aluminium alloy. *Engineering science and technology, an international journal*, 18(4), 720-726.

Wang, P., Zhang, X., Zhang, H., Li, X., He, P., Lu, G., ... & Yang, J. (2015). Energy absorption mechanisms of modified double-aluminum layers under low-velocity impact. *International Journal of Applied Mechanics*, 7(06), 1550086.

Lässig, T., Bagusat, F., May, M., & Hiermaier, S. (2015). Analysis of the shock response of UHMWPE composites using the inverse planar plate impact test and the shock reverberation technique. *International Journal of Impact Engineering*, 86, 240-248.

Xu, Y., Lu, H., Gao, T., & Zhang, W. (2015). Predicting the low-velocity impact behavior of polycarbonate: Influence of thermal history during injection molding. *International Journal of Impact Engineering*, 86, 265-273.

Zhang, T. G., Satapathy, S. S., Vargas-Gonzalez, L. R., & Walsh, S. M. (2015). Ballistic impact response of ultra-high-molecular-weight polyethylene (UHMWPE). *Composite structures*, 133, 191-201.

Mohan, T. P., Velmurugan, R., & Kanny, K. (2015). Damping characteristics of nanoclay filled hybrid laminates during medium velocity impact. *Composites Part B: Engineering*, 82, 178-189.

Liu, J., Fan, Q., Cai, H., & Wang, F. (2015). Underlying mechanism of periodical adiabatic shear bands generated in Ti-6Al-4V target by projectile impact. *Materials & design*, 87, 231-237.

Park, J., & Choi, H. J. (2015). Experiments and numerical analyses of HB400 and aluminum foam sandwich structure under landmine explosion. *Composite Structures*, 134, 726-739.

Liu, W., Chen, Z., Chen, Z., Cheng, X., Wang, Y., Chen, X., ... & Wang, S. (2015). Influence of different back laminate layers on ballistic performance of ceramic composite armor. *Materials & Design*, 87, 421-427.

Ahn, D. L., Shim, G. I., Kim, S. H., Choi, S. Y., & Park, J. K. (2016). Strengthening of borosilicate glass by ion exchange for advanced ballistic impact behaviour. *International Journal of Nanotechnology*, 13(4-6), 265-277.

Grujicic, M., Snipes, J., Ramaswami, S., Avuthu, V., Yen, C. F., & Cheeseman, B. (2016). Derivation of the material models for ultra-high molecular-weight polyethylene fiber-reinforced armor-grade composites with different architectures. *Engineering Computations*.

Alankaya, V. (2016). Experimental Investigation of Laminated Rubberized Aramid Armor Plates Resisting. 30 Caliber Fragment Simulating Projectile Impact Plates Resisting. 30 Caliber FSP Impact. *Materials Science*, 22(2), 262-267.

Grujicic, M., Ramaswami, S., & Snipes, J. (2016). Nacre-like ceramic/polymer laminated composite for use in body-armor applications. *AIMS Materials Science*, 3(1), 83-113.

Zhao, H., & Li, Z. (2016). Ultra-tight GPS/IMU integration based long-range rocket projectile navigation. *Defence Science Journal*, 66(1), 64-70.

Yuxin, X., Xuguang, H., Xiaoxu, Z., & Shushan, W. (2016). Experimentation research on failure behavior of tungsten alloy penetrating low carbon steel plate at high velocity. *Rare Metal Materials and Engineering*, 45(1), 122-126.

Nobili, A., Radi, E., & Lanzoni, L. (2016). On the effect of the backup plate stiffness on the brittle failure of a ceramic armor. *Acta Mechanica*, 227(1), 159-172.

Bresciani, L. M., Manes, A., Romano, T. A., Iavarone, P., & Giglio, M. (2016). Numerical modelling to reproduce fragmentation of a tungsten heavy alloy projectile impacting a ceramic tile: Adaptive solid mesh to the SPH technique and the cohesive law. *International Journal of Impact Engineering*, 87, 3-13.

Niknejad, A., & Zareei, A. (2016). Ballistic limit velocity of empty rectangular metal columns under a blunt projectile penetration. *The Journal of Defense Modeling and Simulation*, 13(1), 119-131.

Rodríguez Millán, M., Moreno, C. E., Marco, M., Santiuste, C., & Miguélez, H. (2016). Numerical analysis of the ballistic behaviour of Kevlar® composite under impact of double-nosed stepped cylindrical projectiles. *Journal of reinforced plastics and composites*, 35(2), 124-137.

Ramesh, B., Elayaperumal, A., Satishkumar, S., Kumar, A., Jayakumar, T., & Dinakaran, D. (2016). Influence of cooling on the performance of the drilling process of glass fibre reinforced epoxy composites. *Archives of Civil and Mechanical Engineering*, 16(1), 135-146.

O'Masta, M. R., Crayton, D. H., Deshpande, V. S., & Wadley, H. N. G. (2016). Indentation of polyethylene laminates by a flat-bottomed cylindrical punch. *Composites Part A: Applied Science and Manufacturing*, 80, 138-147.

Wang, Y., Chen, X., Young, R., & Kinloch, I. (2016). Finite element analysis of effect of inter-yarn friction on ballistic impact response of woven fabrics. *Composite structures*, 135, 8-16.

Lee, J., Liu, W., & Hong, J. W. (2016). Impact fracture analysis enhanced by contact of peridynamic and finite element formulations. *International Journal of Impact Engineering*, 87, 108-119.

Jung, S., Jung, G., Lee, H., Lee, W., Song, H., & Park, S. (2016). Design and analysis of ballistic ground scanning system based on dynamics simulation. *International Journal of Precision Engineering and Manufacturing*, 17(1), 125-130.

Fang, X., Liu, J., Wang, X., Li, S., & Guo, W. (2016). Investigation on the penetration performance and “self-sharpening” behavior of the 80W–14Cu–6Zn penetrators. *International Journal of Refractory Metals and Hard Materials*, 54, 237-243.

Kusuktham, B., Udon, S., & Jitjaicham, M. (2016). Ballistic resistance of plain woven p-aramid fabrics. *Journal of Metals, Materials and Minerals*, 26(2).

Kordani, N., Vanini, A. S., & Amiri, H. (2016). Numerical solution of penetration into woven fabric target impregnated with shear thickening fluid. *Polymers and Polymer Composites*, 24(4), 281-287.

Ansari, M. M., & Chakrabarti, A. (2016). Progressive damage of GFRP composite plate under ballistic impact: experimental and numerical study. *Polymers and Polymer Composites*, 24(7), 579-586.

Holmen, J. K., Johnsen, J., Hopperstad, O. S., & Børvik, T. (2016). Influence of fragmentation on the capacity of aluminum alloy plates subjected to ballistic impact. *European Journal of Mechanics-A/Solids*, 55, 221-233.

Liu, W., Chen, Z., Cheng, X., Wang, Y., Amankwa, A. R., & Xu, J. (2016). Design and ballistic penetration of the ceramic composite armor. *Composites Part B: Engineering*, 84, 33-40.

Tonge, A. L., & Ramesh, K. T. (2016). Multi-scale defect interactions in high-rate failure of brittle materials, Part II: application to design of protection materials. *Journal of the Mechanics and Physics of Solids*, 86, 237-258.

Yahaya, R., Sapuan, S. M., Jawaid, M., Leman, Z., & Zainudin, E. S. (2016). Measurement of ballistic impact properties of woven kenaf–aramid hybrid composites. *Measurement*, 77, 335-343.

Laha, A., & Majumdar, A. (2016). Interactive effects of p-aramid fabric structure and shear thickening fluid on impact resistance performance of soft armor materials. *Materials & Design*, 89, 286-293.

Min, S., Chu, Y., & Chen, X. (2016). Numerical study on mechanisms of angle-ply panels for ballistic protection. *Materials & Design*, 90, 896-905.

Sudhakar, I., Reddy, G. M., & Rao, K. S. (2016). Ballistic behavior of boron carbide reinforced AA7075 aluminium alloy using friction stir processing—An experimental study and analytical approach. *Defence Technology*, 12(1), 25-31.

He, X., Cheng, X., Wang, Q., & Wang, P. (2016). Ballistic performance and damage characteristics of chemical vapor infiltration quasi 3D-Cf/SiC composites. *Journal of Wuhan University of Technology-Mater. Sci. Ed.*, 31(1), 118-122.

Yahaya, R., Sapuan, S. M., Jawaid, M., Leman, Z., & Zainudin, E. S. (2016). Investigating ballistic impact properties of woven kenaf-aramid hybrid composites. *Fibers and Polymers*, 17(2), 275-281.

Chen, W., Hao, H., Irawan, P., Chen, S., & Meng, Q. (2016). Experimental investigations of fabric material against projectile impacts. *Construction and Building Materials*, 104, 142-153.

Ha-Minh, C., Imad, A., Boussu, F., & Kanit, T. (2016). Experimental and numerical investigation of a 3D woven fabric subjected to a ballistic impact. *International Journal of Impact Engineering*, 88, 91-101.

Peng, Y., Wu, H., Fang, Q., Liu, J. Z., & Gong, Z. M. (2016). Impact resistance of basalt aggregated UHP-SFRC/fabric composite panel against small caliber arm. *International Journal of Impact Engineering*, 88, 201-213.

Karthikeyan, K., Kazemahvazi, S., & Russell, B. P. (2016). Optimal fibre architecture of soft-matrix ballistic laminates. *International Journal of Impact Engineering*, 88, 227-237.

Huang, C. Y., & Chen, Y. L. (2016). Design and impact resistant analysis of functionally graded Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> ceramic composite. *Materials & Design*, 91, 294-305.

Liu, P., & Strano, M. S. (2016). Toward ambient armor: can new materials change longstanding concepts of projectile protection?. *Advanced Functional Materials*, 26(6), 943-954.

Xu, Y., Lu, H., Gao, T., & Zhang, W. (2016). Processing-induced inhomogeneity of yield stress in polycarbonate product and its influence on the impact behavior. *Polymers*, 8(3), 72.

Płonka, B., Remsak, K., Korczak, P., Szymański, W., Żelechowski, J., Rajda, M., ... & Snieżek, L. (2016). Studies of the AA2519 alloy hot rolling process and cladding with EN AW-1050A alloy. *Archives of Metallurgy and Materials*, (1).

Kshirsagar, D., Kurva, R., Dhabbe, K., Jawale, L., & Khire, V. (2016). Effect of Nano Cr 2 O 3 in HTPB/AP/Al Based Composite Propellant Formulations. *Defence Science Journal*, 66(2).

Li, T. T., Wang, R., Lou, C. W., Lin, J. Y., Lin, M. C., & Lin, J. H. (2016). Modeling and optimization of dynamic puncture behaviors for flexible inter-/intra-reinforced compound fabrics. *Fibers and Polymers*, 17(3), 469-476.

Boddu, V. M., Brenner, M. W., Patel, J. S., Kumar, A., Mantena, P. R., Tadepalli, T., & Pramanik, B. (2016). Energy dissipation and high-strain rate dynamic response of E-glass fiber composites with anchored carbon nanotubes. *Composites Part B: Engineering*, 88, 44-54.

Carpenter, A. J., Chocron, S., & Anderson Jr, C. E. (2016). Mesoscale modeling of S-2 glass/SC-15 epoxy composites: Plain-weave architecture. *Journal of Composite Materials*, 50(5), 685-700.

Bresciani, L. M., Manes, A., Ruggiero, A., Iannitti, G., & Giglio, M. (2016). Experimental tests and numerical modelling of ballistic impacts against Kevlar 29 plain-woven fabrics with an epoxy matrix: Macro-homogeneous and Meso-heterogeneous approaches. *Composites Part B: Engineering*, 88, 114-130.

Grujicic, M., Snipes, J. S., & Ramaswami, S. (2016). Ballistic impact behavior of nacre-like laminated composites consisting of B4C tablets and polyurea matrix. *Journal of materials engineering and performance*, 25(3), 977-994.

Martínez-Hergueta, F., Ridruejo, A., Gálvez, F., González, C., & LLorca, J. (2016). Influence of fiber orientation on the ballistic performance of needlepunched nonwoven fabrics. *Mechanics of Materials*, 94, 106-116.

Del Rosso, S., Iannucci, L., & Curtis, P. T. (2016). On the ballistic impact response of microbraid reinforced polymer composites. *Composite Structures*, 137, 70-84.

Kumar, A., Chavan, V. V., Ahmad, S., & Alagirusamy, R. (2016). International Journal of Impact Engineering Ballistic impact response of Kevlar® reinforced thermoplastic composite armors. *Int. J. Impact Eng*, 89, 1-13.

Fang, Q., Zhang, J., Zhang, Y., & Liu, J. (2016). Mesoscopic investigation of the sand particulate system subjected to intense dynamic loadings. *International Journal of Impact Engineering*, 89, 62-71.

Nurick, G. N., Mahoi, S., & Langdon, G. S. (2016). The response of plates subjected to loading arising from the detonation of different shapes of plastic explosive. *International Journal of Impact Engineering*, 89, 102-113.

Bain, E. D., Knorr, D. B., Richardson, A. D., Masser, K. A., Yu, J., & Lenhart, J. L. (2016). Failure processes governing high-rate impact resistance of epoxy resins filled with core-shell rubber nanoparticles. *Journal of materials science*, 51(5), 2347-2370.

Sun, C., & Huang, Z. (2016). Peridynamic simulation to impacting damage in composite laminate. *Composite Structures*, 138, 335-341.

Cave, A., Roslyakov, S., Iskander, M., & Bless, S. (2016). Design and performance of a laboratory pneumatic gun for soil ballistic applications. *Experimental Techniques*, 40(2), 541-553.

Lewtas, I., McAlister, R., Wallis, A., Woodley, C., & Cullis, I. (2016). The ballistic performance of the bombard Mons Meg. *Defence technology*, 12(2), 59-68.

Lin, Q. H., & Li, B. M. (2016). Numerical simulation of interior ballistic process of railgun based on the multi-field coupled model. *Defence Technology*, 12(2), 101-105.

Wang, Y., Cheng, J., Yu, J. Y., & Wang, X. M. (2016). Influence of yawing force frequency on angular motion and ballistic characteristics of a dual-spin projectile. *Defence technology*, 12(2), 124-128.

Moxnes, J. F., Frøyland, Ø., Skriudalen, S., Prytz, A. K., Teland, J. A., Friis, E., & Ødegårdstuen, G. (2016). On the study of ricochet and penetration in sand, water and gelatin by spheres, 7.62 mm APM2, and 25 mm projectiles. *Defence technology*, 12(2), 159-170.

Frueh, P., Heine, A., Weber, K. E., & Wickert, M. (2016). Effective depth-of-penetration range due to hardness variation for different lots of nominally identical target material. *Defence technology*, 12(2), 171-176.

Seifert, W. O. L. F. G. A. N. G., Strassburger, E. L. M. A. R., Grefen, S. A. B. I. N. E., & Schaare, S. T. E. P. H. A. N. (2016). Experimental study about the influence of adhesive stiffness to the bonding strengths of adhesives for ceramic/metal targets. *Defence technology*, 12(2), 188-200.

Avachat, S., & Zhou, M. (2016). High-speed digital imaging and computational modeling of hybrid metal-composite plates subjected to water-based impulsive loading. *Experimental Mechanics*, 56(4), 545-567.

Nguyen, L. H., Ryan, S., Cimpoeru, S. J., Mouritz, A. P., & Orifici, A. C. (2016). The efficiency of ultra-high molecular weight polyethylene composite against fragment impact. *Experimental mechanics*, 56(4), 595-605.

Cavallaro, P. V. (2016). Effects of weave styles and crimp gradients in woven Kevlar/epoxy composites. *Experimental Mechanics*, 56(4), 617-635.

Wang, L., Wang, W., Fu, Y., Wang, J., Lvov, Y., Liu, J., ... & Zhang, L. (2016). Enhanced electrical and mechanical properties of rubber/graphene film through layer-by-layer electrostatic assembly. *Composites Part B: Engineering*, 90, 457-464.

Pol, M. H., & Liaghat, G. (2016). Investigation of the high velocity impact behavior of nanocomposites. *Polymer Composites*, 37(4), 1173-1179.

Min, S., Chen, X., Chai, Y., & Lowe, T. (2016). Effect of reinforcement continuity on the ballistic performance of composites reinforced with multiply plain weave fabric. *Composites Part B: Engineering*, 90, 30-36.

Buchely, M. F., Maranon, A., & Silberschmidt, V. V. (2016). Material model for modeling clay at high strain rates. *International Journal of Impact Engineering*, 90, 1-11.

Fahool, M., & Sabet, A. R. (2016). Parametric study of energy absorption mechanism in Twaron fabric impregnated with a shear thickening fluid. *International Journal of Impact Engineering*, 90, 61-71.

Wang, Y., Chen, X., Young, R., & Kinloch, I. (2016). A numerical and experimental analysis of the influence of crimp on ballistic impact response of woven fabrics. *Composite Structures*, 140, 44-52.s

Monteiro, S. N., Candido, V. S., Braga, F. O., Bolzan, L. T., Weber, R. P., & Drelich, J. W. (2016). Sugarcane bagasse waste in composites for multilayered armor. *European Polymer Journal*, 78, 173-185.

Bobbili, R., & Madhu, V. (2016). Constitutive modeling of hot deformation behavior of high-strength armor steel. *Journal of Materials Engineering and Performance*, 25(5), 1829-1838.

Nguyen, L. H., Lässig, T. R., Ryan, S., Riedel, W., Mouritz, A. P., & Orifici, A. C. (2016). A methodology for hydrocode analysis of ultra-high molecular weight polyethylene composite under ballistic impact. *Composites Part A: Applied Science and Manufacturing*, 84, 224-235.

Zhang, H., Yao, Y., Zhu, D., Mobasher, B., & Huang, L. (2016). Tensile mechanical properties of basalt fiber reinforced polymer composite under varying strain rates and temperatures. *Polymer Testing*, 51, 29-39.

Cordero, Z. C., Carpenter, R. R., Schuh, C. A., & Schuster, B. E. (2016). Sub-scale ballistic testing of an ultrafine grained tungsten alloy into concrete targets. *International Journal of Impact Engineering*, 91, 1-5.

Li, X. G., Gao, X. L., & Kleiven, S. (2016). Behind helmet blunt trauma induced by ballistic impact: a computational model. *International Journal of Impact Engineering*, 91, 56-67.

He, Q., Xie, Z., Xuan, H., & Hong, W. (2016). Ballistic testing and theoretical analysis for perforation mechanism of the fan casing and fragmentation of the released blade. *International Journal of Impact Engineering*, 91, 80-93.

Zhong, W. Z., Mbarek, I. A., Rusinek, A., Bernier, R., Jankowiak, T., & Sutter, G. (2016). Development of an experimental set-up for dynamic force measurements during impact and perforation, coupling to numerical simulations. *International Journal of Impact Engineering*, 91, 102-115.

Elek, P. M., Jaramaz, S. S., Micković, D. M., & Miloradović, N. M. (2016). Experimental and numerical investigation of perforation of thin steel plates by deformable steel penetrators. *Thin-Walled Structures*, 102, 58-67.

Calneryte, D., & Barauskas, R. (2016). Multi-scale evaluation of the linear elastic and failure parameters of the unidirectional laminated textiles with application to transverse impact simulation. *Composite Structures*, 142, 325-334.

Bandaru, A. K., & Ahmad, S. (2016). Modeling of progressive damage for composites under ballistic impact. *Composites Part B: Engineering*, 93, 75-87.

Monteiro, S. N., Milanezi, T. L., Louro, L. H. L., Lima Jr, E. P., Braga, F. O., Gomes, A. V., & Drelich, J. W. (2016). Novel ballistic ramie fabric composite competing with Kevlar™ fabric in multilayered armor. *Materials & Design*, 96, 263-269.

Ramesh, B., Elayaperumal, A., Satishkumar, S., Kumar, A., Jayakumar, T., & Dinakaran, D. (2016). Influence of cooling on the performance of the drilling process of glass fibre reinforced epoxy composites. *Archives of Civil and Mechanical Engineering*, 16(1), 135-146.

Palka, N., Panowicz, R., Chalimoniuk, M., & Beigang, R. (2016). Non-destructive evaluation of puncture region in polyethylene composite by terahertz and X-ray radiation. *Composites Part B: Engineering*, 92, 315-325.

Monteiro, S. N., Milanezi, T. L., Louro, L. H. L., Lima Jr, E. P., Braga, F. O., Gomes, A. V., & Drelich, J. W. (2016). Novel ballistic ramie fabric composite competing with Kevlar™ fabric in multilayered armor. *Materials & Design*, 96, 263-269.

Ramesh, B., Elayaperumal, A., Satishkumar, S., Kumar, A., Jayakumar, T., & Dinakaran, D. (2016). Influence of cooling on the performance of the drilling process of glass fibre reinforced epoxy composites. *Archives of Civil and Mechanical Engineering*, 16(1), 135-146.

Palka, N., Panowicz, R., Chalimoniuk, M., & Beigang, R. (2016). Non-destructive evaluation of puncture region in polyethylene composite by terahertz and X-ray radiation. *Composites Part B: Engineering*, 92, 315-325.

Bobbili, R., & Madhu, V. (2016). Constitutive modeling of hot deformation behavior of high-strength armor steel. *Journal of Materials Engineering and Performance*, 25(5), 1829-1838.

Nguyen, L. H., Lässig, T. R., Ryan, S., Riedel, W., Mouritz, A. P., & Orifici, A. C. (2016). A methodology for hydrocode analysis of ultra-high molecular weight polyethylene composite under ballistic impact. *Composites Part A: Applied Science and Manufacturing*, 84, 224-235.

Zhang, H., Yao, Y., Zhu, D., Mobasher, B., & Huang, L. (2016). Tensile mechanical properties of basalt fiber reinforced polymer composite under varying strain rates and temperatures. *Polymer Testing*, *51*, 29-39.

Cordero, Z. C., Carpenter, R. R., Schuh, C. A., & Schuster, B. E. (2016). Sub-scale ballistic testing of an ultrafine grained tungsten alloy into concrete targets. *International Journal of Impact Engineering*, *91*, 1-5.

Li, X. G., Gao, X. L., & Kleiven, S. (2016). Behind helmet blunt trauma induced by ballistic impact: a computational model. *International Journal of Impact Engineering*, *91*, 56-67.

He, Q., Xie, Z., Xuan, H., & Hong, W. (2016). Ballistic testing and theoretical analysis for perforation mechanism of the fan casing and fragmentation of the released blade. *International Journal of Impact Engineering*, *91*, 80-93.

Zhong, W. Z., Mbarek, I. A., Rusinek, A., Bernier, R., Jankowiak, T., & Sutter, G. (2016). Development of an experimental set-up for dynamic force measurements during impact and perforation, coupling to numerical simulations. *International Journal of Impact Engineering*, *91*, 102-115.

Calneryte, D., & Barauskas, R. (2016). Multi-scale evaluation of the linear elastic and failure parameters of the unidirectional laminated textiles with application to transverse impact simulation. *Composite Structures*, *142*, 325-334.

Bandaru, A. K., & Ahmad, S. (2016). Modeling of progressive damage for composites under ballistic impact. *Composites Part B: Engineering*, *93*, 75-87.

Reddy, P. R. S., Reddy, T. S., Srikanth, I., Madhu, V., Gogia, A. K., & Rao, K. V. (2016). Effect of viscoelastic behaviour of glass laminates on their energy absorption subjected to high velocity impact. *Materials & Design*, *98*, 272-279.

Sahane, D., Santare, M. H., Powers, B. M., & Gazonas, G. A. (2016). Computational simulations of wave propagation in microcrack-damaged media under prestress. *International Journal of Fracture*, *199*(2), 185-198.

López-Gálvez, H., Rodriguez-Millán, M., Feito, N., & Miguelez, H. (2016). A method for inter-yarn friction coefficient calculation for plain wave of aramid fibers. *Mechanics Research Communications*, *74*, 52-56.

Coleman, S. P., Hernandez-Rivera, E., Behler, K. D., Synowczynski-Dunn, J., & Tschopp, M. A. (2016). Challenges of engineering grain boundaries in boron-based armor ceramics. *Jom*, *68*(6), 1605-1615.

Ranwaha, N., & Yuen, S. C. K. (2016). The effects of blast-induced fragments on cellular materials. *International Journal of Impact Engineering*, *92*, 50-65.

Singh, K. K., Singh, N. K., & Jha, R. (2016). Analysis of symmetric and asymmetric glass fiber reinforced plastic laminates subjected to low-velocity impact. *Journal of Composite Materials*, *50*(14), 1853-1863.

Chen, S. J., Yao, X. P., Lu, G., Ma, G., & Duan, W. H. (2016). Nano-impact tests with ultra-high strain rate loading using graphene and ion impact. *International Journal of Applied Mechanics*, *8*(04), 1650043.



Miao, M. (2016). Dynamic modulus and strain wave velocity in ballistic fibre strands. *Journal of Materials Science*, 51(12), 5939-5947.

Haque, B. Z. G., Chowdhury, S. C., & Gillespie Jr, J. W. (2016). Molecular simulations of stress wave propagation and perforation of graphene sheets under transverse impact. *Carbon*, 102, 126-140.

Liu, P., Zhu, D., Yao, Y., Wang, J., & Bui, T. Q. (2016). Numerical simulation of ballistic impact behavior of bio-inspired scale-like protection system. *Materials & Design*, 99, 201-210.

Ansari, M. M., & Chakrabarti, A. (2016). Impact behavior of FRP composite plate under low to hyper velocity impact. *Composites Part B: Engineering*, 95, 462-474.

Xu, M. M., Huang, G. Y., Feng, S. S., Qin, X. Y., McShane, G. J., & Stronge, W. J. (2016). Perforation resistance of aluminum/polyethylene sandwich structure. *Materials & Design*, 100, 92-101.

Morka, A., Kędzierski, P., & Muzolf, P. (2016). Optimization of the structure of a ceramic-aluminum alloy composite subjected to the impact of hard steel projectiles. *Mechanics of Composite Materials*, 52(3), 333-346.

Liu, L., Xuan, H., He, Z., Niu, D., Xing, J., & Hong, W. (2016). Containment capability of 2D triaxial braided tape wound composite casing for aero-engine. *Polymer Composites*, 37(7), 2227-2242.

Petel, O. E., & Hogan, J. D. (2016). An investigation of shear thickening fluids using ejecta analysis techniques. *International Journal of Impact Engineering*, 93, 39-48.

Cardoso, D., & Teixeira-Dias, F. (2016). Modelling the formation of explosively formed projectiles (EFP). *International Journal of Impact Engineering*, 93, 116-127.

Bandaru, A. K., Chavan, V. V., Ahmad, S., Alagirusamy, R., & Bhatnagar, N. (2016). Low velocity impact response of 2D and 3D Kevlar/polypropylene composites. *International Journal of Impact Engineering*, 93, 136-143.

McDonald, J., & Satapathy, S. (2016). Surface waves and their influence on cone cracking in brittle materials. *International Journal of Impact Engineering*, 93, 144-152.

Attwood, J. P., Russell, B. P., Wadley, H. N. G., & Deshpande, V. S. (2016). Mechanisms of the penetration of ultra-high molecular weight polyethylene composite beams. *International Journal of Impact Engineering*, 93, 153-165.

Hsieh, A. J., Chantawansri, T. L., Hu, W., Cain, J., & Jian, H. Y. (2016). New insight into the influence of molecular dynamics of matrix elastomers on ballistic impact deformation in UHMWPE composites. *Polymer*, 95, 52-61.

Shim, G. I., Kim, S. H., Ahn, D. L., Park, J. K., Jin, D. H., Chung, D. T., & Choi, S. Y. (2016). Experimental and numerical evaluation of transparent bulletproof material for enhanced impact-energy absorption using strengthened-glass/polymer composite. *Composites Part B: Engineering*, 97, 150-161.

Na, W., Ahn, H., Han, S., Harrison, P., Park, J. K., Jeong, E., & Yu, W. R. (2016). Shear behavior of a shear thickening fluid-impregnated aramid fabrics at high shear rate. *Composites Part B: Engineering*, 97, 162-175.

Feng, J., Sun, W., Liu, Z., Cui, C., & Wang, X. (2016). An armour-piercing projectile penetration in a double-layered target of ultra-high-performance fiber reinforced concrete and armour steel: Experimental and numerical analyses. *Materials & Design*, *102*, 131-141.

Li, W., Xiong, D., Zhao, X., Sun, L., & Liu, J. (2016). Dynamic stab resistance of ultra-high molecular weight polyethylene fabric impregnated with shear thickening fluid. *Materials & Design*, *102*, 162-167.

Cwalina, C. D., McCutcheon, C. M., Dombrowski, R. D., & Wagner, N. J. (2016). Engineering enhanced cut and puncture resistance into the thermal micrometeoroid garment (TMG) using shear thickening fluid (STF)–Armor™ absorber layers. *Composites Science and Technology*, *131*, 61-66.

Pramanick, A. K., Das, H., Reddy, G. M., Ghosh, M., Das, G., Nandy, S., & Pal, T. K. (2016). Development and design of microstructure based coated electrode for ballistic performance of shielded metal arc welded armour steel joints. *Materials & Design*, *103*, 52-62.

Xie, W., Zhang, W., Kuang, N., Li, D., Huang, W., Gao, Y., ... & Ren, P. (2016). Experimental investigation of normal and oblique impacts on CFRPs by high velocity steel sphere. *Composites Part B: Engineering*, *99*, 483-493.

Zhang, G., Ghita, O. R., & Evans, K. E. (2016). Dynamic thermo-mechanical and impact properties of helical auxetic yarns. *Composites Part B: Engineering*, *99*, 494-505.

Gao, Z., Ma, P., Jiang, G., & Cong, H. (2016). Experimental investigation on the quasi-static penetration behavior of curved multi-axial warp-knitted composites. *Fibers and Polymers*, *17*(9), 1497-1504.

Shebanov, S. M., Novikov, I. K., Ananyin, O. B., Pavlikov, A. V., & Gerasimov, I. A. (2016). Increasing the transverse stiffness of a soft armor package based on twaron fabric by using electromagnetic treatment. *Mechanics of Composite Materials*, *52*(4), 569-570.

Liu, L., Xuan, H., Chen, W., Zhao, Z., Guan, Y., & He, M. (2016). Modified subcell model using solid elements for triaxial braided composite under ballistic impact. *Journal of Aerospace Engineering*, *29*(5), 04016028.

Xu, F. Y., Zheng, Y. F., Yu, Q. B., Wang, Y. Z., & Wang, H. F. (2016). Experimental study on penetration behavior of reactive material projectile impacting aluminum plate. *International Journal of Impact Engineering*, *95*, 125-132.

Golovin, K., & Phoenix, S. L. (2016). Effects of extreme transverse deformation on the strength of UHMWPE single filaments for ballistic applications. *Journal of Materials Science*, *51*(17), 8075-8086.

Thomas, D. J. (2016). Laser cut hole matrices in novel armour plate steel for appliqué battlefield vehicle protection. *Defence technology*, *12*(5), 351-359.

Taheri, S., Moftakharian Esfahani, J., Nakhband, E., Nazockdast, H., Sabet, A. R., & Rahmat, M. (2016). Investigation of polycarbonate/acrylonitrile butadiene styrene/multiwall carbon nanotube nanocomposites under impact loading. *Polymers for Advanced Technologies*, *27*(10), 1355-1362.

Chevalier, C., Kerisit, C., Boussu, F., Coutellier, D., Faderl, N., & Klavzar, A. (2016). A new experimental setup to characterize the dynamic mechanical behaviour of ballistic yarns. *Measurement Science and Technology*, *27*(10), 105902.

Rashed, A., Yazdani, M., Babaluo, A. A., & Hajizadeh Parvin, P. (2016). Investigation on high-velocity impact performance of multi-layered alumina ceramic armors with polymeric interlayers. *Journal of Composite Materials*, 50(25), 3561-3576.

Sjöberg, T., Sundin, K. G., Kajberg, J., & Oldenburg, M. (2016). Reverse ballistic experiment resembling the conditions in turbine blade off event for containment structures. *Thin-Walled Structures*, 107, 671-677.

Kędzierski, P., Gieleta, R., Morka, A., Niezgoda, T., & Surma, Z. (2016). Experimental study of hybrid soft ballistic structures. *Composite structures*, 153, 204-211.

Iqbal, M. A., Senthil, K., Sharma, P., & Gupta, N. K. (2016). An investigation of the constitutive behavior of ArmoX 500T steel and armor piercing incendiary projectile material. *International Journal of Impact Engineering*, 96, 146-164.

Haro, E. E., Odeshi, A. G., & Szpunar, J. A. (2016). The energy absorption behavior of hybrid composite laminates containing nano-fillers under ballistic impact. *International Journal of Impact Engineering*, 96, 11-22.

Dwivedi, A. K., Dalzell, M. W., Fossey, S. A., Slusarski, K. A., Long, L. R., & Wetzel, E. D. (2016). Low velocity ballistic behavior of continuous filament knit aramid. *International Journal of Impact Engineering*, 96, 23-34.

Toader, G., Rusen, E., Teodorescu, M., Diacon, A., Stanescu, P. O., Rotariu, T., & Rotariu, A. (2016). Novel polyurea polymers with enhanced mechanical properties. *Journal of Applied Polymer Science*, 133(38).

Behr, S., Jungblut, L., Swain, M. V., & Schneider, G. A. (2016). Shear Strength and Interfacial Toughness Characterization of Sapphire–Epoxy Interfaces for Nacre-Inspired Composites. *ACS applied materials & interfaces*, 8(40), 27322-27331.

Masser, K. A., Bain, E. D., Beyer, F. L., Savage, A. M., Jian, H. Y., & Lenhart, J. L. (2016). Influence of nano-scale morphology on impact toughness of epoxy blends. *Polymer*, 103, 337-346.

Clayton, J. D. (2016). Dimensional analysis and extended hydrodynamic theory applied to long-rod penetration of ceramics. *Defence Technology*, 12(4), 334-342.

Kudryavtsev, O. A., & Sapozhnikov, S. B. (2016). Numerical simulations of ceramic target subjected to ballistic impact using combined DEM/FEM approach. *International Journal of Mechanical Sciences*, 114, 60-70.

Giller, C. B., Gamache, R. M., Wahl, K. J., Saab, A. P., & Roland, C. M. (2016). Coating/substrate interaction in elastomer-steel bilayer armor. *Journal of Composite Materials*, 50(20), 2853-2859.

Balaganesan, G., & Khan, V. C. (2016). Energy absorption of repaired composite laminates subjected to impact loading. *Composites Part B: Engineering*, 98, 39-48.

Meshi, I., Amarilio, I., Benes, D., & Haj-Ali, R. (2016). Delamination behavior of UHMWPE soft layered composites. *Composites Part B: Engineering*, 98, 166-175.

Yang, Y., & Chen, X. (2016). Study of energy absorption and failure modes of constituent layers in body armour panels. *Composites Part B: Engineering*, 98, 250-259.

Ćwik, T. K., Iannucci, L., Curtis, P., & Pope, D. (2016). Investigation of the ballistic performance of ultra high molecular weight polyethylene composite panels. *Composite Structures*, 149, 197-212.

Kozmel, T., Vural, M., & Tin, S. (2016). EBSD characterization of shear band formation in aluminum armor alloys. *Journal of Materials Science*, 51(16), 7554-7570.

Haro, E. E., Szpunar, J. A., & Odeshi, A. G. (2016). Ballistic impact response of laminated hybrid materials made of 5086-H32 aluminum alloy, epoxy and Kevlar® fabrics impregnated with shear thickening fluid. *Composites Part A: Applied Science and Manufacturing*, 87, 54-65.

Kozmel, T., Vural, M., & Tin, S. (2016). EBSD characterization of shear band formation in aluminum armor alloys. *Journal of Materials Science*, 51(16), 7554-7570.

Wan, F., Jiang, Z., Tan, Q., & Cao, Y. (2016). Response of steel-tube-confined concrete targets to projectile impact. *International Journal of Impact Engineering*, 94, 50-59.

Ryan, S., Li, H., Edgerton, M., Gallardy, D., & Cimpoeru, S. J. (2016). The ballistic performance of an ultra-high hardness armour steel: An experimental investigation. *International journal of impact engineering*, 94, 60-73.

Appleby-Thomas, G. J., Wood, D. C., Hameed, A., Painter, J., Le-Seelleur, V., & Fitzmaurice, B. C. (2016). Investigation of the high-strain rate (shock and ballistic) response of the elastomeric tissue simulant Perma-Gel®. *International Journal of Impact Engineering*, 94, 74-82.

Micheli, D., Vricella, A., Pastore, R., Delfini, A., Giusti, A., Albano, M., ... & Primiani, V. M. (2016). Ballistic and electromagnetic shielding behaviour of multifunctional Kevlar fiber reinforced epoxy composites modified by carbon nanotubes. *Carbon*, 104, 141-156.

Mudric, T., Giacomuzzo, C., Francesconi, A., & Galvanetto, U. (2016). Experimental investigation of the ballistic response of composite panels coupled with a self-healing polymeric layer. *Journal of Aerospace Engineering*, 29(6), 04016047.

Bandaru, A. K., Patel, S., Sachan, Y., Ahmad, S., Alagirusamy, R., & Bhatnagar, N. (2016). Mechanical behavior of Kevlar/basalt reinforced polypropylene composites. *Composites Part A: Applied Science and Manufacturing*, 90, 642-652.

Wang, Y., Miao, Y., Huang, L., Swenson, D., Yen, C. F., Yu, J., & Zheng, J. Q. (2016). Effect of the inter-fiber friction on fiber damage propagation and ballistic limit of 2-D woven fabrics under a fully confined boundary condition. *International Journal of Impact Engineering*, 97, 66-78.

Rosenberg, Z., Kositski, R., & Dekel, E. (2016). On the perforation of aluminum plates by 7.62 mm APM2 projectiles. *International Journal of Impact Engineering*, 97, 79-86.

Tang, D. S., Hua, Y. C., & Cao, B. Y. (2016). Thermal wave propagation through nanofilms in ballistic-diffusive regime by Monte Carlo simulations. *International Journal of Thermal Sciences*, 109, 81-89.

Rodríguez-Millán, M., Ito, T., Loya, J. A., Olmedo, A., & Miguélez, M. H. (2016). Development of numerical model for ballistic resistance evaluation of combat helmet and experimental validation. *Materials & Design*, 110, 391-403.

Yeganeh, E. M., Liaghat, G. H., & Pol, M. H. (2016). Laminate composites behavior under quasi-static and high velocity perforation. *Steel and Composite Structures*, 22(4), 777-796.

Wang, Y., Zeng, W., Sun, X., & Xu, J. (2016). The microstructure characterization of adiabatic shearing band in Ti-17 alloy at high strain rates and elevated temperatures. *Materials Science and Engineering: A*, 677, 325-331.

Ouyang, Q. D., Guo, X., & Feng, X. Q. (2016). 3D microstructure-based simulations of strength and ductility of bimodal nanostructured metals. *Materials Science and Engineering: A*, 677, 76-88.

Patel, S., Ahmad, S., & Mahajan, P. (2016). Probabilistic Finite-Element Analysis of S2-Glass Epoxy Composite Beams for Damage Initiation Due to High-Velocity Impact. *ASCE-ASME J Risk and Uncert in Engrg Sys Part B Mech Engrg*, 2(4).

Cheon, J. M., & Choi, Y. (2016). Effect of projectile incident angle on penetration of steel plates. *International Journal of Precision Engineering and Manufacturing*, 17(12), 1721-1727.

Pan, B., Yu, L., Yang, Y., Song, W., & Guo, L. (2016). Full-field transient 3D deformation measurement of 3D braided composite panels during ballistic impact using single-camera high-speed stereo-digital image correlation. *Composite Structures*, 157, 25-32.

Guo, X., Sun, X., Tian, X., Weng, G. J., Ouyang, Q. D., & Zhu, L. L. (2016). Simulation of ballistic performance of a two-layered structure of nanostructured metal and ceramic. *Composite Structures*, 157, 163-173.

Pawar, M. J., Patnaik, A., Biswas, S. K., Pandel, U., Bhat, I. K., Chatterjee, S., ... & Babu, B. P. (2016). Comparison of ballistic performances of Al<sub>2</sub>O<sub>3</sub> and AlN ceramics. *International Journal of Impact Engineering*, 98, 42-51.

Gamache, R. M., Giller, C. B., Montella, G., Fragiadakis, D., & Roland, C. M. (2016). Elastomer-metal laminate armor. *Materials & Design*, 111, 362-368.

Masser, K. A., Knorr Jr, D. B., Yu, J. H., Hindenlang, M. D., & Lenhart, J. L. (2016). Dynamic heterogeneity in epoxy networks for protection applications. *Journal of Applied Polymer Science*, 133(45).

Forster, A. L., Chin, J., Peng, J. S., Kang, K. L., Rice, K., & Al-Sheikhly, M. (2016). Long term stability of UHMWPE fibers. In *Mechanics of Composite and Multi-functional Materials, Volume 7* (pp. 369-375). Springer, Cham.

Torres, G. B., Vélez, J. M., & Gutierrez, C. M. (2016). Fractography on Rigid Ceramics with Ultra-High-Molecular-Weight Polyethylene Fabric after Ballistic Impacts. In *Fracture Mechanics-Properties, Patterns and Behaviours*. IntechOpen.

Gao, Q., Hou, Y., Li, K., Sun, Z., Wang, C., & Hou, R. (2016). Neural network based active disturbance rejection control of a novel electrohydraulic servo system for simultaneously balancing and positioning by isoactuation configuration. *Shock and Vibration*,

Zieja, M., WAżny, M., & STępień, S. (2016). Distribution determination of time of exceeding permissible condition as used to determine lifetimes of selected aeronautical devices/systems. *Eksploatacja i Niezawodność*, 18(1).

Jung, S., Jung, G., Lee, H., Lee, W., Song, H., & Park, S. (2016). Design and analysis of ballistic ground scanning system based on dynamics simulation. *International Journal of Precision Engineering and Manufacturing*, 17(1), 125-130.

Yenes, J. I., Castedo, R., Santos, A. P., & Simon, J. R. (2016). Experimentation, simulation and analysis of improvised explosive devices-explosively formed projectile. *Revista Internacional de Métodos Numéricos para Cálculo y Diseño en Ingeniería*, 32(1).

Zuber, S. (2016). High-energy Computed Tomographic Inspection of Munitions. *Materials Evaluation*, 74(2), 194-202.

Boyce, B. L., Kramer, S. L. B., Bosiljevac, T. R., Corona, E., Moore, J. A., Elkhodary, K., ... & Xue, L. (2016). The second Sandia Fracture Challenge: predictions of ductile failure under quasi-static and moderate-rate dynamic loading. *International Journal of Fracture*, 198(1), 5-100.

Abd Kadir, Z., Hudha, K., Zamzuri, H., Mazlan, S. A., Murrad, M., & Imaduddin, F. (2016). Modeling, validation and firing-on-the-move control of armored vehicles using active front-wheel steering. *The Journal of Defense Modeling and Simulation*, 13(2), 253-267.

Zhou, M., Wang, M., & Dong, G. (2016). Experimental investigation on rotary ultrasonic face grinding of SiCp/Al composites. *Materials and Manufacturing Processes*, 31(5), 673-678.

Allheily, V., Lacroix, F., Eichhorn, A., Merlat, L., L'Hostis, G., & Durand, B. (2016). An experimental method to assess the thermo-mechanical damage of CFRP subjected to a highly energetic 1.07  $\mu\text{m}$ -wavelength laser irradiation. *Composites Part B: Engineering*, 92, 326-331.

Yin, C., Jin, Z., Chen, Y., & Hua, H. (2016). Shock mitigation effects of cellular cladding on submersible hull subjected to deep underwater explosion. *Ocean Engineering*, 117, 221-237.

Elek, P. M., Jaramaz, S. S., Micković, D. M., & Miloradović, N. M. (2016). Experimental and numerical investigation of perforation of thin steel plates by deformable steel penetrators. *Thin-Walled Structures*, 102, 58-67.

Wang, Y., Zhou, N., Yang, Z., & Jiang, Y. (2016). Experimental investigation of aircraft spray cooling system with different heating surfaces and different additives. *Applied Thermal Engineering*, 103, 510-521.

Wei, X., Jiang, Y., Zeng, W., & Pan, X. (2016). The coupling effects of the missile launcher and the ground in vehicle-mounted missile erecting. *Advances in Mechanical Engineering*, 8(7), 1687814016656106.

Connors, C. D., Miller, J. O., & Lunday, B. J. (2016). Using agent-based modeling and a designed experiment to simulate and analyze a new air-to-air missile. *The Journal of Defense Modeling and Simulation*, 13(3), 321-330.

Korobiichuk, I. (2016). Mathematical model of precision sensor for an automatic weapons stabilizer system. *Measurement*, 89, 151-158.

Jiang, W., Huang, Z., Liu, G., He, Z., Feng, L., & Li, Z. (2016). Nonlinear Dynamic Responses of Longitudinally Corrugated Shell Under Axially Nonuniform Internal Pressure. *AIAA Journal*, 54(9), 2869-2880.

Peng, W., Fang, Y., Zhan, R., & Wang, W. (2016). Weapon systems accuracy evaluation using the error spectrum. *Aerospace Science and Technology*, 58, 369-379.

Pavlovic, A., Fragassa, C., & Disic, A. (2017). Comparative numerical and experimental study of projectile impact on reinforced concrete. *Composites Part B: Engineering*, 108, 122-130.

Shaker, K., Jabbar, A., Karahan, M., Karahan, N., & Nawab, Y. (2017). Study of dynamic compressive behaviour of aramid and ultrahigh molecular weight polyethylene composites using Split Hopkinson Pressure Bar. *Journal of Composite Materials*, 51(1), 81-94.

Luz, F. S. D., Monteiro, S. N., Lima, E. S., & Lima, É. P. (2017). Ballistic application of coir fiber reinforced epoxy composite in multilayered armor. *Materials Research*, 20, 23-28.

Nascimento, L. F. C., Louro, L. H. L., Monteiro, S. N., Gomes, A. V., Marçal, R. L. S. B., Lima, É. P., & Margem, J. I. (2017). Ballistic performance of mallow and jute natural fabrics reinforced epoxy composites in multilayered armor. *Materials Research*, 20, 399-403.

Syafiqah Nur Azrie, S., Mohamed Thariq, H. S., & Francisco, C. (2017). Impact Characterisation of Glass Fibre-Reinforced Polymer (GFRP) Type C-600 and E-800 Using a Single Stage Gas Gun (SSGG). *Pertanika Journal of Science & Technology*, 25(1).

Wan, Y., Tong, G., Chen, S., & Wei, X. (2017). Ballistic impact performance of smated 304 stainless steel and hybridized composites. *Composites: Mechanics, Computations, Applications: An International Journal*, 8(4).

Kumar, V., Singh, S., & Kandasubramanian, B. (2017). Thermal ablation and laser shielding characteristics of ionic liquid-microseeded functionalized nanoclay/resorcinol formaldehyde nanocomposites for armor protection. *Polymer-Plastics Technology and Engineering*, 56(14), 1542-1555.

Okhawilai, M., & Rimdusit, S. (2017). Hard armor composites from ballistic fiber-reinforced polybenzoxazine alloys. In *Advanced and emerging polybenzoxazine science and technology* (pp. 699-723). Elsevier.

Liu, L., Zhao, Z., Chen, W., & Luo, G. (2017). Ballistic impact behaviour of stiffened aluminium plates for gas turbine engine containment system. *International journal of crashworthiness*, 22(5), 467-478.

Sikarwar, R. S., Velmurugan, R., & Gupta, N. K. (2017). Effect of velocity and fibres on impact performance of composite laminates—Analytical and experimental approach. *International journal of crashworthiness*, 22(6), 589-601.

Singh, A. K., Wanhill, R. J. H., & Eswara Prasad, N. (2017). Lightweight Ballistic Armours for Aero-Vehicle Protection. *Aerospace Materials and Material Technologies*, 541-557.

Isa, M. F. M., Risby, M. S., Norazman, M. N., Khalis, S., Hafizi, M. N., & Arif, S. (2017). Simulation on the shock attenuation behavior of coupled RHA and sandwich composite panel under blast loading. *Journal of Fundamental and Applied Sciences*, 9(3S), 555-565.

Luo, W., Shi, S., Chen, Z., Sun, J., & Wang, W. (2017). Projectile Penetration into Sandy Soil Confined by a Honeycomb-Like Structure. *Shock and Vibration*, 2017.

Mastilovic, S. (2017). Phenomenology of the maximum fragment mass dependence upon ballistic impact parameters. *Latin American Journal of Solids and Structures*, 14, 1529-1546.

Grujicic, M., Snipes, J., & Ramaswami, S. (2017). Ballistic-penetration resistance and flexural-stiffness optimization of a nacre-mimetic, B4C-reinforced, polyurea-matrix composite armor. *International Journal of Structural Integrity*.

Alex, A. S., Kumar, V., Sekkar, V., & Bandyopadhyay, G. G. (2017). A fast and effective pyridine-free method for the determination of hydroxyl value of hydroxyl-terminated polybutadiene and other hydroxy compounds. *Journal of Energetic Materials*, 35(3), 292-299.

Xue, X., Yu, Y., & Mang, S. (2017). Study on Combustion Characteristics and Propelling Projectile Motion Process of Bulk-Loaded Liquid Propellant. *Journal of Energetic Materials*, 35(3), 346-362.

Zhang, X., Liu, T., He, N., & Jia, G. (2017). Investigation of two finite element modelling approaches for ballistic impact response of composite laminates. *International journal of crashworthiness*, 22(4), 377-393.

Grujicic, M., Snipes, J., & Ramaswami, S. (2017). Single-yarn pull-out test in neat, solvent-treated and shear-thickening fluid-impregnated Kevlar® KM2 fabric: A finite-element analysis. *International Journal of Structural Integrity*.

Grujicic, M., Ramaswami, S., & Snipes, J. (2017). Computational investigation of ballistic-impact behavior and penetration resistance of a nacre-like ceramic/polymer laminated composite. *International Journal of Structural Integrity*, 8(1), 79-107.

Ramesh, B., Elayaperumal, A., & Satishkumar, S. (2017). Drillability study of pultruded and sheet moulding compound thick polymeric composites. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 231(2), 268-285.

Marimuthu, B., & Visvalingam, B. (2017). Tensile properties of friction welded AISI 4340 joints. *Materials Testing*, 59(1), 22-28.

Scapin, M., Peroni, L., & Avalor, M. (2017). Dynamic Brazilian test for mechanical characterization of ceramic ballistic protection. *Shock and Vibration*, 2017.

Dou, Y., Liu, Y., Hammi, Y., & Whittington, W. (2017). Application of a microstructure-based ISV plasticity damage model to study penetration mechanics of metals and validation through penetration study of aluminum. *Modelling and Simulation in engineering*, 2017.

Abdel-Nasser, Y., Elhewy, A. M., & Al-Mallah, I. (2017). Impact analysis of composite laminate using finite element method. *Ships and Offshore Structures*, 12(2), 219-226.

Rahbek, D. B., Simons, J. W., Johnsen, B. B., Kobayashi, T., & Shockey, D. A. (2017). Effect of composite covering on ballistic fracture damage development in ceramic plates. *International Journal of Impact Engineering*, 99, 58-68.

Allaey, F., Luyckx, G., Van Paepegem, W., & Degrieck, J. (2017). Development and validation of a set-up to measure the transferred multi-axial impact momentum of a bird strike on a booster vane. *International Journal of Impact Engineering*, 99, 102-110.

Cavero, D., Stewart, K., & Morsi, K. (2017). Novel Ballistic Processing of Sn-0.7 Cu Thick Films. *Metallurgical and Materials Transactions A*, 48(1), 46-50.



Falland-Cheung, L., Waddell, J. N., Lazarjan, M. S., Jermy, M. C., Winter, T., Tong, D., & Brunton, P. A. (2017). Use of agar/glycerol and agar/glycerol/water as a translucent brain simulant for ballistic testing. *Journal of the mechanical behavior of biomedical materials*, *65*, 665-671.

Obradović, V., Stojanović, D. B., Jokić, B., Zrilić, M., Radojević, V., Uskoković, P. S., & Aleksić, R. (2017). Nanomechanical and anti-stabbing properties of Kolon fabric composites reinforced with hybrid nanoparticles. *Composites Part B: Engineering*, *108*, 143-152.

Li, X., Nia, A. B., Ma, X., Yahya, M. Y., & Wang, Z. (2017). Dynamic response of Kevlar® 29/epoxy laminates under projectile impact-experimental investigation. *Mechanics of Advanced Materials and Structures*, *24*(2), 114-121.

Chu, T. L., Ha-Minh, C., & Imad, A. (2017). Analysis of local and global localizations on the failure phenomenon of 3D interlock woven fabrics under ballistic impact. *Composite Structures*, *159*, 267-277.

Ren, J., Xu, Y., Liu, J., Li, X., & Wang, S. (2017). Effect of strength and ductility on anti-penetration performance of low-carbon alloy steel against blunt-nosed cylindrical projectiles. *Materials Science and Engineering: A*, *682*, 312-322.

Pasquali, M., & Gaudenzi, P. (2017). Effects of curvature on high-velocity impact resistance of thin woven fabric composite targets. *Composite Structures*, *160*, 349-365.

Pandya, K. S., Kulkarni, M. D., Warman, A., & Naik, N. K. (2017). Simulation of stress wave attenuation in plain weave fabric composites during in-plane ballistic impact. *Composite Structures*, *160*, 748-757.

Rajput, A., & Iqbal, M. A. (2017). Impact behavior of plain, reinforced and prestressed concrete targets. *Materials & Design*, *114*, 459-474.

Li, C. S., Huang, X. C., Yan, L., Zhou, H., Shen, Z., & Fan, X. H. (2017). Effect of thermal aging on microstructures of aramid composites. *Polymer Composites*, *38*(2), 252-259.

Hazzard, M. K., Hallett, S., Curtis, P. T., Iannucci, L., & Trask, R. S. (2017). Effect of fibre orientation on the low velocity impact response of thin Dyneema® composite laminates. *International Journal of Impact Engineering*, *100*, 35-45.

Appleby-Thomas, G. J., Wood, D. C., Hameed, A., Painter, J., & Fitzmaurice, B. (2017). On the effects of powder morphology on the post-comminution ballistic strength of ceramics. *International Journal of Impact Engineering*, *100*, 46-55.

Tria, D. E., & Trębiński, R. (2017). Methodology for experimental verification of steel armour impact modelling. *International Journal of Impact Engineering*, *100*, 102-116.

Zarei, H., Sadighi, M., & Minak, G. (2017). Ballistic analysis of fiber metal laminates impacted by flat and conical impactors. *Composite Structures*, *161*, 65-72.

Chu, Y., Min, S., & Chen, X. (2017). Numerical study of inter-yarn friction on the failure of fabrics upon ballistic impacts. *Materials & Design*, *115*, 299-316.

McKee, P. J., Sokolow, A. C., Jian, H. Y., Long, L. L., & Wetzel, E. D. (2017). Finite element simulation of ballistic impact on single jersey knit fabric. *Composite Structures*, *162*, 98-107.

Chowdhury, S. C., Sockalingam, S., & Gillespie Jr, J. W. (2017). Molecular dynamics modeling of the effect of axial and transverse compression on the residual tensile properties of ballistic fiber. *Fibers*, 5(1), 7.

Phoenix, S. L., Heisserer, U., Van der Werff, H., & van der Jagt-Deutekom, M. (2017). Modeling and experiments on ballistic impact into UHMWPE yarns using flat and saddle-nosed projectiles. *Fibers*, 5(1), 8.

Sockalingam, S., Gillespie Jr, J. W., & Keefe, M. (2017). Role of inelastic transverse compressive behavior and multiaxial loading on the transverse impact of Kevlar KM2 single fiber. *Fibers*, 5(1), 9.

Sharma, C., Upadhyay, V., Dwivedi, D. K., & Kumar, P. (2017). Mechanical properties of friction stir welded armor grade Al–Zn–Mg alloy joints. *Transactions of Nonferrous Metals Society of China*, 27(3), 493-506.

Jambari, S., Yahya, M. Y., Abdullah, M. R., & Jawaid, M. (2017). Woven Kenaf/Kevlar Hybrid Yarn as potential fiber reinforced for anti-ballistic composite material. *Fibers and Polymers*, 18(3), 563-568.

Liu, J., Huang, F., Xu, K., Liu, L., Zuo, T., & Pi, A. (2017). Influence of mass ratio on forward and reverse ballistic impact equivalence: experiments, simulations, and mechanism analysis. *Experimental Mechanics*, 57(3), 387-404.

McDaniel, P. B., Sockalingam, S., Deitzel, J. M., Gillespie Jr, J. W., Keefe, M., Bogetti, T. A., ... & Weerasooriya, T. (2017). The effect of fiber meso/nanostructure on the transverse compression response of ballistic fibers. *Composites Part A: Applied Science and Manufacturing*, 94, 133-145.

Xu, Y., Chen, X., Wang, Y., & Yuan, Z. (2017). Stabbing resistance of body armour panels impregnated with shear thickening fluid. *Composite Structures*, 163, 465-473.

Jung, J. H., Kim, S. H., Choi, I. O., Kim, K. T., & Park, S. H. (2017). Efficient translational motion compensation for micro-Doppler extraction of ballistic missiles. *International Journal of Aeronautical and Space Sciences*, 18(1), 129-137.

Koubaa, S., Mars, J., Wali, M., & Dammak, F. (2017). Numerical study of anisotropic behavior of Aluminum alloy subjected to dynamic perforation. *International journal of impact engineering*, 101, 105-114.

Jinzhu, L., Liansheng, Z., & Finglei, H. (2017). Experiments and simulations of tungsten alloy rods penetrating into alumina ceramic/603 armor steel composite targets. *International Journal of Impact Engineering*, 101, 1-8.

Zhikharev, M. V., & Sapozhnikov, S. B. (2017). Two-scale modeling of high-velocity fragment GFRP penetration for assessment of ballistic limit. *International Journal of Impact Engineering*, 101, 42-48.

Pach, J., Pyka, D., Jamroziak, K., & Mayer, P. (2017). The experimental and numerical analysis of the ballistic resistance of polymer composites. *Composites Part B: Engineering*, 113, 24-30.

Yang, Y., & Chen, X. (2017). Investigation on energy absorption efficiency of each layer in ballistic armour panel for applications in hybrid design. *Composite Structures*, 164, 1-9.

Chakraborty, S., Islam, M. R. I., Shaw, A., Ramachandra, L. S., & Reid, S. R. (2017). A computational framework for modelling impact induced damage in ceramic and ceramic-metal composite structures. *Composite Structures*, *164*, 263-276.

Chengxin, D., Zhonghua, D., & Zhengwang, Z. (2017). Effect of Tungsten Fiber Diameter on Penetration Ability of Zr-based Metallic Glass Composites.

Butola, B. S., Majumdar, A., Jain, A., & Kaur, G. (2017). Multilayered flexible uni-polymer and hybrid composites for ballistic applications. *Fibers and Polymers*, *18*(4), 786-794.

Zhang, C., Curiel-Sosa, J. L., & Duodu, E. A. (2017). Finite element analysis of the damage mechanism of 3D braided composites under high-velocity impact. *Journal of Materials Science*, *52*(8), 4658-4674.

Shanazari, H., Liaghat, G. H., Hadavinia, H., & Aboutorabi, A. (2017). Analytical investigation of high-velocity impact on hybrid unidirectional/woven composite panels. *Journal of Thermoplastic Composite Materials*, *30*(4), 545-563.

Sun, Q., Yang, G., & Ge, J. (2017). Modeling and simulation on engraving process of projectile rotating band under different charge cases. *Journal of Vibration and Control*, *23*(6), 1044-1054.

Zhou, Y., Li, G., Fan, Q., Wang, Y., Zheng, H., Tan, L., & Xu, X. (2017). Study on protection mechanism of 30CrMnMo-UHMWPE composite armor. *Materials*, *10*(4), 405.

Li, X., Yahya, M. Y., Nia, A. B., Wang, Z., Yang, J., & Lu, G. (2017). Dynamic failure of basalt/epoxy laminates under blast—Experimental observation. *International Journal of Impact Engineering*, *102*, 16-26.

Hogan, J. D., Farbaniec, L., Mallick, D., Domnich, V., Kuwelkar, K., Sano, T., ... & Ramesh, K. T. (2017). Fragmentation of an advanced ceramic under ballistic impact: Mechanisms and microstructure. *International journal of impact engineering*, *102*, 47-54.

Tang, R. T., & Wen, H. M. (2017). Predicting the perforation of ceramic-faced light armors subjected to projectile impact. *International journal of impact engineering*, *102*, 55-61.

Tahenti, B., Coghe, F., Nasri, R., & Pirlot, M. (2017). Armor's ballistic resistance simulation using stochastic process modeling. *International journal of impact engineering*, *102*, 140-146.

Brown, L. B., Hazell, P. J., Crouch, I. G., Escobedo, J. P., & Brown, A. D. (2017). Computational and Split-Hopkinson Pressure-Bar studies on the effect of the jacket during penetration of an AK47 bullet into ceramic armour. *Materials & Design*, *119*, 47-53.

Cui, F., Wu, G., Ma, T., & Li, W. (2017). Effect of Ceramic Properties and Depth-of-penetration Test Parameters on the Ballistic Performance of Armour Ceramics. *Defence Science Journal*, *67*(3).

Liu, K., Ning, J., Wu, Z., Ren, H., & Jiang, M. (2017). A comparative investigation on motion model of rifle bullet penetration into gelatin. *International journal of impact engineering*, *103*, 169-179.

Imbalzano, G., Tran, P., Ngo, T. D., & Lee, P. V. (2017). Three-dimensional modelling of auxetic sandwich panels for localised impact resistance. *Journal of Sandwich Structures & Materials*, *19*(3), 291-316.

Chian, S. C., Tan, B. C. V., & Sarma, A. (2017). Reprint of: Projectile penetration into sand: Relative density of sand and projectile nose shape and mass. *International journal of impact engineering*, 105, 80-88.

Rosenberg, Z., & Kositski, R. (2017). Deep indentation and terminal ballistics of polycarbonate. *International Journal of Impact Engineering*, 103, 225-230.

Fras, T., Murzyn, A., & Pawlowski, P. (2017). Defeat mechanisms provided by slotted add-on bainitic plates against small-calibre 7.62 mm× 51 AP projectiles. *International Journal of Impact Engineering*, 103, 241-253.

Tirillò, J., Ferrante, L., Sarasini, F., Lampani, L., Barbero, E., Sánchez-Sáez, S., ... & Gaudenzi, P. (2017). High velocity impact behaviour of hybrid basalt-carbon/epoxy composites. *Composite Structures*, 168, 305-312.

Ning, H., Pillay, S., Thattai parthasarathy, K. B., & Vaidya, U. K. (2017). Design and manufacturing of long fiber thermoplastic composite helmet insert. *Composite Structures*, 168, 792-797.

Kondracki, M., Górka, J., Gołombek, K., Janicki, D., Kwaśny, W., & Żuk, M. (2017). Diode laser surface alloying of armor steel with tungsten carbide. *Archives of Metallurgy and Materials*, 62(2).

Cech, V., & Jevicky, J. (2017). Improved theory of projectile trajectory reference heights as characteristics of meteo-ballistic sensitivity functions. *Defence technology*, 13(3), 177-187.

Afrouzian, A., Movahhedi Aleni, H., Liaghat, G., & Ahmadi, H. (2017). Effect of nanoparticles on the tensile, flexural and perforation properties of the glass/epoxy composites. *Journal of reinforced plastics and composites*, 36(12), 900-916.

Chu, Y., Chen, X., & Tian, L. (2017). Modifying friction between ultra-high molecular weight polyethylene (UHMWPE) yarns with plasma enhanced chemical vapour deposition (PCVD). *Applied Surface Science*, 406, 77-83.

Bandaru, A. K., Ahmad, S., & Bhatnagar, N. (2017). Ballistic performance of hybrid thermoplastic composite armors reinforced with Kevlar and basalt fabrics. *Composites Part A: Applied Science and Manufacturing*, 97, 151-165.

De Vuyst, T., Vignjevic, R., Albero, A. A., Hughes, K., Campbell, J. C., & Djordjevic, N. (2017). The effect of the orientation of cubical projectiles on the ballistic limit and failure mode of AA2024-T351 sheets. *International Journal of Impact Engineering*, 104, 21-37.

Xu, F. Y., Yu, Q. B., Zheng, Y. F., Lei, M. A., & Wang, H. F. (2017). Damage effects of double-spaced aluminum plates by reactive material projectile impact. *International Journal of Impact Engineering*, 104, 13-20.

Xu, F. Y., Zheng, Y. F., Yu, Q. B., Zhang, X. P., & Wang, H. F. (2017). Damage effects of aluminum plate by reactive material projectile impact. *International Journal of Impact Engineering*, 104, 38-44.

Sauer, C., Heine, A., & Riedel, W. (2017). Developing a validated hydrocode model for adobe under impact loading. *International journal of impact engineering*, 104, 164-176.

Li, R., Sun, Y., Sun, Q., Zhao, Y., & Feng, J. (2017). Perforation of steel targets by blunt projectiles using smoothed particle hydrodynamics method. *International Journal of Computational Methods*, 14(03), 1750044.

Lim, H. S., Lee, J., Song, Y. B., Kim, H. K., & Hwang, B. (2017). Effect of tempering temperature on the microstructure and mechanical properties of Armox 500T armor plate. *Korean Journal of Materials research*, 27(7), 359-363.

Kobylkin, I. F. (2017). Penetration of double-layer targets with an outer ceramic layer and optimization of their structure. *Combustion, Explosion, and Shock Waves*, 53(4), 483-489.

Zhu, D., Zhang, X., Ou, Y., & Huang, M. (2017). Experimental and numerical study of multi-scale tensile behaviors of Kevlar® 49 fabric. *Journal of Composite Materials*, 51(17), 2449-2465.

Bogetti, T. A., Walter, M., Staniszewski, J., & Cline, J. (2017). Interlaminar shear characterization of ultra-high molecular weight polyethylene (UHMWPE) composite laminates. *Composites Part A: Applied Science and Manufacturing*, 98, 105-115.

Serjouei, A., Gour, G., Zhang, X., Idapalapati, S., & Tan, G. E. B. (2017). On improving ballistic limit of bi-layer ceramic-metal armor. *International journal of impact engineering*, 105, 54-67.

Chian, S. C., Tan, B. C. V., & Sarma, A. (2017). Reprint of: Projectile penetration into sand: Relative density of sand and projectile nose shape and mass. *International journal of impact engineering*, 105, 80-88.

Qian, L. F., & Chen, G. S. (2017). The uncertainty propagation analysis of the projectile-barrel coupling problem. *Defence technology*, 13(4), 229-233.

Xue, X. C., Yu, Y. G., & Xie, J. M. (2017). The influence of nozzle diameters on the interaction characteristic of combustion-gas jets and liquid. *Defence technology*, 13(4), 257-262.

Yi, R. C., Yin, L. K., Wang, J. R., Chen, Z. G., & Hu, D. Q. (2017). Study on the performance of ceramic composite projectile penetrating into ceramic composite target. *Defence Technology*, 13(4), 295-299.

Hu, D. Q., Wang, J. R., Yin, L. K., Chen, Z. G., Yi, R. C., & Lu, C. H. (2017). Experimental study on the penetration effect of ceramics composite projectile on ceramic/A3 steel compound targets. *Defence technology*, 13(4), 281-287.

Wang, H., Hazell, P. J., Shankar, K., Morozov, E. V., & Escobedo, J. P. (2017). Impact behaviour of Dyneema® fabric-reinforced composites with different resin matrices. *Polymer Testing*, 61, 17-26.

Park, N. R., Kim, K. H., Mo, J. S., & Yoon, G. H. (2017). An experimental study on the effects of the head angle and bullet diameter on the penetration of a gelatin block. *International Journal of Impact Engineering*, 106, 73-85.

Tapie, E., Tan, E. S. L., Guo, Y. B., & Shim, V. P. W. (2017). Effects of pre-tension and impact angle on penetration resistance of woven fabric. *International Journal of Impact Engineering*, 106, 171-190.

Yang, Y., & Chen, X. (2017). Investigation of failure modes and influence on ballistic performance of Ultra-High Molecular Weight Polyethylene (UHMWPE) uni-directional laminate for hybrid design. *Composite Structures*, 174, 233-243.

Simić, D. M., Stojanović, D. B., Brzić, S. J., Totovski, L., Uskoković, P. S., & Aleksić, R. R. (2017). Aramid hybrid composite laminates reinforced with inorganic fullerene-like tungsten disulfide nanoparticles. *Composites Part B: Engineering*, 123, 10-18.

Meng, Z., Singh, A., Qin, X., & Keten, S. (2017). Reduced ballistic limit velocity of graphene membranes due to cone wave reflection. *Extreme Mechanics Letters*, 15, 70-77.

Neves Monteiro, S., de Oliveira Braga, F., Pereira Lima, E., Henrique Leme Louro, L., & Wieslaw Drelich, J. (2017). Promising curaua fiber-reinforced polyester composite for high-impact ballistic multilayered armor. *Polymer Engineering & Science*, 57(9), 947-954.

Li, M. Y., Xiong, B. Q., Wang, G. J., Tong, Y. Z., Li, X. W., Huang, S. H., ... & Zhang, Y. A. (2017). Fracture mechanism of a laminated aluminum alloy plate during ballistic impact. *Rare Metals*, 36(9), 737-745.

Cao, S., Chen, Q., Wang, Y., Xuan, S., Jiang, W., & Gong, X. (2017). High strain-rate dynamic mechanical properties of Kevlar fabrics impregnated with shear thickening fluid. *Composites Part A: Applied Science and Manufacturing*, 100, 161-169.

De Vuyst, T., Vignjevic, R., Azorin Albero, A., Campbell, J. C., Djordjevic, N., & Hughes, K. (2017). A study of the effect of projectile orientation on the results of ballistic impact tests as described in the EASA CS-25 regulations for fuel tank access covers. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 231(11), 1970-1978.

Ansari, M. M., Chakrabarti, A., & Iqbal, M. A. (2017). An experimental and finite element investigation of the ballistic performance of laminated GFRP composite target. *Composites Part B: Engineering*, 125, 211-226.

Liang, X., Luo, H., Mu, Y., Wu, L., & Lin, H. (2017). Experimental study on stress attenuation in aluminum foam core sandwich panels in high-velocity impact. *Materials Letters*, 203, 100-102.

Jogi, S. A., Baloch, M. M., Chandio, A. D., Memon, I. A., & Chandio, G. S. (2017). Evaluation of impact strength of epoxy based hybrid composites reinforced with E-Glass/Kevlar 49. *Mehran University Research Journal of Engineering and Technology*, 36(4), 1009-1016.

Pereira, A. C., Monteiro, S. N., de Assis, F. S., Margem, F. M., da Luz, F. S., & de Oliveira Braga, F. (2017). Charpy impact tenacity of epoxy matrix composites reinforced with aligned jute fibers. *Journal of Materials Research and Technology*, 6(4), 312-316.

de Oliveira Braga, F., Bolzan, L. T., Lima Jr, É. P., & Monteiro, S. N. (2017). Performance of natural curaua fiber-reinforced polyester composites under 7.62 mm bullet impact as a stand-alone ballistic armor. *Journal of Materials Research and Technology*, 6(4), 323-328.

Candido, V. S., da Silva, A. C. R., Simonassi, N. T., da Luz, F. S., & Monteiro, S. N. (2017). Toughness of polyester matrix composites reinforced with sugarcane bagasse fibers evaluated by Charpy impact tests. *Journal of Materials Research and Technology*, 6(4), 334-338.

de Oliveira Braga, F., Bolzan, L. T., da Luz, F. S., Lopes, P. H. L. M., Lima Jr, É. P., & Monteiro, S. N. (2017). High energy ballistic and fracture comparison between multilayered armor systems using non-woven curaua fabric composites and aramid laminates. *Journal of Materials Research and Technology*, 6(4), 417-422.

Chen, C. H., Zhu, X., Hou, H. L., & Tian, X. B. (2017). A new analytical model for the low-velocity perforation of thin steel plates by hemispherical-nosed projectiles. *Defence technology*, 13(5), 327-337.

Ignatova, A. V., Sapozhnikov, S. B., & Dolganina, N. Y. (2017). Development of microstructural and voxel based models of deformation and failure of the porous ceramics for assessment of ballistic performance. *International Journal of Mechanical Sciences*, 131, 672-682.

Chen, W., Zhang, Y., Guo, Z., & Zou, H. (2017). Penetration of rigid projectile into concrete target with effect of attack angle: Theory and experiment. *International Journal of Structural Stability and Dynamics*, 17(08), 1750080.

Erol, O., Powers, B. M., & Keefe, M. (2017). Effects of weave architecture and mesoscale material properties on the macroscale mechanical response of advanced woven fabrics. *Composites Part A: Applied Science and Manufacturing*, 101, 554-566.

Bikakis, G. S., Dimou, C. D., & Sideridis, E. P. (2017). Ballistic impact response of fiber-metal laminates and monolithic metal plates consisting of different aluminum alloys. *Aerospace Science and Technology*, 69, 201-208.

Senthil, K., Iqbal, M. A., Chandel, P. S., & Gupta, N. K. (2017). Study of the constitutive behavior of 7075-T651 aluminum alloy. *International Journal of Impact Engineering*, 108, 171-190.

Liu, Y., Qiu, X., Ma, H., Fu, W., & Yu, T. X. (2017). A study of woodpecker's pecking process and the impact response of its brain. *International Journal of Impact Engineering*, 108, 263-271.

Nascimento, L. F. C., Louro, L. H. L., Monteiro, S. N., Lima, É. P., & da Luz, F. S. (2017). Mallow fiber-reinforced epoxy composites in multilayered armor for personal ballistic protection. *Jom*, 69(10), 2052-2056.

Nascimento, L. F. C., Holanda, L. I. F., Louro, L. H. L., Monteiro, S. N., Gomes, A. V., & Lima, É. P. (2017). Natural mallow fiber-reinforced epoxy composite for ballistic armor against class III-A ammunition. *Metallurgical and Materials Transactions A*, 48(10), 4425-4431.

Chen, W., Hudspeth, M., Guo, Z., Lim, B. H., Horner, S., & Zheng, J. Q. (2017). Multi-scale experiments on soft body armors under projectile normal impact. *International Journal of Impact Engineering*, 108, 63-72.

Holmen, J. K., Hopperstad, O. S., & Børvik, T. (2017). Influence of yield-surface shape in simulation of ballistic impact. *International Journal of Impact Engineering*, 108, 136-146.

Davids, S. A., Langdon, G. S., & Nurick, G. N. (2017). The influence of charge geometry on the response of partially confined right circular stainless steel cylinders subjected to blast loading. *International Journal of Impact Engineering*, 108, 252-262.

Sánchez-Gálvez, V., Gálvez, F., Sancho, R., & Cendón, D. (2017). A new analytical model to simulate high-speed impact onto composite materials targets. *International Journal of Impact Engineering*, 108, 322-333.

Islam, M. R. I., Chakraborty, S., Shaw, A., & Reid, S. (2017). A computational model for failure of ductile material under impact. *International Journal of Impact Engineering*, 108, 334-347.

Yu, B., Karthikeyan, K., Deshpande, V. S., & Fleck, N. A. (2017). Perforation resistance of CFRP beams to quasi-static and ballistic loading: The role of matrix strength. *International Journal of Impact Engineering*, 108, 389-401.

Majumdar, A., Laha, A., Bhattacharjee, D., & Biswas, I. (2017). Tuning the structure of 3D woven aramid fabrics reinforced with shear thickening fluid for developing soft body armour. *Composite Structures*, 178, 415-425.

Malakooti, M. H., Hwang, H. S., Goulbourne, N. C., & Sodano, H. A. (2017). Role of ZnO nanowire arrays on the impact response of aramid fabrics. *Composites Part B: Engineering*, 127, 222-231.

Geantă, V., Cherecheș, T., Lixandru, P., Voiculescu, I., Ștefănoiu, R., Dragnea, D., ... & Matache, L. (2017). Virtual testing of composite structures made of high entropy alloys and steel. *Metals*, 7(11), 496.

Marx, J., & Rabiei, A. (2017). Overview of composite metal foams and their properties and performance. *Advanced Engineering Materials*, 19(11), 1600776.

Hu, F., Wu, H., Fang, Q., Liu, J. C., Liang, B., & Kong, X. Z. (2017). Impact performance of explosively formed projectile (EFP) into concrete targets. *International Journal of Impact Engineering*, 109, 150-166.

Liu, J., Long, Y., Ji, C., Zhong, M., & Liu, Q. (2017). The influence of liner material on the dynamic response of the finite steel target subjected to high velocity impact by explosively formed projectile. *International Journal of Impact Engineering*, 109, 264-275.

Shen, Z., Hu, D., Zhang, Y., Cai, Q., & Han, X. (2017). Continuous twice-impacts analysis of UHMWPE laminate fixed with bolted joints. *International Journal of Impact Engineering*, 109, 293-301.

Xiao, Q. Q., Huang, Z. X., Jia, X., Zu, X. D., & Zhu, Q. F. (2017). Shaped charge penetrator into soil–concrete double-layered target. *International Journal of Impact Engineering*, 109, 302-310.

Hedayatian, M., Liaghat, G. H., Rahimi, G., Pol, M. H., Hadavinia, H., & Zamani, R. (2017). Investigation of the high velocity impact behavior of grid cylindrical composite structures. *Polymer composites*, 38(11), 2603-2608.

Shanazari, H., Liaghat, G. H., Feli, S., & Hadavinia, H. (2017). Analytical and experimental study of high-velocity impact on ceramic/nanocomposite targets. *Journal of Composite Materials*, 51(27), 3743-3756.



Daniel, A. A., Murugesan, S., & Sukkasamy, S. (2017). Dry sliding wear behaviour of aluminium 5059/SiC/MoS 2 hybrid metal matrix composites. *Materials Research*, 20, 1697-1706.

Nia, A. A., Mokari, S., Zakizadeh, M., & Kazemi, M. (2017). Experimental and numerical investigations of the effect of cellular wired core on the ballistic resistance of sandwich structures. *Aerospace Science and Technology*, 70, 445-452.

Goh, W. L., Zheng, Y., Yuan, J., & Ng, K. W. (2017). Effects of hardness of steel on ceramic armour module against long rod impact. *International Journal of Impact Engineering*, 109, 419-426.

Okhravi, A., Pooya, A., Nazemi, S., & Kazemi, M. (2017). Designing a Framework for Target-site Assignment in Naval Combat Management. *Defence Science Journal*, 67(1).

Jung, W. I., Lowe, L., Rabelo, L., Lee, G., & Kwon, O. (2017). A methodology on guiding effectiveness-focused training of the weapon operator using big data and VC simulations. *SAE International Journal of Aerospace*, 10(2), 57.

Telen, M. A. E., & Guirinaldo, S. A. (2017). Design Study of Gyro-stabilized, Remote-controlled Weapon Station. *Mindanao Journal of Science and Technology*, 15(1).

Cha, S. C., & Kim, J. Y. (2017). Development of the program automating regression test of dynamic test of weapon system software. *Journal of the Korean Society for Aeronautical & Space Sciences*, 45(10), 892-897.

Sutresman, O., Syam, R., & Asmal, S. (2017). Controlling Unmanned Surface Vehicle Rocket using GPS Tracking Method. *Int. J. Technol*, 8, 709-718.

Kumar, A., & Anjaneyulu, L. (2017). Design and Development of Power Management System of Unmanned Underwater Platform for Defence Application. *Defence Science Journal*, 67(1).

Woo, S. H., Lee, C. S., & Park, L. J. (2017). Differences on Tension, Compression JC Constitutive Equation Parameter of Strain Rate Effect for Ti-6Al-4V. *Korean Journal of Materials Research*, 27(1), 19-24.

Zhang, S., Duan, X., Li, C., Peng, X., & Zhang, Q. (2017). CEP Calculation Based on Weighted Bayesian Mixture Model. *Mathematical Problems in Engineering*, 2017.

Huang, K. (2017). Combinatorial optimization and simulation for weapon system portfolio using self-adaptive Memetic algorithm. *Journal of Engineering Research*, 5(1).

Li, D., & Hu, X. (2017). Redundant and fault-tolerant algorithms for real-time measurement and control systems for weapon equipment. *ISA transactions*, 67, 398-406.

Li, Y., Yang, Z., Zhang, J., Pan, L., Ding, L., Tian, X., ... & Gong, F. (2017). Fabrication and characterization of HMX@ TPEE energetic microspheres with reduced sensitivity and superior toughness properties. *Composites Science and Technology*, 142, 253-263.

Cech, V., & Jevicky, J. (2017). Improved theory of projectile trajectory reference heights as characteristics of meteo-ballistic sensitivity functions. *Defence technology*, 13(3), 177-187.

Rahman, A. H., Malik Shaik, A., Kumar, J. R., Balaguru, V., & Sivakumar, P. (2017). Design Configuration of a Generation Next Main Battle Tank for Future Combat. *Defence Science Journal*, 67(4).

Roy, A. K., Lankennavar, P. H., & Ghadge, V. S. (2017). Present and Futuristic Trends in Weapon System. *Defence Science Journal*, 67(4).

Jakati, A., Banerjee, S., & Jebaraj, C. (2017). Development of mathematical models, simulating vibration control of tracked vehicle weapon dynamics. *Defence Science Journal*, 67(4), 465.

Dong, L., Chen, W., Hou, L., Deng, N., & Zheng, C. (2017). W–Cu system: synthesis, modification, and applications. *Powder Metallurgy and Metal Ceramics*, 56(3), 171-184.

Wang, Y., Jiang, Y., Chen, W., & Zhou, B. (2017). Heat transfer characteristics of spray cooling beyond critical heat flux under severe heat dissipation condition. *Applied Thermal Engineering*, 123, 1356-1364.

Heinzel, J. M., Wetz, D. A., Huhman, B. M., Westenhov, C. S., Martin, M. J., & Gnegy-Davidson, C. (2017). Evaluations of Cell Parallelization Effects in High Power Batteries Utilized for Directed Energy Weapons and Electric Guns. *Naval Engineers Journal*, 129(3), 125-134.

Sanyal, S., Bevington, C. J., & Brigham, A. (2017). Navy efforts in directed energy weapons: importance of metrology and calibration. *Naval Engineers Journal*, 129(3), 53-68.

Zhang, J., Liu, R., Wei, Q., Luo, G., Shen, Q., & Zhang, L. (2017). Effect of Ni interlayer on diffusion bonding of a W alloy and a Ta alloy. *Materials Testing*, 59(9), 744-748.

Probst, Z., Reeder, M. F., Johnson, R., & Grove, J. (2017). Flight-Test Experiments on Cavity Flow in an SUU-41 Pod. *Journal of Aircraft*, 54(5), 1814-1824.

Ma, J. (2017). Constrained Target Clustering for Military Targeting Process. *Defence Science Journal*, 67(5).

Antony, T., & Grant, M. J. (2017). Rapid indirect trajectory optimization on highly parallel computing architectures. *Journal of Spacecraft and Rockets*, 54(5), 1081-1091.

Jarmakiewicz, J., Parobczak, K., & Maślanka, K. (2017). Cybersecurity protection for power grid control infrastructures. *International Journal of Critical Infrastructure Protection*, 18, 20-33.

Dorman, S. E. G., Rausch, J. W., Arunachalam, S., & Fawaz, S. A. (2017). Examination and prediction of corrosion fatigue damage and inhibition. *Corrosion Reviews*, 35(4-5), 355-363.

Taraszewski, M., & Ewertowski, J. (2017). Complex experimental analysis of rifle-shooter interaction. *Defence technology*, 13(5), 346-352.

Shalumov, V., & Shima, T. (2017). Weapon–target-allocation strategies in multiagent target–missile–defender engagement. *Journal of Guidance, Control, and Dynamics*, 40(10), 2452-2464.

Cai, Z., Wang, X., Luo, B., Hong, W., Wu, L., & Li, L. (2017). Nanocomposites with enhanced dielectric permittivity and breakdown strength by microstructure design of nanofillers. *Composites Science and Technology*, 151, 109-114.

Kumar, B., Sharma, P., & Singh, D. (2017). Development of Scale and Rotation Invariant Neural Network based Technique for Detection of Dielectric Contrast Concealed Targets with Millimeter Wave System. *Defence Science Journal*, 67(6).

Chen, J., Zhao, Q., Liang, Z., Li, P., Zhang, R., & Zheng, Y. (2017). Fractional calculus guidance algorithm in a hypersonic pursuit-evasion game. *Defence Science Journal*, 67(6), 688.

Wiri, S., Ritter, A. C., Bailie, J. M., Needham, C., & Duckworth, J. L. (2017). Computational modeling of blast exposure associated with recoilless weapons combat training. *Shock Waves*, 27(6), 849-862.

Kamimori, G. H., Reilly, L. A., LaValle, C. R., & Olaghery Da Silva, U. B. (2017). Occupational overpressure exposure of breachers and military personnel. *Shock Waves*, 27(6), 837-847.

Ayoola, W. A., Suder, W. J., & Williams, S. W. (2017). Parameters controlling weld bead profile in conduction laser welding. *Journal of Materials Processing Technology*, 249, 522-530.

Marcus, C., Andersson, K., & Åkerlind, C. (2017). Balancing the radar and long wavelength infrared signature properties in concept analysis of combat aircraft—A proof of concept. *Aerospace Science and Technology*, 71, 733-741.

Li, Y. B., Pan, L. P., Yang, Z. J., Gong, F. Y., Zheng, X., & He, G. S. (2017). The effect of wax coating, aluminum and ammonium perchlorate on impact sensitivity of HMX. *Defence technology*, 13(6), 422-427.

Dhari, R. S., & Sekar, A. (2017). Split warhead simultaneous impact. *Defence technology*, 13(6), 434-438.

Yang, C. B., Lin, C. G., Chiang, H. L., & Chen, C. C. (2017). Single and multiobjective optimization of Inconel 718 nickel-based superalloy in the wire electrical discharge machining. *The International Journal of Advanced Manufacturing Technology*, 93(9), 3075-3084.

Ali, M. W., Mubashar, A., Uddin, E., Ul Haq, S. W., & Khan, M. (2017). An experimental and numerical investigation of the ballistic response of multi-level armour against armour piercing projectiles. *International Journal of Impact Engineering*, 110, 47-56.

Amini, K., Altenhof, W., Yuen, S. C. K., Opperman, C. J., & Nurick, G. N. (2017). Experimental and numerical investigation on the deformation and energy dissipation of AA6061-T6 circular extrusion subjected to blast loading. *International Journal of Impact Engineering*, 110, 228-241.

Arslan, K., Gunes, R., Apalak, M. K., & Reddy, J. N. (2017). Experimental tests and numerical modeling of ballistic impact on honeycomb sandwich structures reinforced by functionally graded plates. *Journal of Composite Materials*, 51(29), 4009-4028.

Asija, N., Chouhan, H., Gebremeskel, S. A., & Bhatnagar, N. (2017). High strain rate characterization of shear thickening fluids using Split Hopkinson Pressure Bar technique. *International Journal of Impact Engineering*, 110, 365-370.

Asija, N., Chouhan, H., Gebremeskel, S. A., Singh, R. K., & Bhatnagar, N. (2017). High strain rate behavior of STF-treated UHMWPE composites. *International Journal of Impact Engineering*, 110, 359-364.

Cabrilo, A., & Cvetinov, M. (2017). Fatigue Crack Propagation and Charpy Impact Properties in Armor Steel Welds. *Materiale Plastice*, 54(4), 694-699.

Croitoru, E. I., Oancea, G., & Constantin, N. (2017). Impact Testing on Composite Panels of Fiberglass, Carbon and Kevlar-Carbon A comparison and validation study. *Materiale Plastice*, 54(4), 700-707.

Dhari, R. S., & Sekar, A. (2017). Split warhead simultaneous impact. *Defence Technology*, 13(6), 434-438.

Gupta, P. K., Iqbal, M. A., & Mohammad, Z. (2017). Energy dissipation in plastic deformation of thin aluminum targets subjected to projectile impact. *International Journal of Impact Engineering*, 110, 85-96.

Akcaay, M. (2017). Internal and transitional ballistic solution for spherical and perforated propellants and verification with experimental results. *Thermal Science and Technology*, 37(1).

Gurgen, S., & Kushan, M. C. (2017). The ballistic performance of aramid based fabrics impregnated with multi-phase shear thickening fluids. *Polymer Testing*, 64, 296-306.

Holmen, J. K., Solberg, J. K., Hopperstad, O. S., & Borvik, T. (2017). Ballistic impact of layered and case-hardened steel plates. *International Journal of Impact Engineering*, 110, 4-14.

Iqbal, M. A., Rajput, A., & Gupta, N. K. (2017). Performance of prestressed concrete targets against projectile impact. *International Journal of Impact Engineering*, 110, 15-25.

Iqbal, M. A., Senthil, K., Madhu, V., & Gupta, N. K. (2017). Oblique impact on single, layered and spaced mild steel targets by 7.62 AP projectiles. *International Journal of Impact Engineering*, 110, 26-38.

Kumbhar, K., Senthil, P. P., & Gogia, A. K. (2017). Microstructural observations on the terminal penetration of long rod projectile. *Defence Technology*, 13(6), 413-421.

Laessig, T., Bagusat, F., Pfaendler, S., Gulde, M., Heunoske, D., Osterholz, J., Stein, W., Nahme, H., & May, M. (2017). Investigations on the spall and delamination behavior of UHMWPE composites. *Composite Structures*, 182, 590-597.

Langston, T. (2017). An analytical model for the ballistic performance of ultra-high molecular weight polyethylene composites. *Composite Structures*, 179, 245-257.

Liu, J. F., Long, Y., Ji, C., & Zhong, M. S. (2017). Dynamic response and microstructure evolution of the finite steel target subjected to high velocity impact by copper explosively formed projectile. *Fatigue & Fracture of Engineering Materials & Structures*, 40(12), 2141-2151.

Maier, H., Ziegler, J., Fischer, R., Kozlov, D., Kvon, Z. D., Mikhailov, N., Dvoretzky, S. A., & Weiss, D. (2017). Ballistic geometric resistance resonances in a single surface of a topological insulator. *Nature Communications*, 8, 2023.

May, M., & Laessig, T. (2017). Rate-dependent mode I delamination in ballistic composites—Experiment and simulation. *Composite Structures*, 180, 596-605.

Meran, A. P., & Samanci, A. (2017). Analysis of various composite patches effect on mechanical properties of notched Al-Mg plate. *Steel and Composite Structures*, 25(6), 685-692.

- Patel, S., & Guedes Soares, C. (2017). System probability of failure and sensitivity analyses of composite plates under low velocity impact. *Composite Structures*, *180*, 1022-1031.
- Rajput, A., & Iqbal, M. A. (2017). Ballistic performance of plain, reinforced and pre-stressed concrete slabs under normal impact by an ogival-nosed projectile. *International Journal of Impact Engineering*, *110*, 57-71.
- Signetti, S., Taioli, S., & Pugno, N. M. (2017). 2D Material Armors Showing Superior Impact Strength of Few Layers. *Acs Applied Materials & Interfaces*, *9*(46), 40820-40830.
- Sundaram, A. S., Eranezhuth, A. A., Krishna, K. V. V. R., Kumar, P. K., & Sivakumar, V. (2017). Ballistic Impact Performance Study on Thermoset and Thermoplastic Composites. *Journal of Failure Analysis and Prevention*, *17*(6), 1260-1267.
- Vijayan, V., Hegde, S., & Gupta, N. K. (2017). Deformation and ballistic performance of conical aluminum projectiles impacting thin aluminum targets: Influence of apex angle. *International Journal of Impact Engineering*, *110*, 39-46.
- Wang, H., Hazell, P. J., Shankar, K., Morozov, E. V., Escobedo, J. P., & Wang, C. (2017). Effects of fabric folding and thickness on the impact behaviour of multi-ply UHMWPE woven fabrics. *Journal of Materials Science*, *52*(24), 13977-13991.
- Xiao, Y. K., Wu, H., Fang, Q., Zhang, W., & Kong, X. Z. (2017). Hemispherical nosed steel projectile high-speed penetration into aluminum target. *Materials & Design*, *133*, 237-254.
- Xu, C., Wang, Y., Wu, J., Song, S., Cao, S., Xuan, S., Jiang, W., & Gong, X. (2017). Anti-impact response of Kevlar sandwich structure with silly putty core. *Composites Science and Technology*, *153*, 168-177.
- Yang, L., Zhang, Q., Cui, Z., Gerboth, M., Zhao, Y., Xu, T. T., Walker, D. G., & Li, D. (2017). Ballistic Phonon Penetration Depth in Amorphous Silicon Dioxide. *Nano Letters*, *17*(12), 7218-7225.
- Abdullah, M. F., Abdullah, S., Omar, M. Z., Sajuri, Z., & Risby, M. S. (2018). Improvement of energy absorption on magnesium alloy mixed carbon-nanotube and lead reinforcement materials in terms of high velocity impact. *International Journal of Integrated Engineering*, *10*(5), 38-43.
- Abteu, M. A., Boussu, F., Bruniaux, P., Loghin, C., Cristian, I., Chen, Y., & Wang, L. (2018a). Forming characteristics and surface damages of stitched multi-layered para-aramid fabrics with various stitching parameters for soft body armour design. *Composites Part A-Applied Science and Manufacturing*, *109*, 517-537.
- Abteu, M. A., Bruniaux, P., Boussu, F., Loghin, C., Cristian, I., Chen, Y., & Wang, L. (2018b). A systematic pattern generation system for manufacturing customized seamless multi-layer female soft body armour through dome-formation (moulding) techniques using 3D warp interlock fabrics. *Journal of Manufacturing Systems*, *49*, 61-74.
- Abteu, M. A., Bruniaux, P., Boussu, F., Loghin, C., Cristian, I., Chen, Y., & Wang, L. (2018c). Female seamless soft body armor pattern design system with innovative reverse engineering approaches. *International Journal of Advanced Manufacturing Technology*, *98*(9-12), 2271-2285.

- Adamiak, M., Czuprynski, A., Kopysc, A., Monica, Z., Olender, M., & Gwiazda, A. (2018). The Properties of Arc-Sprayed Aluminum Coatings on Armor-Grade Steel. *Metals*, 8(2), 142.
- Ahmad, M. S., Langdon, G. S., Nurick, G. N., & Yuen, S. C. K. (2018). A study on the response of single and double circular plates subjected to localised blast loading. *Latin American Journal of Solids and Structures*, 15(11), e135.
- Alil, L. C., Arrigoni, M., Deleanu, L., & Istrate, M. (2018a). Assessment of Delamination in Tensylon (R) UHMWPE Composites by Laser-induced Shock. *Materiale Plastice*, 55(3), 364-371.
- Alil, L.-C., Arrigoni, M., Badea, S., Ginghina, R., Matache, L.-C., & Mostovykh, P. (2018). Ballistic study of Tensylon (R)-based panels. *Express Polymer Letters*, 12(6), 491-504.
- Alonso, L., Navarro, C., & Garcia-Castillo, S. K. (2018). Analytical models for the perforation of thick and thin thickness woven laminates subjected to high-velocity impact. *Composites Part B-Engineering*, 143, 292-300.
- An, X., Yang, J., Tian, C., Wang, B., Guo, H., & Dong, Y. (2018). Penetration resistance of hybrid metallic honeycomb structures with ceramic insertions against long-rod tungsten projectiles. *Composite Structures*, 189, 488-497.
- Anh, N. T., Anh, N. H., & Dat, N. T. (2018). Development of a Framework for Ballistic Simulation. *International Journal of Simulation Modelling*, 17(4), 623-632.
- Argente, G., Esther Gomez-Martin, M., & Medina, J. R. (2018). Hydraulic Stability of the Armor Layer of Overtopped Breakwaters. *Journal of Marine Science and Engineering*, 6(4), 143.
- Arkipov, V. A., Zhukov, A. S., Kuznetsov, V. T., Zolotorev, N. N., Osipova, N. A., & Perfil'eva, K. G. (2018). Ignition and Combustion of Condensed Systems with Energy Fillers. *Combustion Explosion and Shock Waves*, 54(6), 689-697.
- Arslan, K., & Gunes, R. (2018). Experimental damage evaluation of honeycomb sandwich structures with Al/B4C FGM face plates under high velocity impact loads. *Composite Structures*, 202, 304-312.
- Artero-Guerrero, J. A., Pernas-Sanchez, J., Martin-Montal, J., Varas, D., & Lopez-Puente, J. (2018). The influence of laminate stacking sequence on ballistic limit using a combined Experimental/FEM/Artificial Neural Networks (ANN) methodology. *Composite Structures*, 183, 299-308.
- Aydin, M., & Acar, E. (2018). An Investigation of the Ballistic Performance of Functionally Graded Plates have Different Compositional Gradation Through the Plate Thickness. *Journal of Polytechnic-Politeknik Dergisi*, 21(4), 951-960.
- Azevedo, D. L., Bizardo, R. A., & Galvao, D. S. (2018). Molecular dynamics simulations of ballistic penetration of penta-graphene sheets. *Mrs Advances*, 3(8-9), 431-435.
- Ben-Dor, G., Dubinsky, A., & Elperin, T. (2018). Optimization of ballistic properties of layered ceramic armor with a ductile back plate. *Mechanics Based Design of Structures and Machines*, 46(1), 18-22.

Benzait, Z., & Trabzon, L. (2018a). A review of recent research on materials used in polymer-matrix composites for body armor application. *Journal of Composite Materials*, 52(23), 3241-3263.

Bizao, R. A., Machado, L. D., de Sousa, J. M., Pugno, N. M., & Galvao, D. S. (2018). Scale Effects on the Ballistic Penetration of Graphene Sheets. *Scientific Reports*, 8, 6750.

Boyd, S. E., Bogetti, T. A., Staniszewski, J. M., Lawrence, B. D., & Walter, M. S. (2018). Enhanced delamination resistance of thick-section glass-epoxy composite laminates using compliant thermoplastic polyurethane interlayers. *Composite Structures*, 189, 184-191.

Bracq, A., Haugou, G., Bourel, B., Marechal, C., Lauro, F., Roth, S., & Mauzac, O. (2018a). On the modeling of a visco-hyperelastic polymer gel under blunt ballistic impacts. *International Journal of Impact Engineering*, 118, 78-90.

Braga, F. de O., da Luz, F. S., Monteiro, S. N., & Lima, E. P. (2018). Effect of the impact geometry in the ballistic trauma absorption of a ceramic multilayered armor system. *Journal of Materials Research and Technology-Jmr&t*, 7(4), 554-560.

Braga, F. de O., Milanezi, T. L., Monteiro, S. N., Leme Louro, L. H., Gomes, A. V., & Lima, E. P. (2018). Ballistic comparison between epoxy-ramie and epoxy-aramid composites in Multilayered Armor Systems. *Journal of Materials Research and Technology-Jmr&t*, 7(4), 541-549.

Brahmachary, S., Natarajan, G., & Sahoo, N. (2018). On Maximum Ballistic Coefficient Axisymmetric Geometries in Hypersonic Flows. *Journal of Spacecraft and Rockets*, 55(2), 518-522.

Burley, M., Campbell, J. E., Dean, J., & Clyne, T. W. (2018). Johnson-Cook parameter evaluation from ballistic impact data via iterative FEM modelling. *International Journal of Impact Engineering*, 112, 180-192.

Cabrilo, A., Geric, K., Jovanovic, M., & Vukic, L. (2018). Weldability and Impact Energy Properties of High-Hardness Armor Steel. *Journal of Materials Engineering and Performance*, 27(3), 1281-1295.

Cabrilo, A., Geric, K., Klisuric, O., & Cvetinov, M. (2018). Toughness Behaviour in Armour Steel Welds. *Tehnicki Vjesnik-Technical Gazette*, 25(6), 1699-1707.

Canadinc, D., Uzer, B., Elmadagli, M., & Guner, F. (2018). Nanotwin Formation in High-Manganese Austenitic Steels Under Explosive Shock Loading. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 49A(4), 1026-1030.

Carmicino, C., & Pastrone, D. (2018). Novel Comprehensive Technique for Hybrid Rocket Experimental Ballistic Data Reconstruction. *Journal of Propulsion and Power*, 34(1), 133-145.

Carpenter, A. J., Chocron, S., & Anderson, C. E. (2018). Bridging the scales: Continuum-based material constitutive modeling of mechanical and ballistic test data from composites and fabrics. *International Journal of Impact Engineering*, 120, 31-45.

Chai, G. B., Manikandan, P., & Li, X. (2018). A Numerical Study on High Velocity Impact Behavior of Titanium Based Fiber Metal Laminates. *Journal of Composites Science*, 2(4), 62.

Chen, J., Li, J., Li, S., & You, Y. (2018). Implementation of Black Box Models for Internal Ballistics Optimization Using an Artificial Neural Network. *Mathematical Problems in Engineering*, 2018, 1039163.

Chen, P., Niu, W., Yan, X., & Lu, G. (2018). Theoretical model for dynamic response of aluminum foam sandwich targets by truncated cone-nosed projectiles. *Journal of Sandwich Structures & Materials*, 20(2), 249-267.

Chernyshov, E. A., Romanov, A. D., Romanova, E. A., & Myl'nikov, V. V. (2018). Development of Ballistic Protection Based on Precipitation-Hardened Composite Material. *Metal Science and Heat Treatment*, 59(11-12), 741-744.

Chu, Y., & Chen, X. (2018). Finite element modelling effects of inter-yarn friction on the single-layer high-performance fabrics subject to ballistic impact. *Mechanics of Materials*, 126, 99-110.

Cui, J., Ye, R., Zhao, N., Wu, J., & Wang, M. (2018). Assessment on energy absorption of double layered and sandwich plates under ballistic impact. *Thin-Walled Structures*, 130, 520-534.

da Silva Figueiredo, A. B.-H., Lima Junior, E. P., Gomes, A. V., Mota de Melo, G. B., Monteiro, S. N., & de Biasi, R. S. (2018). Response to Ballistic Impact of Alumina-UHMWPE Composites. *Materials Research-Ibero-American Journal of Materials*, 21(5), e20170959.

de Assis, F. S., Pereira, A. C., Garcia Filho, F. da C., Lima, E. P., Monteiro, S. N., & Weber, R. P. (2018). Performance of jute non-woven mat reinforced polyester matrix composite in multilayered armor. *Journal of Materials Research and Technology-Jmr&t*, 7(4), 535-540.

Decrocq, C., Martinez, B., Albisser, M., Dobre, S., Gnemmi, P., Bailly, Y., & Roy, J.-C. (2018). Aerodynamic prediction of a projectile fitted with fins. *International Journal of Numerical Methods for Heat & Fluid Flow*, 28(5), 1218-1236.

Di Benedetto, G., Matteis, P., & Scavino, G. (2018). Impact behavior and ballistic efficiency of armor-piercing projectiles with tool steel cores. *International Journal of Impact Engineering*, 115, 10-18.

Ding, L., Tang, W., & Ran, X. (2018). Simulation Study on Jet Formability and Damage Characteristics of a Low-Density Material Liner. *Materials*, 11(1), 72.

dos Santos, J. L., Santana Blazutti Marcal, R. L., Rodrigues de Jesus, P. R., Gomes, A. V., Lima, E. P., da Rocha, D. N., Pinheiro dos Santos, M. A., Cassiano Nascimento, L. F., Monteiro, S. N., & Leme Louro, L. H. (2018). Mechanical properties and ballistic behavior of LiF-added Al<sub>2</sub>O<sub>3</sub>-4 wt%Nb<sub>2</sub>O<sub>5</sub> ceramics. *Journal of Materials Research and Technology-Jmr&t*, 7(4), 592-597.

Dyatkin, B., & Gamache, R. M. (2018). Ballistic performance of front-facing fluoropolymer-coated armor composites. *International Journal of Impact Engineering*, 114, 63-68.

Elshenawy, T., Elbeih, A., & Li, Q. M. (2018). Influence of target strength on the penetration depth of shaped charge jets into RHA targets. *International Journal of Mechanical Sciences*, 136, 234-242.

Esther Gomez-Martin, M., Herrera, M. P., Gonzalez-Escriva, J. A., & Medina, J. R. (2018). Cubipod (R) Armor Design in Depth-Limited Regular Wave-Breaking Conditions. *Journal of Marine Science and Engineering*, 6(4), 150.



Evci, C., & Isik, H. (2018). Analysis of the Effect of Propellant Temperature on Interior Ballistics Problem. *Journal of Thermal Engineering*, 4(4), 2127-2136. <https://doi.org/10.18186/journal-of-thermal-engineering.433738>

Fan, C., Ma, B., Chen, D., Wang, H., & Ma, D. (2018). Failure mechanism of resistance-spot-welded specimens impacted on base material by bullets. *Aip Advances*, 8(1), 015102.

Fang, H., Palta, E., & Gutowski, M. (2018). Numerical Simulation of High-Speed Impacts Involving Metallic and Non-Metallic Materials. *Materials Characterisation* (ss. 9-21). Wit Press.

Fei, Z., Pan, Z., Cuiuri, D., Li, H., Wu, B., Ding, D., Su, L., & Gazder, A. A. (2018). Investigation into the viability of K-TIG for joining armour grade quenched and tempered steel. *Journal of Manufacturing Processes*, 32, 482-493.

Forquin, P., Rossiquet, G., Zinszner, J.-L., & Erzar, B. (2018b). Microstructure influence on the fragmentation properties of dense silicon carbides under impact. *Mechanics of Materials*, 123, 59-76.

Fras, T., Roth, C. C., & Mohr, D. (2018). Fracture of high-strength armor steel under impact loading. *International Journal of Impact Engineering*, 111, 147-164.

Gao, Y., Zhang, W., Xu, P., Cai, X., & Fan, Z. (2018). Influence of epoxy adhesive layer on impact performance of TiB<sub>2</sub>-B<sub>4</sub>C composites armor backed by aluminum plate. *International Journal of Impact Engineering*, 122, 60-72.

Garzon-Hernandez, S., Garcia-Gonzalez, D., & Arias, A. (2018). Multi-impact mechanical behaviour of short fibre reinforced composites. *Composite Structures*, 202, 241-252.

Ghangas, G., & Singhal, S. (2018). Effect of tool pin profile and dimensions on mechanical properties and microstructure of friction stir welded armor alloy. *Materials Research Express*, 5(6), 066555.

Giannaros, E., Kotzakolios, A., Sotiriadis, G., Tsantzalis, S., & Kostopoulos, V. (2018). On fabric materials response subjected to ballistic impact using meso-scale modeling. Numerical simulation and experimental validation. *Composite Structures*, 204, 745-754.

Guan, J., & Yi, W. (2018). Modeling of Dual-Spinning Projectile with Canard and Trajectory Filtering. *International Journal of Aerospace Engineering*, 2018, 1795158.

Guo, G. (2018). Finite element analysis of pre-stretch effects on ballistic impact performance of woven fabrics. *Composite Structures*, 200, 173-186.

Guo, X., Ouyang, Q., Sun, Y., & Weng, G. J. (2018). Ballistic Performance of Nanostructured Metals Toughened by Elliptical Coarse-Grained Inclusions: A Finite Element Study with Failure Analysis. *Materials*, 11(6), 977.

Gupta, P. K., Iqbal, M. A., Mohammad, Z., Baqi, A., & Gupta, N. K. (2018). Energy absorption in thin metallic targets subjected to oblique projectile impact: A numerical study. *Thin-Walled Structures*, 126, 58-67.

Haro, E. E., Odeshi, A. G., & Szpunar, J. A. (2018). The Effects of Micro- and Nano-Fillers' Additions on the Dynamic Impact Response of Hybrid Composite Armors Made of HDPE Reinforced with Kevlar Short Fibers. *Polymer-Plastics Technology and Engineering*, 57(7), 609-624.

- Haro, E. E., Szpunar, J. A., & Odeshi, A. G. (2018). Dynamic and ballistic impact behavior of biocomposite armors made of HDPE reinforced with chonta palm wood (*Bactris gasipaes*). *Defence Technology*, *14*(3), 238-249.
- Haynes, A., Reinhardt, L., & Lim, C. (2018). Design and Processing of Alumina Plate Composites for Ballistic Nacre Alumina Structures. *Mrs Advances*, *3*(18), 957-962.
- Hazzard, M. K., Trask, R. S., Heisserer, U., Van Der Kamp, M., & Hallett, S. R. (2018). Finite element modelling of Dyneema (R) composites: From quasi-static rates to ballistic impact. *Composites Part A-Applied Science and Manufacturing*, *115*, 31-45.
- He, G., Dou, Y., Guo, X., & Liu, Y. (2018). Computational Investigation of Effects of Grain Size on Ballistic Performance of Copper. *International Journal for Computational Methods in Engineering Science & Mechanics*, *19*(1), 1-10.
- He, J., Yuan, M., Gong, Z., & Qian, X. (2018). Egg-shell structure design for stab resistant body armor. *Materials Today Communications*, *16*, 26-36.
- He, Q., Cao, S., Wang, Y., Xuan, S., Wang, P., & Gong, X. (2018). Impact resistance of shear thickening fluid/Kevlar composite treated with shear-stiffening gel. *Composites Part A-Applied Science and Manufacturing*, *106*, 82-90.
- Henderson, C. N., DeFrance, C. S., Predecki, P., McCloskey, T., Truitt, E., Hoffman, J., & Kumosa, M. (2018). Ballistic fragmentation confinement of coated brittle transformer bushing models. *International Journal of Impact Engineering*, *122*, 363-373.
- Huang, X., Zhang, W., Deng, Y., & Jiang, X. (2018). Experimental investigation on the ballistic resistance of polymer-aluminum laminated plates. *International Journal of Impact Engineering*, *113*, 212-221.
- Jiang, H., Ren, Y., Zhang, S., Liu, Z., & Nie, L. (2018). Multi-scale finite element analysis for tension and ballistic penetration damage characterizations of 2D triaxially braided composite. *Journal of Materials Science*, *53*(14), 10071-10094.
- Johnston, J. P., Pereira, J. M., Ruggeri, C. R., & Roberts, G. D. (2018). High-speed infrared thermal imaging during ballistic impact of triaxially braided composites. *Journal of Composite Materials*, *52*(25), 3549-3562.
- Kaboglu, C., Mohagheghian, I., Zhou, J., Guan, Z., Cantwell, W., John, S., Blackman, B. R. K., Kinloch, A. J., & Dear, J. P. (2018). High-velocity impact deformation and perforation of fibre metal laminates. *Journal of Materials Science*, *53*(6), 4209-4228.
- Kaboglu, C., Yu, L., Mohagheghian, I., Blackman, B. R. K., Kinloch, A. J., & Dear, J. P. (2018). Effects of the core density on the quasi-static flexural and ballistic performance of fibre-composite skin/foam-core sandwich structures. *Journal of Materials Science*, *53*(24), 16393-16414.
- Kaledin, V. O., Budadin, O. N., Kozel'skaya, S. O., & Gileva, A. E. (2018). Quality Control of Armor Fabric by Modeling Thermomechanical Processes under Projectile Impact. *Russian Journal of Nondestructive Testing*, *54*(5), 363-371.
- Karakoc, H., Karabulut, S., & Citak, R. (2018). Study on mechanical and ballistic performances of boron carbide reinforced Al 6061 aluminum alloy produced by powder metallurgy. *Composites Part B-Engineering*, *148*, 68-80.

Key, C. T., & Scott Alexander, C. (2018). Experimental Testing and Numerical Modeling of Ballistic Impact on S-2 Glass/SC15 Composites. *Journal of Dynamic Behavior of Materials*, 4(3), 373-386.

Khan, V. C., Veldanda, A. K., Balaganesan, G., & Sivakumar, M. S. (2018). Numerical Study On Multi Layered Target Material Subjected To Impact Loading. *Latin American Journal of Solids and Structures*, 15(4), e32.

Khodadadi, A., Liaghat, G. H., Sabet, A. R., Hadavinia, H., Aboutorabi, A., Razmkhah, O., Akbari, M., & Tahmasebi, M. (2018). Experimental and numerical analysis of penetration into Kevlar fabric impregnated with shear thickening fluid. *Journal of Thermoplastic Composite Materials*, 31(3), 392-407.

Kim, D., Kang, S., Jung, D., Chung, Y., Park, Y., Park, S., & Hwang, C. (2018). A Study on the Penetration Characteristics of a Steel Fragment Impacting on the Target Plate of Aluminum 2024. *Journal of the Korean Society for Aeronautical and Space Sciences*, 46(3), 257-268.

Kordani, N., & Vanini, A. S. (2018). Investigation of penetration into woven fabric specimens impregnated with shear thickening fluid. *Science and Engineering of Composite Materials*, 25(1), 205-212.

Kovacs, R., & Van, P. (2018). Second sound and ballistic heat conduction: NaF experiments revisited. *International Journal of Heat and Mass Transfer*, 117, 682-690.

Kurzawa, A., Pyka, D., Bocian, M., Jamroziak, K., & Sliwinski, J. (2018). Metallographic analysis of piercing armor plate by explosively formed projectiles. *Archives of Civil and Mechanical Engineering*, 18(4), 1686-1697.

Kurzawa, A., Pyka, D., Jamroziak, K., Bocian, M., Kotowski, P., & Widomski, P. (2018). Analysis of ballistic resistance of composites based on EN AC-44200 aluminum alloy reinforced with Al<sub>2</sub>O<sub>3</sub> particles. *Composite Structures*, 201, 834-844.

Laessig, T. R., May, M., Heisserer, U., Riedel, W., Bagusat, F., van der Werff, H., & Hiermaier, S. J. (2018a). Effect of consolidation pressure on the impact behavior of UHMWPE composites. *Composites Part B-Engineering*, 147, 47-55.

Lee, J.-M., Han, J.-J., Song, Y.-B., Ham, J.-H., Kim, H.-K., & Hwang, B. (2018). Microstructure and Mechanical Properties of the High-Hardness Armor Steels. *Korean Journal of Materials Research*, 28(8), 459-465.

Lee, M., & Kim, N. H. (2018). Multi-Scale Modeling of Composites with Surrogate and Uncertainty in Residual Velocity for High-Speed Impacts. *International Journal of Applied Mechanics*, 10(1), 1850006.

Lemos, M. F., & Bohn, M. A. (2018). DMA of polyester-based polyurethane elastomers for composite rocket propellants containing different energetic plasticizers. *Journal of Thermal Analysis and Calorimetry*, 131(1), 595-600.

Li, D., Hou, H., Chen, C., Zhu, X., Li, M., & Yi, Q. (2018). Experimental study on the combined damage of multi-layered composite structures subjected to close-range explosion of simulated warheads. *International Journal of Impact Engineering*, 114, 133-146.

Li, J., Liu, K., Gao, Y., Liu, S., Wang, W., & Liu, Y. (2018b). Combustion Characteristics Experimental Study of Solid Hydrocarbon Propellant for Air-Turbo Rocket. *Journal of Propulsion and Power*, 34(5), 1198-1205.

Li Piani, T., Weerheijm, J., & Sluys, L. J. (2018). Ballistic model for the prediction of penetration depth and residual velocity in adobe: A new interpretation of the ballistic resistance of earthen masonry. *Defence Technology*, 14(5), 607-611.

Li, X., Zhang, X., Guo, Y., Shim, V. P. W., Yang, J., & Chai, G. B. (2018). Influence of fiber type on the impact response of titanium-based fiber-metal laminates. *International Journal of Impact Engineering*, 114, 32-42.

Li, Z., Wang, H., & Chen, J. (2018). Ground effects on the hypervelocity jet flow and the stability of projectile. *Engineering Applications of Computational Fluid Mechanics*, 12(1), 375-384.

Liennard, M., Chevalier, O., Langlet, A., Guilmard, Y., & Mansion, M. (2018). An analysis of the accelerations of a projectile in a gun tube by direct measurements and telemetry of the data. *Mechanics & Industry*, 19(4), 2018020.

Liu, J., Long, Y., Ji, C., Liu, Q., Zhong, M., & Ge, S. (2018). Ballistic performance study on the composite structures of multi-layered targets subjected to high velocity impact by copper EFP. *Composite Structures*, 184, 484-496.

Liu, J., Long, Y., Ji, C., Liu, Q., Zhong, M., & Zhou, Y. (2018). Influence of layer number and air gap on the ballistic performance of multi-layered targets subjected to high velocity impact by copper EFP. *International Journal of Impact Engineering*, 112, 52-65.

Liu, L., Zhao, Z., Chen, W., & Luo, G. (2018). Influence of pre-tension on ballistic impact performance of multi-layer Kevlar 49 woven fabrics for gas turbine engine containment systems. *Chinese Journal of Aeronautics*, 31(6), 1273-1286.

Liu, X., Li, M., Li, X., Deng, X., Zhang, X., Yan, Y., Liu, Y., & Chen, X. (2018). Ballistic performance of UHMWPE fabrics/EAMS hybrid panel. *Journal of Materials Science*, 53(10), 7357-7371.

Lulu, L., Zhenhua, Z., Wei, C., Chao, S., & Gang, L. (2018). An experimental investigation on high velocity impact behavior of hygrothermal aged CFRP composites. *Composite Structures*, 204, 645-657.

Luo, B., Goh, W., Chen, Z., & Yuan, J. (2018). Laterally pre-compressed SiC tiles against long rod impact. *Defence Technology*, 14(5), 585-589.

Magudeeswaran, G., Balasubramanian, V., & Reddy, G. M. (2018). Metallurgical characteristics of armour steel welded joints used for combat vehicle construction. *Defence Technology*, 14(5), 590-606.

Majzoobi, G. H., Morshedi, H., & Farhadi, K. (2018). The effect of aluminum and titanium sequence on ballistic limit of bi-metal 2/1 FMLs. *Thin-Walled Structures*, 122, 1-7.

Maraden, A., Zeman, S., Zigmund, J., & Mokhtar, M. (2018). Physical and thermal impact of lead free ballistic modifiers. *Thermochimica Acta*, 662, 16-22.

Martinez-Hergueta, F., Ridruejo, A., Gonzalez, C., & LLorca, J. (2018). Ballistic performance of hybrid nonwoven/woven polyethylene fabric shields. *International Journal of Impact Engineering*, 111, 55-65.

Marx, J., Portanova, M., & Rabiei, A. (2018). A study on blast and fragment resistance of composite metal foams through experimental and modeling approaches. *Composite Structures*, 194, 652-661.

Maseko, S. W., Popoola, A. P., & Fayomi, O. S. (2018). Characterization of ceramic reinforced titanium matrix composites fabricated by spark plasma sintering for anti-ballistic applications. *Defence Technology*, 14(5), 408-411.

Mastilovic, S. (2018). Damage-fragmentation transition: Size effect and scaling behavior for impact fragmentation of slender projectiles. *International Journal of Damage Mechanics*, 27(2), 201-217.

Meng, Z., Han, J., Qin, X., Zhang, Y., Balogun, O., & Keten, S. (2018). Spalling-like failure by cylindrical projectiles deteriorates the ballistic performance of multi-layer graphene plates. *Carbon*, 126, 611-619.

Meng, Z., & Keten, S. (2018). Unraveling the Effect of Material Properties and Geometrical Factors on Ballistic Penetration Energy of Nanoscale Thin Films. *Journal of Applied Mechanics-Transactions of the Asme*, 85(12), 121004.

Meyer, C. S., Haque, B. Z., O'Brien, D. J., Getinet, N., Yu, J. H., Bonyi, E., Aslan, K., & Gillespie, J. W. (2018). Mesoscale ballistic damage mechanisms of a single-layer woven glass/epoxy composite. *International Journal of Impact Engineering*, 113, 118-131.

Miranda-Vicario, A., Bravo, P. M., & Coghe, F. (2018). Experimental study of the deformation of a ballistic helmet impacted with pistol ammunition. *Composite Structures*, 203, 233-241.

Miritoiu, C. M., Burada, C. O., Stanescu, M. M., & Bolcu, A. (2018). Dynamic and Static Behaviour of Composite Sandwich Platbands with Kevlar Honeycomb Core. *Revista Romana De Materiale-Romanian Journal of Materials*, 48(1), 101-107.

Mizokuchi, R., Maurand, R., Vigneau, F., Myronov, M., & De Franceschi, S. (2018b). Ballistic One-Dimensional Holes with Strong g-Factor Anisotropy in Germanium. *Nano Letters*, 18(8), 4861-4865.

Mo, G. L., Li, Z. X., & Wu, Z. L. (2018). A theoretical model of non-deforming bullets penetrating ballistic gelatin. *International Journal of Impact Engineering*, 114, 105-110.

Moallemzadeh, A. R., Sabet, S. a. R., & Abedini, H. (2018). Preloaded composite panels under high velocity impact. *International Journal of Impact Engineering*, 114, 153-159.

Mohamadipoor, R., Pol, M. H., & Zamani, E. (2018). Nonlinear analytical study of thin laminated composite plate reinforced by nanoparticles under high-velocity impact. *Thin-Walled Structures*, 127, 446-458.

Mohamadipoor, R., Zamani, E., & Pol, M. H. (2018). Analytical and Experimental Investigation of Ballistic Impact on Thin Laminated Composite Plate. *International Journal of Applied Mechanics*, 10(2), 1850020.

Mohrez, W. A., Abdelkareem, A., Gamal, H., & Rashed, G. M. (2018). First trial of SiC/SiC tube fabrication for tungsten monoblock armor. *Journal of Radiation Research and Applied Sciences*, 11(3), 242-248.

Moure, M. M., Rubio, I., Aranda-Ruiz, J., Loya, A., & Rodriguez-Millan, M. (2018). Analysis of impact energy absorption by lightweight aramid structures. *Composite Structures*, 203, 917-926.

Mukhtar, A., & Nasir, H. (2018). Comparative Closed Vessel Firing-Ballistic Parameters Evaluation for Development of Base Bleed Composite Solid Propellant. *Engineering Technology & Applied Science Research*, 8(6), 3545-3549.

Naghizadeh, Z., Faezipour, M., Pol, M. H., Liaghat, G. H., & Abdolkhani, A. (2018). Improvement in impact resistance performance of glass/epoxy composite through carbon nanotubes and silica nanoparticles. *Proceedings of the Institution of Mechanical Engineers Part L-Journal of Materials-Design and Applications*, 232(9), 785-799.

Naveen, J., Jawaid, M., Zainudin, E. S., Sultan, M. T. H., & Yahaya, R. B. (2018a). Selection of Natural Fiber for Hybrid Kevlar/Natural Fiber Reinforced Polymer Composites for Personal Body Armor by Using Analytical Hierarchy Process. *Frontiers in Materials*, 5, 52.

Nilakantan, G., Horner, S., Halls, V., & Zheng, J. (2018). Virtual ballistic impact testing of Kevlar soft armor: Predictive and validated finite element modeling of the V-0-V-100 probabilistic penetration response. *Defence Technology*, 14(3), 213-225.

Nilakantan, G., & Nutt, S. (2018). Effects of ply orientation and material on the ballistic impact behavior of multilayer plain-weave aramid fabric targets. *Defence Technology*, 14(3), 165-178.

Nisini, E., Santulli, C., Ceruti, A., & Liverani, A. (2018). High speed impact properties of carbon-basalt-flax DHEC composites compared with pure carbon fibre composites. *Composite Structures*, 192, 165-172.

Okhawilai, M., Hiziroglu, S., & Rimdusit, S. (2018). Measurement of ballistic impact performance of fiber reinforced polybenzoxazine/polyurethane composites. *Measurement*, 130, 198-210.

Ouyang, Q. D., Soh, A. K., Weng, G. J., Zhu, L. L., & Guo, X. (2018). The limit velocity and limit displacement of nanotwin-strengthened metals under ballistic impact. *Acta Mechanica*, 229(4), 1741-1757.

Ozbahceci, B. O., & Bilyay, E. (2018). Effect of the armor crest freeboard relative to the crown wall freeboard on wave overtopping for simple rubble mound slopes. *Ocean Engineering*, 169, 511-528.

Pagnoncelli, M., Piroli, V., Romanzini, D., Pereira, I. M., Dias, R. R., Amico, S. C., & Zattera, A. J. (2018). Mechanical and ballistic analysis of aramid/vinyl ester composites. *Journal of Composite Materials*, 52(3), 289-299.

Palomar, M., Lozano-Minguez, E., Rodriguez-Millan, M., Henar Miguelez, M., & Giner, E. (2018). Relevant factors in the design of composite ballistic helmets. *Composite Structures*, 201, 49-61.

Palta, E., Gutowski, M., & Fang, H. (2018). A numerical study of steel and hybrid armor plates under ballistic impacts. *International Journal of Solids and Structures*, 136, 279-294.

Palta, E., Hongbing, F., & Weggel, D. C. (2018). Finite element analysis of the Advanced Combat Helmet under various ballistic impacts. *International Journal of Impact Engineering*, 112, 125-143.

Patel, S., Ahmad, S., & Mahajan, P. (2018). Safety assessment of composite beam under ballistic impact. *Thin-Walled Structures*, 126, 162-170.

- Patil, P. S., & Naik, N. K. (2018). Ballistic impact performance of spaced multilayered and monolithic composite targets: Analytical and experimental studies. *International Journal of Damage Mechanics*, 27(9), 1352-1379.
- Pereira, L. F., Weerheijm, J., & Sluys, L. J. (2018). Simulation of compaction and crushing of concrete in ballistic impact with a new damage model. *International Journal of Impact Engineering*, 111, 208-221.
- Petre, R., Zecheru, T., Petrea, N., Ginghina, R., Sandu, S., Muresan, M., Matache, L. C., Sava, A. C., & Neatu, F. (2018a). Synthesis and Mechanical Properties of Polyurea-Based Hybrid Composites for Ballistic Individual Protection. *Materiale Plastice*, 55(3), 315-319.
- Pramanick, A. K., Das, H., Reddy, G. M., Ghosh, M., Nandy, S., & Pal, T. K. (2018). Effect of Bainitic Microstructure on Ballistic Performance of Armour Steel Weld Metal Using Developed High Ni-Coated Electrode. *Journal of Materials Engineering and Performance*, 27(5), 2110-2123.
- Qiang, H., Sun, X., Zhu, Z., Quanzhang, H., & Hehao, S. (2018). Numerical simulation study of steel plate anti-penetrating features. *Aip Advances*, 8(9), 095324.
- Rahman, N. A., Abdullah, S., Abdullah, M. F., Omar, M. Z., Sajuri, Z., & Zamri, W. F. H. (2018). Ballistic Limit of Laminated Panels with Different Joining Materials Subjected to Steel-Hardened Core Projectile. *International Journal of Integrated Engineering*, 10(5), 8-14.
- Rahman, N. A., Abdullah, S., Abdullah, M. F., Zamri, W. F. H., Omar, M. Z., & Sajuri, Z. (2018). Experimental and Numerical Investigation on the Layering Configuration Effect to the Laminated Aluminium/Steel Panel Subjected to High Speed Impact Test. *Metals*, 8(9), 732.
- Rajput, A., Iqbal, M. A., & Gupta, N. K. (2018). Ballistic performances of concrete targets subjected to long projectile impact. *Thin-Walled Structures*, 126, 171-181.
- Rodriguez-Millan, M., Garcia-Gonzalez, D., Rusinek, A., Abed, F., & Arias, A. (2018). Perforation mechanics of 2024 aluminium protective plates subjected to impact by different nose shapes of projectiles. *Thin-Walled Structures*, 123, 1-10.
- Rosenberg, Z., Kositski, R., & Malka-Markovitz, A. (2018). The effective strength of metallic plates perforated by rigid projectiles. *International Journal of Impact Engineering*, 121, 35-43.
- Roy, R., Laha, A., Awasthi, N., Majumdar, A., & Butola, B. S. (2018). Multi layered natural rubber coated woven P-aramid and UHMWPE fabric composites for soft body armor application. *Polymer Composites*, 39(10), 3636-3644.
- Ryan, S., Nguyen, L. H., Gallardy, D., & Cimpoeru, S. J. (2018). A scaling law for predicting the ballistic limit of aluminium alloy targets perforated in ductile hole formation. *International Journal of Impact Engineering*, 116, 34-50.
- Sabadin, G., Gaiotti, M., Rizzo, C. M., & Bassano, A. (2018). Development and validation of a numerical model for the simulation of high-velocity impacts on advanced composite armor systems. *Nonlinear Dynamics*, 91(3), 1791-1816.
- Safri, S. N. A., Sultan, M. T. H., Jawaid, M., & Jayakrishna, K. (2018). Impact behaviour of hybrid composites for structural applications: A review. *Composites Part B-Engineering*, 133, 112-121.

Salman, S. D., & Leman, Z. B. (2018). Physical, Mechanical and Ballistic Properties of Kenaf Fiber Reinforced Poly Vinyl Butyral and Its Hybrid Composites. *Natural Fiber Reinforced Vinyl Ester and Vinyl Polymer Composites: Development, Characterization and Applications* (ss. 249-263). Woodhead Publ Ltd.

Savio, S. G., & Madhu, V. (2018a). Methodology to Measure the Protective Areal Density of Ceramic Tiles Against Projectile Impact. *Defence Science Journal*, 68(1), 76-82.

Savio, S. G., & Madhu, V. (2018b). Ballistic performance evaluation of ceramic tiles with respect to projectile velocity against hard steel projectile using DOP test. *International Journal of Impact Engineering*, 113, 161-167.

Seifert, W., Strassburger, E., Dolak, M., & Schaare, S. (2018). Experimental study on the dependency of the ballistic performance of tiled ceramic/metal targets on inter tile gap width and projectile impact position. *International Journal of Impact Engineering*, 122, 50-59.

Senthil, K., Iqbal, M. A., Arindam, B., Mittal, R., & Gupta, N. K. (2018). Ballistic resistance of 2024 aluminium plates against hemispherical, sphere and blunt nose projectiles. *Thin-Walled Structures*, 126, 94-105.

Shao, R., Wu, C., Liu, Z., Su, Y., Liu, J., Chen, G., & Xu, S. (2018). Penetration resistance of ultra-high-strength concrete protected with layers of high-toughness and lightweight energy absorption materials. *Composite Structures*, 185, 807-820.

Sharma, A. P., & Khan, S. H. (2018). Influence of metal layer distribution on the projectiles impact response of glass fiber reinforced aluminum laminates. *Polymer Testing*, 70, 320-347.

Sharma, P., Chandel, P., Bhardwaj, V., Singh, M., & Mahajan, P. (2018). Ballistic impact response of high strength aluminium alloy 2014-T652 subjected to rigid and deformable projectiles. *Thin-Walled Structures*, 126, 205-219.

Shin, Y., Chung, J., & Kim, J. (2018). Test and estimation of ballistic armor performance for recent naval ship structural materials. *International Journal of Naval Architecture and Ocean Engineering*, 10(6), 762-781.

Siddiqui, N. A., Al-Salloum, Y. A., Almusallam, T. H., Abadel, A. A., & Abbas, H. (2018). Reliability Assessment of HFRC Slabs Against Projectile Impact. *International Journal of Concrete Structures and Materials*, 12(1), 58.

Simensen, H. T., & Linder, J. (2018). Tunable superconducting critical temperature in ballistic hybrid structures with strong spin-orbit coupling. *Physical Review B*, 97(5), 054518.

Singh, A., & Keten, S. (2018a). Analysis of Cone Wave Reflection in Finite-Size Elastic Membranes and Extension of the Ballistic Impact Problem From Elastic to Viscoelastic Membranes. *Journal of Applied Mechanics-Transactions of the Asme*, 85(8), 081004.

Soydan, A. M., Tunaboylu, B., Elsabagh, A. G., Sari, A. K., & Akdeniz, R. (2018). Simulation and Experimental Tests of Ballistic Impact on Composite Laminate Armor. *Advances in Materials Science and Engineering*, 2018, 4696143.

Spinelli, D. J., Plaisted, T. A., & Wetzel, E. D. (2018). Adaptive head impact protection via a rate-activated helmet suspension. *Materials & Design*, 154, 153-169.



- Srikanth, T., Surendran, S., Balaganesan, G., & Manjunath, G. L. (2018). Response of welded aluminium alloy plates for ballistic loads. *Ships and Offshore Structures*, 13(6), 594-600.
- Sun, G., Chen, D., Wang, H., Hazell, P. J., & Li, Q. (2018). High-velocity impact behaviour of aluminium honeycomb sandwich panels with different structural configurations. *International Journal of Impact Engineering*, 122, 119-136.
- Susu, L., Cheng, X., Yaoke, W., Shu, W., Jingling, Z., & Xinkai, Z. (2018). Cavity dynamics in 10 wt% gelatin penetration of rifle bullet. *International Journal of Impact Engineering*, 122, 296-304.
- Szymczyk, M., Sumelka, W., & Lodygowski, T. (2018). Numerical investigation on ballistic resistance of aluminium multi-layered panels impacted by improvised projectiles. *Archive of Applied Mechanics*, 88(1-2), 51-63.
- Tan, Z., Li, W., & Huang, W. (2018). The effect of graphene on the yarn pull-out force and ballistic performance of Kevlar fabrics impregnated with shear thickening fluids. *Smart Materials and Structures*, 27(7), 075048.
- Tang, B., Xu, Y., Wan, G., Yue, J., Jin, Y., & Li, H. (2018). Method of ballistic control and projectile rotation in a novel railgun. *Defence Technology*, 14(5), 628-634. <https://doi.org/10.1016/j.dt.2018.07.022>
- Tapie, E., Guo, Y. B., & Shim, V. P. W. (2018). Effect of pre-tension on energy absorbed by fabric during projectile penetration. *International Journal of Impact Engineering*, 121, 134-150.
- Thiele, T., Guelhan, A., & Olivier, H. (2018). Instrumentation and Aerothermal Postflight Analysis of the Rocket Technology Flight Experiment ROTEX-T. *Journal of Spacecraft and Rockets*, 55(5), 1050-1073.
- Tiwari, G., Iqbal, M. A., & Gupta, P. K. (2018). Energy absorption characteristics of thin aluminium plate against hemispherical nosed projectile impact. *Thin-Walled Structures*, 126, 246-257.
- Tola, C., & Nikbay, M. (2018a). Solid rocket motor design using a surrogate model. *Aircraft Engineering and Aerospace Technology*, 90(7), 1104-1127.
- Tola, C., & Nikbay, M. (2018b). Solid Rocket Motor Propellant Optimization with Coupled Internal Ballistic-Structural Interaction Approach. *Journal of Spacecraft and Rockets*, 55(4), 936-947.
- Trexler, M. M., Wickwire, A. C., Luong, Q. T., Alphonse, V. D., Ott, K. A., Zhang, J., Dymond, J. E., Harrigan, T. P., & Carneal, C. M. (2018). *Warfighter Protection: From Benchtop to Battlefield*. *Johns Hopkins Apl Technical Digest*, 34(3), 359-373.
- Tsinas, Z., Forster, A. L., & Al-Sheikhly, M. (2018a). Oxidation reactions in kink banded regions of UHMMPE fiber-based laminates used in body armor: A mechanistic study. *Polymer Degradation and Stability*, 154, 103-114.
- Turner, P., Liu, T., Zeng, X., & Brown, K. (2018). Three-dimensional woven carbon fibre polymer composite beams and plates under ballistic impact. *Composite Structures*, 185, 483-495.

- VanderKlok, A., Stamm, A., Dorer, J., Eryi, H., Auvenshine, M., Pereira, J. M., & Xiao, X. (2018). An experimental investigation into the high velocity impact responses of S2-glass/SC15 epoxy composite panels with a gas gun. *International Journal of Impact Engineering*, *111*, 244-254.
- Varnier, J., Le Pape, M.-C., & Sourgen, F. (2018). Ballistic Wave from Projectiles and Vehicles of Simple Geometry. *Aiaa Journal*, *56*(7), 2725-2742.
- Vashisth, A., Bakis, C. E., Ruggeri, C. R., Henry, T. C., & Roberts, G. D. (2018). Ballistic impact response of carbon/epoxy tubes with variable nanosilica content. *Journal of Composite Materials*, *52*(12), 1589-1604.
- Velmurugan, R., Naresh, K., & Shankar, K. (2018). Influence of fibre orientation and thickness on the response of CFRP composites subjected to high velocity impact loading. *Advances in Materials and Processing Technologies*, *4*(1), 120-131.
- Verdier, A., Santiago, J. M., Vandel, A., Godard, G., Cabot, G., & Renou, B. (2018). Local extinction mechanisms analysis of spray jet flame using high speed diagnostics. *Combustion and Flame*, *193*, 440-452.
- Verma, P. N., & Dhote, K. D. (2018). Characterising primary fragment in debris cloud formed by hypervelocity impact of spherical stainless steel projectile on thin steel plate. *International Journal of Impact Engineering*, *120*, 118-125.
- Veysset, D., Kooi, S. E., Maznev, A. A., Tang, S., Mijailovic, A. S., Yang, Y. J., Geiser, K., Van Vliet, K. J., Olsen, B. D., & Nelson, K. A. (2018). High-velocity micro-particle impact on gelatin and synthetic hydrogel. *Journal of the Mechanical Behavior of Biomedical Materials*, *86*, 71-76.
- Viswanath, J. V., Vijayarashan, P., Mohan, T., Rao, N. V. S., Gupta, A., & Venkataraman, A. (2018). Copper Chromite as Ballistic Modifier in a Typical Solid Rocket Propellant Composition: A Novel Synthetic Route Involved. *Journal of Energetic Materials*, *36*(1), 69-81.
- Wang, J., Xu, Y., Gao, T., Zhang, W., & Moumni, Z. (2018). A 3D thermomechanical constitutive model for polycarbonate and its application in ballistic simulation. *Polymer Engineering and Science*, *58*(12), 2237-2248.
- Wang, J., Yu, Y., Zhou, L., & Ye, R. (2018). Numerical simulation and optimized design of cased telescoped ammunition interior ballistic. *Defence Technology*, *14*(2), 119-125.
- Wang, Y., Gong, X., & Xuan, S. (2018). Study of low-velocity impact response of sandwich panels with shear-thickening gel cores. *Smart Materials and Structures*, *27*(6), 065008.
- Wang, Y., Zhu, W., Di, J., & Hu, X. (2018). Study on the analysis method on ballistic performance of deterred propellant with large web size in large caliber artillery. *Defence Technology*, *14*(5), 522-526.
- Xiao, Y., Dong, H., Zhan, H., & Zhu, A. (2018). Numerical study on the perforation of steel plates by multiple projectiles. *Engineering Computations*, *35*(7), 2629-2651.
- Xie, W. H., Meng, S. H., Ding, L., Jin, H., Du, S. Y., Han, G. K., Wang, L. B., Xu, C. H., Scarpa, F., & Chi, R. Q. (2018). High-temperature high-velocity impact on honeycomb sandwich panels. *Composites Part B-Engineering*, *138*, 1-11.

- Xu, M., Huang, G., Dong, Y., & Feng, S. (2018). An experimental investigation into the high velocity penetration resistance of CFRP and CFRP/aluminium laminates. *Composite Structures*, 188, 450-460.
- Xu, Q. Z., Yin, J. P., Wang, Z. J., Yi, J. Y., & Dong, F. D. (2018). Effect of a Liner Material on the Formation of the Wrapping Explosively-Formed Penetrator. *Strength of Materials*, 50(1), 54-62.
- Xueling, F., Meini, Y., & Qiang, Q. (2018a). Failure Mechanisms of Ti-Al<sub>3</sub>Ti metal-Intermetallic Laminate Composites Under High-Speed Impact. *Rare Metal Materials and Engineering*, 47(9), 2615-2620.
- Yang, Y., & Chen, X. (2018b). Determination of Materials for Hybrid Design of 3D Soft Body Armour Panels. *Applied Composite Materials*, 25(4), 861-875.
- Yang, Y., Zhang, L., Guo, L., Zhang, W., Zhao, J., & Xie, W. (2018). Dynamic response and research of 3D braided Carbon Fiber Reinforced Plastics subjected to ballistic impact loading. *Composite Structures*, 206, 578-587.
- Ye, Z., Zhang, X., Zheng, G., & Jia, G. (2018). A material point method model and ballistic limit equation for hyper velocity impact of multi-layer fabric coated aluminum plate. *International Journal of Mechanics and Materials in Design*, 14(4), 511-526.
- Yu, B., Deshpande, V. S., & Fleck, N. A. (2018). Perforation of aluminium alloy-CFRP bilayer plates under quasi-static and impact loading. *International Journal of Impact Engineering*, 121, 106-118.
- Yuan, Z., Chen, X., Zeng, H., Wang, K., & Qiu, J. (2018). Identification of the elastic constant values for numerical simulation of high velocity impact on dyneema (R) woven fabrics using orthogonal experiments. *Composite Structures*, 204, 178-191.
- Zakir, S. M., Tao, S., Yulong, L., Sohail, A., Ahmed, D. U., & Farrukh, R. M. (2018). Numerical Studies of Penetration in Light Armor, Concrete and Brick-Wall Targets. *Materia-Rio De Janeiro*, 23(3), e-12193.
- Zeng, H., Yuan, Z., Qiu, J., & Chen, X. (2018a). Finite Element Study on the Influence of Structural Parameters on the Ballistic Performance of 3D Networked Fabrics. *Applied Composite Materials*, 25(4), 891-903.
- Zhang, B., Nian, X., Jin, F., Xia, Z., & Fan, H. (2018). Failure analyses of flexible Ultra-High Molecular Weight Polyethylene (UHMWPE) fiber reinforced anti-blast wall under explosion. *Composite Structures*, 184, 759-774.
- Zhang, Q. N., Zhang, X. W., Lu, G. X., & Ruan, D. (2018). Ballistic impact behaviors of aluminum alloy sandwich panels with honeycomb cores: An experimental study. *Journal of Sandwich Structures & Materials*, 20(7), 861-884.
- Zhang, X., Serjouei, A., & Sridhar, I. (2018). Criterion for interface defeat to penetration transition of long rod projectile impact on ceramic armor. *Thin-Walled Structures*, 126, 266-284.
- Zhang, Y., Meng, Z., Qin, X., & Keten, S. (2018). Ballistic impact response of lipid membranes. *Nanoscale*, 10(10), 4761-4770.

Zhao, L., Qian, X., Sun, Y., Yuan, M., Tang, F., Zhao, Y., Zhang, Q., & Chen, Y. (2018). Ballistic behaviors of injection-molded honeycomb composite. *Journal of Materials Science*, 53(20), 14287-14298.

Zhao, Y., & Sun, Z. (2018). Normal impact of a low-velocity projectile against a taut string-like membrane. *Journal of Sound and Vibration*, 426, 219-233.

Zhenfei, S., Jianjun, M., Jianheng, Z., Fuli, T., & Hong, Y. (2018). Study on launching technique of a 98 kJ electric gun for hypervelocity impact experiments. *International Journal of Impact Engineering*, 122, 419-430.

Zhu, W., Huang, G., Feng, S., & Stronge, W. J. (2018a). Conical nosed projectile perforation of polyethylene reinforced cross-ply laminates: Effect of fiber lateral displacement. *International Journal of Impact Engineering*, 118, 39-49.

Braga, F. D. O., Bolzan, L. T., Ramos, F. J. H. T. V., Monteiro, S. N., Lima, É. P., & Silva, L. C. D. (2018). Ballistic efficiency of multilayered armor systems with sisal fiber polyester composites. *Materials Research*, 20, 767-774.

Chen, J., Li, J., Li, S., & You, Y. (2018). Implementation of black box models for internal ballistics optimization using an artificial neural network. *Mathematical Problems in Engineering*, 2018.

Urzay, J. (2018). Supersonic combustion in air-breathing propulsion systems for hypersonic flight. *Annual Review of Fluid Mechanics*, 50, 593-627.

Kolanowska, A., Janas, D., Herman, A. P., Jędrysiak, R. G., Gizewski, T., & Boncel, S. (2018). From blackness to invisibility—carbon nanotubes role in the attenuation of and shielding from radio waves for stealth technology. *Carbon*, 126, 31-52.

Wang, J., Luo, P., Hu, X., & Zhang, X. (2018). A hybrid discrete grey wolf optimizer to solve weapon target assignment problems. *Discrete Dynamics in Nature and Society*, 2018.

Brefort, D., Shields, C., Jansen, A. H., Duchateau, E., Pawling, R., Droste, K., ... & Kana, A. A. (2018). An architectural framework for distributed naval ship systems. *Ocean Engineering*, 147, 375-385.

Tao, J., Zhang, T., & Nie, Y. (2018). Attitude maneuvering and vibration reducing control of flexible spacecraft subject to actuator saturation and misalignment. *Shock and Vibration*, 2018.

Xiao, K., Bai, H., Xue, X., & Wu, Y. (2018). Damping characteristics of metal rubber in the pipeline coating system. *Shock and Vibration*, 2018.

Decrocq, C., Martinez, B., Albisser, M., Dobre, S., Gnemmi, P., Bailly, Y., & Roy, J. C. (2018). Aerodynamic prediction of a projectile fitted with fins. *International Journal of Numerical Methods for Heat & Fluid Flow*.

Joyce, B., Dodson, J., Laflamme, S., & Hong, J. (2018). An experimental test bed for developing high-rate structural health monitoring methods. *Shock and Vibration*, 2018.

Pokorny, Z., Dobrocky, D., Kadlec, J., & Studeny, Z. (2018). Influence of alloying elements on gas nitriding process of high-stressed machine parts of weapons. *Met. Mater*, 56, 97-103.

Rao, G. K., Rao, S., & Chaudhuri, S. K. (2018). Networking of Tracking Radars of Two Different SAM Weapons to Protect the Missile in Intensive Jamming Environment. *Defence Science Journal*, 68(1), 70.

Pei, D., Qin, D., Sun, Y., Bu, G., & Yao, Z. (2018). Prioritization assessment for capability gaps in weapon system of systems based on the conditional evidential network. *Applied Sciences*, 8(2), 265.

Hastings, D. L., Schoenitz, M., & Dreizin, E. L. (2018). High density reactive composite powders. *Journal of Alloys and Compounds*, 735, 1863-1870.

Baek, S. M., Lim, S. J., Kim, M. S., Ko, M. G., & Park, C. Y. (2018). Study on mechanical properties of CFRP composite orthogonal grid structure. *Composites Research*, 31(2), 69-75.

Dhote, K. D., & Deodhar, R. S. (2018). Effect of fragment dispersion on damage assessment of a directional fragment generator. *International Journal of Damage Mechanics*, 27(4), 568-577.

Jeong, T. G., Lee, Y. S., Cho, B. W., Kim, Y. T., Jung, H. G., & Chung, K. Y. (2018). Improved performance of dual-conducting polymer-coated sulfur composite with high sulfur utilization for lithium-sulfur batteries. *Journal of Alloys and Compounds*, 742, 868-876.

Noh, G., & Oh, H. (2018). A Field Study on Concurrent Spare Parts Recommendation in an Airborne Weapon System. *Defence Science Journal*, 68(3).

Liu, Z., Zhang, Z., & Ritchie, R. O. (2018). On the materials science of nature's arms race. *Advanced Materials*, 30(32), 1705220.

Trinklein, E. H., Parker, G. G., McCoy, T. J., Robinett, R. D., & Weaver, W. W. (2018). Reduced order multi-domain modeling of shipboard systems for exergy-based control investigations. *Naval Engineers Journal*, 130(3), 87-105.

Miranda-Vicario, A., Bravo, P. M., & Coghe, F. (2018). Experimental study of the deformation of a ballistic helmet impacted with pistol ammunition. *Composite Structures*, 203, 233-241.

Banerjee, S., Balamurugan, V., & Krishna Kumar, R. (2018). Effect of integrated ride and cornering dynamics of a military vehicle on the weapon responses. *Proceedings of The Institution of Mechanical Engineers, Part K: Journal of Multi-body Dynamics*, 232(4), 536-554.

Kakogiannis, D., Verleysen, P., Belkassam, B., Coghe, F., & Rabet, L. (2018). Multiscale modelling of the response of Ti-6Al-4V sheets under explosive loading. *International Journal of Impact Engineering*, 119, 1-13.

Li, J., Khajepour, A., Huang, Y., Wang, H., Tang, C., & Qin, Y. (2018). A new coordinated control strategy for tracked vehicle ride comfort. *Proceedings of the Institution of Mechanical Engineers, Part K: Journal of Multi-body Dynamics*, 232(3), 330-341.

Yan, Q., & Guo, D. (2018). Elastic Rebound of a Blast Door Under Explosion Loadings. *International Journal of Structural Stability and Dynamics*, 18(10), 1871011.

Hayward, D. M., Duff, A., & Wagner, C. (2018). F-35 Weapons Design Integration. In *2018 Aviation Technology, Integration, and Operations Conference* (p. 3370).

Hetreed, C., Carroll, M., Collard, J., & Snyder, R. (2018). F-35 Weapons Separation Test and Verification. In *2018 Aviation Technology, Integration, and Operations Conference* (p. 3680).

Counts, M. A., Kiger, B., Hoffschwelle, J., Houtman, A., & Henderson, G. (2018). F-35 Air Vehicle Configuration Development. In *2018 Aviation Technology, Integration, and Operations Conference* (p. 3367).

Chen, X., Lu, F., & Zhang, D. (2018). Penetration trajectory of concrete targets by ogived steel projectiles—Experiments and simulations. *International Journal of Impact Engineering*, *120*, 202-213.

Zhu, S., Huang, Z., Gou, Y., Tang, Q., & Chen, Z. (2018). Numerical Investigations on Wedge Control of Separation of a Missile from an Aircraft. *Defence Science Journal*, *68*(6).

Yao, J., Chen, Z. T., Nie, Y. J., & Wang, F. (2019). Flow field design and experimental study of electrochemical machining using thin hollow cathodes. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, *233*(3), 766-775.

Jung, H. C. (2019). Research of Power and Propulsion System Using Improved Gas-Turbine for DDG-51 Flight III. *Naval Engineers Journal*, *131*(1), 125-131.

Verma, K., Ghosh, D., Marathe, R., & Kumar, A. (2019). Efficient Embedded Hardware Architecture for Stabilised Tracking Sighting System of Armoured Fighting Vehicles. *Defence Science Journal*, *69*(3).

Chatterjee, T., Bhattacharyya, D., Majumdar, D., & Pal, M. (2019). Ergonomic Assessment of Multi Calibre Individual Weapon System in Virtual Reality Platform. *Defence Science Journal*, *69*(3).

Cho, H., Lee, J., Hong, S., & Kim, S. (2019). Bulletproof performance of composite plate fabricated using shear thickening fluid and natural fiber paper. *Applied Sciences*, *10*(1), 88.

Sławski, S., Szymiczek, M., Kaczmarczyk, J., Domin, J., & Duda, S. (2019). Experimental and numerical investigation of striker shape influence on the destruction image in multilayered composite after low velocity impact. *Applied Sciences*, *10*(1), 288.

Crowe, D. S., & Martin Jr, C. L. (2019). Hot Streak Characterization of High-Performance Double-Serpentine Exhaust Nozzles at Design Conditions. *Journal of Propulsion and Power*, *35*(3), 501-511.

Komrower, J., Boroditsky, L., Fischer, R., & Yankaskas, K. (2019). Noise Control on US Navy Aircraft Carriers. *Naval Engineers Journal*, *131*(2), 87-93.

Muster, M., Hameed, A., & Wood, D. (2019). Dynamic qualitative bolt force measurements for investigating influence factors on the pushout effect of small calibre ammunition. *AIP Advances*, *9*(6), 065020.

Felix, D., Colwill, I., & Stipidis, E. (2019). Real-time calculation of fragment velocity for cylindrical warheads. *Defence Technology*, *15*(3), 264-271.

Roh, H., Oh, Y. J., Tahk, M. J., & Jung, Y. R. (2019). Optimal Weapon-Target Assignment of Multiple Dissimilar Closed-In Weapon Systems Using Mixed Integer Linear Programming. *Journal of the Korean Society for Aeronautical & Space Sciences*, *47*(11), 787-794.

Lee, S., Kim, J., Kim, S., Lee, S., Jeong, J., & Lee, C. (2019). Performance comparison of double-layer liner for shaped charge fabricated using kinetic spray. *Journal of Thermal Spray Technology*, 28(3), 484-494.

Kim, J. Y., Hong, S. Y., Cho, B. G., Song, J. H., & Kwon, H. W. (2019). Development of acoustic target strength near-field equation for underwater vehicles. *Proceedings of the Institution of Mechanical Engineers, Part M: Journal of Engineering for the Maritime Environment*, 233(3), 714-721.

Zhao, P., Wang, J., & Kong, L. (2019). Decentralized algorithms for weapon-target assignment in swarming combat system. *Mathematical Problems in Engineering*, 2019.

Corriveau, D., Rabbath, C. A., & Goudreau, A. (2019). Effect of the firing position on aiming error and probability of hit. *Defence Technology*, 15(5), 713-720.

Shoji, S. (2019). Analysis of in-bore balloting and control of jump variability. *Defence Technology*, 15(5), 721-734.

Sollier, A., & Lescoute, E. (2019). Characterization of the ballistic properties of ejecta from laser shock-loaded samples using high resolution picosecond imaging. In *Hypervelocity Impact Symposium* (Vol. 883556, p. V001T05A009). American Society of Mechanical Engineers.

Altuncu, E. (2019). Laser cladding of martensitic stainless steels on armor steels. *Emerging Materials Research*, 9(1), 55-58.

Helte, A., Andersson, O., & Lundberg, P. (2019). Deformation, fragmentation and acceleration of a controlled fragmentation charge casing. *Defence Technology*, 15(5), 786-795.

Bacci, D., Saddington, A. J., & Bray, D. (2019). The effect of angle of attack on the aeroacoustic environment within the weapons bay of a generic UCAV. *Aerospace Science and Technology*, 93, 105315.

Azmi, A. M. R., Sultan, M. T. H., Jawaid, M., & Nor, A. F. M. (2019). A newly developed bulletproof vest using kenaf-X-ray film hybrid composites. *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites* (ss. 157-169). Woodhead Publ Ltd.

Baulin, D., Manzhura, S., Odechuk, M., Odeychuk, A., Horielyshev, S., & Ilchenko, M. (2019). Calculation of Armor-Resistant Metal Multilayer Armored Structures Using the Finite Element Method. *Opir Materialiv I Teoria Sporud-Strength of Materials and Theory of Structures*, 103, 145-164.

Cheng, C., Du, Z., Chen, X., Du, C., Xu, L., & Wang, X. (2019). Oblique penetration of tungsten alloy rod to finite-thickness metal plate. *Latin American Journal of Solids and Structures*, 16(9), e233.

Khan, M. K., Iqbal, M. A., Bratov, V., Gupta, N. K., & Morozov, N. F. (2019). A Numerical Study of Ballistic Behaviour of Ceramic Metallic Bi-Layer Armor Under Impact Load. *Materials Physics and Mechanics*, 42(6), 699-710.

Loganathan, T. M., Sultan, M. T. H., Gobalakrishnan, M. K., & Muthaiyah, G. (2019). Ballistic impact response of laminated hybrid composite materials. *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites* (ss. 171-191). Woodhead Publ Ltd.

Slyvinsky, O., Chvertko, Y., & Bisyk, S. (2019). Effect of Welding Heat Input on Heat-Affected Zone Softening in Quenched and Tempered Armor Steels. *High Temperature Material Processes*, 23(3), 239-253.

Xue, L., Fan, W., Wu, F., Zhang, Y., Guo, K., Li, J., ... & Sun, R. (2019). The influence of thermo-oxidative aging on the electromagnetic absorbing properties of 3D quasi-isotropic braided carbon/glass bismaleimide composite. *Polymer Degradation and Stability*, 168, 108941.

Damamme, G., Vermunt, J., Zappa, D. P., & Klöcker, H. (2019). Stress release waves in plastic solids. *Journal of the Mechanics and Physics of Solids*, 128, 21-31.

Kim, J. Y., Hong, S. Y., Cho, B. G., Song, J. H., & Kwon, H. W. (2019). Development of acoustic target strength near-field equation for underwater vehicles. *Proceedings of the Institution of Mechanical Engineers, Part M: Journal of Engineering for the Maritime Environment*, 233(3), 714-721.

Corriveau, D., Rabbath, C. A., & Goudreau, A. (2019). Effect of the firing position on aiming error and probability of hit. *Defence Technology*, 15(5), 713-720.

Bacci, D., Saddington, A. J., & Bray, D. (2019). The effect of angle of attack on the aeroacoustic environment within the weapons bay of a generic UCAV. *Aerospace Science and Technology*, 93, 105315.

Xue, L., Fan, W., Wu, F., Zhang, Y., Guo, K., Li, J., ... & Sun, R. (2019). The influence of thermo-oxidative aging on the electromagnetic absorbing properties of 3D quasi-isotropic braided carbon/glass bismaleimide composite. *Polymer Degradation and Stability*, 168, 108941.

Luo, H., & Shen, G. (2019). Progress and perspective of ultra-high strength steels having high toughness. *Acta Metall Sin*, 56(4), 494-512.

Lu, Y., Zhang, R., Xie, Z., Yue, H., & Wang, L. (2019). A new variable speed phase transformation constitutive model of shape memory alloys. *Materials Research Express*, 6(10), 105705.

Muster, M., Hameed, A., Wood, D., & Wasmer, K. (2019). Push-out force and impulse measurement of seven types of small arms ammunition with three different surface states. *AIP Advances*, 9(11), 115016.

Sève, F., & Theodoulis, S. (2019). Design of an  $H_\infty$  Gain-Scheduled Guidance Scheme for a Guided Projectile. *Journal of Guidance, Control, and Dynamics*, 42(11), 2399-2417.

Murzyn, C., Sims, A., & Glumac, N. (2019). Diode laser monitoring of atomic iodine in explosive fireballs. *Measurement Science and Technology*, 30(11), 115501.

Post, D. E., Eslinger, O. J., Sundt, S. M., & Holland, M. (2019). CREATE/ERS: Department of Defense acquisition reform through resilient engineering and virtual prototyping in a digital environment. *The Journal of Defense Modeling and Simulation*, 16(4), 357-371.

Lu, Y., Zhang, R., Xie, Z., Yue, H., & Wang, L. (2019). A new variable speed phase transformation constitutive model of shape memory alloys. *Materials Research Express*, 6(10), 105705.

Antonakis, A., Nikolaidis, T., & Pilidis, P. (2019). Effects of propulsion system operation on military aircraft survivability. *Journal of Aircraft*, 56(6), 2131-2143.



Muster, M., Hameed, A., Wood, D., & Wasmer, K. (2019). Push-out force and impulse measurement of seven types of small arms ammunition with three different surface states. *AIP Advances*, 9(11), 115016.

Li, Z., Liu, J., Yin, N., & Wang, Y. (2019). Experimental verification of an integrated radar communication system. *The Journal of Engineering*, 2019(21), 8155-8159.

Cho, H. J., & Choi, J. (2019). Calculation of the mass transfer coefficient for the dissolution of multiple carbon dioxide bubbles in sea water under varying conditions. *Journal of Marine Science and Engineering*, 7(12), 457.

Parate, B. A., Chandel, S., & Shekhar, H. (2020). Experimental analysis of Ballistic parameter evaluation of power cartridge in vented vessel for water-jet application. *Science & Technology of Energetic Material*, 81(2), 47-52.

Yongjie, X. U., WANG, Z. Z., & Fangdong, D. O. N. G. (2020). Ballistic Trajectory Modeling for Missile with Deflectable Nose. *Mechanics*, 26(5), 450-456.

Parate, B. A., Chandel, S., & Shekhar, H. (2020). Experimental analysis of Ballistic parameter evaluation of power cartridge in vented vessel for water-jet application. *Science & Technology of Energetic Material*, 81(2), 47-52.

Zheng, Q., & Zhou, Z. (2020). Flight Stability of Canard-Guided Dual-Spin Projectiles with Angular Rate Loops. *International Journal of Aerospace Engineering*, 2020.

Lee, K., Woo, S., Kim, S. B., Lee, S., Park, L., & Park, K. T. (2020). Deformation and microstructural evolution of ultrafine-and fine-grained OFHC Cu during dynamic tensile extrusion. *Journal of Materials Research and Technology*, 9(5), 10746-10757.

Islam, K., Chowdhury, M. A., Hossain, I., & Shuvho, M. B. A. (2020). Development and Characterization of Kevlar-Reinforced Ceramic Composite Materials. *Journal of Testing and Evaluation*, 49(3), 1631-1650.

Shan, S., Feng, P., Zha, H., & Feng, F. (2020). Building of longitudinal ultrasonic assisted turning system and its cutting simulation study on bulk metallic glass. *Materials*, 13(14), 3131.

Sun, M., Cao, W., Hu, D., Zhang, N., & Chi, R. (2020). Effect of cover plate on the ballistic performance of ceramic armor. *Materials*, 14(1), 1.

Battocchio, P., Terragni, J., Bazzanella, N., Cestari, C., Orlandi, M., Burger, W. J., ... & Miotello, A. (2020). Ballistic measurements of laser ablation generated impulse. *Measurement Science and Technology*, 32(1), 015901.

Kim, D., Jeong, D., & Seo, Y. (2020). Intelligent design for simulation models of weapon systems using a mathematical structure and case-based reasoning. *Applied Sciences*, 10(21), 7642.

Ye, C., & Zhang, Q. (2020). Optimal Falling Track Design for Twice-detonating Fuze of Double-event Fuel-air Explosive with High Speed. *Defence Science Journal*, 70(4).

de Souza Defanti, B. F., de Mendonça-Filho, L. G., & Nichele, J. (2020). Effect of ageing on the combustion of single base propellants. *Combustion and Flame*, 221, 212-218.

Cao, Y. Y. Y., Li, P. P., Brouwers, H. J. H., & Yu, Q. L. (2020). Resistance of multi-layered UHPFRC against in-service projectile: Experimental investigation and modelling prediction. *Composite Structures*, 244, 112295.

Chu, B., Liu, Q., Liu, L., Lai, X., & Mei, H. (2020). A rate-dependent peridynamic model for the dynamic behavior of ceramic materials. *CMES-Computer Modeling in Engineering and Sciences*, 124, 151-178.

Li, L. I. U., Chuan, D. I. N. G., & Qianqian, L. U. (2020). Constitutive Modeling of Nonlinear Strain and Time Dependent Behaviors of Ballistic Gelatin at Low Strain Rates. *Mechanics*, 26(3), 191-196.

Bai, R., Ma, Y., Lei, Z., Feng, Y., Liu, D., & Yan, C. (2020). Impact resistance analysis of flexible fabric by 3D shape of impact basin in low-speed impact test. *Polymer Testing*, 81, 106215.

Gur, A. K., Ozay, C., & Taskaya, S. (2020). Submerged arc welding of Ramor 500 Steel and numerical modeling of the residual stress. *Materials Testing*, 62(1), 41-48.

Kurzawa, A., Pyka, A., & Jamroziak, K. (2020). Analysis of ballistic resistance of composites with EN AW-7075 matrix reinforced with Al<sub>2</sub>O<sub>3</sub> particles. *Archives of Foundry Engineering*, 20.

Tahenti, B., Coghe, F., & Nasri, R. (2020). Ballistic Limit Estimation Approaches for Ballistic Resistance Assessment. *Defence Science Journal*, 70(1).

Jung, J., Cho, Y. J., Kim, S. H., Lee, Y. S., Kim, H. J., Lim, C. Y., & Park, Y. H. (2020). Microstructural and mechanical responses of various aluminum alloys to ballistic impacts by armor piercing projectile. *Materials Characterization*, 159, 110033.

Xiao, Z., Yu, S., Li, Y., Ruan, S., Kong, L. B., Huang, Q., ... & Tang, D. (2020). Materials development and potential applications of transparent ceramics: A review. *Materials Science and Engineering: R: Reports*, 139, 100518.

Bai, R., Ma, Y., Lei, Z., Feng, Y., Zou, J., & Liu, D. (2020). Shear deformation and energy absorption analysis of flexible fabric in yarn pullout test. *Composites Part A: Applied Science and Manufacturing*, 128, 105678.

Engelbrecht-Wiggans, A., Burni, F., Krishnamurthy, A., & Forster, A. L. (2020). Tensile testing of aged flexible unidirectional composite laminates for body armor. *Journal of materials science*, 55(3), 1035-1048.

Kott, A. (2020). Toward universal laws of technology evolution: modeling multi-century advances in mobile direct-fire systems. *The Journal of Defense Modeling and Simulation*, 17(4), 373-388.

Kędzierski, P., Morka, A., Stanisławek, S., & Surma, Z. (2020). Numerical modeling of the large strain problem in the case of mushrooming projectiles. *International Journal of Impact Engineering*, 135, 103403.

Wang, Z., & Li, P. (2020). A model incorporating damage evolution to predict the penetration behavior of a ceramic target subjected to the long projectile impact. *International journal of impact engineering*, 135, 103393.

Huang, G., Liao, Z., Xu, R., Zhu, Y., & Jiang, P. X. (2020). Self-pumping transpiration cooling with a protective porous armor. *Applied Thermal Engineering*, 164, 114485.

Huang, X., Yin, C., Ru, H., Zhao, S., Deng, Y., Guo, Y., & Liu, S. (2020). Hypervelocity impact damage behavior of B<sub>4</sub>C/Al composite for MMOD shielding application. *Materials & Design*, 186, 108323.

Zhang, C., Zhu, Q., Curiel-Sosa, J. L., & Bui, T. Q. (2020). Ballistic performance and damage simulation of fiber metal laminates under high-velocity oblique impact. *International Journal of Damage Mechanics*, 29(7), 1011-1034.

Wu, K. K., Chen, Y. L., Yeh, J. N., Chen, W. L., & Lin, C. S. (2020). Ballistic impact performance of SiC ceramic-dyneema fiber composite materials. *Advances in Materials Science and Engineering*.

Horne, J., McLoughlin, L., Bury, E., Koh, A. S., & Wujcik, E. K. (2020). Interfacial phenomena of advanced composite materials toward wearable platforms for biological and environmental monitoring sensors, armor, and soft robotics. *Advanced Materials Interfaces*, 7(4), 1901851.

Gad, A. I., & Gao, X. L. (2020). Modeling of deformations of Roma Plastilina# 1 clay in column-drop tests by incorporating the coupled strain rate and temperature effects. *Mechanics of Advanced Materials and Structures*, 27(13), 1154-1166.

Ellis, C. L., & Hazell, P. (2020). Visual methods to assess strain fields in armour materials subjected to dynamic deformation—A review. *Applied Sciences*, 10(8), 2644.

Shah, K., & Sockalingam, S. (2020). Effect of transverse compression on the residual tensile strength of ultrahigh molecular weight polyethylene (Dyneema® SK-76) yarns. *Defence Technology*, 16(1), 35-42.

Zhai, Y. X., Wu, H., & Fang, Q. (2020). Interface defeat studies of long-rod projectile impacting on ceramic targets. *Defence Technology*, 16(1), 50-68.

An, X., Tian, C., Sun, Q., & Dong, Y. (2020). Effects of material of metallic frame on the penetration resistances of ceramic-metal hybrid structures. *Defence Technology*, 16(1), 77-87.

Wang, X., Jiang, J., Sun, S., Men, J., & Wang, S. (2020). Investigation on the spatial distribution characteristics of behind-armor debris formed by the perforation of EFP through steel target. *Defence Technology*, 16(1), 119-135.

Cheng, C., Du, Z. H., Chen, X., Xu, L. Z., Du, C. X., Han, J. L., & Wang, X. D. (2020). Damage of multi-layer spaced metallic target plates impacted by radial layered PELE. *Defence Technology*, 16(1), 201-207.

Zhu, Y., Zhang, X., Xue, B., Liu, H., Wen, Y., & Xu, C. (2020). High-strain-rate compressive behavior of uhmwpe fiber laminate. *Applied Sciences*, 10(4), 1505.

Kurzawa, A., Pyka, D., Jamroziak, K., Bajkowski, M., Bocian, M., Magier, M., & Koch, J. (2020). Assessment of the impact resistance of a composite material with EN AW-7075 matrix reinforced with  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> particles using a 7.62 × 39 mm projectile. *Materials*, 13(3), 769.

Kartikeya, K., Chouhan, H., Ahmed, A., & Bhatnagar, N. (2020). Determination of tensile strength of UHMWPE fiber-reinforced polymer composites. *Polymer Testing*, 82, 106293.

Nasser, J., Steinke, K., & Sodano, H. (2020). ZnO nanostructured interphase for multifunctional and lightweight glass fiber reinforced composite materials under various loading conditions. *ACS Applied Nano Materials*, 3(2), 1363-1372.

Sen, O., & Yetmez, M. (2020). Vibro-acoustic analysis of a post-impacted woven composite panel. *Materialwissenschaft und Werkstofftechnik*, 51(2), 208-211.

Toparli, M. B. (2020). Effect of shot peening on ballistic limit of Al6061-T651 aluminium alloy plates. *Experimental Techniques*, 44(1), 37-47.

Nguyen, T. T. N., Carpanen, D., Stinner, D., Rankin, I. A., Ramasamy, A., Breeze, J., ... & Masouros, S. D. (2020). The risk of fracture to the tibia from a fragment simulating projectile. *Journal of the mechanical behavior of biomedical materials*, 102, 103525.

Hedayatian, M., Momeni, A., Nezamabadi, A., & Vahedi, K. (2020). Effect of graphene oxide nanoplates on the microstructure, quasi-static and dynamic penetration behavior of Al6061 nanocomposites. *Composites Part B: Engineering*, 182, 107652.

Clifton, S., Thimmappa, B. H. S., Selvam, R., & Shivamurthy, B. (2020). Polymer nanocomposites for high-velocity impact applications-A review. *Composites Communications*, 17, 72-86.

Crookes, R. G., März, B., & Wu, H. (2020). Ductile deformation in alumina ceramics under quasi-static to dynamic contact impact. *Materials & Design*, 187, 108360.

Naghizadeh, Z., Faezipour, M., Hossein Pol, M., Liaghat, G., & Abdolkhani, A. (2020). High velocity impact response of carbon nanotubes-reinforced composite sandwich panels. *Journal of Sandwich Structures & Materials*, 22(2), 303-324.

Nia, A. A., & Kazemi, M. (2020). Experimental study of ballistic resistance of sandwich targets with aluminum face-sheet and graded foam core. *Journal of Sandwich Structures & Materials*, 22(2), 461-479.

Zhao, N., Ye, R., Tian, A., Cui, J., Ren, P., & Wang, M. (2020). Experimental and numerical investigation on the anti-penetration performance of metallic sandwich plates for marine applications. *Journal of Sandwich Structures & Materials*, 22(2), 494-522.

Arora, S., Majumdar, A., & Butola, B. S. (2020). Soft armour design by angular stacking of shear thickening fluid impregnated high-performance fabrics for quasi-isotropic ballistic response. *Composite Structures*, 233, 111720.

Cagle, C., Hill, K. J., Woodruff, C., Pantoya, M. L., Abraham, J., & Meakin, C. (2020). Target penetration and impact analysis of intermetallic projectiles. *International Journal of Impact Engineering*, 136, 103427.

Gilson, L., Rabet, L., Imad, A., & Coghe, F. (2020). Experimental and numerical assessment of non-penetrating impacts on a composite protection and ballistic gelatine. *International Journal of Impact Engineering*, 136, 103417.

Li, P. P., Brouwers, H. J. H., & Yu, Q. (2020). Influence of key design parameters of ultra-high performance fibre reinforced concrete on in-service bullet resistance. *International Journal of Impact Engineering*, 136, 103434.

Mallick, D. D., & Ramesh, K. T. (2020). Dynamic fragmentation of boron carbide using laser-driven flyers. *International Journal of Impact Engineering*, 136, 103416.

Guo, Z., & Chen, W. (2020). Using mechanoluminescence as a low-cost, non-destructive diagnostic method for transient polymer impact processes. *Measurement*, 151, 107173.

Tatar, A. B., Taşar, B., & Yakut, O. (2020). A shooting and control application of four-legged robots with a gun turret. *Arabian Journal for Science and Engineering*, 45(7), 5191-5206.

Antonenko, D. S., & Skvortsov, M. A. (2020). Ballistic correction to the density of states in an interacting three-dimensional metal. *Physical Review B*, 101(6), 064204.

Bajya, M., Majumdar, A., Butola, B. S., Verma, S. K., & Bhattacharjee, D. (2020). Design strategy for optimising weight and ballistic performance of soft body armour reinforced with shear thickening fluid. *Composites Part B: Engineering*, 183, 107721.

Qin, J., Guo, B., Zhang, L., Wang, T., Zhang, G., & Shi, X. (2020). Soft armor materials constructed with Kevlar fabric and a novel shear thickening fluid. *Composites Part B: Engineering*, 183, 107686.

Banisaeid, M. (2020). Effect of functionalized carbon nanotubes on the mechanical properties of epoxy-based composites. *Fullerenes, Nanotubes and Carbon Nanostructures*, 28(7), 582-588.

Coles, L. A., Roy, A., Sazhenkov, N., Voronov, L., Nikhamkin, M., & Silberschmidt, V. V. (2020). Ice vs. steel: Ballistic impact of woven carbon/epoxy composites. Part I–Deformation and damage behaviour. *Engineering Fracture Mechanics*, 225, 106270.

Coles, L. A., Roy, A., & Silberschmidt, V. V. (2020). Ice vs. steel: Ballistic impact of woven carbon/epoxy composites. Part II–Numerical modelling. *Engineering Fracture Mechanics*, 225, 106297.

Dorogoy, A., Godinger, A., & Rittel, D. (2020). Modelling ballistic perforation of soda-lime glass using ductile and brittle incubation time fracture criteria. *Engineering Fracture Mechanics*, 225, 106407.

Pacek, D., Kolodziejczak, P., Grzelak, K., Torzewski, J., & Podgorzak, P. (2020). The protective capability of the laser welded armour steel plates. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 234(5), 711-721.

Saleh, M., Luzin, V., Kariem, M. A., Thorogood, K., & Ruan, D. (2020). Experimental Measurements of Residual Stress in ARMOX 500T and Evaluation of the Resultant Ballistic Performance. *Journal of Dynamic Behavior of Materials*, 6(1), 78-95.

Liang, H., Jianying, W. A. N. G., Yonghai, W. A. N. G., Linlin, W. A. N. G., & Peng, L. I. U. (2020). Optimal guidance against active defense ballistic missiles via differential game strategies. *Chinese Journal of Aeronautics*, 33(3), 978-989.

Ahmadi, H., Liaghat, G., & Charandabi, S. C. (2020). High velocity impact on composite sandwich panels with nano-reinforced syntactic foam core. *Thin-Walled Structures*, 148, 106599.

Gürgen, S. (2020). Numerical modeling of fabrics treated with multi-phase shear thickening fluids under high velocity impacts. *Thin-Walled Structures*, 148, 106573.

Tiwari, G., Khaire, N., Iqbal, M. A., Gupta, P. K., & Gupta, N. K. (2020). Ballistic response of double layered 1100-H12 aluminium hemispherical shell structure. *Thin-Walled Structures*, 148, 106619.

Pham, Q. H., Ha-Minh, C., Chu, T. L., Kanit, T., & Imad, A. (2020). On microscopic and homogenized macroscopic analysis of one Kevlar® KM2 yarn under transverse compressive loading. *Mechanics Research Communications*, 104, 103496.

Garcia Filho, F. D. C., Oliveira, M. S., Pereira, A. C., Nascimento, L. F. C., Matheus, J. R. G., & Monteiro, S. N. (2020). Ballistic behavior of epoxy matrix composites reinforced with piassava fiber against high energy ammunition. *Journal of Materials Research and Technology*, 9(2), 1734-1741.

da Silva, A. O., Weber, R. P., Monteiro, S. N., Lima, A. M., Faria, G. S., da Silva, W. O., ... & Pinheiro, W. A. (2020). Effect of graphene oxide coating on the ballistic performance of aramid fabric. *Journal of Materials Research and Technology*, 9(2), 2267-2278.

Grujicic, M., Ramaswami, S., Snipes, J. S., & Dudt, P. (2020). Retracted: Potential improvement in helmet blast-protection via the use of a polyurea external coating: Combined experimental/computational analyses. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 234(3), 337-367.

Dursun, T. (2020). Effects of Projectile and Gun Parameters on the Dispersion. *Defence Science Journal*, 70(2).

Kim, Y., Moon, J. B., Cha, J., & Kim, C. G. (2020). Stacking order effect of hybrid bumper against high-velocity impact. *International Journal of Aeronautical and Space Sciences*, 21(1), 95-104.

Islam, M. R. I., Zheng, J. Q., & Batra, R. C. (2020). Ballistic performance of ceramic and ceramic-metal composite plates with JH1, JH2 and JHB material models. *International Journal of Impact Engineering*, 137, 103469.

Kristoffersen, M., Costas, M., Koenis, T., Brøtan, V., Paulsen, C. O., & Børvik, T. (2020). On the ballistic perforation resistance of additive manufactured AlSi10Mg aluminium plates. *International Journal of Impact Engineering*, 137, 103476.

Liu, Y. J., Jiang, Z., & Wen, H. M. (2020). Predicting impact induced delamination of FRP laminates. *International Journal of Impact Engineering*, 137, 103436.

McKee, P. J., & Wetzel, E. D. (2020). An overlay element method for accurate dynamic deflection prediction in knits subject to ballistic impact. *International Journal of Impact Engineering*, 137, 103457.

Nguyen, L. H., Ryan, S., Orifici, A. C., & Cimpoeru, S. J. (2020). A penetration model for semi-infinite composite targets. *International Journal of Impact Engineering*, 137, 103438.

Cha, J. H., Kim, Y., Kumar, S. K. S., Choi, C., & Kim, C. G. (2020). Ultra-high-molecular-weight polyethylene as a hypervelocity impact shielding material for space structures. *Acta Astronautica*, 168, 182-190.

Nasser, J., Groo, L., Zhang, L., & Sodano, H. (2020). Laser induced graphene fibers for multifunctional aramid fiber reinforced composite. *Carbon*, 158, 146-156.

Roohani, H., Gledhill, I. M. A., Mahomed, I., & Skews, B. W. (2020). Bow shock stand-off distance for subsonic decelerating bodies. *Shock Waves*, 30(2), 115-129.

Ahmad, I., Islam, M., Al Habis, N., & Parvez, S. (2020). Hot-pressed graphene nanoplatelets or/and zirconia reinforced hybrid alumina nanocomposites with improved

toughness and mechanical characteristics. *Journal of Materials Science & Technology*, 40, 135-145.

Zhang, B., Jiang, J. T., Liu, L., Shao, W. Z., & Zhen, L. (2020). Texture evolution and recrystallization mechanism in a Mg–3Al–1Zn alloy under ballistic impact. *Journal of Alloys and Compounds*, 816, 152599.

Cao, S., Pang, H., Zhao, C., Xuan, S., & Gong, X. (2020). The CNT/PSt-EA/Kevlar composite with excellent ballistic performance. *Composites Part B: Engineering*, 185, 107793.

Kim, Y., Kumar, S. K. S., Park, Y., Kwon, H., & Kim, C. G. (2020). High-velocity impact onto a high-frictional fabric treated with adhesive spray coating and shear thickening fluid impregnation. *Composites Part B: Engineering*, 185, 107742.

Li, X., Zang, Y., Mu, L., Lian, Y., & Qin, Q. (2020). Erosion analysis of machine gun barrel and lifespan prediction under typical shooting conditions. *Wear*, 444, 203177.

Liu, Q. Q., Wang, S. P., Lin, X., Cui, P., & Zhang, S. (2020). Numerical simulation on the anti-penetration performance of polyurea-core Weldox 460 E steel sandwich plates. *Composite Structures*, 236, 111852.

Madke, R. R., & Chowdhury, R. (2020). Anti-impact behavior of auxetic sandwich structure with braided face sheets and 3D re-entrant cores. *Composite Structures*, 236, 111838.

Yuan, Z., Wang, K., Qiu, J., Xu, Y., & Chen, X. (2020). A numerical study on the mechanisms of Dyneema® quasi-isotropic woven panels under ballistic impact. *Composite Structures*, 236, 111855.

Zhao, Y., Cao, M., Tan, H. X., Ridha, M., & Tay, T. E. (2020). Hybrid woven carbon-Dyneema composites under drop-weight and steel ball impact. *Composite Structures*, 236, 111811.

Gürgen, S. (2020). Low-velocity impact performance of UHMWPE composites consolidated with carbide particles. *Archives of Civil and Mechanical Engineering*, 20(2), 1-12.

Ishchenko, A. N., Akinshin, R. N., Borisenkov, I. L., Glazunov, A. A., Zhil'tsov, K. N., Kasimov, V. Z., ... & Chupashev, A. V. (2020). Mathematical Modeling of the Motion of Supercavitating Strikers at Underwater Start. *Journal of Engineering Physics and Thermophysics*, 93(1), 155-163.

Jo, M. C., Kim, S., Suh, D. W., Hong, S. S., Kim, H. K., Sohn, S. S., & Lee, S. (2020). Role of retained austenite on adiabatic shear band formation during high strain rate loading in high-strength bainitic steels. *Materials Science and Engineering: A*, 778, 139118.

Shasthri, S., & Kausalyah, V. (2020). Effect of ballistic impact on Ti6Al-4V titanium alloy and 1070 carbon steel bi-layer armour panel. *International Journal of Structural Integrity*.

Ransom, T. C., Gamache, R. M., Mason, B. P., Ladouceur, H. D., & Roland, C. M. (2020). Deformation Index Applied to Impact. *Rubber Chemistry and Technology*, 93(2), 261-273.

Xinjie, Z., Qunbo, F., Hong, Y., & Duoduo, W. (2020). Dynamic Mechanical Properties and Failure of Ti-4.5 Mo-5.1 Al-1.8 Zr-1.1 Sn-2.5 Cr-2.9 Zn Alloy. *Rare Metal Materials And Engineering*, 49(4), 1235-1241.

Yunfei, M., Pan, G., Fangwei, L., Huie, H., & Xinyun, W. (2020). Research Progress on the Tungsten Reinforced Bulk Metallic Glass Matrix Composites. *Rare Metal Materials And Engineering*, 49(4), 1445-1456.

Engelbrecht-Wiggans, A., Hoang, T. N., Bentley, V., Krishnamurthy, A., Kaplan, L., & Forster, A. L. (2020). Effect of Elevated Temperature and Humidity on Fibers Based on 5-amino-2-(p-aminophenyl) benzimidazole (PBI). *SN Applied Sciences*, 2(4), 1-22.

Tan, Q., Meng, C., Song, D., & Jiang, Z. (2020). Depth of penetration of steel-tube-confined concrete targets based on dynamic finite cylindrical cavity-expansion models. *SN Applied Sciences*, 2(4), 1-12.

Wang, W. Z., Chen, Z. G., Feng, S. S., & Zhao, T. Y. (2020). Experimental study on ceramic balls impact composite armor. *Defence Technology*, 16(2), 408-416.

Appleby-Thomas, G. J., Jaansalu, K., Hameed, A., Painter, J., Shackel, J., & Rowley, J. (2020). A comparison of the ballistic behaviour of conventionally sintered and additively manufactured alumina. *Defence Technology*, 16(2), 275-282.

Zhou, F., Liu, N., Zhang, X. Y., & You, X. D. (2020). 1D study of the detonation phenomenon and its influence on the interior ballistics of the combustion light gas gun. *Defence Technology*, 16(2), 341-347.

Lin, Q. H., & Li, B. M. (2020). Numerical simulation of dynamic large deformation and fracture damage for solid armature in electromagnetic railgun. *Defence Technology*, 16(2), 348-353.

Li, X., Mu, L., Zang, Y., & Qin, Q. (2020). Study on performance degradation and failure analysis of machine gun barrel. *Defence Technology*, 16(2), 362-373.

Konca, E. (2020). A Comparison of the Ballistic Performances of Various Microstructures in MIL-A-12560 Armor Steel. *Metals*, 10(4), 446.

Fras, T., Roth, C. C., & Mohr, D. (2020). Application of two fracture models in impact simulations. Bulletin of the Polish Academy of Sciences. *Technical Sciences*, 68(2).

Khodadadi, A., Liaghat, G., Shahgholian-Ghahfarokhi, D., Chizari, M., & Wang, B. (2020). Numerical and experimental investigation of impact on bilayer aluminum-rubber composite plate. *Thin-Walled Structures*, 149, 106673.

Jiang, H., Ghods, S., Weller, E., Waddell, S., Ossa, E. A., Yang, F., & Arola, D. (2020). Contributions of intermolecular bonding and lubrication to the mechanical behavior of a natural armor. *Acta Biomaterialia*, 106, 242-255.

Günen, A., Bayar, S., & Karakaş, M. S. (2020). Effect of different arc welding processes on the metallurgical and mechanical properties of Ramor 500 armor steel. *Journal of Engineering Materials and Technology*, 142(2).

Ren, Y., Zhou, S., & Wang, Z. (2020). Influence of shock pre-strain on the dynamic mechanical behavior and adiabatic shearing failure of the Ti-6Al-4V alloy with lamellar microstructure. *Engineering Failure Analysis*, 111, 104500.

Saxena, A., Kumaraswamy, A., Dwivedi, S. P., Srivastava, A. K., & Maurya, N. K. (2020). Experimental and computational investigation on dynamic fracture toughness (J1d) behavior of multi-pass SMA armor steel weldments. *Theoretical and Applied Fracture Mechanics*, 106, 102502.



Zhao, Z., Dang, H., Liu, P., Guo, Z., Zhang, C., & Li, Y. (2020). On the impact failure behavior of triaxially braided composites subjected to metallic plate projectile. *Composites Part B: Engineering*, 186, 107816.

Aghamohammadi, H., Eslami-Farsani, R., & Tcharkhtchi, A. (2020). The effect of multi-walled carbon nanotubes on the mechanical behavior of basalt fibers metal laminates: an experimental study. *International Journal of Adhesion and Adhesives*, 98, 102538.

Gollins, K., Elvin, N., & Delale, F. (2020). Characterization of adhesive joints under high-speed normal impact: Part I—Experimental studies. *International Journal of Adhesion and Adhesives*, 98, 102529.

Vila-Ortega, J., Ridruejo, A., & Martínez-Hergueta, F. (2020). Multiscale numerical optimisation of hybrid metal/nonwoven shields for ballistic protection. *International Journal of Impact Engineering*, 138, 103478.

Wang, B., Zhou, B., & Zhang, X. (2020). A high toughness and light weight armor structure bioinspired design based on a bovine hoof wall. *Materials Letters*, 264, 127296.

Toksoy, A. K., Arıkan, V., Karakuzu, R., Arman, Y., & Gören, A. (2020). Experimental study on spall behavior of single and multi-plate composites behind armor subjected to shaped charge. *Journal of Composite Materials*, 54(24), 3491-3499.

Santos, T. F., Santos, C. M., Fonseca, R. T., Melo, K. M., Aquino, M. S., Oliveira, F. R., & Medeiros, J. I. (2020). Experimental analysis of the impact protection properties for Kevlar® fabrics under different orientation layers and non-Newtonian fluid compositions. *Journal of Composite Materials*, 54(24), 3515-3526.

Saxena, A., Kumaraswamy, A., Dwivedi, S. P., Srivastava, A. K., Maurya, N. K., & Pandey, M. (2020). Experimental and numerical investigation of quasi-static ( $10^{-3}$  s– 1) fracture behavior of armor steel. *Arabian Journal for Science and Engineering*, 45(7), 5623-5629.

Ivañez, I., Sánchez-Saez, S., Garcia-Castillo, S. K., Barbero, E., Amaro, A. M., & Reis, P. N. (2020). Impact response of repaired sandwich structures. *Polymer Composites*, 41(8), 3014-3022.

Gregori, D., Scazzosi, R., Nunes, S. G., Amico, S. C., Giglio, M., & Manes, A. (2020). Analytical and numerical modelling of high-velocity impact on multilayer alumina/aramid fiber composite ballistic shields: Improvement in modelling approaches. *Composites Part B: Engineering*, 187, 107830.

Wu, C., Li, Y. K., & Wan, C. L. (2020). Reactive-sintering B4C matrix composite for armor applications. *Rare Metals*, 39(5), 529-544.

Niero Fabris, D. C., Polla, M. B., Acordi, J., Luza, A. L., Bernardin, A. M., De Noni Jr, A., & Klegues Montedo, O. R. (2020). Effect of MgO center dot Al<sub>2</sub>O<sub>3</sub> center dot SiO<sub>2</sub> glass-ceramic as sintering aid on properties of alumina armors. *Materials Science And Engineering A-Structural Materials Properties Microstructure And Processing*, 781.

Muskeri, S., Choudhuri, D., Jannotti, P. A., Schuster, B. E., Lloyd, J. T., Mishra, R. S., & Mukherjee, S. (2020). Ballistic Impact Response of Al<sub>0.1</sub>CoCrFeNi High-Entropy Alloy. *Advanced Engineering Materials*, 22(6), 2000124.

Cao, Y., Zhao, S., Sun, L., He, W., & Ma, J. (2020). Experimental and simulated research on the ballistic performance of Ti/Al<sub>3</sub>Ti laminate composites. *Advanced Composites Letters*, 29, 2633366X20920884.

Yuan, M., Yao, Y., Han, F., & Wang, Z. (2020). Evaluation of the compressive and anti-penetration properties of Ti-Al<sub>3</sub>Ti-Al laminated composites. *Advanced Composites Letters*, 29, 2633366X20921874.

Liu, Y., Yin, C., Hu, X., & Yuan, M. (2020). Ballistic limit velocity of tungsten alloy spherical fragment penetrating Ti/Al<sub>3</sub>Ti-laminated composite target plates. *Advanced Composites Letters*, 29, 2633366X20922242.

Chen, S. H., Souna, A. J., Soles, C. L., Stranick, S. J., & Chan, E. P. (2020). Using microprojectiles to study the ballistic limit of polymer thin films. *Soft matter*, 16(16), 3886-3890.

Shtertser, A. A., Zlobin, B. S., Kiselev, V. V., Shemelin, S. D., & Bukatnikov, P. A. (2020). Characteristics of Reinforced Ultra-High Molecular Weight Polyethylene During Its Ballistic Penetration. *Journal of Applied Mechanics and Technical Physics*, 61(3), 471-478.

Bragov, A. M., Chuvil'deev, V. N., Melekhin, N. V., Boldin, M. S., Balandin, V. V., Nokhrin, A. V., & Popov, A. A. (2020). Experimental Study of Dynamic Strength of Aluminum Oxide Based Fine-Grained Ceramics Obtained by Spark Plasma Sintering. *Journal of Applied Mechanics and Technical Physics*, 61(3), 494-500.

Khan, M. A., Wang, Y., Yasin, G., Nazeer, F., Malik, A., Ahmad, T., ... & Afifi, M. A. (2020). Adiabatic shear band localization in an Al–Zn–Mg–Cu alloy under high strain rate compression. *Journal of Materials Research and Technology*, 9(3), 3977-3983.

Santos, T. F., Santos, C. M., Aquino, M. S., Oliveira, F. R., & Medeiros, J. I. (2020). Statistical study of performance properties to impact of Kevlar® woven impregnated with Non-Newtonian Fluid (NNF). *Journal of Materials Research and Technology*, 9(3), 3330-3339.

Burley, M., & Clyne, T. W. (2020). Evaluation of the fracture energy of magnesium via ballistic impact experiments. *Materialia*, 10, 100652.

Moraes, C. V., Demétrio da Silva, V., Castegnaro, M. V., Morais, J., Schrekker, H. S., & Amico, S. C. (2020). Lightweight composites through imidazolium ionic liquid enhanced aramid–epoxy resin interactions. *ACS Applied Polymer Materials*, 2(5), 1754-1763.

Joshi, B., Gyawali, G., & Lee, S. W. (2020). Recent advances in transparent/translucent polycrystalline Sialon ceramics. *Letters on Materials*, 10(2), 158-163.

Wang, Y., Yu, Y., Wang, C., Zhou, G., Karamoozian, A., & Zhao, W. (2020). On the out-of-plane ballistic performances of hexagonal, reentrant, square, triangular and circular honeycomb panels. *International Journal of Mechanical Sciences*, 173, 105402.

Nas, E. (2020). Analysis of the electrical discharge machining (EDM) performance on Ramor 550 armor steel. *Materials Testing*, 62(5), 481-491.

Popławski, A., Kędzierski, P., & Morka, A. (2020). Identification of Armox 500T steel failure properties in the modeling of perforation problems. *Materials & Design*, 190, 108536.

Huang, X., Kong, X., Hu, J., Zhang, X., Zhang, Z., & Fang, Q. (2020). The influence of free water content on ballistic performances of concrete targets. *International Journal of Impact Engineering*, 139, 103530.

Wang, Y., Chen, X., Xiao, X., Vershinin, V. V., Ge, R., & Li, D. S. (2020). Effect of Lode angle incorporation into a fracture criterion in predicting the ballistic resistance of 2024-T351 aluminum alloy plates struck by cylindrical projectiles with different nose shapes. *International Journal of Impact Engineering*, *139*, 103498.

Xing, H. Z., Zhao, J., Wu, G., Ruan, D., Dekhoda, S., Lu, G. X., & Zhang, Q. B. (2020). Perforation model of thin rock slab subjected to rigid projectile impact at an intermediate velocity. *International Journal of Impact Engineering*, *139*, 103536.

Shepelev, I. A., Chetverikov, A. P., Dmitriev, S. V., & Korznikova, E. A. (2020). Shock waves in graphene and boron nitride. *Computational Materials Science*, *177*, 109549.

Aydin, M., Apalak, M. K., & Gül Apalak, Z. (2020). Experimental study on structure optimization of functionally graded sandwich plates under ballistic impact. *Journal of Composite Materials*, *54*(26), 3967-3980.

Abed, M. S., Ahmed, P. S., Oleiwi, J. K., & Fadhil, B. M. (2020). Low velocity impact of Kevlar and ultra high molecular weight polyethylene (UHMWPE) reinforced epoxy composites. *Multidiscipline Modeling in Materials and Structures*.

Zhang, C., Zhu, Q., Wang, Y., & Ma, P. (2020). Finite element simulation of tensile preload effects on high velocity impact behavior of fiber metal laminates. *Applied Composite Materials*, *27*(3), 251-268.

Ishchenko, A. N., Burkin, V. V., Kasimov, V. Z., Afanas'Eva, S. A., D'yachkovskii, A. S., & Rogaev, K. S. (2020). Development of a mathematical model of intraballistic processes for a gun-start of a group of supercavitating strikers. *Journal of Engineering Physics and Thermophysics*, *93*(2), 436-442.

Ahmed, S., Zheng, X., Zhang, D., & Yan, L. (2020). Impact response of carbon/kevlar hybrid 3D woven composite under high velocity impact: experimental and numerical study. *Applied Composite Materials*, *27*(3), 285-305.

Jo, M. C., Kim, S., Park, H. K., Hong, S. S., Kim, H. K., Kim, H. S., & Lee, S. (2020). Forecast of adiabatic shear band formation in two commercial ultra-high-strength armor steels by split Hopkinson pressure bar. *Metallurgical and Materials Transactions A*, *51*(7), 3384-3391.

Wei, Q., Gu, B., & Sun, B. (2020). Ballistic penetration damages and energy absorptions of stacked cross-ply composite fabrics and laminated panels. *International Journal of Damage Mechanics*, *29*(9), 1465-1484.

Adetu, C., Nastasescu, V., Adetu, A. E., & Vladulescu, F. (2020). Upon Using of Plastics Layer in Light Multilayered Armor. *Materiale Plastice*, *57*(2), 265-275.

Hasan, M. (2020). Penetration Mechanics of GLARE™ Fiber-Metal Laminates upon Collision with Micrometeoroids. *Journal of Dynamic Behavior of Materials*, *6*(2), 170-185.

Stewart, M. G., & Netherton, M. D. (2020). Statistical variability and fragility assessment of ballistic perforation of steel plates for 7.62 mm AP ammunition. *Defence Technology*, *16*(3), 503-513.

Baranowski, P., Małachowski, J., & Mazurkiewicz, Ł. (2020). Local blast wave interaction with tire structure. *Defence Technology*, *16*(3), 520-529.

Zhang, R., Rui, X., Li, C., Wang, Y., Zhao, X., & Dong, X. (2020). A calculation method of interior ballistic two-phase flow considering the compression and fracture process of propellant bed. *International Communications in Heat and Mass Transfer*, *115*, 104601.

Luo, D., Wang, Y., Wang, F., Cheng, H., Zhang, B., & Zhu, Y. (2020). The influence of metal cover plates on ballistic performance of silicon carbide subjected to large-scale tungsten projectile. *Materials & Design*, *191*, 108659.

Sahoo, S. K., Mishra, S., Islam, E., & Nebhani, L. (2020). Tuning shear thickening behavior via synthesis of organically modified silica to improve impact resistance of Kevlar fabric. *Materials Today Communications*, *23*, 100892.

Karakoç, H., Ulutaş, A., & Çinici, H. (2020). B<sub>4</sub>C/SiC/Al<sub>2</sub>O<sub>3</sub> particle reinforced aluminum sandwich foam and ramor 500 armor steel to be combined and investigation of the ballistic performance. *Journal of Polytechnic-Politeknik Dergisi*, (23)2.

Pul, M., & Baydaroglu, V. (2020). Investigation of mechanical properties of B<sub>4</sub>C/SiC additive aluminum based composites and modeling of their ballistic performances. *Journal of Polytechnic-Politeknik Dergisi*, (23)2.

Choudhary, S., Singh, P. K., Khare, S., Kumar, K., Mahajan, P., & Verma, R. K. (2020). Ballistic impact behaviour of newly developed armour grade steel: an experimental and numerical study. *International Journal of Impact Engineering*, *140*, 103557.

Liu, L., Yang, Z., Zhao, Z., Liu, X., & Chen, W. (2020). The influences of rheological property on the impact performance of kevlar fabrics impregnated with SiO<sub>2</sub>/PEG shear thickening fluid. *Thin-Walled Structures*, *151*, 106717.

Guo, Z., & Chen, W. (2020). A merit parameter to determine the stacking order of heterogeneous diphasic soft armor systems. *Composite Structures*, *241*, 112086.

Kacan, Y. O., & Elaldi, F. (2020). Ballistic performance of unidirectionally oriented carbon fiber reinforced composite armor with high-velocity impact. *Journal of Reinforced Plastics and Composites*, *39*(19-20), 733-741.

Hassanpour Roudbeneh, F., Liaghat, G., Sabouri, H., & Hadavinia, H. (2020). High-velocity impact loading in honeycomb sandwich panels reinforced with polymer foam: a numerical approach study. *Iranian Polymer Journal*, *29*(8), 707-721.

Doğankaya, E., Kahya, M., & Özgür Ünver, H. (2020). Abrasive water jet machining of UHMWPE and trade-off optimization. *Materials and Manufacturing Processes*, *35*(12), 1339-1351.

Arhore, E. G., & Yasae, M. (2020). Lay-up optimisation of fibre-metal laminates panels for maximum impact absorption. *Journal of Composite Materials*, *54*(29), 4591-4609.

Malciu, A., Puica, C., Pupaza, C., Pintilie, D., & Iancu, F. (2020). Research on the mitigation of shaped charge effect. *In Proc. Rom. Acad. Ser. A* (Vol. 21, pp. 273-282).

Tang, E., Yin, H., Chen, C., Han, Y., & Feng, M. (2020). Simulation of CFRP/aluminum foam sandwich structure under high velocity impact. *Journal of Materials Research and Technology*, *9*(4), 7273-7287.

da Luz, F. S., Garcia Filho, F. D. C., Del-Rio, M. T. G., Nascimento, L. F. C., Pinheiro, W. A., & Monteiro, S. N. (2020). Graphene-incorporated natural fiber polymer composites: A first overview. *Polymers*, *12*(7), 1601.

JE, P. C., Sultan, M. T., Selvan, C. P., Irulappasamy, S., Mustapha, F., Basri, A. A., & Safri, S. N. (2020). Manufacturing challenges in self-healing technology for polymer composites—A review. *Journal of Materials Research and Technology*, 9(4), 7370-7379.

Abteu, M. A., Boussu, F., Bruniaux, P., Loghin, C., & Cristian, I. (2020). Enhancing the ballistic performances of 3D warp interlock fabric through internal structure as new material for seamless female soft body armor development. *Applied Sciences*, 10(14), 4873.

Zhang, K., Li, W., Zheng, Y., Yao, W., & Zhao, C. (2020). Dynamic constitutive model of ultra-high molecular weight polyethylene (UHMWPE): Considering the temperature and strain rate effects. *Polymers*, 12(7), 1561.

Zhang, H., Tong, L., & Addo, M. A. (2020). Mechanical Analysis of Flexible Riser with Carbon Fiber Composite Tension Armor. *Journal of Composites Science*, 5(1), 3.

Ding, L., Zhou, J., Ran, X., Tang, W., Xue, X., & Zhao, Y. (2020). Theoretical Model of Radial Scattering Velocity of Fragments of the Reactive Core PELE Projectile. *Symmetry*, 12(7), 1190.

Trębiński, R., Janiszewski, J., Leciejewski, Z., Surma, Z., & Kamińska, K. (2020). On influence of mechanical properties of gun propellants on their ballistic characteristics determined in closed vessel tests. *Materials*, 13(14), 3243.

Zhang, X., Li, T. T., Peng, H. K., Wang, Z., Huo, J., Lou, C. W., & Lin, J. H. (2020). Synergistic effects of needle punching and shear-thickening fluid on sandwich-structured composites made of nonwoven and woven fabrics. *Fibers and Polymers*, 21(7), 1515-1522.

Zhang, X., Li, T. T., Peng, H. K., Wang, Z., Huo, J., Lou, C. W., & Lin, J. H. (2020). Synergistic effects of needle punching and shear-thickening fluid on sandwich-structured composites made of nonwoven and woven fabrics. *Fibers and Polymers*, 21(7), 1515-1522.

Bulanov, Y. I., Kurdenkova, A. V., & Shustov, Y. S. (2020). Influence of External Factors on the Cutting Load and Puncture Force for Ballistic Fabrics. *Fibre Chemistry*, 51(6), 455-458.

Heinze, D. A., & Carastan, D. J. (2020). The influence of fumed silica content, dispersion energy, and humidity on the stability of shear thickening fluids. *Rheologica Acta*, 59(7), 455-468.

Kamran, M., Wu, F., Xue, P., & Min, R. (2020). New numerical modeling for impact dynamics behavior of composite honeycomb sandwich structures. *Journal of Aerospace Engineering*, 33(4), 04020016.

Patterson, B. A., Busch, C. E., Bratcher, M., Cline, J., Harris, D. E., Masser, K. A., ... & Knorr Jr, D. B. (2020). Influence of temperature dependent matrix properties on the high-rate impact performance of thin glass fiber reinforced composites. *Composites Part B: Engineering*, 192, 108009.

Masri, R., & Durban, D. (2020). Comparison of experimental and numerical simulation data for ballistic velocities of aluminium plates with predictions of available analytical formulae. *International Journal of Impact Engineering*, 141, 103563.

Nguyen, T. T. N., Meek, G., Breeze, J., & Masouros, S. D. (2020). Gelatine Backing affects the performance of single-layer Ballistic-Resistant materials against blast fragments. *Frontiers in bioengineering and biotechnology*, 8, 744.

Lian, Y., Yu, H., Wang, M., Yang, X., Li, Z., Yang, F., ... & Tao, G. (2020). A multifunctional wearable E-textile via integrated nanowire-coated fabrics. *Journal of Materials Chemistry C*, 8(25), 8399-8409.

Athira, C. M., Rajesh, G., Mohanan, S., & Parthasarathy, A. (2020). Flow interactions on supersonic projectiles in transitional ballistic regimes. *Journal of Fluid Mechanics*, 894.

Hemath, M., Mavinkere Rangappa, S., Kushvaha, V., Dhakal, H. N., & Siengchin, S. (2020). A comprehensive review on mechanical, electromagnetic radiation shielding, and thermal conductivity of fibers/inorganic fillers reinforced hybrid polymer composites. *Polymer Composites*, 41(10), 3940-3965.

Cao, Y. Y. Y., Li, P. P., Brouwers, H. J. H., & Yu, Q. L. (2020). Resistance of multi-layered UHPFRC against in-service projectile: Experimental investigation and modelling prediction. *Composite Structures*, 244, 112295.

Harding, I., Mouton, I., Gault, B., & Kumar, K. S. (2020). Microstructural evolution in an Fe-10Ni-0.1 C steel during heat treatment and high strain-rate deformation. *Metallurgical and Materials Transactions A*, 51(10), 5056-5076.

Lambert, P. K., Hustedt, C. J., Casem, D. T., Sinclair, N., Zhang, X. J., Lee, K. M., ... & Hufnagel, T. C. (2020). Strain-rate dependence of the martensitic transformation behavior in a 10 Pct Ni multi-phase steel under compression. *Metallurgical and Materials Transactions A*, 51(10), 5101-5109.

Schonberg, W. P. (2020). Improved ballistic limit equations for high-speed non-aluminum projectiles impacting aluminum dual-wall spacecraft systems. *SN Applied Sciences*, 2(8), 1-11.

Belgacemi, R., Derradji, M., Trache, D., Mouloud, A., Zegaoui, A., Mehelli, O., & Khiari, K. (2020). Effects of silane surface modified alumina nanoparticles on the mechanical, thermomechanical, and ballistic impact performances of epoxy/oxidized UHMWPE composites. *Polymer Composites*, 41(11), 4526-4537.

Cao, Y. Y. Y., Yu, Q., Tang, W. H., & Brouwers, H. J. H. (2020). Numerical investigation on ballistic performance of coarse-aggregated layered UHPFRC. *Construction and Building Materials*, 250, 118867.

Xie, W., Yang, F., Meng, S., Scarpa, F., & Wang, L. (2020). Perforation of needle-punched carbon-carbon composites during high-temperature and high-velocity ballistic impacts. *Composite Structures*, 245, 112224.

Hua-zhen WEI, Wei-hua ZHONG, Guang YU. Research and application progress of polymer composites in armor protection[J]. *Journal of Materials Engineering*, 2020, 48(8): 25-32.

de Mendonça Neuba, L., Pereira Junio, R. F., Ribeiro, M. P., Souza, A. T., de Sousa Lima, E., Garcia Filho, F. D. C., ... & Monteiro, S. N. (2020). Promising mechanical, thermal, and ballistic properties of novel epoxy composites reinforced with *Cyperus malaccensis* sedge fiber. *Polymers*, 12(8), 1776.

Zhang, B., Wang, Y., Du, S., Yang, Z., Cheng, H., & Fan, Q. (2020). Influence of backing plate support conditions on armor ceramic protection efficiency. *Materials*, 13(15), 3427.

Martínez-Hergueta, F., Pellegrino, A., Ridruejo, Á., Petrinic, N., González, C., & LLorca, J. (2020). Dynamic Tensile Testing of Needle-Punched Nonwoven Fabrics. *Applied Sciences*, *10*(15), 5081.

Lainé, S. J., Knowles, K. M., & Rugg, D. (2020). Very high strain rate deformation twinning behaviour of Ti–6Al–4V. *Materialia*, *12*, 100762.

Han, R. G., Qu, Y. J., Yan, W. M., Qin, B., Wang, S., & Wang, J. Z. (2020). Experimental study of transient pressure wave in the behind armor blunt trauma induced by different rifle bullets. *Defence Technology*, *16*(4), 900-909.

Rajole, S., Ravishankar, K. S., & Kulkarni, S. M. (2020). Performance study of jute-epoxy composites/sandwiches under normal ballistic impact. *Defence Technology*, *16*(4), 947-955.

Chen, F., Chen, R., & Jiang, B. (2020). The adaptive finite element material point method for simulation of projectiles penetrating into ballistic gelatin at high velocities. *Engineering Analysis with Boundary Elements*, *117*, 143-156.

Taherzadeh-Fard, A., Liaghat, G., Ahmadi, H., Razmkhah, O., Charandabi, S. C., Zarezadeh-mehrizi, M. A., & Khodadadi, A. (2020). Experimental and numerical investigation of the impact response of elastomer layered fiber metal laminates (EFMLs). *Composite Structures*, *245*, 112264.

Alonso, L., Martínez-Hergueta, F., Garcia-Gonzalez, D., Navarro, C., García-Castillo, S. K., & Teixeira-Dias, F. (2020). A finite element approach to model high-velocity impact on thin woven GFRP plates. *International Journal of Impact Engineering*, *142*, 103593.

Haris, A., & Tan, V. B. C. (2020). Experimental study on compaction effects on the ballistic resistance of sandbags. *International Journal of Impact Engineering*, *142*, 103609.

Liu, J. L., Singh, A. K., Lee, H. P., Tay, T. E., & Tan, V. B. C. (2020). The response of bio-inspired helicoidal laminates to small projectile impact. *International Journal of Impact Engineering*, *142*, 103608.

Şahin, Ç., & Özdemir, A. (2020). Namlularda değişken yiv-set eğrisinin kararlılık faktörü ve set torkuna etkisi. *İmalat Teknolojileri ve Uygulamaları*, *2*(1), 1-13.

Eldar, R. (2020). A quantitative analysis model of thoracic flexibility for wearable personal protection equipment. *International Journal on Interactive Design and Manufacturing (IJIDeM)*, *14*(3), 887-898.

KG, A. (2020). Mechanical, ballistic impact, and water absorption behavior of luffa/graphene reinforced epoxy composites. *Polymer Composites*, *41*(11), 4716-4726.

Jo, M. C., Kim, S., Suh, D. W., Hong, S. S., Kim, H. K., Sohn, S. S., & Lee, S. (2020). Effect of tempering conditions on adiabatic shear banding during dynamic compression and ballistic impact tests of ultra-high-strength armor steel. *Materials Science and Engineering: A*, *792*, 139818.

Dewangan, M. K., & Panigrahi, S. K. (2020). Multi-scale modeling of three-dimensional angle interlock woven composite subjected to ballistic impact using FEM. *Polymers for Advanced Technologies*, *31*(12), 3079-3094.

Feng, J., Sun, W., Wang, L., Chen, L., Xue, S., & Li, W. (2020). Terminal ballistic and static impactive loading on thick concrete target. *Construction and Building Materials*, 251, 118899.

Cai, J., & Thevamaran, R. (2020). Superior energy dissipation by ultrathin semicrystalline polymer films under supersonic microprojectile impacts. *Nano letters*, 20(8), 5632-5638.

Veysset, D., Sun, Y., Lem, J., Kooi, S. E., Maznev, A. A., Cole, S. T., ... & Nelson, K. A. (2020). High-strain-rate behavior of a viscoelastic gel under high-velocity microparticle impact. *Experimental Mechanics*, 60(9), 1179-1186.

Dharmavarapu, P., & Reddy, M. B. S. (2020). Failure analysis of silane-treated Kevlar-reinforced nano-silica-toughened epoxy composite in laminar shear strength, drop load impact and drilling process. *Journal of Failure Analysis and Prevention*, 20(5), 1719-1725.

Purnomo, H., & Kurnia, F. (2020). An Analysis of Body Armor Sizing and the Development of an Existing Sizing System for the Indonesian National Army. *Engineering Letters*, 28(3).

Signetti, S., Bosia, F., Ryu, S., & Pugno, N. M. (2020). A combined experimental/numerical study on the scaling of impact strength and toughness in composite laminates for ballistic applications. *Composites Part B: Engineering*, 195, 108090.

Chepkov, I. B., Hurnovych, A. V., Lapyts'kyi, S. V., Oliiarnyk, B. O., Trofymenko, V. H., & Maistrenko, O. A. (2020). Method of Conversion for the Ballistic Coefficient of Bullets. *Strength of Materials*, 52(3), 419-422.

Kumar, S., Akella, K., Joshi, M., Tewari, A., & Naik, N. K. (2020). Performance of ceramic-composite armors under ballistic impact loading. *Journal of Materials Engineering and Performance*, 29(9), 5625-5637.

Kraus, A. E., Kraus, E. I., & Shabalin, I. I. (2020). Impact resistance of ceramics in a numerical experiment. *Journal of Applied Mechanics and Technical Physics*, 61(5), 847-854.

Qurix, W. B., Edomwonyi-Otu, L. C., Aremu, J. K., Ibeh, G. J., Bawa, S. G., & Jise, D. (2020). The application of waste brass cartridges for gamma radiation shields and bullet proofing. *Journal of Materials Research and Technology*, 9(5), 9831-9837.

Nascimento, R. F., da Silva, A. O., Weber, R. P., & Monteiro, S. N. (2020). Influence of UV radiation and moisture associated with natural weathering on the ballistic performance of aramid fabric armor. *Journal of Materials Research and Technology*, 9(5), 10334-10345.

Zarei, M., & Aalaie, J. (2020). Application of shear thickening fluids in material development. *Journal of Materials Research and Technology*, 9(5), 10411-10433.

Khan, M. A., Wang, Y., Cheng, H., Yasin, G., Malik, A., Nazeer, F., ... & Afifi, M. A. (2020). Microstructure evolution of an artificially aged Al-Zn-Mg-Cu alloy subjected to soft and hard-steel core projectiles. *Journal of Materials Research and Technology*, 9(5), 11980-11992.

Zhu, X., Fan, Q., Wang, D., Gong, H., Yu, H., & Yuan, J. (2020). The Microstructural Difference and Its Influence on the Ballistic Impact Behavior of a Near  $\beta$ -Type Ti<sub>5</sub>.<sub>1</sub>Al<sub>2</sub>.<sub>5</sub>Cr<sub>0</sub>.<sub>5</sub>Fe<sub>4</sub>.<sub>5</sub>Mo<sub>1</sub>.<sub>1</sub>Sn<sub>1</sub>.<sub>8</sub>Zr<sub>2</sub>.<sub>9</sub>Zn Titanium Alloy. *Materials*, 13(18), 4006.



Lin, T. R., Lin, Y. Y., Lin, T. A., Jhang, J. C., Lou, C. W., & Lin, J. H. (2020). Effects of heat treatments on puncture resistant properties of polyamine and polyamide-based nonwoven fabrics. *Fibers and Polymers*, 21(9), 2118-2124.

Luz, F. S. D., Garcia Filho, F. D. C., Oliveira, M. S., Nascimento, L. F. C., & Monteiro, S. N. (2020). Composites with natural fibers and conventional materials applied in a hard armor: A comparison. *Polymers*, 12(9), 1920.

Prasanth, A. S., Ramesh, R., & Kavinesh Sankaar, T. S. (2020). Ballistic Testing and Simulation of Co-continuous Ceramic Composite for Body Armour. *International Journal of Engineering*, 33(9), 1792-1796.

Yuan, M., Yao, Y., Han, F., Xin, L., & Shen, X. (2020). Effects of ductile Al on the anti-penetration performance of the Ti-Al<sub>3</sub>Ti Laminated Composites. *Results in Physics*, 18, 103308.

Ahmed, K., Malik, A. Q., Hussain, A., Ahmad, I. R., & Ahmad, I. (2020). Lightweight protective configurations against blast and fragments impact: Experimental and numerical studies. *AIP Advances*, 10(9), 095221.

Khan, M. K., Iqbal, M. A., Bratov, V., Morozov, N. F., & Gupta, N. K. (2020). An investigation of the ballistic performance of independent ceramic target. *Thin-Walled Structures*, 154, 106784.

Yu, H., Fan, Q., & Zhu, X. (2020). Effect of the Layer Sequence on the Ballistic Performance and Failure Mechanism of Ti6Al4V/CP-Ti Laminated Composite Armor. *Materials*, 13(17), 3886.

Amaro, A. M., Reis, P. N. B., Ivañez, I., Sánchez-Saez, S., Garcia-Castillo, S. K., & Barbero, E. (2020). The High-velocity impact behaviour of Kevlar composite laminates filled with cork powder. *Applied Sciences*, 10(17), 6108.

Bao, J., Wang, Y., An, R., Zhang, B., Cheng, H., & Wang, F. (2020). The Effect of Interlayer Materials on Ceramic Damage in SiC/Al Composite Structure. *Materials*, 13(17), 3709.

Khaire, N., & Tiwari, G. (2020). Ballistic response of hemispherical sandwich shell structure against ogive nosed projectile. *Thin-Walled Structures*, 154, 106869.

Rijensky, O., & Rittel, D. (2020). Experimental investigation of polyurea coated aluminum plates under strong hydrodynamic shocks. *Thin-Walled Structures*, 154, 106833.

Meng, S., Taddei, L., Lebaal, N., Veysset, D., & Roth, S. (2020). Modeling micro-particles impacts into ballistic gelatine using smoothed particles hydrodynamics method. *Extreme Mechanics Letters*, 39, 100852.

Wang, X., & Hassani, M. (2020). Ultra-high strain rate constitutive modeling of pure titanium using particle impact test. *Journal of Applied Mechanics*, 87(9).

Tryggvason, H., Starker, F., Lecomte, C., & Jonsdottir, F. (2020). Variable stiffness prosthetic foot based on rheology properties of shear thickening fluid. *Smart Materials and Structures*, 29(9), 095008.

Chu, Y., Rahman, M. R., Min, S., & Chen, X. (2020). Experimental and numerical study of inter-yarn friction affecting mechanism on ballistic performance of Twaron® fabric. *Mechanics of Materials*, 148, 103421.

Cline, J., & Love, B. (2020). The effect of in-plane shear properties on the ballistic performance of polyethylene composites. *International Journal of Impact Engineering*, *143*, 103592.

Kazarinov, N. A., Bratov, V. A., Morozov, N. F., Petrov, Y. V., Balandin, V. V., Iqbal, M. A., & Gupta, N. K. (2020). Experimental and numerical analysis of PMMA impact fracture. *International Journal of Impact Engineering*, *143*, 103597.

Li, J., Ma, T., Huang, C., Huang, X., Kang, Y., Long, Z., & Liu, M. (2020). Protective mechanism of helmet under far-field shock wave. *International Journal of Impact Engineering*, *143*, 103617.

Zobeiry, N., Lee, A., & Mobuchon, C. (2020). Fabrication of transparent advanced composites. *Composites Science and Technology*, *197*, 108281.

Dubey, R., Jayaganthan, R., Ruan, D., & Velmurugan, R. (2021). Behavior of thermo-mechanically processed AA 6082 aluminium alloy impacted by conical projectiles. *Journal of Dynamic Behavior of Materials*, *7*(1), 48-59.

Viscusi, A., Bruno, M., Esposito, L., & Testa, G. (2020). An experimental/numerical study of bonding mechanism in cold spray technology for metals. *The International Journal of Advanced Manufacturing Technology*, *110*(9), 2787-2800.

Yan, R., Zhang, Q., Shi, B., Qin, Z., Wei, S., & Jia, L. (2020). Investigating the integral-structure of HRBP/CHP/CF consisting of non-woven flexible inter/intra-ply hybrid composites: Compression, puncture-resistance, electromagnetic interference shielding effectiveness. *Composite Structures*, *248*, 112501.

Ivañez, I., Sánchez-Saez, S., Garcia-Castillo, S. K., Barbero, E., Amaro, A., & Reis, P. N. B. (2020). High-velocity impact behaviour of damaged sandwich plates with agglomerated cork core. *Composite Structures*, *248*, 112520.

Huang, C., Chen, J., Bai, S., Li, S., Tang, Y., Liu, X., & Ye, Y. (2020). Enhancement of energy release performance of Al–Ni composites by adding CuO. *Journal of Alloys and Compounds*, *835*, 155271.

Xie, W., & Lee, J. H. (2020). Intrinsic dynamics and toughening mechanism of multilayer graphene upon microbullet impact. *ACS Applied Nano Materials*, *3*(9), 9185-9191.

Olinger, A., Foster, C., & Wilkerson, J. (2020). Homogenized modeling of anisotropic impact damage in rolled AZ31B with aligned second-phase particles. *Journal of Dynamic Behavior of Materials*, *6*(4), 445-458.

Skotak, M., Salib, J., Misistia, A., Cardenas, A., Alay, E., Chandra, N., & Kamimori, G. H. (2020). Factors contributing to increased blast overpressure inside modern ballistic helmets. *Applied Sciences*, *10*(20), 7193.

Ahmed, M., AlQadhi, S., Mallick, J., Desmukh, M. N., & Hang, H. T. (2020). Advances in projectile penetration mechanism in soil media. *Applied Sciences*, *10*(19), 6810.

Abteu, M. A., Boussu, F., Bruniaux, P., & Liu, H. (2020). Fabrication and mechanical characterization of dry three-dimensional warp interlock para-aramid woven fabrics: Experimental methods toward applications in composite reinforcement and soft body armor. *Materials*, *13*(19), 4233.

Hu, Y., He, Z., & Xuan, H. (2020). Impact Resistance Study of Three-Dimensional Orthogonal Carbon Fibers/BMI Resin Woven Composites. *Materials*, 13(19), 4376.

Alonso-Elías, E., Rusinek, A., Rubio-Díaz, I., Bernier, R., Rodríguez-Millán, M., & Miguelez, M. H. (2020). Experimental and Numerical Study of the Thermo-Viscoplastic Behavior of NICRO 12.1 for Perforation Tests. *Materials*, 13(19), 4311.

Pach, J., Frączek, N., & Kaczmar, J. (2020). The effects of hybridisation of composites consisting of aramid, carbon, and hemp fibres in a quasi-static penetration test. *Materials*, 13(20), 4686.

Shah, K., & Sockalingam, S. (2020). Experimental investigation of transverse loading behavior of ultra-high molecular weight polyethylene yarns. *Fibers*, 8(10), 66.

Dewangan, M. K., & Panigrahi, S. K. (2020). Multiscale modelling of 3D orthogonal woven composite under ballistic impact using FEM. *Fibers and Polymers*, 21(10), 2389-2400.

Belov, N. N., Yugov, N. T., Sammel, A. Y. E., & Stepanov, E. Y. E. (2020). Study of the transparent armor strength under a high-speed impact of a cylindrical impactor by computer modeling method. *Vestnik Tomskogo Gosudarstvennogo Universiteta. Matematika i Mekhanika*, (67), 69-77.

Refah, A., Kaya, Ş. H., Karaoğlu, F. N., Sağlam, İ., & Choupani, N. (2020). Oblique impact behavior of Al-LDPE-Al sandwich plates. *Materials Testing*, 62(10), 998-1002.

Li, S., Fu, Q., Qian, K., Yu, K., Zhou, H., Weng, Y., & Zhang, Z. (2020). Synthesis, processing and characterization of impact hardening gel (IHG) reinforced Kevlar fabric composites. *Materials & Design*, 195, 109039.

Petrudi, A. M., Vahedi, K., Rahmani, M., & Petrudi, M. M. (2020). Numerical and analytical simulation of ballistic projectile penetration due to high velocity impact on ceramic target. *Frattura ed Integrità Strutturale*, 14(54), 226-248.

Abbasi, M., & Nia, A. A. (2020). High-velocity impact behavior of sandwich structures with AL faces and foam cores—Experimental and numerical study. *Aerospace Science and Technology*, 105, 106039.

Roth, C. C., Fras, T., & Mohr, D. (2020). Dynamic perforation of lightweight armor: Temperature-dependent plasticity and fracture of aluminum 7020-T6. *Mechanics of Materials*, 149, 103537.

Ignatova, A. V., Kudryavtsev, O. A., & Zhikharev, M. V. (2020). Influence of surface polymer coating on ballistic impact response of multi-layered fabric composites: experimental and numerical study. *International Journal of Impact Engineering*, 144, 103654.

Ma, B., Fan, C., Chen, D., Wang, H., Ma, D., & Zhou, F. (2020). Experimental study on deformation and fracture of resistance-spot-welded (RSW) overlapping plates impacted at RSW joint by round-nosed bullet. *International Journal of Impact Engineering*, 144, 103663.

Zhang, S., Kong, X., Fang, Q., Chen, L., & Wang, Y. (2020). Numerical prediction of dynamic failure in concrete targets subjected to projectile impact by a modified Kong-Fang material model. *International Journal of Impact Engineering*, 144, 103633.

Zhao, S., Song, Z., & Espinosa, H. D. (2020). Modelling and analyses of fiber fabric and fabric-reinforced polymers under hypervelocity impact using smooth particle hydrodynamics. *International Journal of Impact Engineering*, 144, 103586.

- Li, T. T., Zhang, X., Wu, L., Peng, H., Shiu, B. C., Lou, C. W., & Lin, J. H. (2020). Polyethylene terephthalate/basalt stab-resistant sandwich composites based on the Box–Behnken design: Parameter optimization and empirical regression model. *Journal of Sandwich Structures & Materials*, 22(7), 2391-2407.
- Chatterjee, V. A., Saraswat, R., Verma, S. K., Bhattacharjee, D., Biswas, I., & Neogi, S. (2020). Embodiment of dilatant fluids in fused-double-3D-mat sandwich composite panels and its effect on energy-absorption when subjected to high-velocity ballistic impact. *Composite Structures*, 249, 112588.
- Li, D., Wang, R., Liu, X., Zhang, S., Fang, S., & Yan, R. (2020). Effect of dispersing media and temperature on inter-yarn frictional properties of Kevlar fabrics impregnated with shear thickening fluid. *Composite Structures*, 249, 112557.
- Aziz, M. R., Zainol, M. F., & Othman, R. (2020). An experimental study on ballistic limit of aluminum plate subjected to fragment-simulating projectile. *Journal of Failure Analysis and Prevention*, 20(6), 2059-2064.
- Kostin, V. A., Grigorenko, G. M., Poznyakov, V. D., & Zuber, T. O. (2020). Structural transformations of the metal of heat-affected zone of welded joints of high-strength armor steels. *Materials Science*, 55(6), 863-869.
- Ahmed, S., Zheng, X., Yan, L., Zhang, C., & Wang, X. (2020). Influence of asymmetric hybridization on impact response of 3D orthogonal woven composites. *Composites Science and Technology*, 199, 108326.
- Mora, P., Okhawilai, M., Jubsilp, C., Bielawski, C. W., & Rimdusit, S. (2020). Glass fabric reinforced polybenzoxazine composites filled with nanosilica: A High impact response poises use as strike panels in multilayered armor applications. *Journal of Materials Research and Technology*, 9(6), 12723-12736.
- Rahmani, R., Antonov, M., & Brojan, M. (2020). Lightweight 3D printed Ti6Al4V-ALSi10Mg hybrid composite for impact resistance and armor piercing shielding. *Journal of Materials Research and Technology*, 9(6), 13842-13854.
- Moyo, M., Kanny, K., & Velmurugan, R. (2020). Performance of Kenaf Non-woven Mat/PLA Biocomposites under Medium Velocity Impact. *Fibers and Polymers*, 21(11), 2642-2651.
- Valverde-Marcos, B., Rubio, I., Antona-Makoshi, J., Chawla, A., Loya, J. A., & Rodríguez-Millán, M. (2020). Numerical Analysis of EOD Helmet under Blast Load Events Using Human Head Model. *Applied Sciences*, 10(22), 8227.
- Pereira, A. C., Lima, A. M., Demosthenes, L. C. D. C., Oliveira, M. S., Costa, U. O., Bezerra, W. B. A., ... & Anacleto Pinheiro, W. (2020). Ballistic performance of ramie fabric reinforcing graphene oxide-incorporated epoxy matrix composite. *Polymers*, 12(11), 2711.
- Karl, J., Kirsch, F., Faderl, N., Perko, L., & Fras, T. (2020). Optimizing viscoelastic properties of rubber compounds for ballistic applications. *Applied Sciences*, 10(21), 7840.
- Wang, X., Zhang, J., Bao, L., Yang, W., Zhou, F., & Liu, W. (2020). Enhancement of the ballistic performance of aramid fabric with polyurethane and shear thickening fluid. *Materials & Design*, 196, 109015.

Wei, M., Sun, L., & Zhu, J. (2020). Effects of parameters controlling the impact resistance behavior of the GFRP fabric impregnated with a shear thickening fluid. *Materials & Design*, 196, 109078.

Guo, G., Alam, S., & Peel, L. D. (2020). Numerical analysis of ballistic impact performance of two ceramic-based armor structures. *Composites Part C: Open Access*, 3, 100061.

Xia, K., Zhan, H., Zhang, X., & Li, Z. (2020). Graphdiyne family-tunable solution to shock resistance. *Materials Research Express*, 7(11), 115602.

Markovsky, P. E., Janiszewski, J., Bondarchuk, V. I., Stasyuk, O. O., Savvakina, D. G., Skoryk, M. A., ... & Prikhodko, S. V. (2020). Effect of strain rate on microstructure evolution and mechanical behavior of titanium-based materials. *Metals*, 10(11), 1404.

Jia, B., Rusinek, A., Pesci, R., Bernier, R., Bahi, S., & Wood, P. (2020). A novel technique for dynamic shear testing of bulk metals with application to 304 austenitic stainless steel. *International Journal of Solids and Structures*, 204, 153-171.

Khodaei, M., Haghghi-Yazdi, M., & Safarabadi, M. (2020). Numerical modeling of high velocity impact in sandwich panels with honeycomb core and composite skin including composite progressive damage model. *Journal of Sandwich Structures & Materials*, 22(8), 2768-2795.

Zhang, C., Rawat, P., Liu, P., & Zhu, D. (2020). A new design and performance optimization of bio-inspired flexible protective equipment. *Bioinspiration & Biomimetics*, 15(6), 066003.

Dewapriya, M. A. N., & Miller, R. E. (2020). Molecular dynamics study of the mechanical behaviour of ultrathin polymer-metal multilayers under extreme dynamic conditions. *Computational Materials Science*, 184, 109951.

Johnson, E. H. (2020). Experimental tests of bivalve shell shape reveal potential tradeoffs between mechanical and behavioral defenses. *Scientific reports*, 10(1), 1-12.

Wang, J., Zhao, J., Zhou, Y., & Sun, S. (2020). Boundary effect and dynamic response study for the penetration of rigid projectiles into thick, finite-radius, metallic targets. *Shock and Vibration*, 2020.

Yang, D., Wei, Q., Xin, B., & Chen, X. (2020). Research on the creation of TA/LOI compound structure fabric and its ballistic performance for 3D curved-surface ballistic application. *Composites Part B: Engineering*, 201, 108275.

Kinvi-Dossou, G., Bonfoh, N., Boumbimba, R. M., Koutsawa, Y., Lachaud, F., Nyoungue, A., & Gerard, P. (2020). A mesoscale modelling approach of glass fibre/Elium acrylic woven laminates for low velocity impact simulation. *Composite Structures*, 252, 112671.

Tan, M., Zhang, X., Bao, K., & Chen, B. (2020). Investigation of stress distribution in multi-layered targets under impact load by using receding contact method. *Composite Structures*, 252, 112703.

Zhang, R., Qiang, L. S., Han, B., Zhao, Z. Y., Zhang, Q. C., Ni, C. Y., & Lu, T. J. (2020). Ballistic performance of UHMWPE laminated plates and UHMWPE encapsulated aluminum structures: Numerical simulation. *Composite Structures*, 252, 112686.

Liu, Y., Sun, B., & Gu, B. (2020). Low-velocity penetration damage of Kevlar woven fabrics impregnated with shear thickening fluid penetrated with different tups. *Mechanics of Advanced Materials and Structures*, 27(22), 1900-1907.

Bobbili, R., Ramakrishna, B., & Madhu, V. (2020). An artificial intelligence model for ballistic performance of thin plates. *Mechanics Based Design of Structures and Machines*, 1-12.

Kośła, K., Kubiak, P., Fejdyś, M., Olszewska, K., Łandwijt, M., & Chmal-Fudali, E. (2020). Preparation and Impact Resistance Properties of Hybrid Silicone-Ceramics Composites. *Applied Sciences*, 10(24), 9098.

Kumar, S. D., & Kumar, S. S. (2020). Numerical and experimental ballistic performance of welded magnesium (AZ31B) plates. *Emerging Materials Research*, 9(4), 1217-1228.

Lipanov, A. M., Rusyak, I. G. E., & Sufiyanov, V. G. (2020). Study on the effects of gun barrel vibrations on the firing angle of a projectile. *Vestnik Tomskogo Gosudarstvennogo Universiteta. Matematika i Mekhanika*, (68), 80-94.

Dewangan, M. K., & Panigrahi, S. K. (2020). FEA of plain woven Kevlar/epoxy composites subjected to normal and oblique impact with multi-scale modelling. *Fibers and Polymers*, 21(12), 2927-2937.

Marx, J., Portanova, M., & Rabiei, A. (2020). Performance of composite metal foam armors against various threat sizes. *Journal of Composites Science*, 4(4), 176.

Klosak, M., Jankowiak, T., Rusinek, A., Bendarma, A., Sielicki, P. W., & Lodygowski, T. (2020). Mechanical Properties of Brass under Impact and Perforation Tests for a Wide Range of Temperatures: *Experimental and Numerical Approach. Materials*, 13(24), 5821.

Gao, S., Li, D., Hou, H., Li, Y., Bai, X., Jin, J., ... & Lin, Y. (2020). Investigation on dynamic response of liquid-filled concave cell structures subject to the penetration of high-speed projectiles. *Thin-Walled Structures*, 157, 107119.

Daungkumsawat, J., Okhawilai, M., Charoensuk, K., Prastowo, R. B., Jubsilp, C., Karagiannidis, P., & Rimdusit, S. (2020). Development of lightweight and high-performance ballistic helmet based on poly (benzoxazine-co-urethane) matrix reinforced with aramid fabric and multi-walled carbon nanotubes. *Polymers*, 12(12), 2897.

Abteu, M. A., Boussu, F., Bruniaux, P., Loghin, C., & Cristian, I. (2020). Effect of Structural Parameters on the Deformational Behaviors of Multiply 3D Layer-by-Layer Angle-Interlock Para-Aramid Fabric for Fiber-Reinforcement Composite. *Journal of Composites Science*, 4(4), 145.

Göbl, M., Eder, H., Prestl, A., Siller, I., & Schnitzer, R. (2020). Diffusion Bonding of High-Alloyed Tool Steels with Maraging and Precipitation Hardening Steels. *Metals*, 10(12), 1622.

Liu, L., Cai, M., Liu, X., Zhao, Z., & Chen, W. (2020). Ballistic impact performance of multi-phase STF-impregnated Kevlar fabrics in aero-engine containment. *Thin-Walled Structures*, 157, 107103.

Rahimijonoush, A., & Bayat, M. (2020). Experimental and numerical studies on the ballistic impact response of titanium sandwich panels with different facesheets thickness ratios. *Thin-Walled Structures*, 157, 107079.

- Mou, H., Xie, J., Pei, H., Feng, Z., & Geng, H. (2020). Ballistic impact tests and stacked shell simulation analysis of aramid fabric containment system. *Aerospace Science and Technology*, 107, 106344.
- Wang, F. J., Zhao, M., Yan, J. B., Qiu, S., Liu, X., & Zhang, B. Y. (2020). Investigation of Damage Reduction When Dry-Drilling Aramid Fiber-Reinforced Plastics Based on a Three-Point Step Drill. *Materials*, 13(23), 5457.
- Moure-Guardiola, C., Rubio, I., Antona-Makoshi, J., Olmedo, Á., Loya, J. A., & Millán, M. R. (2020). Evaluation of combat helmet behavior under blunt impact. *Applied Sciences*, 10(23), 8470.
- Gur, A. K., Taskaya, S., Shankar, S., & Mohanraj, T. (2020). FEA of SAW penetration of Ramor 500 steel. *Materials Testing*, 62(12), 1192-1198.
- Torun, A. R., Kaya, Ş. H., & Choupani, N. (2020). Evaluation of recycled Al-LDPE-Al sandwich panels as ballistic protection material. *Green Materials*, 8(4), 194-202.
- Cil, M. B., Zeng, Q., Hurley, R. C., & Graham-Brady, L. (2020). An integrative model for the dynamic behavior of brittle materials based on microcracking and breakage mechanics. *Journal of Dynamic Behavior of Materials*, 6(4), 472-488.
- Mára, M., Talone, C., Sovják, R., Fornůšek, J., Zatloukal, J., Kheml, P., & Konvalinka, P. (2020). Experimental investigation of thin-walled UHPFRCC modular barrier for blast and ballistic protection. *Applied Sciences*, 10(23), 8716.
- Ye, X., Zou, M., & Chen, J. (2020). Characterization of Crater Area in a Target Penetrated by a Wf/Zr-Based Amorphous Matrix Composite Projectile. *Materials*, 13(23), 5523.
- Staniszewski, J. M., Bogetti, T. A., Wu, V., & Moy, P. (2020). Interfibrillar behavior in ultra-high molecular weight polyethylene (UHMWPE) single fibers subjected to tension. *International Journal of Solids and Structures*, 206, 354-369.
- Wang, Q., Li, Z., Zhang, Y., Cui, S., Yang, Z., & Lu, Z. (2020). Ultra-low density architected metamaterial with superior mechanical properties and energy absorption capability. *Composites Part B: Engineering*, 202, 108379.
- Stecconi, A., & Landi, L. (2020). Finite element analysis for impact tests on polycarbonate safety guards: Comparison with experimental data and statistical dispersion of ballistic limit. *ASCE-ASME J Risk and Uncert in Engrg Sys Part B Mech Engrg*, 6(4).
- Yuan, F., Liu, S., Zhou, J., Fan, X., Wang, S., & Gong, X. (2020). A smart Kevlar-based triboelectric nanogenerator with enhanced anti-impact and self-powered sensing properties. *Smart Materials and Structures*, 29(12), 125007.
- Mohammad, Z., Gupta, P. K., & Baqi, A. (2020). Experimental and numerical investigations on the behavior of thin metallic plate targets subjected to ballistic impact. *International Journal of Impact Engineering*, 146, 103717.
- Mousavi, M. V., & Khoramishad, H. (2020). Investigation of energy absorption in hybridized fiber-reinforced polymer composites under high-velocity impact loading. *International Journal of Impact Engineering*, 146, 103692.

Wen, K., Chen, X. W., Chi, R. Q., & Lu, Y. G. (2020). Analysis on the fragmentation pattern of sphere hypervelocity impacting on thin plate. *International Journal of Impact Engineering*, 146, 103721.

Wang, B., Mao, Z., Li, D., Zhang, K., Zhou, C., Ren, M., & Li, T. (2020). Multiscale insights into the stretching behavior of Kevlar fiber. *Computational Materials Science*, 185, 109957.

Reddy, P. R. S., Reddy, T. S., Srikanth, I., Kushwaha, J., & Madhu, V. (2020). Development of cost effective personnel armour through structural hybridization. *Defence Technology*, 16(6), 1089-1097.

Gilson, L., Imad, A., Rabet, L., & Coghe, F. (2020). On analysis of deformation and damage mechanisms of DYNEEMA composite under ballistic impact. *Composite Structures*, 253, 112791.

Mawkhlieng, U., & Majumdar, A. (2020). Designing of hybrid soft body armour using high-performance unidirectional and woven fabrics impregnated with shear thickening fluid. *Composite Structures*, 253, 112776.

Qu, K., Wu, C., Liu, J., Yao, Y., Deng, Y., & Yi, C. (2020). Ballistic performance of multi-layered aluminium and UHMWPE fibre laminate targets subjected to hypervelocity impact by tungsten alloy ball. *Composite Structures*, 253, 112785.

Naveen, J., Jayakrishna, K., Hameed Sultan, M. T. B., & Amir, S. M. M. (2020). Ballistic performance of natural fiber based soft and hard body armour-a mini review. *Frontiers in Materials*, 7, 608139.

Jo, M. C., Kim, S., Kim, D. W., Park, H. K., Hong, S. S., Kim, H. K., ... & Lee, S. (2020). Understanding of adiabatic shear band evolution during high-strain-rate deformation in high-strength armor steel. *Journal of Alloys and Compounds*, 845, 155540.

Guo, Z., Chen, T., Zhang, W., & Mu, Z. (2020). Cavity dynamics in hydrodynamic ram analysis of confined containers under ballistic impacts. *Ocean Engineering*, 218, 108036.

Zhao, C., Gong, X., Wang, S., Jiang, W., & Xuan, S. (2020). Shear stiffening gels for intelligent anti-impact applications. *Cell Reports Physical Science*, 1(12), 100266.

Balaguru, V., Balasubramanian, V., & Sivakumar, P. (2020). Effect of weld metal composition on impact toughness properties of shielded metal arc welded ultra-high hard armor steel joints. *Journal of the Mechanical Behavior of Materials*, 29(1), 186-194.

Bikakis, G. S., Kalfountzos, C. D., & Theotokoglou, E. E. (2020). Elastic buckling of rectangular fiber-metal laminated plates under uniaxial compression. *Journal of Thermoplastic Composite Materials*, 33(12), 1629-1651.

Ahner, D., & McCarthy, A. (2020). Response surface modeling of precision-guided fragmentation munitions. *The Journal of Defense Modeling and Simulation*, 17(1), 83-97.

Cai, S., Huang, C. L., Liu, K., Li, Z. X., & Wu, Z. L. (2020). Theoretical and numerical investigations on the headspace of cartridge cases considering axial deformation and movement. *Defence Technology*, 16(1), 88-95.

Frem, D. (2020). Estimating the metal acceleration ability of high explosives. *Defence Technology*, 16(1), 225-231.



Li, P. P., Brouwers, H. J. H., & Yu, Q. (2020). Influence of key design parameters of ultra-high performance fibre reinforced concrete on in-service bullet resistance. *International Journal of Impact Engineering*, 136, 103434.

Wu, J., Yan, Q., Zhuang, T. S., & Yang, C. (2020). Structural design and damage assessment of a chamber for internal blast with explosion vent. *Mechanics of Advanced Materials and Structures*, 27(24), 2052-2058.

Zhang, Y., Yang, H., Dang, Z., Zhan, S., Sun, C., Hu, G., ... & Yuan, Q. (2020). Multilayer structured poly (vinylidene fluoride)-based composite film with ultrahigh breakdown strength and discharged energy density. *ACS applied materials & interfaces*, 12(19), 22137-22145.

Bober, T., & Recchia, T. (2021). Mean wind model for direct fire ballistics. *The Journal of Defense Modeling and Simulation*, 18(4), 317-332.

Blecker, K., & Hadim, H. (2021). Characterization Of The Thermal Behavior Of A Propellant Increment During Transport And Storage. *International Journal of Energetic Materials and Chemical Propulsion*, 20(3).

Boukera, A. W., Hristov, N. P., Ziane, A. N., Jerković, D. D., & Savić, S. R. (2021). Analysis of thermal and gas-dynamic characteristics of different types of propellant in small weapons. *Thermal Science*, 25(6 Part A), 4295-4306.

Kim, B., Lee, C. H., Tahk, M. J., Kim, D. S., Kim, S. H., & Lee, H. S. (2021). Optimal Weapon-Target Assignment Algorithm for Closed-In Weapon Systems Considering Variable Burst Time. *Journal of the Korean Society for Aeronautical & Space Sciences*, 49(5), 365-372.

So, J. U., Kim, J. S., Kim, J. W., & Kim, J. B. (2021). Design and Performance Test of Cooling-Air Test Equipment for the Environmental Control System in Aircraft. *Journal of the Korean Society for Aeronautical & Space Sciences*, 49(2), 147-154.

Chen, D., Suo, M., Guo, J., Tang, W., Jiang, W., Liu, Y., & Duo, Y. (2021). Development of MOF "Armor-Plated" Phycocyanin and Synergistic Inhibition of Cellular Respiration for Hypoxic Photodynamic Therapy in Patient-Derived Xenograft Models. *Advanced Healthcare Materials*, 10(3), 2001577.

Khan, M. K., Iqbal, M. A., Bratov, V., Morozov, N. F., & Gupta, N. K. (2021). Ballistic Resistance Of Ceramic Metallic Target For Varying Layer Thicknesses. *Materials Physics & Mechanics*, 47(2).

Kowalski, W., Paul, H., Petrzak, P., Maj, Ł., Mania, I., & Faryna, M. (2021). Influence of Hot Pressing on the Microstructure of Multi-layered Ti/Al Composites. *Archives of Metallurgy and Materials*, 66.

Kamran, K., & Iqbal, M. A. (2021). Ballistic Response And Induced Damage Of Plain And Reinforced Concrete Plates. *Materials Physics & Mechanics*, 47(4).

Gunes, R., Hakan, M., Apalak, M. K., & Reddy, J. N. (2021). Numerical investigation on normal and oblique ballistic impact behavior of functionally graded plates. *Mechanics of Advanced Materials and Structures*, 28(20), 2114-2130.

Bhattacharjee, A., Bhaduri, A., Hurley, R. C., & Graham-Brady, L. (2021). Failure Modeling and Sensitivity Analysis of Ceramics Under Impact. *Journal of Applied Mechanics*, 88(5).

Singh, B. B., Sukumar, G., Paman, A., Balaji, G., Siva Kumar, K., Madhu, V., & Arockia Kumar, R. (2021). A Comparative Study on the Ballistic Performance and Failure Mechanisms of High-Nitrogen Steel and RHA Steel Against Tungsten Heavy Alloy Penetrators. *Journal of Dynamic Behavior of Materials*, 7(1), 60-80.

Chouhan, H., Asija Bhalla, N., Bandaru, A. K., & Bhatnagar, N. (2021). Influence of conditioning on the high strain rate compression response of Kevlar thermoplastic composites. *Polymer Composites*, 42(1), 191-204.

Weerasinghe, D., Mohotti, D., & Anderson, J. (2021). Numerical modelling of the rate-sensitive behaviour of high-performance fabrics. *Journal of Dynamic Behavior of Materials*, 7(1), 107-126.

Reddy, T. S., Reddy, P. R. S., & Madhu, V. (2021). Dynamic behaviour of carbon/ultra high molecular weight polyethylene (UHMWPE) hybrid composite laminates under ballistic impact. *Journal of Dynamic Behavior of Materials*, 7(3), 403-413.

Zhang, R., Han, B., & Lu, T. J. (2021). Confinement effects on compressive and ballistic performance of ceramics: a review. *International Materials Reviews*, 66(5), 287-312.

Safamanesh, A., Mousavi, S. M., Khosravi, H., & Tohidlou, E. (2021). On the low-velocity and high-velocity impact behaviors of aramid fiber/epoxy composites containing modified-graphene oxide. *Polymer Composites*, 42(2), 608-617.

Dewangan, M. K., & Panigrahi, S. K. (2021). Finite element analysis of hybrid 3D orthogonal woven composite subjected to ballistic impact with multi-scale modeling. *Polymers for Advanced Technologies*, 32(3), 964-979.

Gilson, L., Imad, A., Rabet, L., Van Roey, J., & Gallant, J. (2021). Real-time measurement of projectile velocity in a ballistic fabric with a high-frequency Doppler radar. *Experimental Mechanics*, 61(3), 533-547.

Verma, S., & Misra, J. P. (2021). Effect of process parameters on temperature and force distribution during friction stir welding of armor-marine grade aluminum alloy. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 235(1-2), 144-154.

Mehelli, O., Derradji, M., Belgacemi, R., Zegaoui, A., Khimeche, K., Fantuzzi, N., & Mouloud, A. (2021). Development of highly performant hybrid materials based on phthalonitrile resin for a simultaneous ballistic and nuclear shielding protection. *High Performance Polymers*, 33(2), 217-227.

Varma, T. V., & Sarkar, S. (2021). Designing polymer metamaterial for protective armor: a coarse-grained formulation. *Meccanica*, 56(2), 383-392.

Sözen, E., & Gündüz, G. (2021). Ballistic performance of sandwich panels made of wood/plastic/metal and woven glass fiber. *Journal of Sandwich Structures & Materials*, 23(5), 1808-1825.

Aryal, B., Morozov, E. V., & Shankar, K. (2021). Effects of ballistic impact damage on mechanical behaviour of composite honeycomb sandwich panels. *Journal of Sandwich Structures & Materials*, 23(6), 2064-2085.

Bober, T., & Recchia, T. (2021). Mean wind model for direct fire ballistics. *The Journal of Defense Modeling and Simulation*, 18(4), 317-332.

Bober, T., & Recchia, T. (2021). Atmospheric turbulence model for direct fire ballistics. *The Journal of Defense Modeling and Simulation*, 18(4), 333-348.

Cho, C., Choi, S., Kwon, O. M., Lee, S., Kim, J. H., & Kwon, D. (2021). Evaluation of ballistic limit velocity using instrumented indentation test of 7xxx aluminum alloys after friction stir welding. *Metals and Materials International*, 27(7), 2264-2275.

Costa, E. (2021). Assessment of a coupled approach to determine the stress caused by gun blast loads. *The Journal of Defense Modeling and Simulation*, 18(4), 441-451.

Drake, D. A., Sullivan, R. W., Lovejoy, A. E., Clay, S. B., & Jegley, D. C. (2021). Influence of stitching on the out-of-plane behavior of composite materials—A mechanistic review. *Journal of Composite Materials*, 55(23), 3307-3321.

Zhou, S., Liang, Y. J., Zhu, Y., Wang, B., Wang, L., & Xue, Y. (2021). Ultrashort-time liquid phase sintering of high-performance fine-grain tungsten heavy alloys by laser additive manufacturing. *Journal of Materials Science & Technology*, 90, 30-36.

Yin, J., Duan, C., Han, Y., Wang, Z., & Chen, J. (2021). Numerical Simulation of Tandem Shaped Charge Penetrating Armored Target under Explosive Loading. *Shock and Vibration*, 2021.

Guo, Z., & Chen, W. (2021). First-order approximations of dynamic material strengths for the ballistic perforation of aluminum target plates. *Journal of Dynamic Behavior of Materials*, 7(4), 566-574.

Jianping, Y., Yakun, L., Zhijun, W., Xuepeng, Z., Jianzhong, Z., & Yana, Z. (2021). Formation and penetration of PELE/EFP multi-mode warhead based on double-layer shaped charge. *Journal of Energetic Materials*, 1-23.

Alonso, L., & Solis, A. (2021). High-velocity impact on composite sandwich structures: A theoretical model. *International Journal of Mechanical Sciences*, 201, 106459.

Bekci, M. L., Canpolat, B. H., Usta, E., Güler, M. S., & Cora, Ö. N. (2021). Ballistic performances of Ramor 500 and Ramor 550 armor steels at mono and bilayered plate configurations. *Engineering Science and Technology, an International Journal*, 24(4), 990-995.

Mohammad, Z., Gupta, P. K., Baqi, A., & Iqbal, M. A. (2021). Energy dissipation characteristics of single curvature metallic shells subjected to ballistic impact. *European Journal of Mechanics-A/Solids*, 89, 104279.

Holm, A., & Mayr, S. G. (2021). Glassy and ballistic dynamics in collision cascades in amorphous TiO<sub>2</sub>: Combined molecular dynamics and Monte Carlo based studies across energy scales. *Physical Review B*, 103(17), 174201.

Bajya, M., Majumdar, A., Butola, B. S., Mawkhlieng, U., & Bhattacharjee, D. (2021). Mitigating the Blunt Trauma of Soft Armour Panels using Polycarbonate Sheets: A Cost-effective Solution. *Applied Composite Materials*, 28(4), 1089-1109.

Fedele, A., Carannante, S., Grassi, M., & Savino, R. (2021). Aerodynamic control system for a deployable re-entry capsule. *Acta Astronautica*, 181, 707-716.

Riano-Rios, C., Bevilacqua, R., & Dixon, W. E. (2021). Adaptive control for differential drag-based rendezvous maneuvers with an unknown target. *Acta Astronautica*, 181, 733-740.

Fu, J., Ren, K., Yin, L., Yang, R., Zhao, T., & Chen, Z. (2021). Preparation methods and performance of new tungsten-based ceramic alloy. *Materials & Design*, 206, 109781.

Zhang, C., Wang, H., Liu, T., & Duo, Y. (2021). Sabot Discard Characteristics under Different Spin Rates of the Rifled Barrel Launching APFSDS. *Shock and Vibration*, 2021.

Odesanya, K. O., Ahmad, R., Jawaid, M., Bingol, S., Adebayo, G. O., & Wong, Y. H. (2021). Natural fibre-reinforced composite for ballistic applications: A review. *Journal of Polymers and the Environment*, 29(12), 3795-3812.

Li, M., Wang, P., Boussu, F., & Soulat, D. (2021). Investigation of impact performance of 3-dimensional interlock polymer fabrics in double and multi-angle pass stabbing. *Materials & Design*, 206, 109775.

Bloodworth-Race, S., Critchley, R., Hazael, R., Peare, A., & Temple, T. (2021). Testing the blast response of foam inserts for helmets. *Heliyon*, 7(5), e06990.

Xu, J., Fu, C., Fu, Q., Chen, Y., Ma, Y., & Feng, X. (2021). Flexible arc-armor inspired by origami. *International Journal of Mechanical Sciences*, 201, 106463.

Bulanov, Y. I., Kurdenkova, A. V., & Moshkalo, N. G. (2021). Calculation of the Reliability Characteristics of Modern Aramid Materials for Ballistic Protection. *Fibre Chemistry*, 52(6), 430-434.

Yuan, Y., Ye, T., Wu, Y., & Xu, Y. (2021). Mechanical and ballistic properties of graphene platelets reinforced B4C ceramics: Effect of TiB2 addition. *Materials Science and Engineering: A*, 817, 141294.

Masri, R., & Ryan, S. (2021). Ballistic limit predictions for perforation of multi-layered aluminium armour targets by rigid, nose-pointed projectiles. *International Journal of Impact Engineering*, 155, 103900.

Liu, J., & Wei, X. (2021). Enhancing the impact performance of reinforced composites through fiber hybridization—A hybrid dynamic shear-lag model. *Extreme Mechanics Letters*, 47, 101352.

Taş, H., & Soykok, I. F. (2021). Investigation of the Low Velocity Impact Behaviour of Shear Thickening Fluid Impregnated Kevlar, Hybrid (Kevlar/Carbon) and Carbon Fabrics. *Fibers and Polymers*, 22(9), 2626-2634.

Kim, J. H., & Seo, B. (2021). Hydrodynamic Ram Test of Composite T-Joint Structure. *International Journal of Aeronautical and Space Sciences*, 22(4), 834-844.

Sathananthan, P., Singh, D., Sirois, A., & Cronin, D. (2021). Soda-Lime Glass Constitutive Parameters and Finite Element Model for Simulating Ballistic Impact. *Journal of Dynamic Behavior of Materials*, 7(4), 591-609.

Du, C., Yang, G., Hu, D. A., & Han, X. (2021). Structure Design and Energy Absorption Mechanism of a New Type of Armor Inspired from Armadillos. *Acta Mechanica Solida Sinica*, 34(5), 718-728.

Chang, L., Guo, Y., Huang, X., Xia, Y., & Cai, Z. (2021). Experimental study on the protective performance of bulletproof plate and padding materials under ballistic impact. *Materials & Design*, 207, 109841.

Blaisdell, G. L., Melendy, T. D., & Blaisdell, M. N. (2021). Ballistic protection using snow. *International Journal of Impact Engineering*, 155, 103903.

Haque, B. Z., & Gillespie Jr, J. W. (2021). Depth of penetration of Dyneema® HB26 hard ballistic laminates. *Journal of Thermoplastic Composite Materials*.

Liang, Z. G., Chen, J. L., Zhang, Z. W., Zhao, S. C., & Wang, S. S. (2021). Study on damage effect of behind-armor debris on internal parts in tanks based on the experiments. *Multidiscipline Modeling in Materials and Structures*, 17(4), 716-727.

Mahesh, V., Joladarashi, S., & Kulkarni, S. M. (2021). Comparative study on ballistic impact response of neat fabric, compliant, hybrid compliant and stiff composite. *Thin-Walled Structures*, 165.

Giuntoli, A., & Keten, S. (2021). Tuning star architecture to control mechanical properties and impact resistance of polymer thin films. *Cell Reports Physical Science*, 2(10), 100596.

Lepage, M. L., Takaffoli, M., Simhadri, C., Mandau, R., Gashti, M. P., Nazir, R., ... & Wulff, J. E. (2021). Influence of Topical Cross-Linking on Mechanical and Ballistic Performance of a Woven Ultra-High-Molecular-Weight Polyethylene Fabric Used in Soft Body Armor. *ACS Applied Polymer Materials*, 3(11), 6008-6018.

Khodadadi, A., Liaghat, G., Taherzadeh-Fard, A., & Shahgholian-Ghahfarokhi, D. (2021). Impact characteristics of soft composites using shear thickening fluid and natural rubber—a review of current status. *Composite Structures*, 271, 114092.

Zhao, Z. N., Han, B., Zhang, R., Zhang, Q., Zhang, Q. C., Ni, C. Y., & Lu, T. J. (2021). Enhancement of UHMWPE encapsulation on the ballistic performance of bi-layer mosaic armors. *Composites Part B: Engineering*, 221, 109023.

Tokunaga, K., Matsuo, S., Kurishita, H., Toyama, T., Hasegawa, M., & Nakamura, K. (2021). Close-up tracing of fatigue precrack evolution and reliable fracture toughness evaluation by the precracked specimens in an ITER specification W plate. *Journal of Nuclear Materials*, 553, 153054.

Song, Z., Pei, X., Yu, J., Zhao, J., & Tan, F. (2021). Hypervelocity impact tests on a Whipple shield using a flyer plate in the velocity range from 4 km/s to 12 km/s. *International Journal of Impact Engineering*, 156, 103899.

Goda, I., & Girardot, J. (2021). A computational framework for energy absorption and damage assessment of laminated composites under ballistic impact and new insights into target parameters. *Aerospace Science and Technology*, 115, 106835.

Petre, R., Zecheru, T., & Ginghina, R. (2021). Dynamic Tests on Polyurea-Based Hybrid Composites for Ballistic Protection. *Materiale Plastice*, 58(2), 41-47.

Cheng, J. C., Zhao, S. P., Fan, D., Chai, H. W., Ye, S. J., Li, C., ... & Huang, J. Y. (2021). Multiple ballistic impacts on 2024-T4 aluminum alloy by spheres: Experiments and modelling. *Journal of Materials Science & Technology*, 94, 164-174.

Ayvaz, M., & Cetinel, H. (2021). Ballistic performance of powder metal Al5Cu-B4C composite as monolithic and laminated armor. *Materials Testing*, 63(6), 512-518.

Fras, T. (2021). Experimental and Numerical Study on a Non-Explosive Reactive Armour with the Rubber Interlayer Applied against Kinetic-Energy Penetrators—The ‘Bulging Effect’ Analysis. *Materials*, 14(12), 3334.

Żochowski, P., Warchoł, R., Mischczak, M., Nita, M., Pankowski, Z., & Bajkowski, M. (2021). Experimental and Numerical Study on the PG-7VM Warhead Performance against High-Hardness Armor Steel. *Materials*, 14(11), 3020.

Czech, K., Oliwa, R., Krajewski, D., Bulanda, K., Oleksy, M., Budzik, G., & Mazurkow, A. (2021). Hybrid Polymer Composites Used in the Arms Industry: A Review. *Materials*, 14(11), 3047.

Osnes, K., Holmen, J. K., Grue, T., & Børvik, T. (2021). Perforation of laminated glass: An experimental and numerical study. *International Journal of Impact Engineering*, 156, 103922.

Zhang, J., Lu, G., Zhang, Y., & You, Z. (2021). A study on ballistic performance of origami sandwich panels. *International Journal of Impact Engineering*, 156, 103925.

Xu, S., Zhou, F., Li, Q., Chen, B., Jiang, X., Yin, X., & Wu, P. (2021). Comparative study on performance of UHTCC and RPC thick panels under hard projectile impact loading. *Cement and Concrete Composites*, 122, 104134.

Yang, Y., Ling, T., Liu, Y., & Xue, S. (2021). Synergistic effect of hybrid ballistic soft armour panels. *Composite Structures*, 272, 114211.

Lin, Y., Yang, X., Huang, Y., & Chen, M. (2021). Impact-resistant multilayered metastructure for broadband microwave absorption designed by evolutionary optimization. *Composite Structures*, 272, 114235.

Chung, T. F., Chiu, P. H., Tai, C. L., Li, Y. L., Wang, L. M., Chen, C. Y., ... & Yang, J. R. (2021). Investigation on the ballistic induced nanotwinning in the Mn-free Fe<sub>27</sub>Co<sub>24</sub>Ni<sub>23</sub>Cr<sub>26</sub> high entropy alloy plate. *Materials Chemistry and Physics*, 270, 124707.

Rosenberg, Z., & Vayig, Y. (2021). The effect of friction on the shanks of rigid projectiles penetrating concrete targets. *International Journal of Impact Engineering*, 156, 103926.

Zhao, Z., Du, C., Liu, P., Dang, H., Ma, L., Guo, Z., ... & Li, Y. (2021). Effect of fiber architecture on the impact resistance of composite panels subjected to metallic projectile. *Composite Structures*, 273, 114273.

Wang, H., Weerasinghe, D., Mohotti, D., Hazell, P. J., Shim, V. P. W., Shankar, K., & Morozov, E. V. (2021). On the impact response of UHMWPE woven fabrics: Experiments and simulations. *International Journal of Mechanical Sciences*, 204, 106574.

Chen, Y. L., Huang, W. K., & Yeh, J. N. (2021). Theoretical Analysis of Bulletproof Capability of Multilayer Ceramic Composites Subjected to Impact by an Armor Piercing Projectile. *Advances in Materials Science and Engineering*, 2021.

Liu, Q., Guo, B., Chen, P., Su, J., Arab, A., Ding, G., ... & Guo, F. (2021). Investigating ballistic resistance of CFRP/polyurea composite plates subjected to ballistic impact. *Thin-Walled Structures*, 166, 108111.

Liu, T. (2021). Dynamic Damage Model of Fiber Metal Laminates Under High-Velocity Impact. *Journal of Failure Analysis and Prevention*, 21(4), 1331-1344.

Forrestal, M. J., Warren, T. L., & Holmen, J. K. (2021). Ballistic-Limit Velocities for 7.62 mm APM2 Bullets and Aluminum Alloy Armor Plates. *Journal of Dynamic Behavior of Materials*, 7(4), 624-627.

Nayak, S., Nayak, R. K., & Panigrahi, I. (2021). Effect of nano-fillers on low-velocity impact properties of synthetic and natural fibre reinforced polymer composites-a review. *Advances in Materials and Processing Technologies*, 1-24.

Noori, H., Mortazavi, B., Keshtkari, L., Zhuang, X., & Rabczuk, T. (2021). Nanopore creation in MoS<sub>2</sub> and graphene monolayers by nanoparticles impact: a reactive molecular dynamics study. *Applied Physics A*, 127(7), 1-13.

Struszczyk, M. H., Dmowska-Jasek, P., Kubiak, P., Łandwijt, M., & Fejdyś, M. (2021). Multi-criterial analysis tool to design a hybrid ballistic plate. *Materials*, 14(14), 4058.

Reis, R. H., Garcia Filho, F. C., Nunes, L. F., Candido, V. S., Silva, A. C., & Monteiro, S. N. (2021). Impact resistance of epoxy composites reinforced with Amazon guaruman fiber: A Brief Report. *Polymers*, 13(14), 2264.

Savic, B., & Cabrilo, A. (2021). Effect of heat Input on the ballistic performance of armor steel weldments. *Materials*, 14(13), 3617.

Hong, Y., Xie, F., Xiong, L., Yu, M., Cheng, X., Qi, M., ... & Jiang, N. (2021). The Ballistic Performance of Laminated SiC Ceramics for Body Armor and the Effect of Layer Structure on It. *Applied Sciences*, 11(13), 6145.

Guo, Z., & Chen, W. (2021). Dimensionless parameters for the perforation of ductile plates by armor-piercing rounds. *International Journal of Impact Engineering*, 156, 103952.

Patnaik, G., Kaushik, A., Rajput, A., Prakash, G., & Velmurugan, R. (2021). Ballistic performance of quasi-isotropic CFRP laminates under low velocity impact. *Journal of Composite Materials*, 55(24), 3511-3527.

Rua, J., Buchely, M. F., Monteiro, S. N., Echeverri, G. I., & Colorado, H. A. (2021). Impact behavior of laminated composites built with fique fibers and epoxy resin: a mechanical analysis using impact and flexural behavior. *Journal of Materials Research and Technology*, 14, 428-438.

Chen, L., Cao, M., & Fang, Q. (2021). Ballistic performance of ultra-high molecular weight polyethylene laminate with different thickness. *International Journal of Impact Engineering*, 156, 103931.

Shan, X., Li, Y., Chen, X., Wu, Y., He, Y., & Li, W. (2021). Investigations on internal ballistic characteristics of pasty propellant rocket engine. *International Journal of Aerospace Engineering*, 2021.

Lei, B. S., Li, J., Hao, W. N., & Yan, K. D. (2021). Fuzzy recognition of missile borne multi-line array infrared detection based on size calculating. *Defence Technology*, 17(4), 1135-1142.

Li, P. R., Fan, Q. B., Zhu, X. J., & Gong, H. C. (2021). Study of high-speed-impact-induced conoidal fracture of Ti alloy layer in composite armor plate composed of Ti-and Al-alloy layers. *Defence Technology*, 17(4), 1434-1443.

Sun, Y. X., Wang, X., Ji, C., Zhao, C. X., Liu, P. L., Meng, L., ... & Jiang, T. (2021). Experimental investigation on anti-penetration performance of polyurea-coated ASTM1045 steel plate subjected to projectile impact. *Defence Technology*, 17(4), 1496-1513.

Wang, C. Z., Chen, A. J., Li, Z. Q., Gong, C. A., Wang, S., & Yan, W. M. (2021). Experimental and numerical investigation on penetration of clay masonry by small high-speed projectile. *Defence Technology*, 17(4), 1514-1530.

Jannotti, P. A., Lorenzo, N. J., Walter, T. R., Schuster, B. E., & Lloyd, J. T. (2021). Role of anisotropy in the ballistic response of rolled magnesium. *Mechanics of Materials*, 160, 103953.

Zou, Y., Xiong, C., & Yin, J. (2021). Experimental and microstructure analysis of the penetration resistance of composite structures. *Science and Engineering of Composite Materials*, 28(1), 372-381.

Varga, M., Herr, M., Widder, L., de Campos, L. A., & Mermagen, J. (2021). Ceramic-rubber hybrid materials—A knowledge-based design concept. *Wear*, 476, 203735.

Li, X., Liu, L., Mei, H., Xu, S., Li, J., & Zhang, J. (2021). The formation mechanisms of amorphous bands of boron carbide nanopillars under uniaxial compressions and their effects on mechanical properties from molecular dynamics simulation. *Computational Materials Science*, 199, 110708.

Liu, L., Ding, C., Wang, P., Zhang, X., & Lu, Q. (2021). Yawing motion of rifle bullets penetrating into ballistic gelatin. *International Journal of Impact Engineering*, 156, 103960.

Kristoffersen, M., Toreskås, O. L., Dey, S., & Børvik, T. (2021). Ballistic perforation resistance of thin concrete slabs impacted by ogive-nose steel projectiles. *International Journal of Impact Engineering*, 156, 103957.

Pai, A., Divakaran, R., Anand, S., & Shenoy, S. B. (2021). Advances in the Whipple Shield Design and Development. *Journal of Dynamic Behavior of Materials*, 1-19.

Qin, D. Z., & Li, P. H. (2021). Dynamic Characteristics of the Rotating Penetrating Missile for Attacking Warship Vertically. *Journal of Engineering*, 2021.

Malik, A., Wang, Y., Cheng, H., Nazeer, F., & Khan, M. A. (2021). Microstructure evolution of Mg-Zn-Zr magnesium alloy against soft steel core projectile. *Journal of Materials Science & Technology*, 79, 46-61.

Cui, T., Qin, Q., Yan, W., Wang, T., & Zhang, J. (2021). Ballistic Resistance of Novel Amorphous-Alloy-Reinforced Perforated Armor. *Acta Mechanica Solida Sinica*, 34(1), 12-26.

Kasım, H. (2021). Ballistic performance of composite structure configurations with high elongation calendared rubber layer laminated to AA5083-H112 aluminum alloy. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 235(10), 2276-2290.

Kang, H., Guo, X., Zhang, Q., Cui, H., Wang, S., & Yan, W. (2021). Predicting the behavior of armored plates under shallow-buried landmine explosion using incomplete scaling models. *International Journal of Impact Engineering*, 156, 103970.

He, W., Wang, L., Liu, H., Wang, C., Yao, L., Li, Q., & Sun, G. (2021). On impact behavior of fiber metal laminate (FML) structures: A state-of-the-art review. *Thin-Walled Structures*, 167, 108026.

Kumar, S., Malek, A., Babu, R., & Mathur, S. (2021). Ballistic Efficiency of Multilayered Armor System Reinforced with Jute-Kevlar Epoxy Composite against High-Energy Steel Core Projectile. *Journal of Materials Engineering and Performance*, 30(11), 8447-8464.



Sahu, S. K., Badgayan, N. D., Samanta, S., & Rama Sreekanth, P. S. (2021). Evaluation of cell parameter variation on energy absorption characteristic of thermoplastic honeycomb sandwich structure. *Arabian Journal for Science and Engineering*, 46(12), 12487-12507.

Zou, Y., Xiong, C., Yin, J., Deng, H., Cui, K., & Zhang, S. (2021). Experimental and Modeling Studies of Stress Wave Propagation and Energy Dissipation Mechanism in Layered Composite Structures. *Shock and Vibration*, 2021.

Oliveira, M. J., Gomes, A. V., Pimenta, A. R., & da Silva Figueiredo, A. B. H. (2021). Alumina and low density polyethylene composite for ballistics applications. *Journal of Materials Research and Technology*, 14, 1791-1799.

Garcia Filho, F. C., Luz, F. S., Oliveira, M. S., Bezerra, W. B., Barbosa, J. D., & Monteiro, S. N. (2021). Influence of rigid brazilian natural fiber arrangements in polymer composites: Energy absorption and ballistic efficiency. *Journal of Composites Science*, 5(8), 201.

Oliveira, M. S., Luz, F. S. D., Lopera, H. A. C., Nascimento, L. F. C., Garcia Filho, F. D. C., & Monteiro, S. N. (2021). Energy absorption and limit velocity of epoxy composites incorporated with fique fabric as ballistic armor—A brief report. *Polymers*, 13(16), 2727.

Alagumalai, V., Shanmugam, V., Balasubramanian, N. K., Krishnamoorthy, Y., Ganesan, V., Försth, M., ... & Das, O. (2021). Impact response and damage tolerance of hybrid glass/Kevlar-fibre epoxy structural composites. *Polymers*, 13(16), 2591.

Mora, P., Jubsilp, C., Bielawski, C. W., & Rimdusit, S. (2021). Impact response of aramid fabric-reinforced polybenzoxazine/urethane composites containing multiwalled carbon nanotubes used as support panel in hard armor. *Polymers*, 13(16), 2779.

Becker, M., De Vuyst, T., Seidl, M., & Schulte, M. (2021). Comparative Study on High Strain Rate Fracture Modelling Using the Application of Explosively Driven Cylinder Rings. *Materials*, 14(15), 4235.

Klosak, M., Santiago, R., Jankowiak, T., Bendarma, A., Rusinek, A., & Bahi, S. (2021). The Influence of Temperature in the Al 2024-T3 Aluminum Plates Subjected to Impact: Experimental and Numerical Approaches. *Materials*, 14(15), 4268.

Shen, Y., Wang, Y., Yan, Z., Cheng, X., Fan, Q., Wang, F., & Miao, C. (2021). Experimental and Numerical Investigation of the Effect of Projectile Nose Shape on the Deformation and Energy Dissipation Mechanisms of the Ultra-High Molecular Weight Polyethylene (UHMWPE) Composite. *Materials*, 14(15), 4208.

Rubio Díaz, I., Rodríguez-Millán, M., Rusinek, A., Miguélez, M. H., & Loya, J. A. (2021). Energy absorption analysis of aramid composite during blunt projectile impact. *Mechanics of Advanced Materials and Structures*, 1-12.

da Silva, A. A. X., Scazzosi, R., Manes, A., & Amico, S. C. (2021). High-velocity impact behavior of aramid/S2-glass interply hybrid laminates. *Applied Composite Materials*, 28(6), 1899-1917.

Magagnosc, D. J., Jannotti, P. A., Ligda, J. P., & Lloyd, J. T. (2021). Pre-twinned magnesium for improved ballistic performance. *Mechanics of Materials*, 161, 104005.

Dias, R. R., Zattera, A. J., Pereira, I. M., & Soares, B. G. (2021). Ballistic impact performance of composite laminates based on high-density polyethylene/montmorillonite nanocomposite and Aramide fiber. *Polymer Composites*, 42(10), 5586-5597.

Chang, C. P., Shih, C. H., You, J. L., Youh, M. J., Liu, Y. M., & Ger, M. D. (2021). Preparation and Ballistic Performance of a Multi-Layer Armor System Composed of Kevlar/Polyurea Composites and Shear Thickening Fluid (STF)-Filled Paper Honeycomb Panels. *Polymers*, *13*(18), 3080.

Wibneh, A., Singh, A. K., & Karmakar, S. (2021). Effect of Hull Obliquity on Crew Protection, Mass and Space Occupancy of Light Armoured Vehicle: An Optimal Design Approach. *Defence Science Journal*, *71*(5).

Pîrvu, C., & Deleanu, L. (2021). Failure investigation of layered LFT SB1plus package after ballistic tests for level IIA. *Polymers*, *13*(17), 2912.

Dmitruk, A., Naplocha, K., Pach, J., Pyka, D., Ziółkowski, G., Bocian, M., & Jamroziak, K. (2021). Experimental and Numerical Study of Ballistic Resistance of Composites Based on Sandwich Metallic Foams. *Applied Composite Materials*, *28*(6).

Katiyar, A., Nandi, T., & Katiyar, P. (2021). Energy absorption of graphene and CNT infused hybrid shear thickening fluid embedded textile fabrics. *Journal of Polymer Research*, *28*(9), 1-13.

Sovják, R., Koutný, O., & Hála, P. (2021). Penetration Resistance of Building Materials against 7.62-mm Armor-Piercing Projectile. *Journal of Materials in Civil Engineering*, *33*(9), 04021224.

Zhuo, C., & Wang, M. (2021). Numerical Research on Effect of Base Bleed Type on Operation Process of Base Bleed Projectile. *Journal of Applied Fluid Mechanics*, *14*(5), 1583-1591.

Haque, B. Z., & Gillespie Jr, J. W. (2021). Perforation mechanics of UHMWPE soft ballistic sub-laminate and soft ballistic armor pack: A finite element study. *Journal of Thermoplastic Composite Materials*, 08927057211042058.

Stephen, C., Mourad, A. H. I., Shivamurthy, B., & Selvam, R. (2021). Energy absorption and damage assessment of non-hybrid and hybrid fabric epoxy composite laminates: experimental and numerical study. *Journal of Materials Research and Technology*, *14*, 3080-3091.

Liu, Y. J., Wang, Z. H., & Wen, H. M. (2021). Predicting the response and perforation of fibre metal laminates subjected to projectile impact. *Aircraft Engineering and Aerospace Technology*.

Bhat, A., Naveen, J., Jawaid, M., Norraahim, M. N. F., Rashedi, A., & Khan, A. (2021). Advancement in fiber reinforced polymer, metal alloys and multi-layered armour systems for ballistic applications—A Review. *Journal of Materials Research and Technology*, *15*, 1300-1317.

Yu, S., Yu, X., Ao, Y., Mei, J., Jiang, W., Liu, J., ... & Huang, W. (2021). The impact resistance of composite Y-shaped cores sandwich structure. *Thin-Walled Structures*, *169*, 108389.

Zhao, Y., Jing, J., Chen, L., Xu, F., & Hou, H. (2021). Current research status of interface of ceramic-metal laminated composite material for armor protection. *Acta Metall Sin*, *57*(9), 1107-1125.

Paul, S., Majumder, S., & Janke, W. (2021). Motion of a polymer globule with Vicsek-like activity: from super-diffusive to ballistic behavior. *Soft Materials*, *19*(3), 306-315.

Zhang, X., Li, T. T., Wang, Y., Shiu, B. C., Peng, H. K., Lou, C. W., & Lin, J. H. (2021). Hydrogel with high toughness and strength for fabricating high performance stab-resistant aramid composite fabric. *Journal of Materials Research and Technology*, 15, 1630-1641.

Malik, A., Wang, Y., Huanwu, C., Nazeer, F., & Khan, M. A. (2021). Post deformation analysis of the ballistic impacted magnesium alloys, a short-review. *Journal of Magnesium and Alloys*, 9(5), 1505-1520.

Chiang, C. C., Breslin, J., Weeks, S., & Meng, Z. (2021). Dynamic mechanical behaviors of nacre-inspired graphene-polymer nanocomposites depending on internal nanostructures. *Extreme Mechanics Letters*, 49, 101451.

Cao, M., Chen, L., Xu, R., & Fang, Q. (2021). Effect of the temperature on ballistic performance of UHMWPE laminate with limited thickness. *Composite Structures*, 277, 114638.

Deng, Y., Hu, A., Xiao, X., & Jia, B. (2021). Experimental and numerical investigation on the ballistic resistance of ZK61m magnesium alloy plates struck by blunt and ogival projectiles. *International Journal of Impact Engineering*, 158, 104021.

Tan, S., Long, S., Yao, X., & Zhang, X. (2021). An improved material model for loading-path and strain-rate dependent strength of impacted soda-lime glass plate. *Journal of Materials Research and Technology*, 15, 1905-1919.

Sonin, E. B. (2021). Ballistic SNS sandwich as a Josephson junction. *Physical Review B*, 104(9), 094517.

Ren, K., Liu, H., Chen, R., Tang, Y., Guo, B., Li, S., ... & Lu, F. (2021). Compression properties and impact energy release characteristics of TiZrNbV high-entropy alloy. *Materials Science and Engineering: A*, 827, 142074.

Demircan, G., Kisa, M., Ozen, M., & Acikgoz, A. (2021). Quasi-Static Penetration Behavior of Glass-Fiber-Reinforced Epoxy Nanocomposites. *Mechanics of Composite Materials*, 57(4), 503-516.

Li, Y., Feng, C., Xu, X., Han, L., & Wang, D. (2021). Separation and feature extraction of micro-motion signal of ballistic target. *The Journal of Engineering*, 2021(12), 828-837.

Schonberg, W., & Ryan, S. (2021). Predicting metallic armour performance when impacted by fragment-simulating projectiles—model review and assessment. *International Journal of Impact Engineering*, 158, 104025.

Wang, H., Wang, C., Hazell, P. J., Wright, A., Zhang, Z., Lan, X., ... & Zhou, M. (2021). Insights into the high-velocity impact behaviour of bio-inspired composite laminates with helicoidal lay-ups. *Polymer Testing*, 103, 107348.

Ren, S., Zhang, Q., Wu, Q., Long, R., Gong, L., & Lu, Y. (2021). A reactive material double-bumper shield for centimeter sized projectile. *International Journal of Impact Engineering*, 158, 104028.

Liu, Q., Xue, H., & Tang, W. (2021). Behavior of unbonded flexible riser with composite armor layers under coupling loads. *Ocean Engineering*, 239, 109907.

Burakov, V. A., Diachkovsky, A. S., Ishchenko, A. N., Kasimov, V. Z., Rogaev, K. S., & Samorokova, N. M. (2021). Allowance for the effect of condensed particles on ballistic

parameters of a shot. *Vestnik Tomskogo Gosudarstvennogo Universiteta. Matematika i Mekhanika*, (73), 50-59.

Ribis, J., Mouton, I., Baumier, C., Gentils, A., Loyer-Prost, M., Lunéville, L., & Siméone, D. (2021). Nano-Structured Materials under Irradiation: Oxide Dispersion-Strengthened Steels. *Nanomaterials*, 11(10), 2590.

Bassindowa, H., Farouk, B., & Segletes, S. B. (2021). Impact and Ricochet of a High Speed Projectile from a Plate. *Defence Science Journal*, 71(6), 737.

Gara, N., Ramachandran, V., & Rengaswamy, J. (2021). Analytical and FEM Analyses of High-Speed Impact Behaviour of Al 2024 Alloy. *Aerospace*, 8(10), 281.

Souza, E. R. S., Weber, R. P., Monteiro, S. N., & Oliveira, S. D. S. A. (2021). Microstructure Effect of Heat Input on Ballistic Performance of Welded High Strength Armor Steel. *Materials*, 14(19), 5789.

Pallikonda, M. K., & Nayfeh, T. H. (2021). Experimental Investigation to Study the Feasibility of Fabricating Ultra-Conductive Copper Using a Hybrid Method. *Materials*, 14(19), 5560.

Dong, Y., Zi, F., Yang, L., Lu, J., Jin, Z., & Wu, L. (2021). Research on anti-penetration performance of composite armor of steel/composite materials. *Mechanics of Advanced Materials and Structures*, 1-16.

Caçoilo, A., Mourão, R., Teixeira-Dias, F., Azevedo, A., Coghe, F., & Valente, R. A. F. (2021). Modelling ballistic impact on military helmets: *The relevance of projectile plasticity*. *Defence Technology*, 17(5), 1699-1711.

Yuan, Y., Liu, Z. Y., He, S., Ge, C., Yu, Q. B., Zheng, Y. F., & Wang, H. F. (2021). Shock-induced reaction behaviors of functionally graded reactive material. *Defence Technology*, 17(5), 1687-1698.

Bäumel, C., Bauriedl, L., Marganska, M., Grifoni, M., Strunk, C., & Paradiso, N. (2021). Supercurrent and Phase Slips in a Ballistic Carbon Nanotube Bundle Embedded into a van der Waals Heterostructure. *Nano Letters*, 21(20), 8627-8633.

Bhinder, J., Verma, S. K., & Agnihotri, P. K. (2021). Qualifying carbon nanotube reinforced polyurethane foam as helmet inner liner through in-situ, static and low velocity impact testing. *Materials Science and Engineering: B*, 274, 115496.

Jo, B. U., & Ahn, J. (2021). Noniterative feedback midcourse guidance for exo-atmospheric interception of ballistic targets using virtual impact point steering. *Aerospace Science and Technology*, 119, 107159.

Karthick, K., Malarvizhi, S., & Balasubramanian, V. (2021). Mechanical properties and microstructural characteristics of rotary friction welded dissimilar joints of rolled homogeneous armor steel and medium carbon steel. *Journal of the Mechanical Behavior of Materials*, 30(1), 171-178.

Zhou, H., Min, S., & Chen, X. (2021). A numerical study on the influence of quasi-isotropic structures on the ballistic performance of para-aramid woven composites. *Composite Structures*, 275, 114489.

Taş, H., & Soykok, I. F. (2021). Puncture resistance of STF impregnated MWCNTs-grafted carbon fabrics. *Materials Today Communications*, 28, 102692.

Zhu, Y., Liu, K., Wen, Y., Cui, G., Niu, W., Wang, Y., ... & Xu, C. (2021). Experimental and numerical study on the ballistic performance of ultrahigh molecular weight polyethylene laminate. *Polymer Composites*, 42(10), 5168-5198.

Medvedev, A. E., Lui, E. W., Edwards, D., Leary, M., Qian, M., & Brandt, M. (2021). Improved ballistic performance of additively manufactured Ti6Al4V with  $\alpha$ - $\beta$  lamellar microstructures. *Materials Science and Engineering: A*, 825, 141888.

Kumar, S. D., Magarajan, U., Kumar, S. S., & Balasubramani, S. (2021). Effect of shot peening on mechanical properties and ballistic resistance of magnesium alloy AZ31B. *Metal Science and Heat Treatment*, 63(3), 197-202.

Sheng, X., Qin, J., Wang, T., Yun, J., & Zhang, G. (2021). Properties of Kevlar fabric composites reinforced by STF composed of monodisperse polystyrene microspheres. *Thin-Walled Structures*, 167, 108238.

Asemani, S. S., Liaghat, G., Ahmadi, H., Anani, Y., Khodadadi, A., & Charandabi, S. C. (2021). The experimental and numerical analysis of the ballistic performance of elastomer matrix Kevlar composites. *Polymer Testing*, 102, 107311.

Khalifehei, K., Azizyan, G., & Shafai-Bajestan, M. (2021). Hydrodynamic Performance of A-Jacks Concrete Armor Units in Riverbeds around Downstream in Flip Buckets. *Shock and Vibration*, 2021.

Emdadi Derabi, M., Sangsefidi, M., & Rahmani, O. (2021). The effect of thickness on the multiwalled carbon nanotubes performance in glass/epoxy composite laminates under dynamic loading. *Polymer Composites*, 42(11), 5789-5800.

Guo, G., Alam, S., & Peel, L. D. (2021). An investigation of the effect of a Kevlar-29 composite cover layer on the penetration behavior of a ceramic armor system against 7.62 mm APM2 projectiles. *International Journal of Impact Engineering*, 157, 104000.

Leng, J., Dong, Y., Ren, B., Xu, X., Zhu, B., & Tian, S. (2021). Effect of Rolling Deformation on Microstructure and Properties of 7085 Aluminum Alloy. *Physics of Metals and Metallography*, 122(14), 1543-1550.

Hariprasath, P., Sivaraj, P., & Balasubramanian, V. (2021). A Critical Assessment on Rotary Friction Welded High Strength Armor Grade Aluminum Alloy Joints. *Physics of Metals and Metallography*, 122(13), 1401-1408.

Ryan, S., Gallardy, D., Zellner, M., Bunn, J., Nguyen, L., & Swoboda, P. (2021). Investigating the relationship between radial pre-stress magnitude and ballistic projectile dwell in heavy confined ceramic targets. *International Journal of Impact Engineering*, 157, 104002.

Vescovini, A., Balen, L., Scazzosi, R., da Silva, A. A. X., Amico, S. C., Giglio, M., & Manes, A. (2021). Numerical investigation on the hybridization effect in inter-ply S2-glass and aramid woven composites subjected to ballistic impacts. *Composite Structures*, 276, 114506.

Mahomed, I., Roohani, H., Skews, B. W., Gledhill, I. M. A., Yamashita, Y., Fujiwara, H., ... & Sasoh, A. (2021). Numerical Investigation of a Ballistic Range Free Flight Model. *International Journal of Aeronautical and Space Sciences*, 22(6), 1293-1301.

Steinke, K., & Sodano, H. A. (2021). Improved inter-yarn friction and ballistic impact performance of zinc oxide nanowire coated ultra-high molecular weight polyethylene (UHMWPE). *Polymer*, 231, 124125.

El Assal, A., Breiss, H., Benzerga, R., & Sharaiha, A. (2021). Design and optimization of ultra-wideband planar multilayer absorber based on long-carbon fiber-loaded composites. *Journal of Materials Science*, 56(35), 19484-19500.

Umanzor, M. E., Batra, R. C., Williams, C. B., & Druschitz, A. P. (2021). Penetration Resistance of Cast Metal– Ceramic Composite Lattice Structures. *Advanced Engineering Materials*, 23(12), 2100577.

Sahoo, G., Kumar, P., Nageswaran, K., Singh, K. K., Kumar, V., & Dhua, S. K. (2021). High-Si-Content Quenched and Tempered Steel for High-Strength Application. *Journal of Materials Engineering and Performance*, 30(12), 9290-9301.

Jeddi, M., Yazdani, M., & Hasan-nezhad, H. (2021). Energy absorption characteristics of aluminum sandwich panels with Shear Thickening Fluid (STF) filled 3D fabric cores under dynamic loading conditions. *Thin-Walled Structures*, 168, 108254.

Cherepanov, G. P. (2021). Collision of a Bullet with a Membrane. *Journal of Applied Mechanics and Technical Physics*, 62(5), 796-800.

Liang, Z., Guan, J., Xia, Y., & Yi, W. (2021). Projectile drag coefficient identification based on extreme learning. *AIP Advances*, 11(9), 095108.

Wang, X., Yu, Y., Zhong, K., Jiang, Z., & Gao, G. (2021). Effects of impact velocity on the dynamic fragmentation of rigid-brittle projectiles and ceramic composite armors. *Latin American Journal of Solids and Structures*, 18.

Kliros, G. (2021). Strain Engineering of Graphene Nanoribbon Transistors Made Using Analytical Quasi-Ballistic Transport Model. In *Journal of Nano Research* (Vol. 70, pp. 119-135). Trans Tech Publications Ltd.

Oliveira, S. D. S. A., Monsores, K. G. D. C., Silva, A. O. D., Passalini, P. G., Nicolau, G. D. S., & Weber, R. P. (2021). Microstructural investigation of a metallic armor. *Matéria* (Rio de Janeiro), 26.

Boukera, A. W., Hristov, N. P., Ziane, A. N., Jerković, D. D., & Savić, S. R. (2021). Analysis of thermal and gas-dynamic characteristics of different types of propellant in small weapons. *Thermal Science*, 25(6 Part A), 4295-4306.

Gao, J., Guo, Z., Hernandez, J. A., Zhou, F., Nie, Y., Gao, J., ... & Chen, W. (2021). Transverse impact by RCCs on S-glass and Kevlar® FRC strips. *Composites Part A: Applied Science and Manufacturing*, 146, 106425.

Zhang, G., Liu, Y., Lv, Z., Wang, J., Zhang, W., & Wu, Y. (2021). Research on impact resistance of ceramic matrix composites. *Composite Structures*, 268, 113977.

Du, C., Wang, H., Zhao, Z., Han, L., & Zhang, C. (2021). A comparison study on the impact failure behavior of laminate and woven composites with consideration of strain rate effect and impact attitude. *Thin-Walled Structures*, 164, 107843.

Dou, J. H., Jia, X., Huang, Z. X., Gu, X. H., Zheng, Y. M., Ma, B., & Xiao, Q. Q. (2021). Theoretical and numerical simulation study on jet formation and penetration of different liner structures driven by electromagnetic pressure. *Defence Technology*, 17(3), 846-858.

Guo, Y. X., Yuan, M. Q., & Qian, X. M. (2021). Bionic stab-resistant body armor based on triangular pyramid structure. *Defence Technology*, 17(3), 792-799.

Lazurenko, D. V., Lozanov, V. V., Stark, A., Pyczak, F., Ruktuev, A. A., Emurlaev, K. I., ... & Bataev, A. A. (2021). In situ synchrotron X-ray diffraction study of reaction routes in Ti-Al<sub>3</sub>Ti-based composites: The effect of transition metals on L12 structure stabilization. *Journal of Alloys and Compounds*, 875, 160004.

Kostin, V. A., Poznyakov, V. D., Berdnikova, O. M., Zhukov, V. V., Alekseyenko, T. O., & Alekseyenko, I. I. (2021). Influence of Structural Transformations on the Mechanical Properties of Welded Joints of Armor Steels. *Materials Science*, 56(4), 472-480.

Meredith, C. S. (2021). Dynamic thermomechanical behavior of fine-grained Mg alloy AMX602. *Materialia*, 16, 101096.

Devin, L. M., Prikhna, T. O., Barvitskyi, P. P., Rychev, C. V., Karpets, M. V., Moshchil, V. E., ... & Lokatkina, A. S. (2021). Physical and Mechanical Characteristics of Impact-Resistant Ceramics under Static and Dynamic Loading. *Journal of Superhard Materials*, 43(3), 151-165.

Scaravaglione, G., Latham, J. P., & Xiang, J. (2021). Numerical Model Study of Prototype Drop Tests on Cube and Cubipod® Concrete Armor Units Using the Combined Finite–Discrete Element Method. *Journal of Marine Science and Engineering*, 9(5), 460.

Szachogłuchowicz, I., Fikus, B., Grzelak, K., Kluczyński, J., Torzewski, J., & Łuszczek, J. (2021). Selective Laser Melted M300 Maraging Steel—Material Behaviour during Ballistic Testing. *Materials*, 14(10), 2681.

Naveen, J., Jawaid, M., Goh, K. L., Reddy, D. M., Muthukumar, C., Loganathan, T. M., & Reshwanth, K. N. G. L. (2021). Advancement in Graphene-Based Materials and Their Nacre Inspired Composites for Armour Applications—A Review. *Nanomaterials*, 11(5), 1239.

Giannopoulos, I. K., Yasae, M., & Maropakis, N. (2021). Ballistic impact and virtual testing of woven frp laminates. *Journal of Composites Science*, 5(5), 115.

Toader, G., Diacon, A., Rusen, E., Rizea, F., Teodorescu, M., Stanescu, P. O., ... & Gingham, R. (2021). A Facile Synthesis Route of Hybrid Polyurea-Polyurethane-MWCNTs Nanocomposite Coatings for Ballistic Protection and Experimental Testing in Dynamic Regime. *Polymers*, 13(10), 1618.

Alkhatib, F., Mahdi, E., & Dean, A. (2021). Design and evaluation of hybrid composite plates for ballistic protection: experimental and numerical investigations. *Polymers*, 13(9), 1450.

Savvova, O. V., Blinova, N. K., Fesenko, O. I., Voronov, G. K., Babich, O. V., & Riabinin, S. O. (2021). High strength aluminosilicate glass composite materials with special electrophysical properties. *Functional Materials*, 28(2), 279-286.

Alim, M. S. A. M., Mustapha, F., Abdullah, M. N., Sultan, M. T. H., & Muda, M. K. H. (2021). Fabrication technique using a core and cavity mold of a hybrid composite ballistic helmet. *Journal of Computational Methods in Sciences and Engineering*, 21(3), 623-629.

Hong, D., Li, W. B., Zheng, Y., & Jiang, N. (2021). Experimental research on tungsten alloy spherical fragments penetrating into carbon fiber target plate. *Latin American Journal of Solids and Structures*, 18.

Sanusi, O. M., Oyelaran, O. A., Methia, M., Dubey, A., & Adediran, A. A. (2021). Research Paper Numerical And Experimental Study Of Ceramic/Steel Compo-Site For Structural Applications. *Acta Metallurgica Slovaca*, 27(2), 77-86.

Nurazzi, N. M., Abdullah, N., Demon, S. Z., Halim, N. A., Azmi, A. F., Knight, V. F., & Mohamad, I. S. (2021). The frontiers of functionalized graphene-based nanocomposites as chemical sensors. *Nanotechnology Reviews*, 10(1), 330-369.

Subramani, N. K., Visvalingam, B., Sudersanan, M., Abdur, H. R., & Vadivel, B. (2021). Influence of Welding Consumables on Ballistic Performance of Gas Metal Arc Welded Ultra-High Hard Armor Steel Joints. *Materials Performance and Characterization*, 10(1), 443-462.

Parate, B. A., Bamble, J. G., Dixit, V. K., & Rao, V. V. (2021). Life extension study of imported main seat ejection cartridges using internal ballistic measurement for aircraft application. *Science and Technology of Energetic Materials*, 82(1), 21-28.

Gavrilov, E. V., Gorely, N. A., Kulakov, N. A., & Panichenko, I. V. (2021). Applying the Jonson–Cook Model in a Computational and Experimental Study on the Impact Interaction of Punchers with Homogenous and Compositional Plates. *Mechanics of Solids*, 56(1), 103-118.

Nieoczym, A., & Drozd, K. (2021). Fractographic Assessment and FEM Energy Analysis of the Penetrability of a 6061-T Aluminum Ballistic Panel by a Fragment Simulating Projectile. *Advances in Science and Technology. Research Journal*, 15(1).

Chuan, M. W., Wong, K. L., Hamzah, A., Rusli, S., Alias, N. E., Lim, C. S., & Tan, M. L. P. (2021). Device modelling and performance analysis of two-dimensional AlSi 3 ballistic nanotransistor. *Advances in nano research*, 10(1), 91-99.

Zalaoglu, D., & Übeyli, M. (2021). Influence of aging and annealing processes on the properties of TiB 2 particulate reinforced aluminum composites produced by powder metallurgy. *Kovove Materialy-Metallic Materials*, 59(1), 21-38.

Marlet, C. A. F., & Rezende, M. C. (2021). Obtaining and characterizing tridirectional aramid fiber multilayered fabric for ballistic shielding application. *Matéria (Rio de Janeiro)*, 26.

Abbasi, M., Alavi Nia, A., & Abolfathi, M. (2021). Experimental study on the high-velocity impact behavior of sandwich structures with an emphasis on the layering effects of foam core. *Journal of Sandwich Structures & Materials*, 23(1), 3-22.

Sundarraaj, V., Sundarraaj, K., & Kulkarni, P. S. (2021). Thermo-Fluid Analysis of Supersonic Flow over Ballistic Shaped Bodies with multiple aero-disk spike configurations. *Acta Astronautica*, 180, 292-304.

Pelz, J. S., Ku, N., Shoulders, W. T., Meyers, M. A., & Vargas-Gonzalez, L. R. (2021). Multi-material additive manufacturing of functionally graded carbide ceramics via active, in-line mixing. *Additive Manufacturing*, 37, 101647.

Öğünç, G. İ. (2021). The Effectiveness of Armoured Vehicles in Urban Warfare Conditions. *Defence Science Journal*, 71(1).

Thai, D. K., Nguyen, D. L., Pham, T. T., & Pham, T. H. (2021). Safety assessment of an underground tunnel subjected to missile impact using numerical simulations. *Computers and Concrete*, 27(1), 1-12.

Chricker, R., Mustacchi, S., Massarwa, E., Eliasi, R., Aboudi, J., & Haj-Ali, R. (2021). Ballistic Penetration Analysis of Soft Laminated Composites Using Sublaminar Mesoscale Modeling. *Journal of Composites Science*, 5(1), 21.



Reza-E-Rabby, M., Olszta, M. J., Overman, N. R., McDonnell, M., & Whalen, S. A. (2021). Friction stir dovetailing of AA7099 to steel with AA6061 interlayer for reduced Zn embrittlement at dissimilar interface. *Journal of Manufacturing Processes*, 61, 25-34.

Yoshinaga, A. (2021). Ballistic propagation of a local impact in the one-dimensional XY model. *Journal of Statistical Mechanics: Theory and Experiment*, 2021(1), 013103.

Lu, T., Li, Y., Zhao, H., Wang, C., & Han, S. (2021). Dynamic constitutive behavior investigation of a novel low alloy ultra-high strength steel. *Materials Research Express*, 8(1), 016508.

Shakil, U. A., Hassan, S. B. A., Yahya, M. Y., & Nurhadiyanto, D. (2021). A review of properties and fabrication techniques of fiber reinforced polymer nanocomposites subjected to simulated accidental ballistic impact. *Thin-Walled Structures*, 158, 107150.

Akhter, M. Z., & Hassan, M. A. (2021). Ballistic and thermomechanical characterisation of paraffin-based hybrid rocket fuels loaded with light metal hydrides. *Acta Astronautica*, 178, 370-381.

Bajya, M., Majumdar, A., Butola, B. S., Arora, S., & Bhattacharjee, D. (2021). Ballistic performance and failure modes of woven and unidirectional fabric based soft armour panels. *Composite Structures*, 255, 112941.

Suryo, S. H., Umardani, Y., & Yanuar, P. (2021). The role of residual stress to hardening and cracking on quenched and tempered ARMOR steel welded joints. *Metalurgija*, 60(1-2), 47-50.

Sobolev, S. L., & Kudinov, I. V. (2021). Heat conduction across 1D nano film: Local thermal conductivity and extrapolation length. *International Journal of Thermal Sciences*, 159, 106632.

Zhang, S., Chen, W., Li, B., Niu, S., Yu, H., Liu, Y., ... & Ren, L. (2021). Optimum Anti-erosion Structures and Anti-erosion Mechanism for Rotatory Samples Inspired by Scorpion Armor of *Parabuthus transvaalicus*. *Journal of Bionic Engineering*, 18(1), 92-102.

Zhu, F. L., Chen, Y., & Zhu, G. L. (2021). Numerical simulation study on penetration performance of depleted Uranium (DU) alloy fragments. *Defence Technology*, 17(1), 50-55.

Wadagbalkar, P., & Liu, G. R. (2021). Real-time prediction of projectile penetration to laminates by training machine learning models with finite element solver as the trainer. *Defence Technology*, 17(1), 147-160.

Mahesh, V., Joladarashi, S., & Kulkarni, S. M. (2021). Damage mechanics and energy absorption capabilities of natural fiber reinforced elastomeric based bio composite for sacrificial structural applications. *Defence Technology*, 17(1), 161-176.

Oucif, C., Rama, J. K., Ram, K. S., & Abed, F. (2021). Damage modeling of ballistic penetration and impact behavior of concrete panel under low and high velocities. *Defence Technology*, 17(1), 202-211.

Mahesh, V., Joladarashi, S., & Kulkarni, S. M. (2021). Influence of thickness and projectile shape on penetration resistance of the compliant composite. *Defence Technology*, 17(1), 245-256.

Mo, G. L., Ma, Q. W., Jin, Y. X., Yan, W. M., Li, Z. X., & Wu, Z. L. (2021). Delamination process in cross-ply UHMWPE laminates under ballistic penetration. *Defence Technology*, 17(1), 278-286.

Šleichrt, J., Fíla, T., Koudelka, P., Adorna, M., Falta, J., Zlámál, P., ... & Jiroušek, O. (2021). Dynamic penetration of cellular solids: Experimental investigation using Hopkinson bar and computed tomography. *Materials Science and Engineering: A*, 800, 140096.

Patil, S. P., Kulkarni, A., & Markert, B. (2021). Shockwave response of graphene aerogels: an all-atom simulation study. *Computational Materials Science*, 189, 110252.

Nirmal, R. R., Patnaik, B. S. V., & Jayaganthan, R. (2021). FEM Simulation of High Speed Impact Behaviour of Additively Manufactured AlSi10Mg Alloy. *Journal of Dynamic Behavior of Materials*, 7(3), 469-484.

Bredol, P. (2021). Nonreciprocity of the wave-packet scattering delay in ballistic two-terminal devices. *Physical Review B*, 103(3), 035404.

Kim, S., Jo, M. C., Park, T. W., Ham, J., Sohn, S. S., & Lee, S. (2021). Correlation of dynamic compressive properties, adiabatic shear banding, and ballistic performance of high-strength 2139 and 7056 aluminum alloys. *Materials Science and Engineering: A*, 804, 140757.

Shih, C. H., Chang, C. P., Liu, Y. M., Chen, Y. L., & Ger, M. D. (2021). Ballistic performance of shear thickening fluids (STFs) filled paper honeycomb panel: effects of laminating sequence and rheological property of STFs. *Applied Composite Materials*, 28(1), 201-218.

Peng, H., Shouqian, W., Xiaowei, F., Juncheng, L., Zhengcao, L., Zhuoran, L., & Xianfeng, Z. (2021). Experimental Investigation on Failure Behaviors of G50 Ultra-High Strength Steel Targets Struck by Tungsten Alloy Spherical Fragments at High Velocity. *Frontiers in Materials*, 7, 618771.

Beyer, F. L., Masser, K. A., & Lenhart, J. L. (2021). Application of the small-angle scattering invariant to morphological behavior in ballistic materials. *Journal of Applied Polymer Science*, 138(21), 50478.

Terentyev, D., Yin, C., Dubinko, A., Chang, C. C., & You, J. H. (2021). Neutron irradiation hardening across ITER diverter tungsten armor. *International Journal of Refractory Metals and Hard Materials*, 95, 105437.

Ghazlan, A., Ngo, T., Tan, P., Xie, Y. M., Tran, P., & Donough, M. (2021). Inspiration from Nature's body armours—A review of biological and bioinspired composites. *Composites Part B: Engineering*, 205, 108513.

Mohammad, Z., Gupta, P. K., Baqi, A., & Iqbal, M. A. (2021). Ballistic performance of monolithic and double layered thin-metallic hemispherical shells at normal and oblique impact. *Thin-Walled Structures*, 159, 107257.

Sangsefidi, M., Sabouri, H., Mir, M., & Hasanpour, A. (2021). High-velocity impact response of fiber metal laminates: Experimental investigation of projectile's deformability. *Thin-Walled Structures*, 159, 107169.

Teixeira, P., Pina, L., Rocha, R., & Sadek, S. (2021). Parametric analysis of energy absorption capacity of thin aluminum plates impacted by rigid spherical projectiles. *Thin-Walled Structures*, 159, 107240.

Mawkhlieng, U., Majumdar, A., & Bhattacharjee, D. (2021). Graphene reinforced multiphase shear thickening fluid for augmenting low velocity ballistic resistance. *Fibers and Polymers*, 22(1), 213-221.

Wei, Q., Yang, D., Gu, B., & Sun, B. (2021). Numerical analysis of strain rate effect on ballistic impact response of multilayer three dimensional angle-interlock woven fabric. *International Journal of Damage Mechanics*, 30(6), 923-944.

GU SQ, Z. D., & LIU, Y. (2021). Anti-High Speed Impact Properties of Polyimide Fiber/Bisma-leimide Resin Composites. *Journal of Materials Engi-neering*, 49, 119-125.

Steinke, K., Groo, L., & Sodano, H. A. (2021). Laser induced graphene for in-situ ballistic impact damage and delamination detection in aramid fiber reinforced composites. *Composites Science and Technology*, 202, 108551.

Idrici, D., Goroshin, S., Soo, M. J., & Frost, D. L. (2021). Light emission signatures from ballistic impact of reactive metal projectiles. *International Journal of Impact Engineering*, 150, 103814.

Khaire, N., Tiwari, G., & Iqbal, M. A. (2021). Effect of eccentricity and obliquity on the ballistic performance and energy dissipation of hemispherical shell subjected to ogive nosed. *Thin-Walled Structures*, 161, 107447.

Xiao, K., Lei, X., Chen, Y., An, Q., Hu, D., Wang, C., ... & Huang, C. (2021). Extraordinary impact resistance of carbon nanotube film with crosslinks under micro-ballistic impact. *Carbon*, 175, 478-489.

Rawat, P., Zhu, D., Rahman, M. Z., & Barthelat, F. (2021). Structural and mechanical properties of fish scales for the bio-inspired design of flexible body armors: A review. *Acta Biomaterialia*, 121, 41-67.

Yu, W. L., Chi, J. Q., & Dong, B. (2021). Reduction tuning of ultrathin carbon shell armor covering IrP 2 for accelerated hydrogen evolution kinetics with Pt-like performance. *Journal of Materials Chemistry A*, 9(4), 2195-2204.

Yamaguchi, K., Gu, X., Inamori, T., Kimura, K., & Sakurai, Y. (2021). Study on ballistic kinetic impactor mission design and evaluation using impact-geometry maps. *Acta Astronautica*, 181, 336-351.

Haris, A., & Tan, V. B. C. (2021). Effects of spacing and ply blocking on the ballistic resistance of UHMWPE laminates. *International Journal of Impact Engineering*, 151, 103824.

Peng, Q., Peng, S., & Cao, Q. (2021). Ultrahigh ballistic resistance of twisted bilayer graphene. *Crystals*, 11(2), 206.

Matějčiček, J., Antoš, J., & Rohan, P. (2021). W+ Cu and W+ Ni composites and FGMs prepared by plasma transferred arc cladding. *Materials*, 14(4), 789.

Ren, K., Feng, S., Chen, Z., Zhao, T., Yin, L., & Fu, J. (2021). Study on the Penetration Performance of a 5.8 mm Ceramic Composite Projectile. *Materials*, 14(4), 721.

Chen, F., Peng, Y., Chen, X., Wang, K., Liu, Z., & Chen, C. (2021). Investigation of the ballistic performance of gfrp laminate under 150 m/s high-velocity impact: simulation and experiment. *Polymers*, 13(4), 604.

Nurazzi, N. M., Asyraf, M. R. M., Khalina, A., Abdullah, N., Aisyah, H. A., Rafiqah, S. A., ... & Sapuan, S. M. (2021). A review on natural fiber reinforced polymer composite for bullet proof and ballistic applications. *Polymers*, *13*(4), 646.

Cho, Y. J. (2021). Level III reliability design of an armor block of rubble mound breakwater using probabilistic model of wave height optimized for the Korean sea wave conditions and non-Gaussian wave slope distribution. *Journal of marine science and engineering*, *9*(2), 223.

Zochowski, P., Bajkowski, M., Grygoruk, R., Magier, M., Burian, W., Pyka, D., ... & Jamroziak, K. (2021). Ballistic impact resistance of bulletproof vest inserts containing printed titanium structures. *Metals*, *11*(2), 225.

Talapatra, A., & Datta, D. (2021). Graphene-reinforced thermoplastic polyurethane nanocomposites: A simulation and experimental study. *Journal of Thermoplastic Composite Materials*, *34*(2), 143-161.

Scazzosi, R., Giglio, M., & Manes, A. (2021). Experimental and numerical investigation on the perforation resistance of double-layered metal shield under high-velocity impact of armor-piercing projectiles. *Materials*, *14*(3), 626.

Yang, Y., Zhang, X., Chen, X., & Min, S. (2021). Numerical study on the effect of Z-warps on the ballistic responses of para-aramid 3d angle-interlock fabrics. *Materials*, *14*(3), 479.

Jiao, W. J., & Chen, X. W. (2021). Influence of the mushroomed projectile's head geometry on long-rod penetration. *International Journal of Impact Engineering*, *148*, 103769.

Ren, S., Long, R., Zhang, Q., & Chen, C. (2021). The hypervelocity impact resistance behaviors of NbC/Al<sub>2</sub>O<sub>3</sub> ceramic-metal composites. *International Journal of Impact Engineering*, *148*, 103759.

Yang, X., & Zhang, B. (2021). Twisted bilayer graphene/h-BN under impact of a nano-projectile. *Applied Surface Science*, *538*, 148030.

Dewangan, M. K., & Panigrahi, S. K. (2021). Factors influencing the ballistic impact mechanisms of textile composite materials: a review. *Polymers for Advanced Technologies*, *32*(5), 1901-1923.

Kumar, S. D., & Kumar, S. S. (2021). Effect of heat treatment conditions on ballistic behaviour of various zones of friction stir welded magnesium alloy joints. *Transactions of Nonferrous Metals Society of China*, *31*(1), 156-166.

Goda, I., & Girardot, J. (2021). Numerical modeling and analysis of the ballistic impact response of ceramic/composite targets and the influence of cohesive material parameters. *International Journal of Damage Mechanics*, *30*(7), 1079-1122.

Hazell, P. J., Wang, H., Lin, T., Saleh, M., Luzin, V., Kader, M. A., ... & Ellis, C. (2021). On the improvement of the ballistic performance of a silicon carbide tile through pre-stress: Experiments and simulations. *International Journal of Impact Engineering*, *151*, 103836.

Khaire, N., Tiwari, G., & Iqbal, M. A. (2021). Energy absorption characteristic of sandwich shell structure against conical and hemispherical nose projectile. *Composite Structures*, *258*, 113396.

Jo, M. C., Kim, S., Suh, D. W., Kim, H. K., Kim, Y. J., Sohn, S. S., & Lee, S. (2021). Enhancement of ballistic performance enabled by transformation-induced plasticity in high-strength bainitic steel. *Journal of Materials Science & Technology*, 84, 219-229.

Yang, D., Xu, Z., Gong, C., Su, L., Li, X., Tang, X., ... & Zeng, H. (2021). Armor-like passivated CsPbBr<sub>3</sub> quantum dots: boosted stability with hand-in-hand ligands and enhanced performance of nuclear batteries. *Journal of Materials Chemistry A*, 9(13), 8772-8781.

Alonso, L., Garcia-Gonzalez, D., Martínez-Hergueta, F., Navarro, C., Teixeira-Dias, F., & García-Castillo, S. K. (2022). Modeling high velocity impact on thin woven composite plates: a non-dimensional theoretical approach. *Mechanics of Advanced Materials and Structures*, 29(19), 2780-2794.

Naveen Kumar, S., Balasubramanian, V., Malarvizhi, S., Hafeezur Rahman, A., & Balaguru, V. (2021). Influence of microstructural characteristics on ballistic performance and its mode of failure in shielded metal arc welded ultra-high hard armor steel joints. *Transactions of the Indian Institute of Metals*, 74(4), 909-921.

Blasone, M., Saletti, D., Baroth, J., Forquin, P., Bonnet, E., & Delaplace, A. (2021). Ultra-high performance fibre-reinforced concrete under impact of an AP projectile: Parameter identification and numerical modelling using the DFHcoh-KST coupled model. *International Journal of Impact Engineering*, 152, 103838.

Fan, C., Wang, H., Ma, D., & Ma, B. (2021). Stress wave response analysis of nanoelectroplating steel plate resistance spot welding structure under ballistic impact loading. *Materials Express*, 11(3), 363-371.

Abteu, M. A., Boussu, F., Bruniaux, P., & Hong, Y. (2021). Dynamic impact surface damage analysis of 3d woven para-aramid armour panels using ndi technique. *Polymers*, 13(6), 877.

Malesa, P., Sławiński, G., & Pęcherzewska, K. (2021). Numerical analysis and experimental test for the development of a small shaped charge. *Applied Sciences*, 11(6), 2578.

Tsinas, Z., Tao, R., & Forster, A. L. (2021). Solution Blow Spinning of Polymeric Nano-Composite Fibers for Personal Protective Equipment. *JoVE (Journal of Visualized Experiments)*, (169), e62283.

Tremblay, J. S., Dagenais, M. A., & Wight, G. (2021). Ballistic Resistance of UHPFRC Panels Subjected to Armor-Piercing Projectiles. *Journal of Materials in Civil Engineering*, 33(3), 04020503.

Qiu, M., Si, P., Song, J., & Liao, Z. (2021). Recoil Reduction Method of Gun with Side to Rear Jet Controlled by Piston Motion. *Symmetry*, 13(3), 396.

Zhang, H., Wang, H., Yu, Q., Zheng, Y., Lu, G., & Ge, C. (2021). Perforation of Double-Spaced Aluminum Plates by Reactive Projectiles with Different Densities. *Materials*, 14(5), 1229.

Rosenberg, Z., & Vayig, Y. (2021). On the friction effect in the perforation of metallic plates by rigid projectiles. *International Journal of Impact Engineering*, 149, 103794.

Dewapriya, M. A. N., & Miller, R. E. (2021). Molecular dynamics study of the penetration resistance of multilayer polymer/ceramic nanocomposites under supersonic projectile impacts. *Extreme Mechanics Letters*, 44, 101238.

Khalifehei, K., Azizyan, G., Shafai-Bajestan, M., & Chau, K. W. (2021). Stability of A-Jack concrete block armors protecting the riverbeds. *Ain Shams Engineering Journal*, 12(1), 381-391.

Zhang, B., Wang, Y., Du, S., Yang, Z., Cheng, H., & Fan, Q. (2021). An analysis of bi-layer ceramic armor and optimization of protection efficiency. *Materials & Design*, 203, 109633.

Bisyk, S. P., Korbach, V. G., Davydovskiy, L. S., Nagorskiy, O. G., Aristarkhov, O. M., & Kotlyarenko, A. A. (2020). Assessment of the Armor Plate Response to the Blast Action of Differently-Shaped Charges in Air and in a Metallic Container. *Strength of Materials*, 52(6), 900-907.

Ribeiro, M. P., de Mendonça Neuba, L., da Silveira, P. H. P. M., da Luz, F. S., da Silva Figueiredo, A. B. H., Monteiro, S. N., & Moreira, M. O. (2021). Mechanical, thermal and ballistic performance of epoxy composites reinforced with Cannabis sativa hemp fabric. *Journal of Materials Research and Technology*, 12, 221-233.

Dong, J. L., Song, X., Wang, Z. J., Xiao, K. L., Liu, Y. H., Wilde, G., ... & Jiang, M. Q. (2021). Impact resistance of single-layer metallic glass nanofilms to high-velocity micro-particle penetration. *Extreme Mechanics Letters*, 44, 101258.

Wisniewski, A., & Pirszel, J. (2021). Protection of armoured vehicles against chemical, biological and radiological contamination. *Defence Technology*, 17(2), 384-392.

Lo, C., Li, H., Toussaint, G., & Hogan, J. D. (2021). On the evaluation of mechanical properties and ballistic performance of two variants of boron carbide. *International Journal of Impact Engineering*, 152, 103846.

Lei, X. D., Wu, X. Q., Zhang, Z., Xiao, K. L., Wang, Y. W., & Huang, C. G. (2021). A machine learning model for predicting the ballistic impact resistance of unidirectional fiber-reinforced composite plate. *Scientific Reports*, 11(1), 1-10.

Wei, Q., Yang, D., Gu, B., & Sun, B. (2021). Numerical and experimental investigation on 3D angle interlock woven fabric under ballistic impact. *Composite Structures*, 266, 113778.

Ingle, S., Yerramalli, C. S., Guha, A., & Mishra, S. (2021). Effect of material properties on ballistic energy absorption of woven fabrics subjected to different levels of inter-yarn friction. *Composite Structures*, 266, 113824.

Bardziński, P. J. (2021). Towards novel in-situ composites: MAB nanolaminate-reinforced FCI quasicrystal in multi-phase aluminum alloys. *Journal of Alloys and Compounds*, 871, 159511.

Ahmed, P. S., Fadhil, B. M., Mshir, S., & Salar, M. (2021). Experimental and numerical investigation of hybrid armor against a ballistic impact. *Multidiscipline Modeling in Materials and Structures*.

Mirkhalaf, M., Yazdani Sarvestani, H., Yang, Q., Jakubinek, M. B., & Ashrafi, B. (2021). A comparative study of nano-fillers to improve toughness and modulus of polymer-derived ceramics. *Scientific reports*, 11(1), 1-11.

Yang, Y., Liu, Y., Xue, S., & Sun, X. (2021). Multi-scale finite element modeling of ballistic impact onto woven fabric involving fiber bundles. *Composite Structures*, 267, 113856.

Gilson, L., Rabet, L., Imad, A., Nsiampa, N., & Coghe, F. (2021). Ballistic impact response of a fluid/structure coupling-based modification of human thorax modelling. *Journal of the mechanical behavior of biomedical materials*, 119, 104493.

Zhiyong, C., Yingqiang, X., Miaoling, L., Bin, L., Li, X., & Zhenghai, W. (2021). Structural Design and Numerical Simulation Optimization of SiC Wood Ceramic Composite Armor. *Rare Metal Materials and Engineering*, 50(4), 1146-1155.

Kolmakov, A. G., Bannykh, I. O., Antipov, V. I., Vinogradov, L. V., & Sevost'yanov, M. A. (2021). *Materials for Bullet Cores. Russian Metallurgy (Metally)*, 2021(4), 351-362.

Balos, S., Howard, D., Brezulianu, A., & Labus Zlatanović, D. (2021). Perforated Plate for Ballistic Protection—A Review. *Metals*, 11(4), 526.

Ishchenko, A. N., Kasimov, V. Z., & Ushakova, O. V. (2021). Influence of the initial propellant temperature and ignition method on ballistic characteristics of a shot in the setting of a 120 mm caliber model ballistic installation. Vestnik Tomskogo Gosudarstvennogo Universiteta. *Matematika i Mekhanika*, (70), 37-50.

Liu, L., Yin, S., Luo, G., Zhao, Z., & Chen, W. (2021). The influences of projectile material and environmental temperature on the high velocity impact behavior of triaxial braided composites. *Applied Sciences*, 11(8), 3466.

Saxena, A., Dwivedi, S. P., Sharma, S., Srivastava, V. S., Singh, G., Singh, J., ... & I. Pruncu, C. (2021). A comparative numerical analysis on the effect of welding consumables on the ballistic resistance of SMAW joints of Armor steel. *Applied Sciences*, 11(8), 3629.

Zhikharev, M. V., Kudryavtsev, O. A., & Pavlovskaya, M. S. (2021). Experimental and numerical study of the behavior of a Glass Fiber Reinforced Plastic plate under oblique impact. *Journal of Composite Materials*, 55(9), 1167-1178.

Marcisz, J., Garbarz, B., Janik, A., & Zalecki, W. (2021). Controlling the content and morphology of phase constituents in nanobainitic steel containing 0.6% C to obtain the required ratio of strength to plasticity. *Metals*, 11(4), 658.

Wang, L., Du, Z., Fu, W., & Wang, P. (2021). Study of mechanical property of shear thickening fluid (STF) for soft body-armor. *Materials Research Express*, 8(4), 045021.

Reis, R. H. M., Nunes, L. F., da Luz, F. S., Candido, V. S., da Silva, A. C. R., & Monteiro, S. N. (2021). Ballistic performance of guaruman fiber composites in multilayered armor system and as single target. *Polymers*, 13(8), 1203.

Bracq, A., Delille, R., Maréchal, C., Bourel, B., Lauro, F., Roth, S., & Mauzac, O. (2021). On the use of a SEBS polymer gel block as a new ballistic target to assess blunt ballistic impacts: Application to a wide range of LLKE projectiles. *International Journal of Impact Engineering*, 153, 103874.

Fu, T., Zhang, M., Zheng, Q., Zhou, D., Sun, X., & Wang, X. (2021). Scaling the response of armor steel subjected to blast loading. *International Journal of Impact Engineering*, 153, 103863.

Khuyen, N. Q., Han, P. V. D., Nguyen, N. T., Le, Q. B., Harjo, M., Anbarjafari, G., ... & Tamm, T. (2021). The Use of Laminates of Commercially Available Fabrics for Anti-Stab Body-Armor. *Polymers*, 13(7), 1077.

Koutsomichalis, A., Kalampoukas, T., & Mouzakis, D. E. (2021). Mechanical testing and modeling of the time–temperature superposition response in hybrid fiber reinforced composites. *Polymers*, *13*(7), 1178.

Guleria, T., Verma, N., Zafar, S., & Jain, V. (2021). Fabrication of Kevlar®-reinforced ultra-high molecular weight polyethylene composite through microwave-assisted compression molding for body armor applications. *Journal of Reinforced Plastics and Composites*, *40*(7-8), 307-320.

Zhou, Y., Li, H., Zhang, Z., Li, G., Xiong, Z., & Wang, M. (2021). Ballistic response of stitched woven fabrics with superior energy absorption capacity: Experimental and numerical investigation. *Composite Structures*, *261*, 113328.

Zhang, J., Wang, Y., Zhou, J., Zhao, C., Wu, Y., Liu, S., & Gong, X. (2021). Intralayer interfacial sliding effect on the anti-impact performance of STF/Kevlar composite fabric. *Composites Part A: Applied Science and Manufacturing*, *145*, 106401.

Magarajan, U., & Suresh Kumar, S. (2021). Experimental ballistic performance of friction stir processed aluminum (AA6061-B4C) surface composite. *Mechanics Based Design of Structures and Machines*, 1-21.

Farias-Aguilar, J. C., Ramirez-Moreno, M. J., Gonzalez-Garcia, D. M., Tellez-Jurado, L., & Balmori-Ramirez, H. (2021). Evaluation of the ballistic protection level of (glass-fiber reinforced polyamide 6)-aramid fabric sandwich composite panels. *Journal of Materials Research and Technology*, *12*, 1606-1614.

Stergiou, T., Baxevanakis, K. P., Roy, A., Sazhenkov, N. A., Nikhamkin, M. S., & Silberschmidt, V. V. (2021). Impact of polyurea-coated metallic targets: Computational framework. *Composite Structures*, *267*, 113893.

Zhai, Y. X., Wu, H., & Fang, Q. (2021). Impact resistance of armor steel/ceramic/UHPC layered composite targets against 30CrMnSiNi2A steel projectiles. *International Journal of Impact Engineering*, *154*, 103888.

Sun, G., Huo, X., Wang, H., Hazell, P. J., & Li, Q. (2021). On the structural parameters of honeycomb-core sandwich panels against low-velocity impact. *Composites Part B: Engineering*, *216*, 108881.

Katiyar, A., Nandi, T., & Prasad, N. E. (2021). Impact behavior of aminosilane functionalized nanosilica based shear thickening fluid impregnated Kevlar fabrics. *Journal of Applied Polymer Science*, *138*(34), 50862.

Kim, S., Jo, M. C., Suh, D. W., Kim, H. K., Sohn, S. S., & Lee, S. (2021). Suppression of adiabatic shear band formation by martensitic transformation of retained austenite during split Hopkinson pressure bar test for a high-strength bainitic steel. *Materials Science and Engineering: A*, *814*, 141127.

He, S., Zeng, W., Jia, R., Xu, J., & Zhang, X. (2021). The mechanical response and failure mechanism of a near  $\alpha$  titanium alloy under high-strain-rate compression at different temperatures. *Materials Science and Engineering: A*, *814*, 140749.

Adeniyi, A. G., & Ighalo, J. O. (2021). A systematic review of pure metals reinforced plastic composites. *Iranian Polymer Journal*, *30*(7), 751-768.

Esfahlani, S. S. (2021). Ballistic performance of Polycarbonate and Polymethyl methacrylate under normal and inclined dynamic impacts. *Heliyon*, *7*(4), e06856.



Dewapriya, M. A. N., & Miller, R. E. (2021). Energy absorption mechanisms of nanoscopic multilayer structures under ballistic impact loading. *Computational Materials Science*, *195*, 110504.

Zhu, W., Liu, J., & Wei, X. (2021). A multiscale model for the prediction of ballistic performance of fiber-reinforced composites. *International Journal of Impact Engineering*, *154*, 103889.

Neuvonen, R., Skriko, T., & Björk, T. (2021). Discretization and material parameter characterization for a HAZ in direct-quenched armor steel. *European Journal of Mechanics-A/Solids*, *89*, 104305.

Candadai, A. A., Nadler, E. J., Burke, J. S., Weibel, J. A., & Marconnet, A. M. (2021). Thermal and mechanical characterization of high performance polymer fabrics for applications in wearable devices. *Scientific reports*, *11*(1), 1-11.

Dong, X., Rui, X., Li, C., Wang, Y., & Fan, L. (2021). A calculation method of interior ballistic two-phase flow considering the recoil of gun barrel. *Applied Thermal Engineering*, *185*, 116239.

Wu, Y. C., Shao, J. L., & Zhan, H. (2021). Damage and self-healing characteristics of monolayer graphene enhanced Cu under ballistic impact. *Mechanics of Materials*, *155*, 103736.

Lin, Y. A., Zhao, Y., Wang, L., Park, Y., Yeh, Y. J., Chiang, W. H., & Loh, K. J. (2021). Graphene K-Tape Meshes for Densely Distributed Human Motion Monitoring. *Advanced Materials Technologies*, *6*(1), 2000861.

Ahmad, G., Alanazi, S., Alruwaili, M., Ahmad, F., Khan, M. A., Abbas, S., & Tabassum, N. (2021). Intelligent ammunition detection and classification system using convolutional neural network. *CMC-Computers Materials & Continua*, *64* (2), 2585- 2600.

Huerta-Torres, J. K., Silva-Rivera, U. S., Verduzco-Cedeño, V. F., Flores-Herrera, L. A., & Sandoval-Pineda, J. M. (2021). Numerical and Experimental Analysis of Sound Suppressor for a 5.56 mm Calibre. *Defence Science Journal*, *71*(1).

Bouquet, F., Wildschut, J. A., & Hakkesteegt, H. C. (2021). Experimental study of Stagnation Pressure Reaction Control for mid-calibre non-spinning projectiles. *Aerospace Science and Technology*, *110*, 106449.

Felix, D., Colwill, I., & Harris, P. (2021). Real-time simulation of a fragmenting explosion for cylindrical warheads. *The Journal of Defense Modeling and Simulation*, 1548512921995560.

Banerjee, S., Balamurugan, V., & Krishna Kumar, R. (2021). Vibration control of a military vehicle weapon platform under the influence of integrated ride and cornering dynamics. *Proceedings of the Institution of Mechanical Engineers, Part K: Journal of Multi-body Dynamics*, *235*(2), 197-216.

Jabczyński, J. K., & Gontar, P. (2021). Impact of atmospheric turbulence on coherent beam combining for laser weapon systems. *Defence Technology*, *17*(4), 1160-1167.

Milewski, S., Szturomski, B., & Kiciński, R. (2021). Strength analysis of the marine weapon's construction. *NAŠE MORE: znanstveni časopis za more i pomorstvo*, *68*(3), 167-174.

Li, Q., Jiang, C., & Du, Y. (2021). Molecular-Dynamics Study on the Impact Energy Release Characteristics of Fe–Al Energetic Jets. *Materials*, *14*(18), 5249.

Gu, C., Chen, D., Liu, F., Fang, K., Guo, D., & Marzocca, P. (2021). Dynamic analysis of flexible wind turbine tower by a transfer matrix method. *International Journal of Structural Stability and Dynamics*, 21(10), 2150142.

Caçoilo, A., Mourão, R., Teixeira-Dias, F., Azevedo, A., Coghe, F., & Valente, R. A. F. (2021). Modelling ballistic impact on military helmets: The relevance of projectile plasticity. *Defence Technology*, 17(5), 1699-1711.

Prochazka, J., Pokorny, Z., Jasenak, J., Majerik, J., & Neumann, V. (2021). Possibilities of the utilization of ferritic nitrocarburizing on case-hardening steels. *Materials*, 14(13), 3714.

Jabczyński, J. K., & Gontar, P. (2021). Impact of atmospheric turbulence on coherent beam combining for laser weapon systems. *Defence Technology*, 17(4), 1160-1167.

Abteu, M. A., Boussu, F., & Bruniaux, P. (2021). Dynamic impact protective body armour: A comprehensive appraisal on panel engineering design and its prospective materials. *Defence Technology*, 17(6), 2027-2049.

Boutillier, J., Cardona, V., Magnan, P., Ogier, M., De Mezzo, S., Montespan, F., ... & Prat, N. J. (2021). A New Anthropomorphic Mannequin for Efficacy Evaluation of Thoracic Protective Equipment Against Blast Threats. *Frontiers in bioengineering and biotechnology*, 9.

Burkin, V. V., D'yachkovskii, A. S., Ishchenko, A. N., Kasimov, V. Z., Rogaev, K. S., Sammel, A. Y., ... & Stepanov, E. Y. (2021). Analysis of the Loading Conditions for a Gun-Start of a Group of Supercavitating Strikers. *Journal of Engineering Physics and Thermophysics*.

Crouch, I. G. (2021). Critical interfaces in body armour systems. *Defence Technology*, 17(6), 1887-1894.

Dubey, R., Jayaganthan, R., Ruan, D., & Velmurugan, R. (2021). On impact of cryogenic temperature rolled 6082 Al alloy by dome-and conical-nosed projectiles. *International Journal of Crashworthiness*, 1-10.

Huang, C., Cui, L., Xia, H., Qiu, Y., & Ni, Q. Q. (2021). A numerical study on the low-velocity impact behavior of the Twaron® fabric subjected to oblique impact. *Reviews on Advanced Materials Science*, 60(1), 980-994.

Jia-xi LIU, Xiao-dong SHI, Liang-bao JIANG, Xiao-yu LI, Min-bo WANG, Yue YAN. Progress in transparent bulletproof armor based on ceramics. *Journal of Materials Engineering*, (2021), 49(11): 30-40.

Malik, A., Nazeer, F., Naqvi, S. Z. H., Long, J., Li, C., Yang, Z., & Huang, Y. (2021). Microstructure feathers and ASB susceptibility under dynamic compression and its correlation with the ballistic impact of Mg alloys. *Journal of Materials Research and Technology*.

Mára, M., Kheml, P., Carrera, K., Fornůšek, J., & Sovják, R. (2021). Effect of Corundum and Basalt Aggregates on the Ballistic Resistance of UHP-SFRC. *Crystals*, 11(12), 1529.

Muskeri, S., Gwalani, B., Jha, S., Yu, A., Jannotti, P. A., Haridas, R. S., ... & Mukherjee, S. (2021). Excellent ballistic impact resistance of Al<sub>0.3</sub>CoCrFeNi multi-principal element alloy with unique bimodal microstructure. *Scientific Reports*, 11(1), 1-12.

Pundhir, N., Pathak, H., & Zafar, S. (2021). Ballistic impact performance of ultra-high molecular weight polyethylene (UHMWPE) composite armour. *Sādhanā*, 46(4), 1-15.

Ramírez-Gil, F. J., Silva, E. C. N., & Montealegre-Rubio, W. (2021). Through-thickness perforated steel plates optimized for ballistic impact applications. *Materials & Design*, 212, 110257.

Costa, E. (2021). Assessment of a coupled approach to determine the stress caused by gun blast loads. *The Journal of Defense Modeling and Simulation*, 18(4), 441-451.

Bird, D. T., & Ravindra, N. M. (2021). A review: advances and modernization in US Army Gun Propellants. *JOM*, 73(4), 1144-1164

Chelouche, S., Trache, D., Maamache, I., Tarchoun, A. F., Khimeche, K., & Mezroua, A. (2021). A new experimental way for the monitoring of the real/equivalent in-service-time of double base rocket propellant by coupling VST and PCA. *Defence Technology*, 17(2), 440-449.

Li, M., & Hu, T. (2021). Research status and development trend of MEMS S&A devices: A review. *Defence Technology*, 17(2), 450-456.

Ahmed, S. A., Mohsin, M., & Ali, S. M. Z. (2021). Survey and technological analysis of laser and its defense applications. *Defence Technology*, 17(2), 583-592.

Yang, S., Hu, X., Wang, X., & Li, D. (2021). A structure scheme to reduce the influence of the accelerometer inner lever-arm effect on tri-axis inertial navigation systems. *Measurement Science and Technology*, 32(5), 055103.

Narejo, S., Pandey, B., Rodriguez, C., & Anjum, M. R. (2021). Weapon detection using YOLO V3 for smart surveillance system. *Mathematical Problems in Engineering*, 2021.

Hryciów, Z., Małachowski, J., Rybak, P., & Wiśniewski, A. (2021). Research of Vibrations of an Armoured Personnel Carrier Hull with FE Implementation. *Materials*, 14(22), 6807.

Wang, S., Gui, Q., Zhang, J., Gao, Y., Xu, J., & Jia, X. (2021). Theoretical and experimental study of bubble dynamics in underwater explosions. *Physics of Fluids*, 33(12), 126113.

Zhou, Q. B., Rui, X. T., Wang, G. P., & Zhang, J. S. (2021). An efficient and modular modeling for launch dynamics of tubed rockets on a moving launcher. *Defence Technology*, 17(6), 2011-2026.

Fedaravičius, A., Jasas, K., Sližys, E., & Survila, A. (2022). Modeling of the Missile Launch Dynamic Processes in Short-Range Air Defense System. *Mechanics*, 28(1), 32-37.

Liu, W., Wang, G., Rui, X., Gu, J., & Zhao, X. (2022). A hotspot model for PBX explosive charge ignition in a launch environment. *Combustion Science and Technology*, 194(10), 1954-1972.

Felix, D., Colwill, I., & Harris, P. (2022). A fast and accurate model for the creation of explosion fragments with improved fragment shape and dimensions. *Defence Technology*, 18(2), 159-169.

Li, S., Chen, G., Wang, D., Lv, T., Yan, X., & Dong, X. (2022). Rational design of pin puller and its closed bomb test-based equivalent testing. *AIP Advances*, 12(2), 025124.

Nohel, J., Stodola, P., Flasar, Z., & Rybanský, M. (2022). Multiple maneuver model of cooperating ground combat troops. *The Journal of Defense Modeling and Simulation*, 15485129221078939.

Kim, H. G., Kim, S., Hong, S. H., Choi, H. K., & Kim, S. H. (2022). Structural static test for validation of the structural integrity of an aircraft pylon. *Aerospace Science and Technology*, 122, 107402.

Paul, D., & Gupta, N. K. (2022). Experimental and analytical studies of syntactic foam core composites for impact loading. *International Journal of Crashworthiness*, 27(1), 299-316.

Jena, P. K., Singh, B. B., SivaKumar, K., ShingWeker, A., Amte, N., Singh, A. K., & Madhu, V. (2022). Microstructure, mechanical and ballistic property evaluation of a high strength low alloy steel produced through continuous casting route. *Advances in Materials and Processing Technologies*, 8(1), 427-443.

Yang, L., Chen, Z., Dong, Y., Zi, F., Yang, J., & Wu, L. (2022). Ballistic performance of composite armor with dual layer piecewise ceramic tiles under sequential impact of two projectiles. *Mechanics of Advanced Materials and Structures*, 29(1), 1-14.

Shen, J., Taddei, L., & Roth, S. (2022). Numerical modeling of a human tissue surrogate SEBS gel under high velocity impacts: investigation of the effect of the strain rate in an elasto-hydrodynamic law. *Mechanics of Advanced Materials and Structures*, 29(2), 241-249.

Saxena, A., Dwivedi, S. P., Kumaraswamy, A., Srivastava, A. K., & Maurya, N. K. (2022). Influence of SD effect on Johnson–Cook hardening constitutive material model: Numerical and experimental investigation for armor steel. *Mechanics of Advanced Materials and Structures*, 29(2), 285-302.

Sundaram, S. K. (2022). Experimental ballistic performance determination of friction stir welded magnesium (AZ31B) targets. *Mechanics Based Design of Structures and Machines*, 50(6), 1851-1871.

Gerdooei, M., Rezaei, M. J., & Ghaforian Nosrati, H. (2022). Improving the performance of a multi-layer armored system subjected to shock loading of an underwater explosion. *Mechanics of Advanced Materials and Structures*, 29(3), 419-428.

Khodaei, M., Safarabadi Farahani, M., & Haghghi-Yazdi, M. (2022). Numerical investigation of high velocity impact on foam-filled honeycomb structures including foam fracture model. *Mechanics of Advanced Materials and Structures*, 29(5), 748-760.

Mansoori, H., Zakeri, M., & Guagliano, M. (2022). Energy absorption and damage mechanism of UHMWPE-aluminum composite sandwich laminate under impact loading: An experimental investigation. *Journal of Sandwich Structures & Materials*, 24(1), 360-384.

Yang, Y., Ling, T., Xue, S., Liu, Y., & Zhou, J. (2022). Meso-scale Numerical Modeling of Uni-directional Composite Panel Under Ballistic Impact. *Applied Composite Materials*, 29(1), 205-218.

Naveen Kumar, S., Balasubramanian, V., Malarvizhi, S., Hafeezur Rahman, A., & Balaguru, V. (2022). Effect of Welding Consumables on the Ballistic Performance of Shielded Metal Arc Welded Dissimilar Armor Steel Joints. *Journal of Materials Engineering and Performance*, 31(1), 162-179.

Chen, X., Schuster, B. E., Kecskes, L. J., & Wei, Q. (2022). Ballistic Performance of Tungsten-Based Heterogeneous Multilayer Structures. *Journal of Dynamic Behavior of Materials*, 8(1), 89-103.

Zhou, J., & Tagarielli, V. L. (2022). On the Development of New Test Techniques to Measure the Tensile Response of Materials at High and Ultra-high Strain Rates. *Experimental Mechanics*, 62(1), 151-164.

Kasım, H. (2022). Investigation on the ballistic performance of rubber-aluminum (AA7075-T651) laminated plates reinforced with borosilicate glass balls. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 236(2), 280-298.

Zhang, R., Han, B., Zhong, J. Y., Qiang, L. S., Ni, C. Y., Zhang, Q., ... & Lu, T. J. (2022). Enhanced ballistic resistance of multilayered cross-ply UHMWPE laminated plates. *International Journal of Impact Engineering*, 159, 104035.

Xu, Y. J., Zhang, H., & Huang, G. Y. (2022). Ballistic performance of B4C/STF/Twaron composite fabric. *Composite Structures*, 279, 114754.

Delavari, K., & Safavi, A. (2022). The effect of stacking sequence on high-velocity impact resistance of hybrid woven reinforced composites: experimental study and numerical simulation. *Fibers and Polymers*, 23(1), 184-195.

Mansoori, H., & Zakeri, M. (2022). Strain-rate-dependent progressive damage modelling of UHMWPE composite laminate subjected to impact loading. *International Journal of Damage Mechanics*, 31(2), 215-245.

Shirbhate, P. A., & Goel, M. D. (2022). Investigation of effect of perforations in honeycomb sandwich structure for enhanced blast load mitigation. *Mechanics of Advanced Materials and Structures*, 1-16.

Chen, R., Cai, R., & Ji, B. (2022). Projectile flight parameters measurement method based on the spatial distribution of light-screen thickness. *Measurement*, 195, 111143.

Li, Y. H., Wang, Y. S., & Weng, W. C. (2022). A Passive Locating Algorithm for Air to Air/Ground Object Tracking and Weapons Delivery Guidance. *Journal of Aeronautics, Astronautics and Aviation*, 54(2), 131-146.

Gao, K., Xiao, H., Qu, L., & Wang, S. (2022). Optimal interception strategy of air defence missile system considering multiple targets and phases. *Proceedings of the Institution of Mechanical Engineers, Part O: Journal of Risk and Reliability*, 236(1), 138-147.

Aguiar, R., Petel, O. E., & Miller, R. E. (2022). Effect of a Halloysite-polyurethane nanocomposite interlayer on the ballistic performance of laminate transparent armour. *Composites Part C: Open Access*, 7, 100231.

Agustha, F., & Syahrial, A. Z. (2022). The effect of nano tic impregnation on kevlar and the number of layers on ballistic properties of laminate hybrid composite. *Suranaree Journal of Science & Technology*, 29(2).

Akyürek, T. (2022). Kinematic Analyses of Metallic Plate Perforation by Penetrators with Various Nose Geometries. *Defence Science Journal*, 72(3).

Alwan, F. H. A., Prabowo, A. R., Muttaqie, T., Muhayat, N., Ridwan, R., & Laksono, F. B. (2022). Assessment of ballistic impact damage on aluminum and magnesium alloys against high velocity bullets by dynamic FE simulations. *Journal of the Mechanical Behavior of Materials*, 31(1), 595-616.

Andreotti, R., Leggewri, V., Casaroli, A., Quercia, M., Bettin, C., Zanella, M., & Boniardi, M. V. (2022). A simplified constitutive model for a SEBS gel muscle simulant-Development and experimental validation for finite elements simulations of handgun and rifle ballistic impacts. *Frattura ed Integrità Strutturale*, 16(61).

Asemani, S. S., Liaghat, G., Ahmadi, H., Anani, Y., Charandabi, S. C., & Khodadadi, A. (2022). Analysis of ballistic impact performance and shear effect on elastomeric and thermoset composites. *International Journal of Applied Mechanics*, 14(2), 2250013.

Aslebagh, R., & Cherniaev, A. (2022). Projectile shape effects in hypervelocity impact of honeycomb-core sandwich structures. *Journal of Aerospace Engineering*, 35(1), 04021112.

Bajya, M., Majumdar, A., & Butola, B. S. (2022). Criticality of inter-yarn friction in high-performance fabrics for the design of soft body armour. *Composites Communications*, 29, 100984.

Balbino, F. D. P., Medeiros, K. A. R., Barbosa, C. R. H., & de Oliveira, E. C. (2022). Systematic method for evaluating the performance of three-dimensional optical scanners by structured light projection applied to ballistic vests tests. *Measurement*, 190, 110784.

Bao, J. W., Wang, Y. W., An, R., Cheng, H. W., & Wang, F. C. (2022). Investigation of the mechanical and ballistic properties of hybrid carbon/aramid woven laminates. *Defence Technology*, 18(10), 1822-1833.

Bao, K., Zhang, X. F., Wang, G. J., Deng, J. J., Chong, T., Han, D., ... & Tan, M. T. (2022). Damage characteristics of YAG transparent ceramics under different loading conditions. *Defence Technology*, 18(8), 1394-1404.

Barhoumi, H., Bhourri, N., Feki, I., Baffoun, A., Hamdaoui, M., & Ben Abdesslem, S. (2022). Review of ballistic protection materials: Properties and performances. *Journal of Reinforced Plastics and Composites*.

Suresh Kumar, S., & Sankar, P. (2022). Effect of bio-inspired surface pattern (Pangolin's scales) and grooved mechanisms on the high velocity ballistic performance of aluminum 6061-T6 targets. *Mechanics of Advanced Materials and Structures*, 29(25), 4151-4169.

Basyir, A., Bura, R. O., Lesmana, D., & Antika, L. D. (2022). Evaluation of Steel and Tungsten Carbide Cobalt (WC 8Co) 5.56 x 45 mm Caliber Projectile Penetration into Silicon Carbide (SiC) Experiment and Numerical Simulation. *Defence Science Journal*, 72(2), 205.

Beránková, I., Mikulíková, R., & Křest'an, J. (2022). Ballistic efficiency of hybrid laminates based on aramid and UHMWPE prepregs. *Manufacturing Technology*, 21(6), 757–761.

Bessa, W., Trache, D., Derradji, M., & Tarchoun, A. F. (2022). Kevlar fabric reinforced polybenzoxazine composites filled with silane treated microcrystalline cellulose in the interlayers: The next generation of multi-layered armor panels. *Defence Technology*, 18(11), 2000-2007.

Bichang'a, D. O., Alabi, O. O., Oladele, I. O., Aramide, F. O., Adediran, A. A., & Popoola, P. A. (2022). A review on the influence of natural-synthetic fibre hybrid reinforced polymer composites for bulletproof and ballistic applications. *Matériaux & Techniques*, 110(5), 503.

Xu, L. Y., Yang, L. F., & Wen, H. M. (2022). The penetration and perforation of concrete targets: A 3D meso mechanical modelling. *International Journal of Impact Engineering*, 159, 104038.

Zeng, H., Chen, X., & Yang, Y. (2022). Influences of Combined Section in Three-dimensional Networked Fabric against Ballistic Impact. *Applied Composite Materials*, 29(1), 289-303.

de Tomasi Tessari, B., Vargas, N., Rodrigues Dias, R., Miranda Pereira, I., Rossa Beltrami, L. V., Lavoratti, A., ... & Zattera, A. J. (2022). Influence of the addition of graphene nanoplatelets on the ballistic properties of HDPE/aramid multi-laminar composites. *Polymer-Plastics Technology and Materials*, 61(4), 363-373.

Min, S., & Chen, X. (2022). Study on the Ballistic Performance of Multiply Wadded Through-the-thickness Angle-interlock Fabric Reinforced Composites. *Applied Composite Materials*, 29(1), 263-272.

Xing, L., Liu, X., Cao, Z., He, C., & Liu, J. (2022). Effect of increasing Ti content on the phase, interface, dynamic mechanical properties and ballistic performance of W–Ti–Zr alloys. *Materials Science and Engineering: A*, 831, 142196.

Raj, R. V., Liu, B. G., Peerlings, R. H. J., & Deshpande, V. S. (2022). Influence of microstructure on the failure of ultra-high molecular weight polyethylene composite beams impacted by blunt projectiles. *Mechanics of Materials*, 164, 104106.

Biswas, K., & Datta, D. (2022). Numerical simulation of ballistic impact on multilayer ceramic backed fibre reinforced composite target plate. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*.

Blanc, L., Lebaillif, D., & Bufalo, A. (2022). Experimental analysis of fluid–structure interaction between a blast wave and a sandwich add-on armor. *AIP Advances*, 12(5), 055105.

Brekken, K. A., Vestrum, O., Dey, S., Reyes, A., & Børvik, T. (2022). Experimental Tests and Numerical Simulations on the Ballistic Impact Response of a Highly Inhomogeneous Aluminium Foam. *Materials*, 15(13), 4651.

Cabrera, J. M., Rajput, A., Iqbal, M. A., & Gupta, N. K. (2022). Performance of various thin concrete slabs under projectile impact: Sobol's sensitivity analysis with aid of metamodels. *Thin-Walled Structures*, 172, 108739.

Cai, Y. E., Huang, Z., Tan, Y., Zu, X., Shen, X., & Jia, X. (2022). Influence of strongly-constrained liquid-filled composite armor on stability of incoming shaped charge jet during eccentric penetration. *Latin American Journal of Solids and Structures*, 19.

Cardoso, B. F. D. A. F., Ramos, F. J. H. T. V., Da Silveira, P. H. P. M., Da Silva Figueiredo, A. B. H., Gomes, A. V., & Da Veiga-Junior, V. F. (2022). Mechanical and ballistic characterization of high-density polyethylene composites reinforced with alumina and silicon carbide particles. *Journal of Metals, Materials and Minerals*, 32(2), 42-49.

Carriere, R., & Cherniaev, A. (2022). Honeycomb Parameter-Sensitive Predictive Models for Ballistic Limit of Spacecraft Sandwich Panels Subjected to Hypervelocity Impact at Normal Incidence. *Journal of Aerospace Engineering*, 35(4), 04022039.

Chen, Z., Xu, Y., Li, M., Li, B., Song, W., Xiao, L., ... & Jia, S. (2022). Investigation on Residual Strength and Failure Mechanism of the Ceramic/UHMWPE Armors after Ballistic Tests. *Materials*, 15(3), 901.

Cheng, C., Fu, Y., Du, C., Du, Z., Jiang, Z., Zhou, F., ... & Wang, X. (2022). Experimental and numerical study of tantalum-tungsten alloy rod penetrator impacting thick armor plate. *International Journal of Refractory Metals and Hard Materials*, 107, 105873.

Cheng, J. C., Zhang, S., Liu, Q., Ye, S. J., Luo, S. N., Cai, Y., & Huang, J. Y. (2022). Ballistic impact experiments and modeling on impact cratering, deformation and damage of 2024-T4 aluminum alloy. *International Journal of Mechanical Sciences*, 224, 107312.

Cheng, Y. H., Zhou, F., Wu, H., & Fang, Q. (2022). Resistance of composite target against combined effects of large caliber projectile penetration and successive charge explosion. *International Journal of Impact Engineering*, 104288.

Chiu, Y. C., Chen, J. H., & Lee, S. L. (2022). Effects of Solution Heat Treatment Temperatures on Microstructures and Mechanical Properties of SP-700 Ti Alloys. *Journal of Materials Engineering and Performance*, 31(3), 2509-2516.

Choudhury, S., Ramagiri, B., Shah, B. K., Yerramalli, C. S., & Guha, A. (2022). Ballistic response of woven glass fabric-epoxy composites at low temperatures: Experimental investigation. *Composites Part C: Open Access*, 8, 100263.

Choudhury, S., Yerramalli, C. S., Guha, A., & Ingle, S. (2022). Prediction and mitigation of behind armor blunt trauma in composite plate armor using rubber backing or air gaps. *European Journal of Mechanics-A/Solids*, 93, 104533.

Chu, D., Li, Z., Yao, K., Wang, Y., Tian, R., Zhuang, Z., & Liu, Z. (2022). Studying the strengthening mechanism and thickness effect of elastomer coating on the ballistic-resistance of the polyurea-coated steel plate. *International Journal of Impact Engineering*, 163, 104181.

Costa, U. O., Nascimento, L. F. C., Bezerra, W. B. A., Neves, P. P., Huaman, N. R. C., Monteiro, S. N., & Pinheiro, W. A. (2022). Dynamic and Ballistic Performance of Graphene Oxide Functionalized Curaua Fiber-Reinforced Epoxy Nanocomposites. *Polymers*, 14(9), 1859.

Cui, T., Zhang, J., Li, K., Peng, J., Chen, H., Qin, Q., & Poh, L. H. (2022). Ballistic limit of sandwich plates with a metal foam core. *Journal of Applied Mechanics*, 89(2).

da Silva Chagas, N. P., de Oliveira Aguiar, V., da Costa Garcia Filho, F., da Silva Figueiredo, A. B. H., Monteiro, S. N., Huaman, N. R. C., & Marques, M. D. F. V. (2022). Ballistic performance of boron carbide nanoparticles reinforced ultra-high molecular weight polyethylene (UHMWPE). *Journal of Materials Research and Technology*, 17, 1799-1811.

da Silva, T. T., Silveira, P. H. P. M. D., Figueiredo, A. B. H. D. S., Monteiro, S. N., Ribeiro, M. P., Neuba, L. D. M., ... & Nascimento, L. F. C. (2022). Dynamic Mechanical Analysis and Ballistic Performance of Kenaf Fiber-Reinforced Epoxy Composites. *Polymers*, 14(17), 3629.

Das, N., & Nanthagopalan, P. (2022). State-of-the-art review on ultra high performance concrete-Ballistic and blast perspective. *Cement and Concrete Composites*, 127, 104383.

Deng, Y., Jia, H., & Li, J. (2022). Numerical investigation of 2A12 aluminum alloy thin targets impacted under oblique angles by blunt-nosed high-strength projectiles. *Materials Today Communications*, 30, 103118.

Deng, Y., Liu, B., Wang, R., Du, J., & Wang, X. (2022). Experimental study of the ballistic resistance of micro-bead modified epoxy resin filled S-shaped folded sandwich panels. *Polymer Composites*.



Deng, Y., Tian, R., Hu, A., Jia, H., & Yang, Y. (2022). Dynamic response of the S-shaped composite foldcore sandwich structure under high-velocity impact loads. *Mechanics of Advanced Materials and Structures*, 1-18.

Deng, Y., Wu, H., Zhang, Y., Huang, X., Xiao, X., & Lv, Y. (2022). Experimental and numerical study on the ballistic resistance of 6061-T651 aluminum alloy thin plates struck by different nose shapes of projectiles. *International Journal of Impact Engineering*, 160, 104083.

Deng, Y., Zhou, N., Jia, H., & Wu, H. (2022). Experimental Study on the Ballistic Resistance of S-shaped CFRP Foldcore Sandwich Structure against Flat-Nosed Projectile Impacts. *Applied Composite Materials*, 1-17.

Dharani Kumar, S., Magarajan, U., & Kumar, S. S. (2022). Investigation on ballistic behaviour of friction stir welded rolled AZ31B magnesium alloy. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 14644207221095209.

Ding, L., Gu, X., Shen, P., Kong, X., & Zhou, Y. (2022). Dynamic Response of UHMW-PE Composite Armors under Ballistic Impact of Blunt Projectiles. *Materials*, 15(16), 5594.

Ding, X., Xiao, M., Liu, W., Liu, X., Chen, Y., Zhou, H., ... & Song, Y. (2022). Macro–Micro–Nonuniform Deformation Behavior of 7B52 Laminated Aluminum Alloy under High-Speed Impact. *Journal of Materials Engineering and Performance*, 1-7.

Dong, Y., Yang, L., Jin, Z., & Wu, L. (2022). Experimental and numerical analysis of ballistic impact response of fiber-reinforced composite/metal composite target. *Composite Structures*, 115776.

Du, Y., He, G., Li, W., & Wang, K. (2022). Experimental and Numerical Study on the Penetration Performance of a Shaped Charge. *Materials*, 15(11), 3899.

Edwards, N. J., Cimpoeru, S. J., Herzig, N., & Ruan, D. (2022). Ballistic Impact of Flat-Ended Projectiles against 2024-T351 Plate: Experiments and Modeling. *Journal of Aerospace Engineering*, 35(1), 04021124.

Fan, T., Sun, Z., Zhang, Y., Li, Y., Chen, Z., Huang, P., & Fu, S. (2022). Novel Kevlar fabric composite for multifunctional soft body armor. *Composites Part B: Engineering*, 242, 110106.

Fan, T., Xue, S. S., Zhu, W. B., Zhang, Y. Y., Li, Y. Q., Chen, Z. K., ... & Fu, S. Y. (2022). Multifunctional polyurethane composite foam with outstanding anti-impact capacity for soft body armors. *ACS Applied Materials & Interfaces*, 14(11), 13778-13789.

Firouzi, D., Mudzi, P., Ching, C. Y., Farncombe, T. H., & Selvaganapathy, P. R. (2022). Use of pressure sensitive adhesives to create flexible ballistic composite laminates from UHMWPE fabric. *Composite Structures*, 287, 115362.

Forrestal, M. J., & Warren, T. L. (2022). Perforation of Steel Plates with 7.62 mm APM2 Bullets. *Journal of Dynamic Behavior of Materials*, 8(3), 418-421.

Ge, F., Zhang, Z., Sun, M., Lin, Y., Wu, J., Xiong, Z., & Wang, M. (2022). Ballistic impact response and failure mechanism of aluminum/ultrahigh molecular weight polyethylene fiber laminates with different adhesive quantity. *Polymer Composites*.

Ghazlan, A., Ngo, T., Tan, P., Tran, P., Nazari, K., & Xie, Y. M. (2022). Ballistic performance of a lightweight nacre-inspired armour panel—a numerical study. *Composites Part C: Open Access*, 8, 100259.

Gloger, M., & Stempien, Z. (2022). Experimental Study of Soft Ballistic Packages with Embroidered Structures Fabricated by Using the Tailored Fiber Placement Technique. *Materials*, 15(12), 4208.

Gour, G., Idapalapati, S., Goh, W. L., & Shi, X. P. (2022). Equivalent protection factor of bi-layer ceramic metal structures. *Defence Technology*, 18(3), 384-400.

Gowda, D., Bhat, R., & Rajole, S. (2022). An Optimization Study on Material Selection for FRPCs in Multi Layered Armour System Through Hybrid MCDM Approach and Numerical Simulation. *Materiale Plastice*, 59(3), 205-231.

Guo, G., Alam, S., & Peel, L. D. (2022). An investigation of deformation and failure mechanisms of fiber-reinforced composites in layered composite armor. *Composite Structures*, 281, 115125.

Guo, Z. (2022). Rate-Dependent Dynamic Cylindrical Cavity Expansion Equations for Conical-and Ogival-Nosed Projectiles. *Journal of Dynamic Behavior of Materials*, 8(4), 437-442.

Han, J., Shi, Y., Ma, Q., Vershinin, V. V., Chen, X., Xiao, X., & Jia, B. (2022). Experimental and numerical investigation on the ballistic resistance of 2024-T351 aluminum alloy plates with various thicknesses struck by blunt projectiles. *International Journal of Impact Engineering*, 163, 104182.

Holmen, J. K., Thomesen, S., Perez-Martin, M. J., Hopperstad, O. S., & Børvik, T. (2022). Ballistic impact of structural steels at low temperatures. *Journal of Applied Mechanics*, 89(10), 101001.

Hong, D., Li, W., Zheng, Y., Jiang, N., Zhang, K., Liu, Z., & Jiang, Y. (2022). Study on Bulge State of PCrNi3MoV Target Plates Penetrated by Square Fragments. *Applied Sciences*, 12(14), 6987.

Hou, X., Zhang, X., Liu, C., Chen, H., Xiong, W., Chen, J., & Tan, M. (2022). Effects of Annealing Temperatures on Mechanical Behavior and Penetration Characteristics of FeNiCoCr High-Entropy Alloys. *Metals*, 12(11), 1885.

Hou, X., Zhang, X., Xiong, W., Lin, K., Chen, H., Liu, C., & Tan, M. (2022). Study on energy release characteristics and penetration effects to concrete targets of Hf-based amorphous alloys. *Journal of Non-Crystalline Solids*, 581, 121438.

Hu, P., Yang, H., Zhang, P., Wang, W., Liu, J., & Cheng, Y. (2022). Experimental and numerical investigations into the ballistic performance of ultra-high molecular weight polyethylene fiber-reinforced laminates. *Composite Structures*, 290, 115499.

Hu, Q., Liu, W., Tang, C., Zhao, C., Xiao, M., & Song, Y. (2022). Effect of Microstructure on Mechanical Properties of 2519A Aluminum Alloy in Thickness Direction. *Metals*, 12(7), 1218.

Huang, J., Tan, V. B. C., Chew, E., Chan, K. J., Tay, T. E., Guo, L., & Liu, J. L. (2022). A new partially-infused fiber reinforced thermoplastic composite for improving impact resistance. *International Journal of Impact Engineering*, 104293.

Ilhak, B., & Güner, F. (2022). Failure Analysis of Boron Carbide-Reinforced Rolled Homogeneous Armour Against Kinetic Energy Ammunition. *Transactions of the Indian Institute of Metals*, 1-11.

Ingle, S., Yerramalli, C. S., Guha, A., & Mishra, S. (2022). Numerical investigation on hybridization of woven fabric armour to enhance ballistic protection. *Mechanics of Materials*, 170, 104324.

Iqbal, M. A. (2022). The ballistic evaluation of plain, reinforced and reinforced–prestressed concrete. *Thin-Walled Structures*, 179, 109707.

Jassem, A. E., Jawad, A. J., Samarmad, A. O., & Hamzah, A. F. (2022). Numerical and Experimental Study of Multi-layer Armors for Personal Protection. *Physics and Chemistry of Solid State*, 23(3), 550-558.

Jensen, M. R., Grate, S., & Khanna, K. (2022). Fast procedure for vulnerability simulation of armored vehicles. *The Journal of Defense Modeling and Simulation*.

Iqbal, D., & Tiwari, V. (2022). Evaluation of hetro-stacked target plate response toward different nose shaped projectile impact. *The Journal of Strain Analysis for Engineering Design*, 57(7), 565-581.

Staniszewski, J. M., Boyd, S. E., & Bogetti, T. A. (2022). A multi-scale modeling approach for UHMWPE composite laminates with application to low-velocity impact loading. *International Journal of Impact Engineering*, 159, 104031.

Boussu, F., Abteu, M. A., & Bruniaux, P. (2022). 3D Warp Interlock Fabric Structure and their Applications in Soft and Hard Armour Protections. *Applied Composite Materials*, 29(1), 65-82.

Jia, X., Ling, C., Zhang, Z., Jiang, R., & Song, Y. (2022). Effect of the notched foreign object damage depth on the HCF strength of titanium alloy TC11. *Engineering Fracture Mechanics*, 271, 108639.

Jia, X., Zhang, Z. W., Ling, C., Lu, X. P., Jiang, R., & Song, Y. D. (2022). Foreign object damage characteristics and their effects on high cycle fatigue property of Ni-based superalloy GH4169. *Fatigue & Fracture of Engineering Materials & Structures*, 45(4), 1165-1178.

Jiang, A., Li, Y., Li, D., & Hou, H. (2022). Study on Anti-Penetration Performance of Semi-Cylindrical Ceramic Composite Armor against 12.7 mm API Projectile. *Crystals*, 12(10), 1343.

Jintao, L., & Moubin, L. (2022). An analytical model to predict the impact of a bullet on ultra-high molecular weight polyethylene composite laminates. *Composite Structures*, 282, 115064.

Kartikeya, K., Chouhan, H., Ram, K., Prasad, S., & Bhatnagar, N. (2022). Ballistic evaluation of steel/UHMWPE composite armor system against hardened steel core projectiles. *International Journal of Impact Engineering*, 164, 104211.

Kayacan, M. Y., & Üzün, A. (2022). Ballistic performance of novel design of bulletproof plates inspired by biomimetic approaches. *Polymers for Advanced Technologies*.

Khaire, N., Tiwari, G., & Iqbal, M. A. (2022). Ballistic response and energy dissipation characteristic of single and double curvature shell against projectile impact: a comparative study. *Mechanics Based Design of Structures and Machines*, 1-23.

Khaire, N., Tiwari, G., Rathod, S., Iqbal, M. A., & Topa, A. (2022). Perforation and energy dissipation behaviour of honeycomb core cylindrical sandwich shell subjected to conical shape projectile at high velocity impact. *Thin-Walled Structures*, 171, 108724.

Khan, M. K., & Iqbal, M. A. (2022). Damage and ballistic evaluation of ceramic-metal composite target against cylindrical projectile. *Engineering Failure Analysis*, 131, 105903.

Khan, W., Tufail, M., & Chandio, A. D. (2022). Characterization of Microstructure, Phase Composition, and Mechanical Behavior of Ballistic Steels. *Materials*, 15(6), 2204.

Kheml, P., Carrera, K., & Horák, P. (2022). Effect of the Microsand Fraction on the Ballistic Resistance of UHP-SFRC. *Materials*, 15(17), 5916.

Kim, D. W., Kim, S., Yang, J., Lee, S., & Sohn, S. S. (2022). Enhancement of ballistic performance enabled by boron-doping in subzero-treated (ferrite plus austenite plus martensite) triplex lightweight steel. *Materials Characterization*, 190.

Kosedag, E., & Ekici, R. (2022). Low-velocity and ballistic impact resistances of particle reinforced metal–matrix composites: An experimental study. *Journal of Composite Materials*, 56(7), 991-1002.

Kosedag, E., Aydin, M., & Ekici, R. (2022). Effect of stacking sequence and metal volume fraction on the ballistic impact behaviors of ARALL fiber-metal laminates: An experimental study. *Polymer Composites*, 43(3), 1536-1545.

Kośła, K., Łandwijt, M., Miklas, M., & Fejdyś, M. (2022). Influence of the Accelerated Aging Process on the Fragment-Resistant Properties of Para-Aramid Body Armor. *Materials*, 15(18), 6492.

Kubit, A., Trzepieciński, T., Kiciński, R., & Jurczak, K. (2022). Three-Dimensional Smooth Particle Hydrodynamics Modeling and Experimental Analysis of the Ballistic Performance of Steel-Based FML Targets. *Materials*, 15(10), 3711.

Kumar, S. N., Balasubramanian, V., Malarvizhi, S., Rahman, A. H., & Balaguru, V. (2022). Effect of failure modes on ballistic performance of Gas Metal Arc welded dissimilar armour steel joints. *CIRP Journal of Manufacturing Science and Technology*, 37, 570-583.

Kumar, S. S., Magarajan, U., & Dharani Kumar, S. (2022). Ballistic studies on Kevlar-glass fibre hybrid laminated epoxy composites. *High Performance Polymers*.

Kumar, S. S., Shankar, P. A., & Kumar, K. L. (2022). Failure investigation on high velocity impact deformation of boron carbide (B4C) reinforced fiber metal laminates of titanium/glass fiber reinforced polymer. *Defence Technology*, 18(6), 963-975.

Kumaresan Gladys, A., Muthuvelu, V. S., Kumar, K., & Ganesh, K. (2022). Energy absorption performance of Kevlar/snake grass fiber composites under ballistic impact test with nano Al<sub>2</sub>O<sub>3</sub> inclusion. *Polymer Composites*, 43(9), 6082-6095.

Li, C., Rasheed, S., Malik, A., Nazeer, F., & Long, J. (2022). Study on ballistic impact behavior of Al alloys against two different shapes of steel core projectiles. *Journal of Materials Research and Technology*, 20, 2489-2500.

Li, L., Zhang, Q. C., & Lu, T. J. (2022). Ballistic penetration of deforming metallic plates: Experimental and numerical investigation. *International Journal of Impact Engineering*, *170*, 104359.

Liang, L., Lin, Y., Huang, Y., & Chen, M. (2022). Broadband stealth composite metastructure with high penetration protection. *Composites Part A: Applied Science and Manufacturing*, *160*, 107069.

Liang, Y., Chen, X., & Soutis, C. (2022). Review on Manufacture of Military Composite Helmet. *Applied Composite Materials*, *29*(1), 305-323.

Lui, E. W., Medvedev, A. E., Edwards, D., Qian, M., Leary, M., & Brandt, M. (2022). Microstructure modification of additive manufactured Ti-6Al-4V plates for improved ballistic performance properties. *Journal of Materials Processing Technology*, *301*, 117436.

Ma, B. H., Ma, D. F., Wang, H. R., Chen, D. N., & Zhou, F. H. (2022). Ballistic impact response of resistance-spot-welded (RSW) double-layered plates for Q&P980 steel. *Defence Technology*, *18*(6), 1052-1064.

Zhu, H., & Zhao, C. (2022). Numerical study of the anti-penetration performance of sandwich composite armor containing ceramic honeycomb structures filled with aluminum alloy. *The Journal of Defense Modeling and Simulation*, *19*(4), 637-647.

Ma, D., Wang, Z., Giglio, M., Amico, S. C., & Manes, A. (2022). Influence of strain-rate related parameters on the simulation of ballistic impact in woven composites. *Composite Structures*, *300*, 116142.

Ma, Y., He, J., Zhou, L., Zhang, K., Gai, X., & Zhang, X. (2022). Mechanical properties and impact energy release characteristics of Al<sub>0.5</sub>NbZrTi<sub>1.5</sub>Ta<sub>0.8</sub>Ce<sub>0.85</sub> high-entropy alloy. *Materials Research Express*, *9*(11), 116510.

Mahesh, V., Harursamath, D., & Mahesh, V. (2022). An experimental study on ballistic impact response of jute reinforced polyethylene glycol and nano silica based shear thickening fluid composite. *Defence Technology*, *18*(3), 401-409.

Mahesh, V., Mahesh, V., & Harursamath, D. (2022). Ballistic characterization of fiber elastomer metal laminate composites and effect of positioning of fiber reinforced elastomer. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, *236*(3), 663-673.

Majzoobi, G., Kashfi, M., Keshavarzan, M., & Riazalhosseini, M. (2022). Effect of projectile nose on high-velocity impact behavior of fiber metal laminates. *Polymer Composites*, *43*(2), 1177-1185.

Malakooti, S., Vivod, S. L., Pereira, M., Ruggeri, C. R., Revilock, D. M., Zhang, R., ... & Lu, H. (2022). Polyimide aerogels for ballistic impact protection. *Scientific reports*, *12*(1), 1-13.

Malik, A., Nazeer, F., & Wang, Y. (2022). A Prospective Way to Achieve Ballistic Impact Resistance of Lightweight Magnesium Alloys. *Metals*, *12*(2), 241.

Mansoori, H., Zakeri, M., & Zarei, H. R. (2022). A parametric study on the behavior of FMLs based on UHMWPE composite under high velocity impact loading. *Journal of Thermoplastic Composite Materials*.

Masri, R. (2022). Practical Formulae for Predicting the Ballistic Limit Velocity of Armour Perforation by Ductile Hole Growth. *International Journal of Impact Engineering*, 104219.

Medvedev, A. E., Maconachie, T., Leary, M., Qian, M., & Brandt, M. (2022). Perspectives on additive manufacturing for dynamic impact applications. *Materials & Design*, 110963.

Mei, J., Liu, J., Zhang, M., & Huang, W. (2022). Experimental and numerical study on the ballistic impact resistance of the CFRP sandwich panel with the X-frame cores. *International Journal of Mechanical Sciences*, 232, 107649.

Meyer, C. S., O'Brien, D. J., Haque, B. Z. G., & Gillespie Jr, J. W. (2022). Mesoscale modeling of ballistic impact experiments on a single layer of plain weave composite. *Composites Part B: Engineering*, 235, 109753.

Mishra, V. D., Mishra, A., Singh, A., Verma, L., & Rajesh, G. (2022). Ballistic impact performance of UHMWP fabric impregnated with shear thickening fluid nanocomposite. *Composite Structures*, 281, 114991.

Mohan Kumar, T. S., Joladarashi, S., Kulkarni, S. M., & Doddamani, S. (2022). Optimization of process parameters for ballistic impact response of hybrid sandwich composites. *International Journal on Interactive Design and Manufacturing (IJIDeM)*, 1-13.

Mudzi, P., Wu, R., Firouzi, D., Ching, C. Y., Farncombe, T. H., & Selvaganapathy, P. R. (2022). Use of patterned thermoplastic hot film to create flexible ballistic composite laminates from UHMWPE fabric. *Materials & Design*, 214, 110403.

Muskeri, S., Jannotti, P. A., Schuster, B. E., Lloyd, J. T., & Mukherjee, S. (2022). Ballistic impact response of complex concentrated alloys. *International Journal of Impact Engineering*, 161, 104091.

Nayak, N., Yerramalli, C. S., & Tewari, A. (2022). Experimental investigation of the impact resistance on KEVLARXP S308® fabric impacted with truncated ogive projectile subjected to pre-tension. *International Journal of Impact Engineering*, 163, 104165.

Neves, P. P., Costa, U. O., Bezerra, W. B. A., Figueiredo, A. B. H. D. S., Monteiro, S. N., & Nascimento, L. F. C. (2022). Dynamic and Ballistic Performance of Uni- and Bidirectional Pineapple Leaf Fibers (PALF)-Reinforced Epoxy Composites Functionalized with Graphene Oxide. *Polymers*, 14(16), 3249.

Nitin, M. S., & Suresh Kumar, S. (2022). Ballistic performance of synergistically toughened Kevlar/epoxy composite targets reinforced with multiwalled carbon nanotubes/graphene nanofillers. *Polymer Composites*, 43(2), 782-797.

Nugroho, A., Sufiandi, S., & Syahril, A. Z. (2022). Energy absorption of densified veneer-aramid hybrid composites subjected to ballistic impact. *Heliyon*, 8(8), e10271.

Nugroho, A., Triastuti, Sufiandi, S., & Syahril, A. Z. (2022). Energy absorption of densified veneer-aramid hybrid composites subjected to ballistic impact. *Heliyon*, 8(8), e10271.

Oliveira, S. D. S. A., de Castro Monsores, K. G., da Silva, A. O., Monteiro, S. N., dos Santos Paula, A., & Weber, R. P. (2022). Adiabatic shear bands produced in a metallic armor, after dynamic compression with a Hopkinson pressure bar. *Journal of Materials Research and Technology*, 17, 2505-2517.

Ozdil Kacan, Y., & Elaldi, F. (2022). A numerical model for analysis of layer thicknesses on ballistic resistance of a multilayer armor. *Journal of Reinforced Plastics and Composites*.

Pai, A., Kini, C. R., & Shenoy, S. (2022). Development of materials and structures for shielding applications against blast and ballistic impact: A detailed review. *Thin-Walled Structures*, 179, 109664.

Pang, Y., Yan, X., Wu, L., & Qu, J. (2022). Experiment study of basalt fiber/steel hybrid laminates under high-velocity impact performance by projectiles. *Composite Structures*, 280, 114848.

Pathak, R. K., Patel, S., & Gupta, V. K. (2022). A novel design of hybrid ceramic composite plate under ballistic impact. *Mechanics of Advanced Materials and Structures*, 1-19.

Pathak, R. K., Patel, S., & Gupta, V. K. (2022). Efficient design of Kevlar/basalt hybrid composite laminates under ballistic impact. *Advanced Composite Materials*, 1-22.

Peinado, J., Jiao-Wang, L., Olmedo, Á., & Santiuste, C. (2022). Influence of stacking sequence on the impact behaviour of UHMWPE soft armor panels. *Composite Structures*, 286, 115365.

Peng, L., Tan, M. T., Zhang, X., Han, G., Xiong, W., Al Teneiji, M., & Guan, Z. W. (2022). Investigations of the ballistic response of hybrid composite laminated structures. *Composite Structures*, 282, 115019.

Pereira, A. C., Monteiro, S. N., Simonassi, N. T., Vieira, C. M. F., Lima, A. M., Costa, U. O., ... & da Silva Figueiredo, A. B. H. (2022). Enhancement of impact toughness using graphene oxide in epoxy composite reinforced with ramie fabric. *Composite Structures*, 282, 115023.

Pranay, V., & Panigrahi, S. K. (2022). Design and development of new spiral head projectiles undergoing ballistics impact. *International journal of structural integrity*.

Prasad, S., Chouhan, H., Singh, K. K., Kartikeya, K., Ram, K., Ahmed, A., & Bhatnagar, N. (2022). An experimental investigation into the mechanical behavior of UHMWPE and basalt polyetherimide bonded composites at high strain rates. *Polymer Composites*, 43(5), 3242-3258.

Praveen, R., Koteswara Rao, S. R., Kumar, S. S., & Suresh Kumar, S. (2022). Optimization of target thickness and investigation on the effect of heat treatment on the ballistic performance of aluminium alloy 7075 targets against hard steel core projectile. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*,

Pu, B., Wang, X., Li, W., & Feng, J. (2022). Analytical Model Formulation of Steel Plate Reinforced Concrete Walls against Hard Projectile Impact. *Applied Sciences*, 12(1), 518.

Ramadhani Parawansa, R. N., & Syahrial, A. Z. (2022). Effect Of Nano Sic Addition And Heat Treatment On Ballistic Properties Of Al 2024/Nano Sic Composite Produced By Squeeze Cast. *Suranaree Journal of Science & Technology*, 29(2).

Rathod, S., Khaire, N., & Tiwari, G. (2022). A comparative study on the ballistic performance of aramid and aluminum honeycomb sandwich structures. *Composite Structures*, 299.

Ravindran, P., Kumar, K. M., Rangasamy, S., & Kumar, K. R. V. (2022). Experimental and numerical investigation of ballistic impact analysis on Kevlar reinforced polymer composites and shape memory alloy sheet reinforced Kevlar epoxy polymer composites. *플라스틱*, 46(4), 470-475.

Ribeiro, M. P., da Silveira, P. H. P. M., de Oliveira Braga, F., & Monteiro, S. N. (2022). Fabric Impregnation with Shear Thickening Fluid for Ballistic Armor Polymer Composites: An Updated Overview. *Polymers*, 14(20).

Ruiqing, W., Xiaotian, Z., Chengyang, L., Zhengkang, W., Xuegang, H., & Wenlong, W. (2022). Numerical studies on ballistic limit and cellular dispersion of aluminium foam sandwich panel under hypervelocity impact. *Materials Today Communications*, 33.

Sahoo, C. K., Bhatia, G. S., Balaganesan, G., & Arockiarajan, A. (2022). Post repair high velocity impact behaviour of carbon-glass hybrid composite: Experimental and numerical study. *International Journal of Impact Engineering*.

Scazzosi, R., de Souza, S. D. B., Amico, S. C., Giglio, M., & Manes, A. (2022). Experimental and numerical evaluation of the perforation resistance of multi-layered alumina/aramid fiber ballistic shield impacted by an armor piercing projectile. *Composites Part B: Engineering*, 230.

Schonberg, W., & Ryan, S. (2022). Predicting metallic armour performance when impacted by fragment-simulating projectiles—Model adjustments and improvements. *International Journal of Impact Engineering*, 161.

Sergi, C., Sarasini, F., Russo, P., Vitiello, L., Barbero, E., Sanchez-Saez, S., & Tirillò, J. (2022). Experimental and numerical analysis of the ballistic response of agglomerated cork and its bio-based sandwich structures. *Engineering Failure Analysis*, 131.

Shah, I. A., Khan, R., Koloor, S. S. R., Petru, M., Badshah, S., Ahmad, S., & Amjad, M. (2022). Finite Element Analysis of the Ballistic Impact on Auxetic Sandwich Composite Human Body Armor. *Materials*, 15(6), 2064.

Sharma, A., KV, S. S., Dixit, M., Gupta, A. K., & Sujith, R. (2022). Ballistic performance of functionally graded boron carbide reinforced Al–Zn–Mg–Cu alloy. *Journal of Materials Research and Technology*, 18, 4042-4059.

Shewei, X., Fang, H., Wei, Z., Siyuan, Z., Youchuan, M., Jiuping, S., ... & Xianghong, L. (2022). Relationship Between Static, Dynamic Properties and Ballistic Performance of Typical Titanium Alloys. *Rare Metal Materials And Engineering*, 51(1), 295-300.

Shi, Y., Hu, A., Du, T., Xiao, X., & Jia, B. (2022). Experimental and Numerical Study on the Protective Behavior of Weldox 900 E Steel Plates Impacted by Blunt-Nosed Projectiles. *Metals*, 12(1), 141.

Shih, C. H., You, J. L., Lee, Y. L., Cheng, A. Y., Chang, C. P., Liu, Y. M., & Ger, M. D. (2022). Design and Ballistic Performance of Hybrid Plates Manufactured from Aramid Composites for Developing Multilayered Armor Systems. *Polymers*, 14(22), 5026.

Shyamsunder, L., Maurya, A., Rajan, S. D., Cordasco, D., Revilock, D., & Blankenhorn, G. (2022). Impact simulation of composite panels for aerospace applications. *Composites Part B: Engineering*, 247.



Si, P., Liu, Y., Yan, J., Bai, F., & Huang, F. (2022). Ballistic Performance of Polyurea-Reinforced Ceramic/Metal Armor Subjected to Projectile Impact. *Materials*, 15(11), 3918.

Si, S., He, C., Liu, S., Fan, B., Xie, R., Xue, X., & Liu, J. (2022). Influence of impact velocity on impact-initiated reaction behavior of Zr-Ti-Nb alloy. *Materials & Design*, 220.

Signetti, S., & Heine, A. (2022). Transition regime between high-velocity and hypervelocity impact in metals—A review of the relevant phenomena for material modeling in ballistic impact studies. *International Journal of Impact Engineering*, 167.

Üstün, S. H., Toksoy, K. A., & Tanoğlu, M. (2022). Investigation of hybridization effect on ballistic performance of multi-layered fiber reinforced composite structures. *Journal of Composite Materials*.

Singh, A. K., Shukla, D. K., & Prasad, N. E. (2022). Deformation Behaviour of Polymeric Hybrid Composite under Impact Loading. *Fibers and Polymers*, 23(7), 2042-2051.

Singh, D., Sathanathan, P., Sirois, A., & Cronin, D. S. (2022). Soda Lime Glass Response to Projectile Impact and Damage Characterization Using Depth of Penetration Testing with a Polycarbonate Backing and Comparison to Finite Element Model. *Journal of Dynamic Behavior of Materials*, 8(2), 285-303.

Souza, A. T., Neuba, L. D. M., Junio, R. F. P., Carvalho, M. T., Candido, V. S., Figueiredo, A. B. H. D. S., ... & da Silva, A. C. R. (2022). Ballistic Properties and Izod Impact Resistance of Novel Epoxy Composites Reinforced with Caranan Fiber (*Mauritiella armata*). *Polymers*, 14(16).

Steinke, K., & Sodano, H. A. (2022). Aramid Nanofiber Interphase for Enhanced Interfacial Shear Strength in Ultra-High Molecular Weight Polyethylene/Epoxy Composites. *Advanced Materials Interfaces*, 9(7).

Stephen, C., Behara, S. R., Shivamurthy, B., Selvam, R., Kannan, S., & Abbadi, M. (2022). Finite element study on the influence of fiber orientation on the high velocity impact behavior of fiber reinforced polymer composites. *International Journal on Interactive Design and Manufacturing (IJIDeM)*, 1-10.

Sukanya, N. M., & Sundaram, S. K. (2022). Ballistic behaviour of nanosilica and rubber reinforced kevlar/epoxy composite targets. *Engineering Failure Analysis*, 142.

Sun, J., Xu, S., Lu, G., Wang, Q., & Gong, A. (2022). Ballistic impact experiments of titanium-based carbon-fibre/epoxy laminates. *Thin-Walled Structures*, 179.

Sun, W., Zhang, T., Jiang, J., & Chen, P. (2022). Dynamic penetration behaviors of single/multi-layer graphene using nanoparticle under hypervelocity impact. *Scientific reports*, 12(1), 1-12.

Sun, X. (2022). Uncertainty Quantification of Material Properties in Ballistic Impact of Magnesium Alloys. *Materials*, 15(19), 6961.

Syahrial, A. Z. (2022). Effect Of Nano Particle Al<sub>2</sub>O<sub>3</sub> Addition And Heat Treatment To Properties Of Squeeze Casted Composite Al<sub>2024</sub>/Al<sub>2o 3</sub> For Ballistic Application. *Suranaree Journal of Science & Technology*, 29(2).

Tan, Y., Huang, Z., Xiao, Q., Zu, X., & Xu, M. (2022). Theoretical study on hole evolution of inclination finite thickness metal plate impacted by shaped charge jet. *International Journal of Impact Engineering*, 163.

Tang, F., Dong, C., Yang, Z., Kang, Y., Huang, X., Li, M., ... & Wei, Y. (2022). Protective performance and dynamic behavior of composite body armor with shear stiffening gel as buffer material under ballistic impact. *Composites Science and Technology*, 218.

Tang, Y., & Li, D. Y. (2022). Dynamic response of high-entropy alloys to ballistic impact. *Science advances*, 8(31).

Tao, Q., Ren, P., Shi, L., Zhao, Z., Tang, Y., Ye, R., ... & Cui, J. (2022). Energy absorption and impact behavior of composite sandwich panels under high-velocity spherical projectile. *International Journal of Impact Engineering*, 162.

Thompson, S., Teixeira-Dias, F., Paulino, M., & Hamilton, A. (2022). Ballistic response of armour plates using generative adversarial networks. *Defence Technology*, 18(9), 1513-1522.

Tian, H., & Zhang, B. (2022). Nano-projectiles impact on graphene/SiC laminates. *Applied Surface Science*, 591.

Tiwari, G., & Khaire, N. (2022). Ballistic performance and energy dissipation characteristics of cylindrical honeycomb sandwich structure. *International Journal of Impact Engineering*, 160.

Tria, D. E., Kouadria, A., Małachowski, J., Bouteghrine, Y., & Manaa, A. (2022). Performance evaluation of multilayered ceramic composite armors: New design and advanced predictive method. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*.

Tsinas, Z., Orski, S. V., Bentley, V. R., Gonzalez Lopez, L., Al-Sheikhly, M., & Forster, A. L. (2022). Effects of Thermal Aging on Molar Mass of Ultra-High Molar Mass Polyethylene Fibers. *Polymers*, 14(7).

Usta, F., Türkmen, H. S., & Scarpa, F. (2022). High-velocity impact resistance of doubly curved sandwich panels with re-entrant honeycomb and foam core. *International Journal of Impact Engineering*, 165.

Voiculescu, I., Geanta, V., Chereches, T., Vizureanu, P., Stefanoiu, R., Rotariu, A. N., & Mitrica, D. (2022). Impact Behavior of the Ballistic targets package composed of dyneema polymer and high entropy alloy structures. *Archives of Metallurgy and Materials*, 67.

Walicki, M., Janiszewski, J., & Cieplak, K. (2022). Estimation of ballistic performance of armor steels based on the split Hopkinson shear bar data. *Journal of Theoretical and Applied Mechanics*, 60(1), 129-140.

Wang, H. K., Li, Z. Z., Zhang, Z. H., He, Y. Y., Liu, A. J., Xu, Z. Q., ... & Cheng, X. W. (2022). Microstructure evolution of 6252 armor steel under hypervelocity impact. *International Journal of Impact Engineering*, 170, 104356.

Wang, K., Li, M., Yan, P., & Dong, L. (2022). An Experimental and Numerical Study on the Ballistic Performance of Multi-Layered Moderately-Thick Metallic Targets against 12.7-mm Projectiles. *Cmes-Computer Modeling In Engineering & Sciences*, 131(1), 165-197.

Wang, M., Zhong, L., Cao, H., Chen, H., & Huang, X. (2022). Research on Bending and Ballistic Performance of Three-Dimensional Ply-to-Ply Angle Interlock Kevlar/EP Armor Material. *Materials*, 15(19).

Wang, W., Zhao, T., Meng, F., Tian, P., Li, G., & Chen, Z. (2022). Study of Impact Characteristics of ZrO<sub>2</sub> Ceramic Composite Projectiles on Ceramic Composite Armor. *Materials*, 15(4).

Wang, Y., Jia, X., Huang, Z., Yang, C., & Xudong, Z. (2022). Polyurea-coated ceramic-aluminum composite plates subjected to low velocity large fragment impact. *Materials Today Communications*, 33.

Wang, Y., Liu, Q., Zhang, B., Zhang, H., Jin, Y., Zhong, Z., ... & Wang, W. (2022). Dynamic compressive response and impact resistance of bioinspired nacre-like 2024Al/B4C composites. *Materials Science and Engineering: A*, 831.

Wang, Y., Ma, Y., Wang, R., Zhao, L., Nan, F., & He, W. (2022). Design optimization and simulation of interior ballistic measurement technology based on parameters of large-caliber launch fuel. *Measurement*, 189.

Wang, Z. Y., Guo, Q. Q., & Hou, C. C. (2022). Numerical study on the ballistic performance of prestressed concrete slabs subjected to hard missile impact. *International Journal of Impact Engineering*, 168.

Weerasinghe, D., Bambach, M. R., Mohotti, D., Wang, H., Jiang, S., & Hazell, P. J. (2022). Development of a coated fabric armour system of aramid fibre and rubber. *Thin-Walled Structures*, 179.

Weerasinghe, D., Breen, S., Wang, H., Mohotti, D., Hazell, P. J., & Escobedo-Diaz, J. P. (2022). Impact resistance and yarn pull-out behaviour of polymer spray-coated UHMWPE fabrics. *Materials Today Communications*, 33.

Xi, X., Liu, X., Bai, C., Yang, X., & Yang, J. (2022). Constitutive Behavior and Ballistic Performance of Aerospace 2A16 Aluminum Alloy under Different Impact Velocities. *Journal of Aerospace Engineering*, 35(4).

Xiang, Y., Zhang, Z., Yang, X., Lin, Y., Zhang, G., Sun, M., ... & Wang, M. (2022). Failure mechanism of carbon/ultra-high molecular weight polyethylene twill fiber reinforced hybrid laminates under ballistic impact. *Materials & Design*, 216.

Xiao, X., Shi, Y., Wang, Y., Chen, X., & Jia, B. (2022). Effect of incorporating Lode angle parameter into a fracture criterion in predicting ballistic impact behavior of double-layered 2024-T351 aluminum alloy plates against blunt projectiles. *International Journal of Impact Engineering*, 160.

Xie, Y. C., Zhang, H., Zhu, W., & Huang, G. Y. (2022). Effects of textile structure and projectile geometry on ballistic performance of UHMWPE textiles. *Composite Structures*, 279.

Xie, Y., Xu, E., Bowe, B., & Al-Aly, Z. (2022). Long-term cardiovascular outcomes of COVID-19. *Nature medicine*, 28(3), 583-590.

Xu, S., Zhang, W., Hu, G., Shen, W., Zeng, S., & Xu, H. (2022). Fragmentation prevention for Kevlar fiber pipe reinforced honeycomb cabin. *Ocean Engineering*, 260.

Yan, J., Liu, Y., Yan, Z., Bai, F., Shi, Z., Si, P., & Huang, F. (2022). Ballistic characteristics of 3D-printed auxetic honeycomb sandwich panel using CFRP face sheet. *International Journal of Impact Engineering*, 164, 104186.

Yang, F., Li, Z., Zhuang, Z., & Liu, Z. (2022). Evaluating the blast mitigation performance of hard/soft composite structures through field explosion experiment and numerical analysis. *Acta Mechanica Sinica*, 38(1), 1-10.

Yang, R., Li, K., Yin, L., Ren, K., Cheng, Y., Li, T., ... & Yang, J. (2022). Study on the Penetration Power of ZrO<sub>2</sub> Toughened Al<sub>2</sub>O<sub>3</sub> Ceramic Composite Projectile into Ceramic Composite Armor. *Materials*, 15(8), 2909.

Yang, X. C., & Jia, N. (2022). Hygrothermal effect on high-velocity impact resistance of woven composites. *Defence Technology*, 18(5), 823-833.

Yeager, M., Parker, J. C., Kubiak, D., Shaw, W. S., & Bogetti, T. A. (2022). Prediction of shear deformation and thickness gradients in deep-draw forming of ultra-high molecular weight polyethylene. *Journal of Thermoplastic Composite Materials*.

Yildiz, S., Chiu, J., Delale, F., & Elvin, N. (2022). Characterization of adhesive joints under ballistic shear impact. *International Journal of Adhesion and Adhesives*, 113, 103035.

Youchun, Z., Chao, X., Junhui, Y., Huiyong, D., Kaibo, C., Sa, Z., ... & Lijuan, B. (2022). Anti-penetration Performance and Micro-damage Mechanism of Ti-6Al-4V Alloy Composite Armor. *Rare Metal Materials And Engineering*, 51(7), 2329-2335.

Yue, S., Bai, Y., Du, Z., Zou, H., Shi, W., & Zheng, G. (2022). Dynamic Behavior of Kinetic Projectile Impact on Honeycomb Sandwich Panels and Multi-Layer Plates. *Crystals*, 12(5), 572.

Zakeri, M., Mansoori, H., Sadeghian, M., & Guagliano, M. (2022). Impact response of fiber metal laminates based on aluminum and UHMWPE composite: Numerical simulation. *Thin-Walled Structures*, 172, 108796.

Bobbili, R., & Madhu, V. (2022). A machine learning model for failure of perforated plates under impact. *Mechanics based design of structures and machines*, 50(7), 2582-2590.

Zhang, X., Zhang, Q., Yan, R., & Qin, Z. (2022). Fluid-structure interaction simulation and evaluation of ballistic impact of STF impregnated UHMWPE fiber composites. *Polymer Testing*, 115, 107757.

Zheng, J., Zhong, L., Chen, H., Huang, X., & Cao, H. (2022). Research on Bending Performance of Three-Dimensional Deep Angle Interlock Kevlar/EP Armor Material. *Materials*, 15(15), 5321.

Zhihao, X., Xiaodi, H., Lulu, L., Wei, C., Zhenhua, Z., & Gang, L. (2022). Influences of a wide service-environment temperature range on the ballistic performance of STF-impregnated Kevlar. *Composite Structures*, 287.

Zhou, Y., Ding, S., Zhang, Z., Li, H., Lin, Y., Sun, M., & Wang, M. (2022). The Ballistic responses of thread-quilted plain weaves with increased yarn–yarn friction. *Thin-Walled Structures*, 171.

Zhou, Y., Yao, W., Zhang, Z., Lin, Y., Xiong, Z., Zhao, Y., & Wang, M. (2022). Ballistic performance of the structure-modified plain weaves with the improved constraint on yarn mobility: Experimental investigation. *Composite Structures*, 280.

Zhou, Y., Yao, W., Zhang, Z., Sun, M., Xiong, Z., Lin, Y., ... & Wang, M. (2022). The effect of cumulative damage on the ballistic performance of plain weaves. *Composite Structures*, 297.

Zhu, H., Li, D. S., Jiang, L., & Fang, D. N. (2022). An experimental and numerical investigation of the ballistic penetration behavior and failure mechanism of 3D MWK composites. *Composite Structures*, 299.

Zhu, Z., Li, X., Yang, R., Ye, Z., & Teng, Q. (2022). A modified model to predict the ballistic limit of a cubic fragment penetrating Kevlar/titanium fiber metal laminate. *International Journal of Impact Engineering*.

Zochowski, P., Bajkowski, M., Grygoruk, R., Magier, M., Burian, W., Pyka, D., ... & Jamroziak, K. (2022). Finite element modeling of ballistic inserts containing aramid fabrics under projectile impact conditions—comparison of methods. *Composite Structures*, 115752.

Zou, G., Wu, S., Chang, Z., Liu, Y., & Wang, X. (2022). Penetration resistance properties of glass fiber reinforced polypropylene composites with different ply angles. *Journal of Thermoplastic Composite Materials*.

Zou, M., Guo, M., & Ye, X. (2022). Penetrating Power of High-Density Tungsten Fiber/Zr-Based Metallic Glass Matrix Composite. *Advances in Materials Science and Engineering*, 2022.

Zunino, M. O. H., Pereira, I. M., Dias, R. R., Lavoratti, A., Beltrami, L. V. R., Poletto, M., & Zattera, A. J. (2022). Graphene Nanoplatelets on Multi-Scale Polymer Composites for Potential Ballistic Shielding. *Materials Research*, 26.

### **III**

**Harp Silah ve Araçları Alanında Düzenlenen Ulusal ve  
Uluslararası Toplan Toplantılar (Çalıştay, Seminer, Kongre vb.)**

Akçay, M., Richards, B. E., & Stahl, W. (1979a). Strake ile Donatılmış Roket Etrafında, Transonik Akışta, Yüksek Hücum Açılarında Akım Yapısı (in Turkish). *II. Ulusal Isı Kongresi*.

Akçay, M., Richards, B. E., & Stahl, W. (1979b). Aerodynamic characteristics of a missile featuring wing with strakes at high angles of attack. *AGARD High Angle of Attack Aerodyn. 7 p(SEE N 79-21996 13-01)*.

Akçay, M. (1988). Strake ile Donatılmış Roket Etrafında, Transonik Akışta, Yüksek Hücum Açılarında Akım Yapısı (in Turkish). *NATO Defense Economics Conference, Brussels*.

Prevorsek, D. C., & Chin, H. B. (1989). Properties of spectra fibers and composites at ballistic rates of deformation. *Advanced Materials: the Big Payoff*, 812-824.

Cunniff, P. M., Song, J. W., & Ward, J. E. (1989). Investigation of high performance fibers for ballistic impact resistance potential. *Advanced Materials: the Big Payoff*, 840-851.

Bless, S. J., & Hartman, D. R. (1989). Ballistic penetration of S-2 glass laminates. *Advanced Materials: the Big Payoff*, 852-866.

Vinson, J. (1989). On the behavior of ballistic impact into flexible protection systems. In *30th Structures, Structural Dynamics and Materials Conference* (p. 1413).

Landa, B. P. (1989). An Analytical Model to Design Composite Material Armours. *Mechanical Properties of Materials at High Rates of Strain 1989*, 565-572.

Frasch, L., & Chambers, C. (1989). Characterizing Interior Ballistic Performance. In *1989 SEM Spring Conference on Experimental Mechanics* (pp. 102-105).

Saad, M. B. E. A. (1989). Critical shear stress of armour coat. In *Sediment Transport Modeling* (pp. 308-313). ASCE.

Bhatnagar, A., Lin, L. C., Lang, D. C., & Chang, H. W. (1989). Comparison of ballistic performance of composites. *Tomorrow's Materials: Today.*, 34, 1529-1537.

Prevorsek, D. C., Kwon, Y. D., & Harpell, G. (1989). Spectra composite armor: dynamics of absorbing the kinetic energy of ballistic projectiles. *Tomorrow's Materials: Today.*, 34, 1780-1791.

Bhatnagar, A., Lin, L., & Chang, H. (1990, November). Ballistic energy absorption of composites. In *Proceedings of the 22nd International SAMPE Technical Conference*.

Arndt, S. M., & Coltman, J. W. (1990). Design trade-offs for ceramic/composite armor materials. *Advanced Materials: Looking Ahead to the 21 st Century*, 278-292.

Thomas, T. S. (1990, November). Facets of a lightweight armor system design. In *Proceedings of the 22nd SAMPE International Technical Conference* (pp. 304-318).

Dillon, C., & Ductor, D. (1990). Integrated system performance of a kinetic energy weapon. *Guidance and control 1990*, 527-542.

Cagliostro, D. J., Mandell, D. A., Schwalbe, L. A., Adams, T. F., & Chapyak, E. J. (1990). MESA 3-D calculations of armor penetration by projectiles with combined obliquity and yaw. *International Journal of Impact Engineering*, 10(1-4), 81-92.

Charters, A. C., Menna, T. L., & Piekutowski, A. J. (1990). Penetration dynamics of rods from direct ballistic tests of advanced armor components at 2-3 km/s. *International Journal of Impact Engineering*, 10(1-4), 93-106.

Gurson, A. L. (1990). The effect of geometric scale on impact induced fragmentation, and its application to the design of dual plate armor. *International Journal of Impact Engineering*, 10(1-4), 213-229.

Holland, P. M., Gordon, J. T., Menna, T. L., & Charters, A. C. (1990). Hydrocode results for the penetration of continuous, segmented and hybrid rods compared with ballistic experiments. *International Journal of Impact Engineering*, 10(1-4), 241-250.

Nurick, G. N., & Walters, C. E. (1990). The ballistic penetration of multiple thin plates separated by an air gap. In *1990 SEM Spring Conference on Experimental Mechanics* (pp. 631-637).

Cale, T. S., Gandy, T. H., Raupp, B. G., & Jain, M. K. (1990). Comparison of Continuum Diffusion-Reaction and Particulate Ballistic Transport-Deposition Models for LPCVD. *Tungsten and Other Advanced Metals for ULSI Applications in 1990*, 165-167.

Bhatnagar, A., Lin, L., & Chang, H. (1990, November). Ballistic energy absorption of composites. In *Proceedings of the 22nd International SAMPE Technical Conference*.

Cale, T. S., Gandy, T. H., Raupp, B. G., & Jain, M. K. (1990). Comparison of Continuum Diffusion-Reaction and Particulate Ballistic Transport-Deposition Models for LPCVD. *Tungsten and Other Advanced Metals for ULSI Applications in 1990*, 165-167.

Forrestal, M. J., Luk, V. K., & Brar, N. S. (1990). Perforation of aluminum armor plates with conical-nose projectiles. *Mechanics of Materials*, 10(1-2), 97-105.

Akçay, M. (1991). Résal Eşitliğinin n Delikli Silindirik Barutlar İçin Çözümü (in Turkish). *Enerji Yönetimi Ulusal Kongresi*.

Fabelo, A. L. (1991). A ballistic pendulum magnetometer to study high Tc superconductors and. In *Magnetism, Magnetic Materials and Their Applications: Proceedings of the International Workshop* (p. 307). Philadelphia.

Walton, W. S. (1991). Pyroshock Evaluation of Ballistic Shock Measurement Techniques. In *Proceedings of the 62nd Shock and Vibration Symposium* (Vol. 2, pp. 422-431).

Azzi, B., Bless, S., & Brar, N. S. (1991). Force measurements on projectiles penetrating fiber reinforced composite targets. In *Int SAMPE Tech. Conf* (pp. 21-24).

Savrun, E., Tan, S. Y., & Robinson, J. (1991). Ballistic performance of ceramic faced composite armors. *Advanced Materials/Affordable Processes.*, 23, 661-668.

Ramachandran, V., Zhang, X. J., Armstrong, R. W., Holt, W. H., & Mock, W. (1991). Shear banding in Ti 6 Al 4 V alloy via reverse-ballistic impacts. *Microstructure/property relationships in titanium aluminides and alloys*, 647-664.

Licoppe, C., Meriadec, C., Nissim, Y. I., & Moison, J. M. (1992). Surface mechanisms in the UVCVD of SiO<sub>2</sub> films. *Applied surface science*, 54, 445-452.

Lee, S. W. R., & Sun, C. T. (1992). Ballistic limit prediction of composite laminates by a quasi-static penetration model. In *Proc. 24th SAMPE Technical Conference, Toronto, Canada*.

Hettiarchchi, S. (1992). Applications of Single Layer Armour Units in the Construction of Breakwaters. In *Marina Technology* (pp. 381-394). Thomas Telford Publishing.



Rosenberg, Z., Bless, S. J., Yeshurun, Y., & Brar, N. S. (1992). On the relation between the penetration resistance of ceramic tiles and their dynamic properties. In *Mechanical Behaviour of Materials VI* (pp. 507-512). Pergamon.

Butler, G. S. (1992). Launch velocity requirements for interceptors of short range ballistic missiles. *Spaceflight mechanics 1992*, 387-394.

Bayley, M. J. (1992). Offshore Role for Lightweight Aluminium Armour. In *Structures Under Shock and Impact II: Proceedings of the Second International Conference, held in Portsmouth, UK, 16th–18th June, 1992* (pp. 545-554). Thomas Telford Publishing.

Hashmi, M. S. J. (1992). Ballistic Compression Test For Determining High Strain Rate Constitutive Equation For Solid Materials. In *Theoretical and Applied Rheology* (pp. 802-804). Elsevier.

Akiba, M., Araki, M., Suzuki, S., Ise, H., Nakamura, K., Yokoyama, K., ... & Tanaka, S. (1992). Experimental and analytical studies on thermal erosion of carbon-based materials with high thermal conductivity. *Journal of nuclear materials*, 191, 373-376.

Ando, T., Kodama, K., Yamamoto, M., Arai, T., Kaminaga, A., Horiike, H., ... & Tezuka, M. (1992). Quality evaluation of graphites and carbon/carbon composites during production of JT-60U plasma facing materials. *Journal of nuclear materials*, 191, 1423-1427.

Heiser, R., & Garloff, J. (1992). Study on turbulence in interior ballistics flows. *Journal of Propulsion and Power*, 8(1), 59-65.

Akçay, M. (1992). Kesitleri Dairesel Olmayan (Kare ve Dikdörtgen) Eksenel Simetrik Narin Cisimlerin Kanatlı ve Kanatsız Halde Aerodinamik Karakteristiklerinin Hesabı (in Turkish). *ODTÜ Havacılık Mühendisliği Bölümünün 10. Kuruluş Yılı Sempozyumu*.

Prevorsek, D. C., Chin, H. B., & Murthy, S. (1993). Origins of damage tolerance in ultrastrong polyethylene fibers and composites. In *J. Polym. Sci., Polym. Symp.* (Vol. 75, pp. 81-104).

Cardoso, A., Korgul, P., & Seddon, A. (1993). Identification of Crystalline Phases Found in Multicomponent AlF<sub>3</sub>-Based Glasses. *Journal of Non-Crystalline Solids*, 161, 56-59. [https://doi.org/10.1016/0022-3093\(93\)90669-O](https://doi.org/10.1016/0022-3093(93)90669-O)

Bruchey Jr, W. J., Herring, R. N., Kingman, P. W., & Horwath, E. J. (1993). *Deformation mechanisms in tungsten single crystals in ballistic impact experiments*. Army Research Lab Aberdeen Proving Ground Md.

Delben, A., Messaddeq, Y., Caridade, M., Aegerter, M., & Eiras, J. (1993). Mechanical-Properties of Zblan Glasses. *Journal of Non-Crystalline Solids*, 161, 165-168. [https://doi.org/10.1016/0022-3093\(93\)90691-P](https://doi.org/10.1016/0022-3093(93)90691-P)

Griscom, D. (1993). Defect Centers in Heavy-Metal Fluoride Glasses—A Review. *Journal of Non-Crystalline Solids*, 161, 45-51. [https://doi.org/10.1016/0022-3093\(93\)90667-M](https://doi.org/10.1016/0022-3093(93)90667-M)

Jha, A. (1993). Formation of Scattering Centers in Fluoride Glass Preforms and Fibers. *Journal of Non-Crystalline Solids*, 161, 41-44. [https://doi.org/10.1016/0022-3093\(93\)90666-L](https://doi.org/10.1016/0022-3093(93)90666-L)

Szebesta, D., Davey, S., Williams, J., & Moore, M. (1993). Oh Absorption in the Low-Loss Window of Zblan(p) Glass-Fiber. *Journal of Non-Crystalline Solids*, 161, 18-22. [https://doi.org/10.1016/0022-3093\(93\)90661-G](https://doi.org/10.1016/0022-3093(93)90661-G)

Rupert, N. L., Burkins, M. S., Gooch, W. A., Walz, M. J., Levoy, N. F., & Washchilla, E. P. (1993). *Development of high-density ceramic composites for ballistic applications* (No. CONF-930246-). Minerals, Metals and Materials Society, Warrendale, PA (United States).

Hsieh, T. M., Morrow, J., & Thomas, G. E. (1993). Advanced Materials in Current and Future Ground Combat Vehicles. *Advanced Materials: Expanding the Horizons*, 71-82.

Ting, J., Roylance, D., Chi, C. H., & Chirrangad, B. (1993). Numerical modeling of fabric panel response to ballistic impact. *Advanced materials: Expanding the horizons*, 384-392.

Valencia, J. J., McCabe, T. J., & Zhao, D. (1993). Microstructural Changes During Ballistic Impact of Tungsten Penetrators. *Advances in Powder Metallurgy & Particulate Materials--1993.*, 4, 215-226.

Bose, A., Morris, B., & Lankford Jr, J. (1993). Micro-Infiltrated Macro-Laminated Composite of Nickel/Alumina for Armor Applications. *Advances in Powder Metallurgy & Particulate Materials--1993.*, 6, 87-99.

Meliza, L. L. (1993). Measuring the performance of armor platoons in the Simnet environment. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting* (Vol. 37, No. 17, pp. 1186-1190). Sage CA: Los Angeles, CA: SAGE Publications.

Angel, Y. C., & Smith, J. P. (1993). Critical response of shielded plates subjected to hypervelocity impact. *International Journal of Impact Engineering*, 14(1-4), 25-35.

Araki, M., Sasaki, M., Kim, S., Suzuki, S., Nakamura, K., & Akiba, M. (1994). Thermal Response Experiments of Sic/C and Tic/C Functionally Gradient Materials as Plasma-Facing Materials for Fusion Application. *Journal of Nuclear Materials*, 212, 1329-1334. [https://doi.org/10.1016/0022-3115\(94\)91045-6](https://doi.org/10.1016/0022-3115(94)91045-6)

Cortes, R., Navarro, C., Martinez, M., Rodriguez, J., & Sanchezgalvez, V. (1994). An Analysis of Projectile Impact Onto Ceramic-Metal Armors. *Structures Under Shock and Impact Iii: Proceedings of the Third International Conference* (ss. 315-322).

Chae, K., Choi, J., Jung, S., Song, J., Woo, J., & Whang, C. (1994). Atomic Transport by Ballistic Atomic Mixing Effect in Bilayer Structure. *Materials Synthesis and Processing Using Ion Beams* (C. 316, ss. 277-282).

Holt, W., Mock, W., Clark, J., Zerilli, F., & Armstrong, R. (1994). Gas-Gun Reverse-Ballistic Impact Deformation and Fracture of Armco Iron Taylor Specimens of Differing Grain Sizes. *High-Pressure Science and Technology—1993, Pts 1 and 2* (ss. 1193-1196).

Holt, W., Mock, W., Zerilli, F., & Clark, J. (1994). Experimental and Computational Study of the Impact Deformation of Titanium Taylor Cylinder Specimens. *Mechanics of Materials*, 17(2-3), 195-201. [https://doi.org/10.1016/0167-6636\(94\)90059-0](https://doi.org/10.1016/0167-6636(94)90059-0)

Johnston, S., Winter, J., & Green, R. (1994). Magnetic Properties of Armor Steels. *Nondestructive Characterization of Materials Vi* (ss. 799-805).

Kelly, D., & Heiman, M. (1994). Weapon System Performance Analysis for and I(2)r Seeker Integrated with Ins Gps. *Proceedings of the 1994 National Technical Meeting - Navigating the Earth and Beyond*, 353-362.

Madsen, S., & Thomsen, A. (1994). Explicit Finite-Element Modeling of Ballistic Impact on Thermoplastic Fiber-Composite Armor. *Structures Under Shock and Impact Iii: Proceedings of the Third International Conference* (ss. 331-338).

Magness, L. (1994). High-Strain Rate Deformation Behaviors of Kinetic-Energy Penetrator Materials During Ballistic Impact. *Mechanics of Materials*, 17(2-3), 147-154. [https://doi.org/10.1016/0167-6636\(94\)90055-8](https://doi.org/10.1016/0167-6636(94)90055-8)

Melby, J., Asce, A., & Turk, G. (1994). Scale and modeling effects in concrete armor experiments. *Coastal Dynamics '94—Proceedings of an International Conference on the Role of the Large Scale Experiments in Coastal Research* (ss. 686-700).

Navarro, C., Zaera, R., Cortes, R., Martinez, M., & Sanchezgalvez, V. (1994). The Response of Ceramic Faced Lightweight Armors Under Projectile Impact. *Structures Under Shock and Impact Iii: Proceedings of the Third International Conference* (ss. 323-330).

Rufin, T., Mizutani, N., Totsuka, N., Kurata, K., & Iwata, K. (1994). Wave-Forces Acting on Armor Unit of a Submerged Wide-Crown Breakwater. *Proceedings of the Fourth (1994) International Offshore and Polar Engineering Conference, Vol Iii, 1994* (ss. 556-563).

Schuster, D. (1994). Ballistic Impact on Composites. *Computer Aided Design in Composite Material Technology Iv* (ss. 175-181).

Akçay, M., & Asan, H. (1995). Türbülanslı Akışın k-Reynolds Gerilme Modelleri (RGM) ile Çözümü (in Turkish). *Isı Bilimi ve Tekniği 10ncu Ulusal Kongresi*.

Charters, A. C. (1995). The early years of aerodynamics ranges, light-gas guns, and high-velocity impact. *International Journal of Impact Engineering*, 17(1-3), 151-182. [https://doi.org/10.1016/0734-743X\(95\)99844-H](https://doi.org/10.1016/0734-743X(95)99844-H)

daCosta, A. M., & Thaumaturgo, C. (1995). Effects of shock-waves induced by ballistic impact on a woven glass fiber/epoxy composite. *Metallurgical and Materials Applications of Shock-Wave and High-Strain-Rate Phenomena* (ss. 285-291).

Davenas, A. (1995). History of the Development of Solid Rocket Propellant in France. *Journal of Propulsion and Power*, 11(2), 285-291. <https://doi.org/10.2514/3.51423>

Dehn, J. (1995). Modeling dwell in ceramic armor. *Military, Government and Aerospace Simulation* (C. 27, Sayı 4, ss. 59-63).

Fahrenthold, E. P., & Yew, C. H. (1995). Hydrocode simulation of hypervelocity impact fragmentation. *International Journal of Impact Engineering*, 17(1-3), 303-310. [https://doi.org/10.1016/0734-743X\(95\)99856-M](https://doi.org/10.1016/0734-743X(95)99856-M)

Gao, H., & Zee, R. (1995). Modeling the High Temperature Creep Deformation in Single Crystalline Tungsten Alloys. *12th Symposium on Space Nuclear Power and Propulsion, Pts 1 and 2* (Sayı 324, ss. 283-288).

Hadel, J., & Lakey, P. (1995). A Customer-Oriented Approach to Optimizing Reliability-Allocation Within a Set of Weapon-System Requirements. *Annual Reliability and Maintainability Symposium - 1995 Proceedings*, 96-101. <https://doi.org/10.1109/RAMS.1995.513229>

Holcomb, C. D., & Sullivan, V. A. (1995). Weapon system performance prediction using subsystem test data. *Military, Government and Aerospace Simulation* (C. 27, Sayı 4, ss. 88-94).

McGinn, J., Klopp, R., & Shockey, D. (1995). Deformation and comminution of shock loaded alpha-al<sub>2</sub>o<sub>3</sub> in the mesocall zone of ceramic armor. *Grain Size and Mechanical Properties—Fundamentals and Applications* (C. 362, ss. 61-66).

McKnight, D., Maher, R., & Nagl, L. (1995). Refined algorithms for structural breakup due to hypervelocity impact. *International Journal of Impact Engineering*, 17(4-6), 547-558. [https://doi.org/10.1016/0734-743X\(95\)99879-V](https://doi.org/10.1016/0734-743X(95)99879-V)

Mensink, D., & Rose, S. (1995). Preconceptual Engineering Design for the Apt 3he Target/Blanket Concept. *12th Symposium on Space Nuclear Power and Propulsion, Pts 1 and 2* (Say1 324, ss. 1095-1102).

Meyers, J. (1995). New integrated survival vest and body armor protection developed for navy helicopter aircrew. *Proceedings of the Thirty-Third Annual Symposium Safe Association*, 436-440.

Middleton, J., & Sullivan, V. (1995). Modernization of tactical weapon system test & evaluation using distributed interactive simulation. *Military, Government and Aerospace Simulation* (C. 27, Say1 4, ss. 83-87).

Miskolczy, G., & Reagan, P. (1995). Application of Chemical Vapor Composites (cvc) to Terrestrial Thermionics. *12th Symposium on Space Nuclear Power and Propulsion, Pts 1 and 2* (Say1 324, ss. 83-88).

Nebolsine, P. E., Lo, E. Y., & Fersugon, R. D. (1995). Tungsten pellet fragment field characterization. *International Journal of Impact Engineering*, 17(4-6), 583-593. [https://doi.org/10.1016/0734-743X\(95\)99882-R](https://doi.org/10.1016/0734-743X(95)99882-R)

Perry, R., Buksa, J., & Houts, M. (1995). Kinetics of Accelerator Driven Devices. *12th Symposium on Space Nuclear Power and Propulsion, Pts 1 and 2* (Say1 324, ss. 1083-1087).

Petitpas, E. (1995). Design of Composite Structures in Land Armaments. *Mecanique Industrielle Et Materiaux*, 48(2), 90-92.

Rockett, P., Hunter, J., Bradley, J., Gahl, J., Litunovsky, V., Ovchinnokov, I., Ljublin, B., Kuznetsov, B., Titov, V., Zhitlukhin, A., Arkhipov, K., Bakhtin, V., & Toporkov, D. (1995). Studies of the Ablated Plasma from Experimental Plasma Gun Disruption Simulations. *Journal of Nuclear Materials*, 220, 785-789. [https://doi.org/10.1016/0022-3115\(94\)00585-0](https://doi.org/10.1016/0022-3115(94)00585-0)

Rose, S. (1995). Safety Approach and Engineered Safety Systems for the Apt He-3 Target Blanket System. *12th Symposium on Space Nuclear Power and Propulsion, Pts 1 and 2* (Say1 324, ss. 1073-1081).

Rosenberg, Z., Dekel, E., Yeshurun, Y., & BarOn, E. (1995). Experiments and 2-D simulations of high velocity penetrations into ceramic tiles. *International Journal of Impact Engineering*, 17(4-6), 697-706. [https://doi.org/10.1016/0734-743X\(95\)99892-U](https://doi.org/10.1016/0734-743X(95)99892-U)

Schaaf, P. (1995). From the Random Sequential Adsorption to the Ballistic model. *25 Years of Non-Equilibrium Statistical Mechanics* (C. 445, ss. 282-295).

Stilp, A. J., & Hohler, V. (1995). Aeroballistic and impact physics research at EMI - An historical overview. *International Journal of Impact Engineering*, 17(4-6), 785-805. [https://doi.org/10.1016/0734-743X\(95\)99900-C](https://doi.org/10.1016/0734-743X(95)99900-C)

Subramanian, R., & Bless, S. J. (1995). Penetration of semi-infinite AD995 alumina targets by Tungsten long rod penetrators from 1.5 to 3.5 KM/S. *International Journal of Impact Engineering*, 17(4-6), 807-816. [https://doi.org/10.1016/0734-743X\(95\)99901-3](https://doi.org/10.1016/0734-743X(95)99901-3)

Tedeschi, W. J., Remo, J. L., Schulze, J. F., & Young, R. P. (1995). Experimental hypervelocity impact effects on simulated planetesimal materials. *International Journal of Impact Engineering*, 17(4-6), 837-848. [https://doi.org/10.1016/0734-743X\(95\)99904-6](https://doi.org/10.1016/0734-743X(95)99904-6)

Trucano, T. G., & Chhabildas, L. C. (1995). Computational design of hypervelocity launchers. *International Journal of Impact Engineering*, 17(4-6), 849-860. [https://doi.org/10.1016/0734-743X\(95\)99905-7](https://doi.org/10.1016/0734-743X(95)99905-7)

Wang, X. M., Zhao, G. Z., Shen, P. H., & Zha, H. Z. (1995). High velocity impact of segmented rods with an aluminum carrier tube. *International Journal of Impact Engineering*, 17(4-6), 915-923. [https://doi.org/10.1016/0734-743X\(95\)99910-J](https://doi.org/10.1016/0734-743X(95)99910-J)

Wolf, H., Streiter, R., Schulz, S., & Gessner, T. (1995). Growth-Rate Modeling for Selective Tungsten Lpcvd. *Applied Surface Science*, 91(1-4), 332-338. [https://doi.org/10.1016/0169-4332\(95\)00140-9](https://doi.org/10.1016/0169-4332(95)00140-9)

Akçay, M. (1996). Impact of the New Geopolitical Environment and Technological Advances on Missile Design. *Subsystem Integration for Tactical Missiles (SITM) and Design and Operation of Unmanned Air Vehicles*.

Broadbent, C. (1996). A whole ship view of the impact of weapon systems on warship design. *Inec 96: Warship Design - What Is so Different?, Conference Proceedings, Pt 1*, 1-7.

Cadogan, D. (1996). The design and development of the integrated ballistic helmet (IBH). *Proceedings of the Thirty-Fourth Annual Symposium - Safe Association*, 209-221.

Feng, Z. G., Chen, B. R., Hou, Z. L., & Wang, E. P. (1996). A primary study on combustion behavior of nitramine propellants with reduced smoke. *Theory and Practice of Energetic Materials* (ss. 157-162).

Gailly, B., & Pineau, A. (1996). Dynamic fracture of armor steel. *Ecf 11—Mechanisms and Mechanics of Damage and Failure, Vols I-Iii* (ss. 669-674).

Gilmore, C. M., & Sprague, J. A. (1996). Interface mixing of energetic metals deposited onto metals. *Surface & Coatings Technology*, 83(1-3), 146-150. [https://doi.org/10.1016/0257-8972\(95\)02829-3](https://doi.org/10.1016/0257-8972(95)02829-3)

Greatrix, D. R. (1996). Internal ballistic model for spinning star-grain motors. *Journal of Propulsion and Power*, 12(3), 612-614. <https://doi.org/10.2514/3.24077>

HamiltonJones, M. L., Littlejohn, K., & Pitarys, M. (1996). Software technology for next-generation Strike Fighter avionics. *15th Dasc - Aiaa/Ieee Digital Avionics Systems Conference*, 37-42. <https://doi.org/10.1109/DASC.1996.559131>

Ilincic, N., Anderson, W. R., Seshadri, K., & Meagher, N. E. (1996). Simplified chemical-kinetic mechanisms for characterizing the structure of the dark zones of double base and nitramine propellants. *Twenty-Sixth Symposium (international) on Combustion, Vols 1 and 2* (ss. 1997-2006).

Jaramaz, S., & Mickovic, D. (1996). Device for determination of erosivity characteristics of propellants: Experimental and theoretical studies. *Theory and Practice of Energetic Materials* (ss. 173-182).

Kawabata, H., Hasue, K., & Iwama, A. (1996). Combustion aspects of the consolidated mixtures of boron and potassium nitrate at cryogenic temperatures. *Twenty-Second International Pyrotechnics Seminar*, 243-254.

Kelly, R., & Miotello, A. (1996). Metal-ceramic ion-beam mixing: A quest for general principles. *Surface & Coatings Technology*, 83(1-3), 134-145. [https://doi.org/10.1016/0257-8972\(95\)02782-3](https://doi.org/10.1016/0257-8972(95)02782-3)

Kelly, R., Miotello, A., Knystautas, E., & Russo, S. L. (1996). On the question of whether ion-beam mixing of Fe-Al and Mo-Cr multilayers is governed more nearly by ballistic effects, residual defects, or thermal-spike effects. *Surface & Coatings Technology*, 83(1-3), 156-161. [https://doi.org/10.1016/0257-8972\(95\)02742-4](https://doi.org/10.1016/0257-8972(95)02742-4)

Kolkert, W. J., vanGelder, P., & vanderPloeg, B. (1996). Impact of pulsed power requirements for future weapon systems on warship design. *Inec 96: Warship Design - What Is so Different?: Conference Proceedings, Pt Ii*, 105-111.

Kwinn, M. J., & Phelan, R. G. (1996). Management of personnel policies to increase the stability of patriot crew members and their families: A simulation approach. *1996 Winter Simulation Conference Proceedings* (ss. 926-933).

Lee, C. G., Kim, K. J., & Lee, S. (1996). Dynamic deformation characteristics of aluminum-lithium alloys. *Light Weight Alloys for Aerospace Applications Iv* (ss. 49-59).

Leonard, W., Magness, L. S., Dowding, R. J., Trogolo, J., Chung, M., & Kapoor, D. (1996). Ballistic performance of oriented columnar-grained tungsten polycrystals. *Tungsten and Refractory Metals 3—1995* (ss. 103-114).

Magness, L. S. (1996). Ballistic and instrumented mechanical testing of long rod kinetic energy penetrator materials. *Tungsten and Refractory Metals 3—1995* (ss. 133-144).

Meyers, J., & AmRhein, E. H. (1996). Aircrew integrated recovery survival armor vest and equipment developed for tri-service use. *Proceedings of the Thirty-Fourth Annual Symposium - Safe Association*, 318-322.

Muller, J. F. (1996). An overview of the application of tantalum and its alloys as warhead liner materials. *Tantalum* (ss. 301-305).

Murr, L. E., Pappu, S., Kennedy, C., Niou, C. S., & Meyers, M. A. (1996). Tantalum microstructures for high-strain-rate deformation: Shock loading, shaped charges, and explosively formed penetrators. *Tantalum* (ss. 145-155).

Passenier, P. O., & vanDelft, J. H. (1996). The combat information centre: The interface between warfare officers and sensor and weapon systems. *Inec 96: Warship Design - What Is so Different?: Conference Proceedings, Pt Ii*, 113-121.

Pike, T., McArthur, M., & Schade, D. (1996). Vacuum assisted resin transfer molding of a layered structural laminate for application on ground combat vehicles. *Technology Transfer in a Global Community* (C. 28, ss. 374-380).

Pittman, D. N., Lanier, N. C., & LeFevre, V. C. (1996). Integration and testing of a low-cost land navigator for the Army Combined Arms Weapon System (TACAWS). *Ieee 1996 Position Location and Navigation Symposium*, 399-406.

Qiu, Z. M. (1996). Methods of research on weapon systems. *Theory and Practice of Energetic Materials* (ss. 538-548).

Robinson, M. J. (1996). Composite structures on the DC-XA reusable launch vehicle. *Technology Transfer in a Global Community* (C. 28, ss. 530-541).

Sambamurthi, J. K., Alvarado, A., & Mathias, E. C. (1996). Correlation of slag expulsion with ballistic anomalies in shuttle solid rocket motors. *Journal of Propulsion and Power*, 12(4), 625-631. <https://doi.org/10.2514/3.24082>

Walston, W. S., & Darolia, R. (1996). Impact resistance of NiAl alloys. *Structural Intermetallics 1997* (ss. 613-619).

Wang, Q. L., Liu, S. W., Hao, N., Huang, Z. X., Yang, W. B., Yang, A. H., & Qian, Y. (1996). A new type of polymer deterrent-coated gun propellant. *Theory and Practice of Energetic Materials* (ss. 223-228).

Webb, J. T., & Pilmanis, A. A. (1996). A survey of Daedalian pilots for history of decompression sickness (DCS) from exposure to 20,000-25,000 feet: Relevance to future flight operations. *Proceedings of the Thirty-Fourth Annual Symposium - Safe Association*, 405-411.

Zarchan, P. (1996). The challenge of intercepting spiraling tactical ballistic missiles. *Proceedings of the 52nd Annual Meeting - the Institute of Navigation: Navigational Technology for the 3rd Millennium*, 223-231.

Akçay, M. (1997). Jeopolitik Çevrenin ve Teknolojik Gelişmelerin Füze Dizaynına Etkileri (in Turkish). *KHO Savunma Sanayii Konferansı*.

Centala, P. K., Qian, Z. F., & Khan, A. S. (1997). Experimental and analytical investigation on the compressive response of GRP plain woven thick composite. *International Conference on Experimental Mechanics: Advances and Applications* (C. 2921, ss. 446-451).

Choi, J. S., McCarthy, S. P., & Song, J. W. (1997). The effect of processing conditions ballistic impact resistance of thermoplastic composites. *Antec'97 - Plastics Saving Planet Earth, Conference Proceedings, Vols 1 - 3*, 2446-2450.

Cullis, I. G., & Lynch, N. J. (1997). The influence of aerodynamic heating on the terminal ballistic performance of scale size KE projectiles. *International Journal of Impact Engineering*, 20(1-5), 185-196. [https://doi.org/10.1016/S0734-743X\(97\)87492-1](https://doi.org/10.1016/S0734-743X(97)87492-1)

Destefanis, R., & Faraud, M. (1997). Testing of advanced materials for high resistance debris shielding. *International Journal of Impact Engineering*, 20(1-5), 209-222. [https://doi.org/10.1016/S0734-743X\(97\)87494-5](https://doi.org/10.1016/S0734-743X(97)87494-5)

Evans, R. N., & Vandiver, T. L. (1997). Development of the annular composite motorcase for the advanced kinetic energy missile. *Evolving Technologies for the Competitive Edge, Books 1 and 2* (C. 42, ss. 1459-1470).

Grace, F. I., & Rupert, N. L. (1997). Analysis of long rods impacting ceramic targets at high velocity. *International Journal of Impact Engineering*, 20(1-5), 281-292. [https://doi.org/10.1016/S0734-743X\(97\)87501-X](https://doi.org/10.1016/S0734-743X(97)87501-X)

Hubbs, K. (1997). Less lethal munitions as “extended range impact weapons”. *Security Systems and Nonlethal Technologies for Law Enforcement* (C. 2934, ss. 37-42). <https://doi.org/10.1117/12.265418>

Kircher, J. R., Thompson, T., & Cornell, M. C. (1997). Integration and calibration of the steerable laser projector with the wideband infrared scene projector. *Technologies for*

*Synthetic Environments: Hardware-in-the-Loop Testing Ii* (C. 3084, ss. 151-162). <https://doi.org/10.1117/12.280945>

LeSueur, K. G., Burroughs, E. E., & Robinson, R. M. (1997). Weapon system interoperability testing between target acquisition systems and missile guidance sections utilizing adjacent hardware-in-the-loop sensor test facilities. *Technologies for Synthetic Environments: Hardware-in-the-Loop Testing Ii* (C. 3084, ss. 346-357). <https://doi.org/10.1117/12.280962>

Li, C. Q., Xia, Z. J., Huang, Y., & Wang, P. (1997). Investigation of electrothermal chemical propellant. *Theory and Practice of Energetic Materials* (ss. 269-274).

Magness, L. S., Kapoor, D., & Chung, M. (1997). Flow and failure of tungsten composite penetrator materials in ballistic impacts. *Recent Advances in Fracture* (ss. 183-194).

Mahfuz, H., Gama, B. A., Raines, R. P., Haque, A., Vaidya, U. K., & Jeelani, S. (1997). High strain rate behavior of the component materials of an integral armor. *Composites for the Real World* (C. 29, ss. 614-624).

Mase, H., & Takayama, T. (1997). Stability assessment of rubble mound breakwater and armor layer. *Proceedings of the Seventh (1997) International Offshore and Polar Engineering Conference, Vol Iii, 1997* (ss. 782-785).

Merritt, P., & Kramer, M. (1997). Field test of active tracking of a ballistic missile in the boost phase. *Acquisition, Tracking, and Pointing Xi* (C. 3086, ss. 2-9). <https://doi.org/10.1117/12.277173>

Ostwaldt, D., & Klimanek, P. (1997). The influence of temperature and strain rate on microstructural evolution of polycrystalline copper. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing, 234*, 810-813. [https://doi.org/10.1016/S0921-5093\(97\)00305-5](https://doi.org/10.1016/S0921-5093(97)00305-5)

Rennaker, P. R., & Richardson, S. (1997). A new approach to vulnerability assessment applied to Longbow Apache(TM). *American Helicopter Society - 53rd Annual Forum Proceedings, Vols 1 and 2*, 539-544.

Robinson, K. W., & Leishman, J. G. (1997). The effects of ballistic damage on the aerodynamics of helicopter rotor airfoils. *American Helicopter Society - 53rd Annual Forum Proceedings, Vols 1 and 2*, 388-405.

Simler, J., & O'Connor, T. (1997). Manufacturing technology program for improvement in productivity and cost in the manufacture of carbon-carbon rocket nozzles. *Evolving Technologies for the Competitive Edge, Books 1 and 2* (C. 42, ss. 1196-1208).

Sowa, A. J., Lieske, R. F., Matts, J. A., & Miller, J. L. (1997). Ballistic kernels—Sharable fire control ballistic simulation software. *Military, Government, and Aerospace Simulation* (C. 29, Sayı 4, ss. 81-86).

Unroe, M. R., & Tan, L. S. (1997). The design of high use temperature organic oligomeric and polymeric materials for air force applications. *Evolving Technologies for the Competitive Edge, Books 1 and 2* (C. 42, ss. 1071-1077).

Vaidya, U. K., Abraham, A., Mohamed, H., Fotedar, K., Haque, A., Krishnagopalan, J., Mahfuz, H., & Jeelani, S. (1997). Manufacturing of composite integral armor using liquid molding processes. *Composites for the Real World* (C. 29, ss. 523-531).



Walston, W. S., Darolia, R., & Demania, D. A. (1997). Impact resistance of NiAl alloys. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing*, 240, 353-361. [https://doi.org/10.1016/S0921-5093\(97\)00603-5](https://doi.org/10.1016/S0921-5093(97)00603-5)

Hoppel, C. P. R., Newill, J. F., Tzeng, J. T., Burton, L. W., Bender, J. M., Burns, B. P., & Drysdale, W. H. (1998). Ordnance applications of polymer-matrix composite materials. *Materials-the Star at Center Stage* (C. 30, ss. 407-419).

Iannucci, L. (1998). Bird-strike impact modelling. *Foreign Object Impact and Energy Absorbing Structure*, 1998(9), 11-29.

Klepaczko, J. R. (1998). Remarks on impact shearing. *Journal of the Mechanics and Physics of Solids*, 46(10), 2139-2153. [https://doi.org/10.1016/S0022-5096\(98\)00025-8](https://doi.org/10.1016/S0022-5096(98)00025-8)

Kosaka, Y., Daggett, M., Bristow, B., Johnson, G., Reichman, S., & Burkins, M. (1998). The effect of welded microstructure on ballistic properties of Ti-6Al-4V plates. *Non-Aerospace Applications of Titanium* (ss. 281-288).

Laber, M. W., Brar, N. S., & Rosenberg, Z. (1998). Shock response of 5083-0 aluminum. *Shock Compression of Condensed Matter—1997* (C. 429, ss. 451-454).

Lipanov, A. M., & Lukin, N. A. (1998). The ordnance systems ballistic effectiveness increase by the means of programming of combustion progressivity of the multielement solid propellant charge. *Twenty-Fourth International Pyrotechnics Seminar*, 771-781.

Lomov, S. V. (1998). Computational aspects of modelling of ballistic impact on woven structures. *Computer Methods in Composite Materials Vi* (ss. 265-274).

Mariotti, C., & Tranchet, J. Y. (1998). Behaviour of a quartzite submitted to a spherical divergent shock-wave: Experiments and modelling. *Structures Under Shock and Impact V* (C. 2, ss. 613-631).

Markham, K. C. (1998). Image processing technologies for anti-air and air defence weapon systems. *Military Aerospace Technologies - Fitec '98*, 1998(10), 57-66.

Matsuo, A., & Fujii, K. (1998). Prediction method of unsteady combustion around hypersonic projectile in stoichiometric hydrogen-air. *Aiaa Journal*, 36(10), 1834-1841. <https://doi.org/10.2514/2.299>

Modder, I. W., Kuin, M. J., & Bakker, H. (1998). Predicting the type of disorder, created by ball milling of C15 compounds, by estimating the formation enthalpies of vacancy type and anti-site disorder. *Mechanically Alloyed, Metastable and Nanocrystalline Materials, Part 2* (C. 269-2, ss. 619-624). <https://doi.org/10.4028/www.scientific.net/MSF.269-272.619>

Monib, A. M., Gillespie, J. W., & Fink, B. K. (1998). Damage tolerance of composite laminates subjected to ballistic impact. *Conference Proceedings at Antec '98: Plastics on My Mind, Vols I-3: Vol I; Processing, Vol II; Special Areas, Vol III; Materials*, 44, 1463-1467.

Newill, J. F., Wilkerson, S. A., Hoppel, C. P. R., & Drysdale, W. H. (1998). Numerical simulation of composite kinetic energy projectiles launched by an M1A1 Abrams M256 gun system. *Materials-the Star at Center Stage* (C. 30, ss. 392-406).

Perche, N., Hilaire, B., Maile, J. C., & Scanzi, J. M. (1998). Effect of ballistic impact on the compression behaviour of carbon/glass hybrid composite sandwich panels for military bridging structures. *Mechanics of Sandwich Structures* (ss. 239-246).

Raftenberg, M. N. (1998). Tensile damage effects in steel plate perforation by a tungsten rod. *Shock Compression of Condensed Matter—1997* (C. 429, ss. 909-912).

Rajendran, A. M., & Grove, D. J. (1998). Modeling of shock and impact behaviors of aluminum oxide. *Structures Under Shock and Impact V* (C. 2, ss. 447-460).

Rajendran, A. M., & Walsh, K. P. (1998). Modeling of in-situ ballistic measurements using the Rajendran-Grove and Johnson-Holmquist ceramic models. *Shock Compression of Condensed Matter—1997* (C. 429, ss. 913-916).

Rupert, N. L., & Grace, F. I. (1998). An approach to the penetration of ceramics. *Experimental Mechanics, Vols 1 and 2: Advances in Design, Testing and Analysis* (ss. 915-920).

Shukla, A., Bentley, W., Parameswaran, V., & Prosser, R. A. (1998). Impact performance of simulated armor material with geometric modifications. *Experimental Mechanics, Vols 1 and 2: Advances in Design, Testing and Analysis* (ss. 205-210).

Smid, I., Akiba, M., Vieider, G., & Plochl, L. (1998). Development of tungsten armor and bonding to copper for plasma-interactive components. *Journal of Nuclear Materials*, 258, 160-172. [https://doi.org/10.1016/S0022-3115\(98\)00358-4](https://doi.org/10.1016/S0022-3115(98)00358-4)

Stuivinga, M., & Carton, E. P. (1998). Shock wave compacted, melt infiltrated ceramics. *Shock Compression of Condensed Matter—1997* (C. 429, ss. 619-622).

Takakura, Y., Higashino, F., & Ogawa, S. (1998). Unsteady flow computations on a flying projectile within a ballistic range. *Computers & Fluids*, 27(5-6), 645-650. [https://doi.org/10.1016/S0045-7930\(97\)00055-8](https://doi.org/10.1016/S0045-7930(97)00055-8)

Ting, C., Ting, J., Cunniff, P., & Roylance, D. (1998). Numerical characterization of the effects of transverse yarn interaction on textile ballistic response. *Materials—the Star at Center Stage* (C. 30, ss. 57-67).

Verdy, C., Coddet, C., Martin, J. B., Garcia, J. C., & Pellerin, F. (1998). Impact toughness of thick multilayer thermal spray deposits. *Thermal Spray, Vols 1 and 2: Meeting the Challenges of the 21st Century* (ss. 1239-1244).

Vural, M. (1998). Impact failure phenomenology of alumina ceramic targets. *Experimental Mechanics, Vols 1 and 2: Advances in Design, Testing and Analysis* (ss. 299-305).

Wells, M. G. H., Roopchand, B., Montgomery, J. S., & Gooch, W. S. (1998). Titanium applications and R&D for army ground systems. *Non-Aerospace Applications of Titanium* (ss. 289-296).

Wernersson, L. E., Litwin, A., Samuelson, L., & Xu, H. Q. (1998). Performance and design of vertical, ballistic, heterostructure field-effect transistors. *Materials Science and Engineering B-Solid State Materials for Advanced Technology*, 51(1-3), 76-80. [https://doi.org/10.1016/S0921-5107\(97\)00232-8](https://doi.org/10.1016/S0921-5107(97)00232-8)

Arnold, W., & Schafer, F. K. (1999). Behind Armor Blast (BAB) caused by shaped charges. *International Journal of Impact Engineering*, 23(1), 13-25. [https://doi.org/10.1016/S0734-743X\(99\)00058-5](https://doi.org/10.1016/S0734-743X(99)00058-5)

Best, S. R., & Rose, M. F. (1999). A plasma drag hypervelocity particle accelerator (HYPER). *International Journal of Impact Engineering*, 23(1), 67-76. [https://doi.org/10.1016/S0734-743X\(99\)00063-9](https://doi.org/10.1016/S0734-743X(99)00063-9)

Borvik, T., Langseth, M., Hopperstad, O. S., & Malo, K. A. (1999). Ballistic penetration of steel plates. *International Journal of Impact Engineering*, 22(9-10), 855-885. [https://doi.org/10.1016/S0734-743X\(99\)00011-1](https://doi.org/10.1016/S0734-743X(99)00011-1)

Che, J., Ceccio, S., & Tryggvason, G. (1999). Computations of structures formed by the solidification of impinging molten metal drops. *Fluid Flow Phenomena in Metals Processing* (ss. 421-428).

Chin, C., Baker, E. L., Fuchs, B. E., & Pham, J. (1999). Scalable parallel computation of an explosively formed penetrator formation. *Proceedings of the Military, Government and Aerospace Simulation* (ss. 72-75).

Chin, E. S. C. (1999). Army focused research team on functionally graded armor composites. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing*, 259(2), 155-161. [https://doi.org/10.1016/S0921-5093\(98\)00883-1](https://doi.org/10.1016/S0921-5093(98)00883-1)

Christiansen, E. L., Cour-Palais, B. G., & Friesen, L. J. (1999). Extravehicular activity suit penetration resistance. *International Journal of Impact Engineering*, 23(1), 113-124. [https://doi.org/10.1016/S0734-743X\(99\)00067-6](https://doi.org/10.1016/S0734-743X(99)00067-6)

Christiansen, E. L., Kerr, J. H., De la Fuente, H. M., & Schneider, W. C. (1999). Flexible and deployable meteoroid/debris shielding for spacecraft. *International Journal of Impact Engineering*, 23(1), 125-136. [https://doi.org/10.1016/S0734-743X\(99\)00068-8](https://doi.org/10.1016/S0734-743X(99)00068-8)

De Freitas, M., & Reis, L. (1999). Impact damage of composite structures. *Mechanics of Composite Materials and Structures* (C. 361, ss. 319-329).

Destefanis, R., Faraud, M., & Trucchi, M. (1999). Columbus debris shielding experiments and ballistic limit curves. *International Journal of Impact Engineering*, 23(1), 181-192. [https://doi.org/10.1016/S0734-743X\(99\)00071-8](https://doi.org/10.1016/S0734-743X(99)00071-8)

Faraud, M., Destefanis, R., Palmieri, D., & Marchetti, M. (1999). SPH simulations of debris impacts using two different computer codes. *International Journal of Impact Engineering*, 23(1), 249-260. [https://doi.org/10.1016/S0734-743X\(99\)00077-9](https://doi.org/10.1016/S0734-743X(99)00077-9)

Feng, Z. S., An, F. L., & Yin, J. (1999). An automatic test system for a serials of weapon system. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 463-466).

Forrestal, M. J., & Hanchak, S. J. (1999). Perforation experiments on HY-100 steel plates with 4340 R-c 38 and maraging T-250 steel rod projectiles. *International Journal of Impact Engineering*, 22(9-10), 923-933. [https://doi.org/10.1016/S0734-743X\(99\)00015-9](https://doi.org/10.1016/S0734-743X(99)00015-9)

Grace, F. I. (1999). Ballistic limit velocity for long rods from ordnance velocity through hypervelocity impact. *International Journal of Impact Engineering*, 23(1), 295-306. [https://doi.org/10.1016/S0734-743X\(99\)00081-0](https://doi.org/10.1016/S0734-743X(99)00081-0)

He, Y., Kong, D., Zhao, Y. G., & Wang, C. M. (1999). Test techniques and numerical analysis of underwater gun. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 321-325).

Kelkar, A. D., & Vaidya, U. (1999). Low cost manufacturing of composite integral armor using resin transfer and resin infusion molding processes. *Proceedings of the Fifth International Conference on Flow Processes in Composite Materials*, 321-328.

Kozhushko, A. A., Orphal, D. L., Sinani, A. B., & Franzen, R. R. (1999). Possible detection of failure wave velocity using hypervelocity penetration experiments. *International Journal of Impact Engineering*, 23(1), 467-475. [https://doi.org/10.1016/S0734-743X\(99\)00096-2](https://doi.org/10.1016/S0734-743X(99)00096-2)

Kruse, G. R., Mendes, W. R., Sommers, W. J., Weed, R. A., Nash, K. D., & Mayo, D. V. (1999). Testing and simulation of microdebris from impacts with complex targets. *International Journal of Impact Engineering*, 23(1), 489-500. [https://doi.org/10.1016/S0734-743X\(99\)00098-6](https://doi.org/10.1016/S0734-743X(99)00098-6)

Kryukov, P. V. (1999). Review of investigations under way on the large-scale TsNIIMASH ballistic facility. *International Journal of Impact Engineering*, 23(1), 501-508. [https://doi.org/10.1016/S0734-743X\(99\)00099-8](https://doi.org/10.1016/S0734-743X(99)00099-8)

Lach, E., Koerber, G., Scharf, M., & Bohmann, A. (1999). Comparison of nitrogen alloyed austenitic steels and high strength armor steels impacted at high velocity. *International Journal of Impact Engineering*, 23(1), 509-517. [https://doi.org/10.1016/S0734-743X\(99\)00100-1](https://doi.org/10.1016/S0734-743X(99)00100-1)

Legendre, J. F., Giraud, M., & Henner, M. (1999). RAM-accelerator: A new hypervelocity launcher for ballistic studies. *International Journal of Impact Engineering*, 23(1), 533-545. [https://doi.org/10.1016/S0734-743X\(99\)00102-5](https://doi.org/10.1016/S0734-743X(99)00102-5)

Littlefield, D. L., Garcia, R. M., & Bless, S. J. (1999). The effect of offset on the performance of segmented penetrators. *International Journal of Impact Engineering*, 23(1), 547-560. [https://doi.org/10.1016/S0734-743X\(99\)00103-7](https://doi.org/10.1016/S0734-743X(99)00103-7)

Lou, J., Su, Q. X., & Yan, P. X. (1999). The intelligent maintenance training system of one weapon system. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 439-443).

Ma, L. S., Su, Q. X., Liu, Y. J., & Wang, Z. L. (1999). Study on automatic test system of a kind of weapon. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 458-462).

Meng, Z. H., Liu, W. Y., & Jin, X. W. (1999). Research on forecast ammunition ballistic property with powder property. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 502-505).

Missihoun, M., Pageau, G., & Vallee, P. (1999). A new method for the measurement of the stiffness of ballistic fabrics. *Advanced Materials & Processes Preparing for the New Millennium* (C. 31, ss. 66-76).

Mitchell, C. A., & Carr, D. J. (1999). Post failure examination of a new body armour textile by the use of an Environmental Scanning Electron Microscope. *Electron Microscopy and Analysis 1999* (Say1 161, ss. 103-106).

Normandia, M. J., & Lee, M. Y. (1999). Penetration performance of multiple segmented rods at 2.6 km/s. *International Journal of Impact Engineering*, 23(1), 675-686. [https://doi.org/10.1016/S0734-743X\(99\)00113-X](https://doi.org/10.1016/S0734-743X(99)00113-X)

Piekutowski, A. J., Forrestal, M. J., Poormon, K. L., & Warren, T. L. (1999). Penetration of 6061-T6511 aluminum targets by ogive-nose steel projectiles with striking velocities between 0.5 and 3.0 km/s. *International Journal of Impact Engineering*, 23(1), 723-734. [https://doi.org/10.1016/S0734-743X\(99\)00117-7](https://doi.org/10.1016/S0734-743X(99)00117-7)

Rabb, R. J., & Fahrenthold, E. P. (1999). Numerical simulation of oblique impact on orbital debris shielding. *International Journal of Impact Engineering*, 23(1), 735-744. [https://doi.org/10.1016/S0734-743X\(99\)00118-9](https://doi.org/10.1016/S0734-743X(99)00118-9)

Raftenberg, M. N., & Krause, C. D. (1999). Metallographic observations of armor steel specimens from plates perforated by shaped charge jets. *International Journal of Impact Engineering*, 23(1), 757-770. [https://doi.org/10.1016/S0734-743X\(99\)00120-7](https://doi.org/10.1016/S0734-743X(99)00120-7)

Reaugh, J. E., Holt, A. C., Wilkins, M. L., Cunningham, B. J., Hord, B. L., & Kusubov, A. S. (1999). Impact studies of five ceramic materials and Pyrex. *International Journal of Impact Engineering*, 23(1), 771-782. [https://doi.org/10.1016/S0734-743X\(99\)00121-9](https://doi.org/10.1016/S0734-743X(99)00121-9)

Roten, C. a. H., Gallusser, A., Borruat, G. D., Udry, S. D., Niederhauser, G., Croxatto, A., Blanc, O., De Carlo, S., Mubenga-Kabambi, C. K., & Karamata, D. (1999). Interplanetary biological transfer of bacteria entrapped in small meteorites: Analysis of bacterial resistance to impact in ballistic experiments. *Proceedings of the Founding Convention of the Mars Society, Pt II* (ss. 485-500).

Shen, Y., Chen, P., Gu, J. L., Yi, W. J., Zhen, S. L., & Xia, Y. (1999). An improved ballistic dynamic image capture system. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 574-577).

Song, J. W., & Hsieh, A. J. (1999). Ballistic impact energy measurement of novel coextruded PC PMMA multilayer composites. *Antec '99: Plastics Bridging the Millennia, Conference Proceedings, Vols I-Iii: Vol I: Processing; Vol II: Materials; Vol Iii: Special Areas*, 3406-3410.

Song, W. Z., Yi, W. J., Zeng, S. L., & Shen, Y. (1999). Using image recognition technology to develop an automated film-reading system for ballistic range. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 598-602).

Subramanian, G., Deeds, M., Cochran, K., Raghavan, R., & Sandborn, P. (1999). Delamination study of chip-to-chip bonding for a LIGA based safety and arming system. *Mems Reliability for Critical and Space Applications* (C. 3880, ss. 112-119).

Tao, F. H., Tan, Z. L., & Wei, Y. M. (1999). The choosing of test point and determination of diagnostic program. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 847-851).

Taylor, E. A., Herbert, M. K., Vaughan, B. a. M., & McDonnell, J. a. M. (1999). Hypervelocity impact on carbon fibre reinforced plastic/aluminium honeycomb: Comparison with Whipple bumper shields. *International Journal of Impact Engineering*, 23(1), 883-893. [https://doi.org/10.1016/S0734-743X\(99\)00132-3](https://doi.org/10.1016/S0734-743X(99)00132-3)

Vaidya, U. K., Kulkarni, M. D., Hosur, M. V., Haque, A., & Kulkarni, R. (1999). Ballistic response of graphite/epoxy composite backed polycarbonate plates. *Advanced Materials & Processes Preparing for the New Millennium* (C. 31, ss. 77-88).

Vaziri, R., Williams, K. V., Quan, X., & Poursartip, A. (1999). Simulation of the impact and ballistic response of laminated composite structures. *Progress in Mechanical Behaviour of*

*Materials (icm8), Vol 3: Advance Materials and Modelling of Mechanical Behaviour* (ss. 899-904).

Wang, L., Wei, X. J., Wang, N. W., Chen, P. Y., & Zhang, Q. (1999). The development of a semi-practical simulator system of a weapon device. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 427-430).

Wiseman, M., & Jardine, A. (1999). Proportional hazards modeling: A new weapon in the CBM arsenal. *Condition Monitoring '99, Proceedings* (ss. 359-366).

Wu, Z. L., Gao, N. T., & Sun, H. B. (1999). An experimental study of Rifle-Duplex-Ammunition. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 775-777).

Wu, Z. L., Hong, D. R., Sun, H. B., & Gao, N. T. (1999). Exterior ballistic test of large-calibre machine-gun duplex-ammunition. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 98-101).

Wyrembelski, R. J. (1999). Display implementation in the Abrams Main Battle Tank. *Cockpit Displays Vi: Displays for Defense Applications* (C. 3690, ss. 48-57). <https://doi.org/10.1117/12.357619>

Yatteau, J. D., Recht, G. W., & Edquist, K. T. (1999). Transverse loading and response of long rod penetrators during high velocity plate perforation. *International Journal of Impact Engineering*, 23(1), 967-980. [https://doi.org/10.1016/S0734-743X\(99\)00139-6](https://doi.org/10.1016/S0734-743X(99)00139-6)

Yi, W. J., Wu, J. J., Zeng, S. L., & Shen, Y. (1999). Influence analysis of measurement error of static physical parameters of projectile on precision of data processing in aeroballistic range. *Istm/99: 3rd International Symposium on Test and Measurement* (ss. 267-269).

Zilberbrand, E. L., Vlasov, A. S., Cazamias, J. U., Bless, S. J., & Kozhushko, A. A. (1999). Failure wave effects in hypervelocity penetration. *International Journal of Impact Engineering*, 23(1), 995-1001. [https://doi.org/10.1016/S0734-743X\(99\)00142-6](https://doi.org/10.1016/S0734-743X(99)00142-6)

Boteler, J. M., Rajendran, A. M., & Grove, D. (2000). Shock wave profiles in polymer matrix composite. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 563-566).

Clegg, R. A., & Hayhurst, C. J. (2000). Numerical modelling of the compressive and tensile response of brittle materials under high pressure dynamic loading. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 321-324).

Curran, D. R., Seaman, L., & Tokheim, R. E. (2000). Fragmentation models based on void coalescence. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 305-308).

DeMange, J. J., Pereira, J. M., Lerch, B. A., & Prakash, V. (2000). Ballistic impact behavior of Ni-based super alloys with applications to engine fan-blade containment. *Proceedings of the Sem Ix International Congress on Experimental Mechanics*, 344-347.

Dunn, S. C. (2000). An empirical study of motivational aspects pertaining to project and functional management in matrix organizations. *Technical Management: Key to Enterprise Success in the 21st Century*, 510-518.

Fatt, M. S. H., & Park, K. S. (2000). Perforation of honeycomb sandwich plates by projectiles. *Composites Part A-Applied Science and Manufacturing*, 31(8), 889-899.

Gama, B. A., Bogetti, T. A., Fink, B. K., & Gillespie, J. W. (2000). Processing, ballistic testing and repair of composite integral armor. *Revolutionary Materials: Technology and Economics* (C. 32, ss. 802-814).

Garg, D. P., & Anderson, G. L. (2000). Research in active composite materials and structures: An overview. *Smart Structures and Materials 2000—Active Materials: Behavior and Mechanics* (C. 3992, ss. 2-12). <https://doi.org/10.1117/12.388188>

Hosur, M. V., Vaidya, U. K., Gillespie, J. W., & Jeelani, S. (2000). Ultrasonic evaluation of ballistic impact damage in thick section Twill Weave S2-glass/vinyl ester laminates. *Review of Progress in Quantitative Nondestructive Evaluation, Vols 19a and 19b* (C. 509, ss. 1231-1238).

Idar, D. J., Straight, J. W., Osborn, M. A., Coulter, W. L., & Buntain, G. A. (2000). Low amplitude impact of damaged PBX 9501. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 655-658).

Joshi, V. S., Banks, M. L., & Krebsbach, J. (2000). Explosive bonding of plates with diffusion barrier interfaces. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 1229-1232).

Kajon, G., Monteleone, L., & Steindler, R. (2000). Monitored ballistic tests on shockproof sandwich glasses—Part II. *Proceedings of the Sem Ix International Congress on Experimental Mechanics*, 822-825.

Maffeo, M., & Cunniff, P. M. (2000). Composite materials for small arms (ball round) protective armor. *Revolutionary Materials: Technology and Economics* (C. 32, ss. 768-777).

Malaise, F., Tranchet, J. Y., & Collombet, F. (2000). Effects of a dynamic confinement on the penetration resistance of ceramics against long rods. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 1121-1124).

Malherbe, B., & Deletombe, E. (2000). Numerical analysis of the structural response of armoured vehicles subject to ballistic impacts. *Structures Under Shock and Impact Vi* (C. 8, ss. 175-183).

Meyer, H. W., Abeln, T., Bingert, S., Bruchey, W. J., Brannon, R. M., Chhabildas, L. C., Dienes, J. K., & Middleditch, J. (2000). Crack behavior of ballistically impacted ceramic. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 1109-1112).

Moy, P., Rodriguez, G., & Ghiorse, L. (2000). Dynamic and mechanical characterization of EPDM rubber at low and high temperatures. *Revolutionary Materials: Technology and Economics* (C. 32, ss. 372-380).

Nahme, H. (2000). Spall plane formation near spall threshold for different metals. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 517-520).

Nahme, H., & Lach, E. (2000). Determination of the mechanical behavior of nitrogen alloyed steel (P900) at strain rates  $10\text{-}3\text{s}^{-1}$  d  $\epsilon/\text{dt}$   $2\cdot 10^6\text{s}^{-1}$ . *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 467-470).

O'Dell, J. S., & McKechnie, T. N. (2000). Beryllium and tungsten brush armor for high heat flux applications. *Proceedings of the 4th Iea International Workshop on Beryllium Technology for Fusion* (C. 6462, ss. 49-55).

Orphal, D. L., Kozhushko, A. A., & Sinani, A. B. (2000). Possible detection of failure wave velocity in SiC using hypervelocity penetration experiments. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 577-580).

Padula, J., Gomez, L., Ayllon, E. S., Graus, A. G., Corbellani, C. E., Reynoso, A. S., Ratto, P. J. J., & Palermo, A. M. (2000). Ceramic/polymer composite armours. *Structures Under Shock and Impact Vi* (C. 8, ss. 151-162).

Ruffin, P. B. (2000). Progress in the development of gyroscopes for use in tactical weapon systems. *Smart Structures and Materials 2000: Smart Electronics and Memes* (C. 3990, ss. 2-12). Spie-Int Soc Optical Engineering. <https://doi.org/10.1117/12.388886>

Scott, B. R. (2000). A penetration mechanics study of compliant laminates. *Revolutionary Materials: Technology and Economics* (C. 32, ss. 778-787). Soc Advancement Material & Process Engineering.

Song, J. W., Amin, N., & Petrie, S. (2000). Ballistic impact resistance of thermoplastic composites. *Antec 2000: Society of Plastics Engineers Technical Papers, Conference Proceedings, Vols I-Iii*, 2391-2395.

Tedesco, J. W., & McDougal, W. G. (2000). Hydraulic and structural stability of concrete armor units. *Computational Mechanics for the Twenty-First Century* (ss. 353-377).

Vaidya, U. K., Basappa, G., Mathew, B., & Sands, J. M. (2000). Flexural fatigue response of repaired S2-glass/vinyl ester composites. *Revolutionary Materials: Technology and Economics* (C. 32, ss. 788-801).

Zaera, R., Sanchez-Saez, S., Perez-Castellanos, J. L., & Navarro, C. (2000). Modelling of the adhesive layer in mixed ceramic/metal armours subjected to impact. *Composites Part A-Applied Science and Manufacturing*, 31(8), 823-833. [https://doi.org/10.1016/S1359-835X\(00\)00027-0](https://doi.org/10.1016/S1359-835X(00)00027-0)

Zavattieri, P. D., & Espinosa, H. D. (2000). Ballistic penetration of multi-layered ceramic/steel targets. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 1117-1120).

Zhang, S. Z., Xu, G. D., Qiu, W., Lin, F., Testa, R. C., & Mattice, M. S. (2000). Micro-Electro-Mechanical System (MEMS)-based fiber optic sensor and sensor network for improving weapon stabilization and fire control. *Digitization of the Battlespace V and Battlefield Biomedical Technologies Ii* (C. 4037, ss. 82-91).

Sharma, K. R. (2000a). Mesoscopic simulation of ballistic impact resistance of nanocomposites. *Antec 2000: Society of Plastics Engineers Technical Papers, Conference Proceedings, Vols I-Iii*, 3748-3751.

Sharma, K. R. (2000b). Processing methodology for transparent armor nanocomposites. *Antec 2000: Society of Plastics Engineers Technical Papers, Conference Proceedings, Vols I-Iii*, 1510-1513.

Jovicic, J., Zavaliangos, A., & Ko, F. (2000a). Modeling and simulation of impact behavior of gradient composites. *Revolutionary Materials: Technology and Economics* (C. 32, ss. 111-122).

Jovicic, J., Zavaliangos, A., & Ko, F. (2000b). Modeling of the ballistic behavior of gradient design composite armours. *Composites Part A-Applied Science and Manufacturing*, 31(8), 773-784. [https://doi.org/10.1016/S1359-835X\(00\)00028-2](https://doi.org/10.1016/S1359-835X(00)00028-2)



Nesterenko, V. F., Indrakanti, S. S., Brar, S., & Gu, Y. B. (2000a). Long rod penetration test of hot isostatically pressed Ti-based targets. *Shock Compression of Condensed Matter-1999, Pts 1 and 2* (C. 505, ss. 419-422).

Nesterenko, V. F., Indrakanti, S. S., Brar, S. N., & Gu, Y. B. (2000b). Ballistic performance of Hot Isostatically Pressed (HIPed) Ti-based targets. *Advances in Engineering Plasticity, Pts 1-2* (C. 177-1, ss. 243-248). <https://doi.org/10.4028/www.scientific.net/KEM.177-180.243>

Arnold, W., & Paul, W. (2001). Behind armor debris investigation and their application into a new vulnerability model. *International Journal of Impact Engineering*, 26(1-10), 21-32. [https://doi.org/10.1016/S0734-743X\(01\)00071-9](https://doi.org/10.1016/S0734-743X(01)00071-9)

Atzmon, M., Xu, J., & Tian, H. H. (2001). On the coupling between mechanical behavior and phase stability in mechanically milled alloy powder. *Metastable, Mechanically Alloyed and Nanocrystalline Materials, Ismanam-2000* (C. 360-3, ss. 311-316). <https://doi.org/10.4028/www.scientific.net/MSF.360-362.311>

Chen, L., & Zhang, Q. M. (2001). Theoretical analysis on blasting crater radius of semi-armor-piercing warhead. *Theory and Practice of Energetic Materials, Vol Iv* (ss. 319-323).

Cheong, C. H., Tan, V. B. C., & Lim, C. T. (2001). Perforation of high strength fabric system by varying shaped projectiles: Single-ply system. *Impact Engineering and Application, Vols I and II* (ss. 291-296).

Christiansen, E. L., & Kerr, J. H. (2001). Ballistic limit equations for spacecraft shielding. *International Journal of Impact Engineering*, 26(1-10), 93-104. [https://doi.org/10.1016/S0734-743X\(01\)00070-7](https://doi.org/10.1016/S0734-743X(01)00070-7)

Cirakoglu, M., Bhaduri, S., & Bhaduri, S. B. (2001). Processing and characterization of functionally graded Ti-B based composites for armor applications. *Functionally Graded Materials 2000* (C. 114, ss. 267-274).

Corvonato, E., Destefanis, R., & Faraud, M. (2001). Integral model for the description of the debris cloud structure and impact. *International Journal of Impact Engineering*, 26(1-10), 115-128. [https://doi.org/10.1016/S0734-743X\(01\)00074-4](https://doi.org/10.1016/S0734-743X(01)00074-4)

Dannemann, K. A., Anderson, C. E., & Johnson, G. R. (2001). Modeling the ballistic impact performance of two aluminium alloys. *Modeling the Performance Engineering Structural Materials II* (ss. 63-74).

Divekar, C. N., Asthana, S. N., & Singh, H. (2001). Studies on combustion of metallized RDX-based composite modified double-base propellants. *Journal of Propulsion and Power*, 17(1), 58-64. <https://doi.org/10.2514/2.5707>

Gama, B. A., Bogetti, T. A., Fink, B. K., Yu, C. J., Claar, T. D., Eifert, H. H., & Gillespie, J. W. (2001). Aluminum foam integral armor: A new dimension in armor design. *Composite Structures*, 52(3-4), 381-395. [https://doi.org/10.1016/S0263-8223\(01\)00029-0](https://doi.org/10.1016/S0263-8223(01)00029-0)

Gama, B. A., Yarlagadda, S., Bogetti, T. A., Fink, B. K., & Gillespie, J. W. (2001). Repair of composite integral armor. *2001: A Materials and Processes Odyssey, Books 1 and 2* (C. 46, ss. 1174-1184).

Gee, D. J., & Littlefield, D. L. (2001). Yaw impact of rod projectiles. *International Journal of Impact Engineering*, 26(1-10), 211-220. [https://doi.org/10.1016/S0734-743X\(01\)00086-0](https://doi.org/10.1016/S0734-743X(01)00086-0)

Gilde, G., Adams, J. W., Burkins, M., Sutaria, M., Rigali, M. J., & Franks, L. P. (2001). Processing aluminum oxide/titanium diboride composites for penetration resistance. *25th Annual Conference on Composites, Advanced Ceramics, Materials, and Structures: A* (C. 22, Sayı 3, ss. 331-342).

Godinez, V. F., Finlayson, R. D., Miller, R. K., & Raju, B. B. (2001). Acousto-ultrasonic inspection of hybrid composite armor plate. *Review of Progress in Quantitative Nondestructive Evaluation, Vols 20a and 20b* (C. 557, ss. 1898-1905).

Hayhurst, C. J., Livingstone, A. H. G., Clegg, R. A., Destefanis, R., & Faraut, M. (2001). Ballistic limit evaluation of advanced shielding using numerical simulations. *International Journal of Impact Engineering*, 26(1-10), 309-320. [https://doi.org/10.1016/S0734-743X\(01\)00100-2](https://doi.org/10.1016/S0734-743X(01)00100-2)

Herrmann, B., Levi-Hevroni, D., Jacobi, S., Zaretsky, E., & Shvarts, D. (2001). Study of titanium and uranium in plane and reverse ballistic experiments. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 407-414). Elsevier Science Bv. <https://doi.org/10.1016/B978-008043896-2/50144-3>

Hirsch, E., & Yossifon, G. (2001). Shear-band enforcement on flow upon stopping of penetrating projectiles by metallic targets. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 399-406). Elsevier Science Bv. <https://doi.org/10.1016/B978-008043896-2/50143-1>

Hohler, V., Weber, K., Tham, R., James, B., Barker, A., & Pickup, I. (2001). Comparative analysis of oblique impact on ceramic composite systems. *International Journal of Impact Engineering*, 26(1-10), 333-344. [https://doi.org/10.1016/S0734-743X\(01\)00102-6](https://doi.org/10.1016/S0734-743X(01)00102-6)

Inatani, Y., Naruo, Y., & Yonemoto, K. (2001). Concept and preliminary flight testing of a fully reusable rocket vehicle. *Journal of Spacecraft and Rockets*, 38(1), 36-42. <https://doi.org/10.2514/2.3652>

Jacobs, M. J. N., & Van Dingenen, J. L. J. (2001). Ballistic protection mechanisms in personal armour. *Journal of Materials Science*, 36(13), 3137-3142. <https://doi.org/10.1023/A:1017922000090>

Katayama, M., & Kibe, S. (2001). Numerical study of the conical shaped charge for space debris impact. *International Journal of Impact Engineering*, 26(1-10), 357-368. [https://doi.org/10.1016/S0734-743X\(01\)00106-3](https://doi.org/10.1016/S0734-743X(01)00106-3)

Kawaura, H., Nishino, K., & Saito, T. (2001). Development of TiAl-base alloys with improved foreign object damage resistance. *Structural Intermetallics 2001* (ss. 643-652).

Kennedy, C., Avalos, R., Bujanda, A. A., & Murr, L. E. (2001). Tungsten-heavy alloy ballistic rod penetration into a copper target: Microstructural analysis and computer simulations. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 501-508). <https://doi.org/10.1016/B978-008043896-2/50155-8>

Lambert, M., Schafer, F. K., & Geyer, T. (2001). Impact damage on sandwich panels and multi-layer insulation. *International Journal of Impact Engineering*, 26(1-10), 369-380. [https://doi.org/10.1016/S0734-743X\(01\)00108-7](https://doi.org/10.1016/S0734-743X(01)00108-7)

Lee, M. (2001). A numerical comparison of the ballistic performance of unitary rod and segmented-rods against stationary and moving oblique plates. *International Journal of Impact Engineering*, 26(1-10), 399-407. [https://doi.org/10.1016/S0734-743X\(01\)00090-2](https://doi.org/10.1016/S0734-743X(01)00090-2)

Littlefield, D. L. (2001). Effect of alignment on the penetration of segmented rods. *International Journal of Impact Engineering*, 26(1-10), 421-431. [https://doi.org/10.1016/S0734-743X\(01\)00092-6](https://doi.org/10.1016/S0734-743X(01)00092-6)

Loncaric, S., Greatrix, D. R., & Fawaz, Z. (2001). Considerations for internal ballistic modelling of a star-grain motor. *48th Annual Conference of the Canadian Aeronautics and Space Institute, Proceedings: Canadian Aeronautics-Staying Competitive in Global Markets*, 701-708.

Macek, R. W., & Hill, L. T. (2001). A probabilistic structural analysis methodology for estimating system reliability during impact loading. *Proceedings of Imac-Xix: A Conference on Structural Dynamics, Vols 1 and 2*, 4359, 1339-1341.

Meshcheryakov, S. A. (2001). The orbital impact risk analysis methods. The COLLO system. *Proceedings of the Third European Conference on Space Debris, Vols 1 and 2* (C. 473, ss. 483-484).

Meyer, H. W., & Kleponis, D. S. (2001). Modeling the high strain rate behavior of titanium undergoing ballistic impact and penetration. *International Journal of Impact Engineering*, 26(1-10), 509-521. [https://doi.org/10.1016/S0734-743X\(01\)00107-5](https://doi.org/10.1016/S0734-743X(01)00107-5)

Murr, L. E., Kennedy, C., Roberson, D. A., Valerio, O. L., Martinez, N. E., Hernandez, V. S., Bujanda, A. A., Trillo, E. A., Quinones, S. A., & Horz, F. (2001). Computer modeling and validation of ballistic and hypervelocity impact and penetration phenomena: Deformation microstructures, mechanical performance, and geometrical issues. *Modeling the Performance Engineering Structural Materials Ii* (ss. 43-62).

Nazarenko, A. I., Sokolov, V. G., & Gorbenko, A. V. (2001). The comparative analysis of the probability of spacecraft pressure wall penetration for different space debris environment models. *Proceedings of the Third European Conference on Space Debris, Vols 1 and 2* (C. 473, ss. 667-672).

Nishida, M., Tanaka, K., & Ito, M. (2001). Deformation and perforation of water-filled and empty aluminum tubes by a spherical steel projectile: Experimental study. *Impact Engineering and Application, Vols I and Ii* (ss. 375-380).

Palmieri, D., Faraud, M., Destefanis, R., & Marchetti, M. (2001). Whipple shield ballistic limit at impact velocities higher than 7 km/s. *International Journal of Impact Engineering*, 26(1-10), 579-590. [https://doi.org/10.1016/S0734-743X\(01\)00118-X](https://doi.org/10.1016/S0734-743X(01)00118-X)

Pappu, S., Sen, S., Murr, L. E., Kapoor, D., & Magness, L. S. (2001). Comparison of deformation twinning in tungsten and iron ballistic projectiles. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 367-374). Elsevier Science Bv. <https://doi.org/10.1016/B978-008043896-2/50139-X>

Ramjaun, D. H., Shinohara, M., Kato, I., & Takayama, K. (2001). Emission spectroscopy of hypervelocity impacts. *Impact Engineering and Application, Vols I and Ii* (ss. 139-144).

Ravishankar, N., Abinandanan, T. A., & Chattopadhyay, K. (2001). Application of effective potential formalism to mechanical alloying in Ag-Cu and Cu-Fe systems. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing*, 304, 413-417. [https://doi.org/10.1016/S0921-5093\(00\)01484-2](https://doi.org/10.1016/S0921-5093(00)01484-2)

Reusnow, C. (2001). Wafer level applied near-hermetic protection for semiconductors. *Advances in Electronic Materials and Packaging 2001* (ss. 301-309). Ieee. <https://doi.org/10.1109/EMAP.2001.984001>

Rodriguez, E. A., Pepin, J. E., Thacker, B. H., & Riha, D. S. (2001). Probabilistic structural response of a valve assembly to high impact loading. *Proceedings of Imac-Xix: A Conference on Structural Dynamics, Vols 1 and 2*, 4359, 1325-1331.

Ryzhanova, N., Lacroix, C., Vedyayev, A., Bagrets, D., & Dieny, B. (2001). Andreev reflection in superconducting/spin-valve sandwiches. *Journal of Magnetism and Magnetic Materials*, 226, 750-751. [https://doi.org/10.1016/S0304-8853\(00\)00883-0](https://doi.org/10.1016/S0304-8853(00)00883-0)

Sasoh, A., Ogawa, T., Takayama, K., Ikuta, K., Nagayasu, N., & Ohtsubo, S. (2001). Gun interior ballistic performance with ammonium nitrate-alcohol propellants. *Journal of Propulsion and Power*, 17(1), 120-124. <https://doi.org/10.2514/2.5716>

Schafer, F., Schneider, E., & Lambert, M. (2001). Impact damage on shielded gas-filled vessels. *Proceedings of the Third European Conference on Space Debris, Vols 1 and 2* (C. 473, ss. 607-614).

Shinohara, M., Kato, I., Hamate, Y., & Takayama, K. (2001). Development of a new ballistic range for the investigation of oblique impacts on solid and liquid surfaces. *Impact Engineering and Application, Vols I and II* (ss. 157-162).

Shockey, D. A., & Curran, D. R. (2001). Our careers in dynamic material failure. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (s. VII-XX). <https://doi.org/10.1016/B978-008043896-2/50091-7>

Simha, C. H. M., & Brar, N. S. (2001). Material model for high-hard steel and ballistic penetration simulations. *Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 509-515).

Smith, R., Harding, T., Jones, J. W., Steif, P., & Pollock, T. M. (2001). The role of impact damage and fatigue strength reduction in gamma titanium aluminide alloys. *Structural Intermetallics 2001* (ss. 259-268).

Sokolov, V. G. (2001). Method of ballistic limit curves calculation for shielding constructions protecting space vehicle from high velocity impacts of meteoroids or space debris. *Space Debris 1999* (C. 100, ss. 125-130).

Sokolov, V. G., Christiansen, E. L., Gorbenko, A. V., Feldstein, V. A., Romanchenkov, V. P., Panichkin, N. G., Yachlakov, Y. V., & Zinchenko, L. V. (2001). The effect of thin deployable construction elements of the International Space Station on the probability of its hull penetration by meteoroids and orbital debris. *International Journal of Impact Engineering*, 26(1-10), 725-734. [https://doi.org/10.1016/S0734-743X\(01\)00120-8](https://doi.org/10.1016/S0734-743X(01)00120-8)

Song, J. W., Swan, T., & Lee, B. L. (2001). The effect of adhesive properties on ballistic performance of hybrid systems of fiber composites with ceramic front plates. *2001: A Materials and Processes Odyssey, Books 1 and 2* (C. 46, ss. 259-272).

Tan, V. B. C., Shim, V. P. W., & Lee, N. K. (2001). Computational analysis of oblique projectile impact on high strength fabric. *Impact Engineering and Application, Vols I and II* (ss. 327-332).

Tan, Y. X., Wang, G. J., Zhang, J. G., & Zhang, X. C. (2001). A test device design of a short-duration shock initiating desensitized explosives. *Theory and Practice of Energetic Materials, Vol Iv* (ss. 427-430).

Turner, R. J., Taylor, E. A., McDonnell, J. a. M., Stokes, H., Marriott, P., Wilkinson, J., Catling, D. J., Vignjevic, R., Berthoud, L., & Lambert, M. (2001). Cost effective honeycomb and multi-layer insulation debris shields for unmanned spacecraft. *International Journal of Impact Engineering, 26*(1-10), 785-796. [https://doi.org/10.1016/S0734-743X\(01\)00131-2](https://doi.org/10.1016/S0734-743X(01)00131-2)

Ulven, C., Vaidya, U. K., Hosur, M. V., & Alexander, J. (2001). Ballistic impact study on woven carbon/epoxy composites with polycarbonate facing. *Advancing Affordable Materials Technology* (C. 33, ss. 37-45).

Vaidya, U. K., Young, W., & Ulven, C. (2001). Affordable processing of thick section composite structures. *Proceedings of the Eleventh (2001) International Offshore and Polar Engineering Conference, Vol Iv* (ss. 186-190).

Vetrovec, J., Padfield, R., Schwab, D., Nebolsine, P., Hayami, R., Zwiener, M., Huntington, J., & Hancock, S. L. (2001). Analysis and testing of rod-like penetrators in the 4-5 km/s velocity regime. *International Journal of Impact Engineering, 26*(1-10), 797-808. [https://doi.org/10.1016/S0734-743X\(01\)00133-6](https://doi.org/10.1016/S0734-743X(01)00133-6)

Wang, L., Wang, F. C., Cai, H. N., & Wang, L. (2001). Comparative study of penetration performances of two steel projectiles impacting steel plates. *Mechanics and Material Engineering for Science and Experiments* (ss. 588-591).

Weber, K., Holmquist, T. J., & Templeton, D. W. (2001). The response of layered aluminum nitride targets subjected to hypervelocity impact. *International Journal of Impact Engineering, 26*(1-10), 831-841. [https://doi.org/10.1016/S0734-743X\(01\)00136-1](https://doi.org/10.1016/S0734-743X(01)00136-1)

Weerasooriya, T., Magness, L., & Burkins, M. (2001). High strain-rate behavior of two Ti-6Al-4V alloys with different microstructures. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 33-36). <https://doi.org/10.1016/B978-008043896-2/50096-6>

Wei, F., & Zhang, G. (2001). The FEM analysis for emission stress of armor-piercing discarding sabot projectiles. *Theory and Practice of Energetic Materials, Vol Iv* (ss. 739-742).

Yang, H. B., Deng, J., Li, Y. L., & Xin, H. Y. (2001). ASB of perforated region of Ti-6Al-1.7Fe-0.1Si targets. *Rare Metal Materials and Engineering, 30*, 222-226.

Yatteau, J. D., Recht, G. W., Zernow, R. H., & Edquist, K. T. (2001). Time resolved plastic deformations in rods subjected to transverse impact. *International Journal of Impact Engineering, 26*(1-10), 879-890. [https://doi.org/10.1016/S0734-743X\(01\)00140-3](https://doi.org/10.1016/S0734-743X(01)00140-3)

Yen, C. W. L. (2001). New trajectory options for ballistic mercury orbiter mission. *Spaceflight Mechanics 2001, Vol 108, Pts 1 and 2* (C. 108, ss. 799-806).

Yu, C. J., Claar, T. D., Eifert, H. H., Gama, B. A., Gillespie, J. W., Bogetti, T. A., & Fink, B. K. (2001). Application of porous metal foams in hybrid armor systems. *Fundamental Issues and Applications of Shock-Wave and High-Strain-Rate Phenomena, Proceedings* (ss. 429-436). <https://doi.org/10.1016/B978-008043896-2/50147-9>

Anderson, C. E. (2002). Developing an ultra-lightweight armor concept. *Ceramic Armor Materials by Design* (C. 134, ss. 485-498).

Anderson, C. E., & Dannemann, K. A. (2002). Deformation and damage of two aluminum alloys from ballistic impact. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 1298-1301).

Beasley, D. B., Saylor, D. A., & Buford, J. (2002). Overview of dynamic scene projectors at the US Army Aviation and Missile Command. *Technologies for Synthetic Environments: Hardware-in-the-Loop Testing Vii* (C. 4717, ss. 136-147). <https://doi.org/10.1117/12.474714>

Blanton, B. (2002). Hybrid head-tracker being examined for the high-accuracy attack rotorcraft market. *Helmet- and Head-Mounted Displays Vii* (C. 4711, ss. 117-123). <https://doi.org/10.1117/12.478864>

Bless, S. J. (2002). Using bar impact to determine dynamic properties of ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 225-232).

Borvik, T., Langseth, M., Hopperstad, O. S., & Polanco-Loria, M. A. (2002). Ballistic perforation resistance of high performance concrete slabs with different unconfined compressive strengths. *High Performance Structures and Composites* (C. 4, ss. 273-282).

Chemerys, V. T., Raychenko, A. I., & Karpinos, B. S. (2002). Impact interaction of projectile with conducting wall at the presence of electric current. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 1314-1317).

Chen, Z., Shen, L., Kanel, G. I., & Razorenov, S. V. (2002). A numerical investigation of microcracking diffusion in sandwiched glass plates. *Ceramic Armor Materials by Design* (C. 134, ss. 329-336).

Chhabildas, L. C., Reinhart, W. D., & Dandekar, D. P. (2002). Taylor-impact experiments for brittle ceramic materials. *Ceramic Armor Materials by Design* (C. 134, ss. 269-278).

Cimpoeru, S. J., & Woodward, R. L. (2002). Analysis and modelling of ceramic armour penetration. *Ceramic Armor Materials by Design* (C. 134, ss. 361-369).

Dandekar, D. P., & Rapacki, E. J. (2002). Compressibility and shear strength of titanium diboride under plane shock wave loading. *Ceramic Armor Materials by Design* (C. 134, ss. 249-259).

Ernst, H. J., Wiesner, V., & Wolf, T. (2002). Armor ceramics under high-velocity impact of a medium-caliber long-rod penetrator. *Ceramic Armor Materials by Design* (C. 134, ss. 23-31).

Esslinger, J. R., & Evans, R. N. (2002). Innovative composite structures for future tactical hypersonic kinetic energy missiles. *47th International Sampe Symposium and Exhibition, Vol 47, Books 1 and 2: Affordable Materials Technology-Platform to Global Value and Performance* (ss. 1238-1247).

Fisher, M., & Sharp, M. (2002). The Nimic Energetic Materials Compendium (EMC). *Combustion of Energetic Materials* (ss. 296-303).

Galanov, B. A., Grigoriev, O. N., Ivanov, S. M., & Kartuzov, V. (2002). Structure and properties of shock-resistant ceramics developed at the institute for problems in materials science, NAS of Ukraine. *Ceramic Armor Materials by Design* (C. 134, ss. 73-81).

Gooch, W. A. (2002). An overview of ceramic armor applications. *Ceramic Armor Materials by Design* (C. 134, ss. 3-21).

Gooch, W. A., Burkins, M. S., & Palicka, R. (2002). Ballistic development of US high density tungsten carbide ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 53-61).

Grove, D. J., & Rajendran, A. M. (2002). Overview of the Rajendran-Grove ceramic failure model. *Ceramic Armor Materials by Design* (C. 134, ss. 371-382).

Gu, Y. B., Nesterenko, V. F., & Indrakanti, S. S. (2002). Ballistic testing and high-strain-rate properties of hot isostatically pressed Ti-6Al-4V. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 1294-1297).

Guidos, B. J., & Cooper, G. R. (2002). Linearized motion of a fin-stabilized projectile subjected to a lateral impulse. *Journal of Spacecraft and Rockets*, 39(3), 384-391. <https://doi.org/10.2514/2.3837>

Hart, C. L., & Fechtig, S. D. (2002). Helmet mounted display as a primary flight reference. *Helmet- and Head-Mounted Displays Vii* (C. 4711, ss. 389-394). <https://doi.org/10.1117/12.490266>

Herrmann, B., Landau, A., Shvarts, D., Favorsky, V., & Zaretsky, E. (2002). Modeling of uranium alloy response in plane impact and reverse ballistic experiments. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 1306-1309).

Holmquist, T. J., & Johnson, G. R. (2002). Modeling ceramic dwell and interface defeat. *Ceramic Armor Materials by Design* (C. 134, ss. 309-316).

Hu, K., & Schonberg, W. P. (2002). Ballistic limit curves for cylindrical projectiles impacting dual-wall spacecraft systems. *Structures Under Shock and Impact Vii* (C. 11, ss. 101-109).

Kanel, G. I., & Bless, S. J. (2002). Compressive fracture of brittle solids under shock-wave loading. *Ceramic Armor Materials by Design* (C. 134, ss. 197-216).

Kim, D. K., Lee, C. S., Kim, C. W., & Chang, S. N. (2002). Indentation damage behavior of armor ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 429-439).

Kim, D. K., Lee, C. S., Kim, Y. G., Kim, C. W., & Chang, S. N. (2002). Dynamic indentation damage of ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 261-268).

Kobayashi, A. S. (2002). Dynamic fracture of ceramics and CMC. *Ceramic Armor Materials by Design* (C. 134, ss. 185-196).

Kosaka, Y., & Fox, S. P. (2002). Recent developments in the manufacturing of Low Cost Titanium Alloys. *High-Performance Metallic Materials for Cost Sensitive Applications, Proceedings* (ss. 35-42).

Krell, A., & Strassburger, E. (2002). High-purity submicron alpha-AL(2)O(3) armor ceramics design, manufacture, and ballistic performance. *Ceramic Armor Materials by Design* (C. 134, ss. 463-471).

Lange, F. F., Rao, M. P., Hbaieb, K., & McMeeking, R. M. (2002). Ceramics that exhibit a threshold strength. *Ceramic Armor Materials by Design* (C. 134, ss. 499-509).

Lanz, W. (2002). Initial tests on ceramics in composite armor. *Ceramic Armor Materials by Design* (C. 134, ss. 63-72).

LaSalvia, J. C. (2002). Recent progress on the influence of microstructure and mechanical properties on ballistic performance. *Ceramic Armor Materials by Design* (C. 134, ss. 557-570).

Le Breton, P., Ribereau, D., Marraud, C., & Lamarque, P. (2002). Experimental and numerical study of casting process effects on small scale solid rocket motor ballistic behavior. *Combustion of Energetic Materials* (ss. 132-145).

Lloyd, I. K., Doherty, K. J., & Gilde, G. A. (2002). Phase equilibrium studies in AL<sub>2</sub>O<sub>3</sub>-TiB<sub>2</sub>. *Ceramic Armor Materials by Design* (C. 134, ss. 623-628).

Logan, K. V. (2002). The effect of microstructure on the dynamic behavior of composite alumina/titanium diboride. *Ceramic Armor Materials by Design* (C. 134, ss. 611-622).

Lundberg, P., Renstrom, R., & Westerling, L. (2002). Transition between interface defeat and penetration for a given combination of projectile-and ceramic material. *Ceramic Armor Materials by Design* (C. 134, ss. 173-181).

Magness, L., Kecskes, L., Biancianello, F., Ridder, S., Chung, M., & Kapoor, D. (2002). The performance of a nanocrystalline tungsten composite in ballistic impacts. *Nanostructure Science, Metrology and Technology* (ss. 216-224).

McCuiston, R. C., Danforth, S. C., Matthewson, M. J., & Niesz, D. E. (2002). Solid freeform fabrication of advanced armor concepts: Opportunities for design and manufacture. *Ceramic Armor Materials by Design* (C. 134, ss. 473-481).

Medvedovski, E. (2002). Armor alumina ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 91-101).

Nemat-Nasser, S., & Sarva, S. (2002). Micro-mechanisms of compression failure. *Ceramic Armor Materials by Design* (C. 134, ss. 403-419).

Nemat-Nasser, S., Sarva, S., Isaacs, J. B., & Lischer, D. W. (2002). Novel ideas in multi-functional ceramic armor design. *Ceramic Armor Materials by Design* (C. 134, ss. 511-525).

Normandia, M. J., & Gooch, W. A. (2002). An overview of ballistic testing methods of ceramic materials. *Ceramic Armor Materials by Design* (C. 134, ss. 113-138).

Orphal, D. L. (2002). Long rod penetration of ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 151-164).

Orphal, D. L., Walker, J. D., & Anderson, C. E. (2002). Ballistic response of fabrics: Model and experiments. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 1279-1282).

Partom, Y. (2002). Long-rod moving-plate interaction. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 1283-1286).

Patel, P. J., & Gilde, G. A. (2002). Transparent armor materials: Needs and requirements. *Ceramic Armor Materials by Design* (C. 134, ss. 573-586).

Patterson, M. C. L., Roy, D. W., & Gilde, G. (2002). An investigation of the transmission properties and ballistic performance of hot pressed spinel. *Ceramic Armor Materials by Design* (C. 134, ss. 595-608).

Peron, P. F. (2002). Ballistic development of tungsten carbide ceramics for armor applications. *Ceramic Armor Materials by Design* (C. 134, ss. 45-52).



- Pfeiffer, F. (2002). Measurements of impacts with friction. *Contact Mechanics* (ss. 17-24).
- Rajendran, A. M. (2002). Historical perspective on ceramic materials damage models. *Ceramic Armor Materials by Design* (C. 134, ss. 281-297).
- Reinhart, W. D., Chhabildas, L. C., Grady, D. E., & Mashimo, T. (2002). Shock compression and release properties of coors AD995 alumina. *Ceramic Armor Materials by Design* (C. 134, ss. 233-247).
- Scheidler, M., & Gazonas, G. (2002). Analytical and computational study of one-dimensional impact of graded elastic solids. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 689-692).
- Seiler, F., Werner, U., & Patz, G. (2002). Ground testing facility for modeling real projectile flight heating in Earth atmosphere. *Journal of Thermophysics and Heat Transfer*, 16(1), 101-108. <https://doi.org/10.2514/2.6657>
- Sennett, M., Chang, S., Doremus, R. H., Siegel, R. W., Ajayan, P. M., & Schadler, L. S. (2002). Improved performance of alumina ceramics with carbon nanotube reinforcement. *Ceramic Armor Materials by Design* (C. 134, ss. 551-556).
- Shockey, D. A., Marchand, A. H., Skaggs, S. R., Cort, G. E., Burkett, M. W., & Parker, R. (2002). Failure phenomenology of confined ceramic targets and impacting rods. *Ceramic Armor Materials by Design* (C. 134, ss. 385-402).
- Skoglund, P., & Hansson, H. (2002). Modelling of a nitrogen alloyed steel with application to armour penetration. *Structures Under Shock and Impact Vii* (C. 11, ss. 467-476).
- Stepp, D. M. (2002). Damage mitigation in ceramics: Historical developments and future directions in army research. *Ceramic Armor Materials by Design* (C. 134, ss. 421-428).
- Strassburger, E., Lexow, B., & Krell, A. (2002). Ceramic armor with submicron alumina against armor piercing projectiles. *Ceramic Armor Materials by Design* (C. 134, ss. 83-90). Amer Ceramic Soc.
- Taniguchi, M., Sato, K., Ezato, K., Yokoyama, K., & Akiba, M. (2002). Disruption tests on repaired tungsten by CVD coating. *Journal of Nuclear Materials*, 307, 719-722. [https://doi.org/10.1016/S0022-3115\(02\)01041-3](https://doi.org/10.1016/S0022-3115(02)01041-3)
- Templeton, D. W., Holmquist, T. J., Meyer, H. W., Grove, D. J., & Leavy, B. (2002). A comparison of ceramic material models. *Ceramic Armor Materials by Design* (C. 134, ss. 299-308).
- Tressler, R. E. (2002). An assessment of low cost manufacturing technology for advanced structural ceramics and its impact on ceramic armor. *Ceramic Armor Materials by Design* (C. 134, ss. 451-462).
- von Niessen, K., & Gadow, R. (2002). Flexible ceramic coated fiber fabrics for light weight protection systems. *Ceramic Armor Materials by Design* (C. 134, ss. 541-549).
- Vural, M., Erim, Z., Konduk, B. A., & Ucisik, A. H. (2002). Ballistic performance of alumina ceramic armors. *Ceramic Armor Materials by Design* (C. 134, ss. 103-110).
- Walker, J. D. (2002). Analytic model for penetration of thick ceramic targets. *Ceramic Armor Materials by Design* (C. 134, ss. 337-348).

Wells, J. M., Rupert, N. L., & Green, W. H. (2002). Progress in the 3-D visualization of interior ballistic damage in armor ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 441-448).

Woody, D., & Davis, J. J. (2002). The effect of variation of aluminum particle size and polymer on the performance of explosives. *Shock Compression of Condensed Matter-2001, Pts 1 and 2, Proceedings* (C. 620, ss. 942-945).

Zalevsky, Z., Lashansky, S., & Saad, N. (2002). A technique for estimating the launching position of a ballistic trajectory. *Technologies, Systems, and Architectures for Transnational Defense* (C. 4745, ss. 86-94). <https://doi.org/10.1117/12.475865>

Zavattieri, P. D., & Espinosa, H. D. (2002). Grain level analysis of ceramic microstructures subjected to impact loading. *Ceramic Armor Materials by Design* (C. 134, ss. 349-360).

Zhou, F. H., & Molinari, J. F. (2002). 3D finite element analysis of impact damage in metallic and ceramic targets. *Ceramic Armor Materials by Design* (C. 134, ss. 317-327).

James, B. (2002a). Depth of Penetration testing. *Ceramic Armor Materials by Design* (C. 134, ss. 165-172).

James, B. (2002b). Practical issues in ceramic armour design. *Ceramic Armor Materials by Design* (C. 134, ss. 33-44).

Kad, B. K., Schoenfeld, S. E., & Burkins, M. S. (2002a). Through thickness dynamic impact response in textured Ti-6Al-4V plates. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing*, 322(1-2), 241-251. [https://doi.org/10.1016/S0921-5093\(01\)01135-2](https://doi.org/10.1016/S0921-5093(01)01135-2)

Kad, B. K., Schoenfeld, S. E., & Burkins, M. S. (2002b). Computational modeling of through-thickness dynamic impact response in cross-rolled Ti-6Al-4V plates. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 33(3), 937-947.

Adams, M. A. (2002). Theory and experimental test methods for evaluating ceramic armor components. *Ceramic Armor Materials by Design* (C. 134, ss. 139-150).

Aghajanian, M. K., Morgan, B. N., Singh, J. R., Mears, J., & Wolffe, R. A. (2002). A new family of reaction bonded ceramics for armor applications. *Ceramic Armor Materials by Design* (C. 134, ss. 527-539).

Agrawal, D., Cheng, J. P., & Roy, R. (2002). Microwave reactive sintering to fully transparent aluminum oxynitride (ALON) ceramics. *Ceramic Armor Materials by Design* (C. 134, ss. 587-593).

Ali, A., & Sartuk, K. (2003). Development of a satellite borne tactical ballistic missile trajectory prediction tool. *Rast 2003: Recent Advances in Space Technologies, Proceedings* (ss. 601-604).

An, E. F., Shen, Z. W., Zhou, T. Q., & Wang, D. R. (2003). Application study on a shaped charge warhead. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 1135-1139).

Anderson, C. E. (2003). From fire to ballistics: A historical retrospective. *International Journal of Impact Engineering*, 29(1-10), 13-67. <https://doi.org/10.1016/j.ijimpeng.2003.09.007>

Anderson, C. E., & Orphal, D. L. (2003). Analysis of the terminal phase of penetration. *International Journal of Impact Engineering*, 29(1-10), 69-80. <https://doi.org/10.1016/j.ijimpeng.2003.09.008>

Arias, A., Zaera, R., Lopez-Puente, J., & Navarro, C. (2003). Numerical modeling of the impact behavior of new particulate-loaded composite materials. *Composite Structures*, 61(1-2), 151-159. [https://doi.org/10.1016/S0263-8223\(03\)00038-2](https://doi.org/10.1016/S0263-8223(03)00038-2)

Arnold, W., & Rottenkolber, E. (2003). Behind armor debris investigation—(Part II). *International Journal of Impact Engineering*, 29(1-10), 95-104. <https://doi.org/10.1016/j.ijimpeng.2003.09.009>

Bakas, M., Greenhut, V. A., Niesz, D. E., Adams, J., & McCauley, J. (2003). Relationship between defects and dynamic failure in silicon carbide. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 351-358).

Balasubramanian, S., Sadangi, R. K., Shukla, V., Kear, B. H., & Niesz, D. E. (2003). Plasma melt quenching of AlON ceramics for armor applications. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 455-460). -

Bradt, R. C., Jones, S. E., Barkey, M. E., & Stevenson, M. E. (2003). Failure of projectile intact resistant glass panels. *Ceramic Armor and Armor Systems* (C. 151, ss. 131-144).

Burt, R. R., & Christiansen, E. L. (2003). An enhanced shutter to protect spacecraft windows from meteoroids and orbital debris. *International Journal of Impact Engineering*, 29(1-10), 139-152. <https://doi.org/10.1016/j.ijimpeng.2003.09.013>

Calvano, J. V. (2003). Simulators for ballistics—Part I - The use of a RTOS for simulating ballistic phenomena. *Computational Ballistics* (ss. 93-97).

Cheeseman, B. A., & Bogetti, T. A. (2003). Ballistic impact into fabric and compliant composite laminates. *Composite Structures*, 61(1-2), 161-173. [https://doi.org/10.1016/S0263-8223\(03\)00029-1](https://doi.org/10.1016/S0263-8223(03)00029-1)

Chen, W. O., & Luo, H. Y. (2003). Dynamic compressive testing of intact and damaged ceramics. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 411-416).

Cheng, W. L., Langlie, S., & Itoh, S. (2003). High velocity impact of thick composites. *International Journal of Impact Engineering*, 29(1-10), 167-184. <https://doi.org/10.1016/j.ijimpeng.2003.09.015>

de Klerk, W. P. C., & van Driel, C. A. (2003). Changing of ballistic parameters from aged gun propellants. *Computational Ballistics* (ss. 193-203).

Destefanis, R., Schafer, F., Lambert, M., Faraud, M., & Schneider, E. (2003). Enhanced space debris shields for manned spacecraft. *International Journal of Impact Engineering*, 29(1-10), 215-226. <https://doi.org/10.1016/j.ijimpeng.2003.09.019>

Divekar, C. N., Asthana, S. N., & Singh, H. (2003). Combustion and thermal studies on Al/Ti/Ni/Zr composite modified double-base systems. *Journal of Propulsion and Power*, 19(4), 614-622. <https://doi.org/10.2514/2.6149>

Diwu, X. N., & Lin, B. Z. (2003). Trial production of modified high energy single base propellant and its performance. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 144-148).

Fatt, M. S. H., Lin, C. F., Revilock, D. M., & Hopkins, D. A. (2003). Ballistic impact of GLARE (TM) fiber-metal laminates. *Composite Structures*, 61(1-2), 73-88. [https://doi.org/10.1016/S0263-8223\(03\)00036-9](https://doi.org/10.1016/S0263-8223(03)00036-9)

Flinders, M., Ray, D., & Cutler, R. A. (2003). Toughness-hardness trade-off in advanced SiC armor. *Ceramic Armor and Armor Systems* (C. 151, ss. 37-48).

Gadow, R., & von Niessen, K. (2003). Lightweight ballistic structures made of ceramic and cermet/aramide composites. *Ceramic Armor and Armor Systems* (C. 151, ss. 3-18).

Galanov, B. A., Ivanov, S. M., & Kartuzov, V. V. (2003). Investigation of penetration resistance using a new modification of the Alekseevskii-Tate model. *International Journal of Impact Engineering*, 29(1-10), 263-272. <https://doi.org/10.1016/j.ijimpeng.2003.09.021>

Ganev, R. (2003). Ultrasonic control of propellants. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 468-471).

Goldsmith, W., & Pineda, E. (2003). Perforation investigations of zylon sheets. *Recent Advances in Composite Materials: In Honor of S.a. Paipetis* (ss. 127-138).

Grady, D. E. (2003). The physics of ceramics from shock-wave experiments. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 389-399).

Hannula, S. P., Lintula, P., Lintunen, P., & Lindroos, T. (2003). Processing and properties of metal matrix composites synthesized by SHS. *Thermec '2003, Pts 1-5* (C. 426-4, ss. 1971-1978). <https://doi.org/10.4028/www.scientific.net/MSF.426-432.1971>

Heidenreich, B., Krenkel, W., & Lexow, B. (2003). Development of CMC-materials for lightweight armor. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 375-381).

Held, M. (2003). Requirements for high explosive charges for shaped charges. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 383-392).

Hosur, M. V., Vaidya, U. K., Myers, D., & Jeelani, S. (2003). Studies on the repair of ballistic impact damaged S2-glass/vinyl ester laminates. *Composite Structures*, 61(4), 281-290. [https://doi.org/10.1016/S0263-8223\(03\)00063-1](https://doi.org/10.1016/S0263-8223(03)00063-1)

Hu, K. F., & Schonberg, W. P. (2003). Ballistic limit curves for non-spherical projectiles impacting dual-wall spacecraft systems. *International Journal of Impact Engineering*, 29(1-10), 345-355. <https://doi.org/10.1016/j.ijimpeng.2003.09.030>

Hussain, R., Jabeen, N., Zehra, A., & Munir, A. (2003). Effect of GJB617 and GJB618 ammonium perchlorate on burn rate of AP/AI/HTPB propellant. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 480-483).

Jiang, C. L., Li, M., Jiang, W. M., & Wang, Z. C. (2003). Experiment study and numerical simulation of tungsten alloy ball penetrating vertically the ceramic/aluminum combined target. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 916-920).

Karandikar, P. G., Aghajanian, M. K., & Morgan, B. N. (2003). Complex, net-shape ceramic composite components for structural, lithography, mirror and armor applications. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: B* (C. 24, Sayı 4, ss. 561-566).

Kim, D. H., & Park, W. S. (2003). Reliability based design of breakwater armor layers using neural network. *Proceedings of the Thirteenth (2003) International Offshore and Polar Engineering Conference, Vol 4* (ss. 487-492).

Kim, D. K., Kim, J. H., Kim, Y. G., Lee, C. S., Chung, D. T., Kim, C. W., Choi, J. H., & Chang, S. N. (2003). Controlled explosive indentation on ceramics. *Ceramic Armor and Armor Systems* (C. 151, ss. 93-104).

Kozachuk, A. I., Kozhushko, A. A., Rummyantsev, B. V., Sinani, A. B., Vlasov, A. S., & Zilberbrand, E. L. (2003). On interaction of shaped-charge jets with the crater walls in penetrating metals and brittle materials. *International Journal of Impact Engineering*, 29(1-10), 385-390. <https://doi.org/10.1016/j.ijimpeng.2003.09.034>

Kriven, W. M., Rosczyk, B. R., Kremeyer, K., Song, B., & Chen, W. (2003). Transformation toughening of a calcium zirconate matrix by dicalcium silicate, under ballistic impact. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 383-388).

Kurtaran, H., Buyuk, M., & Eskandarian, A. (2003). Design automation of a laminated armor for best impact performance using approximate optimization method. *International Journal of Impact Engineering*, 29(1-10), 397-406. <https://doi.org/10.1016/j.ijimpeng.2003.09.036>

Lee, M. (2003). Hypervelocity impact into oblique ceramic/metal composite systems. *International Journal of Impact Engineering*, 29(1-10), 417-424. <https://doi.org/10.1016/j.ijimpeng.2003.09.037>

Liu, L. S., Zhang, Q. J., & Zhai, P. C. (2003). The optimization design of metal/ceramic FGM armor with neural net and conjugate gradient method. *Functionally Graded Materials Vii* (C. 423-4, ss. 791-795).

Liu, L. S., Zhang, Q. J., Zhai, P. C., & Zhu, C. C. (2003). Impact characteristic analysis of ceramic/metal FGM. *Functionally Graded Materials Vii* (C. 423-4, ss. 641-644).

Lou, K. A. (2003). Blast and impact damage evaluation of composite structures. *Structural Integrity and Materials Aging: Fracture Mechanics and Applications* (ss. 281-286).

Lynch, N. J., & Townsend, I. (2003). Progress towards an analytical modelling capability for kinetic energy penetrators and complex armours. *International Journal of Impact Engineering*, 29(1-10), 437-447. <https://doi.org/10.1016/j.ijimpeng.2003.09.040>

Madewell, J. M. (2003). Mitigating the effects of chaff in ballistic missile defense. *Proceedings of the 2003 Ieee Radar Conference*, 19-22. <https://doi.org/10.1109/NRC.2003.1203373>

Marquis, F. D. S., & Mahajan, A. (2003). Microstructure and strength of shock synthesized and densified tungsten heavy alloys. *Powder Materials: Current Research and Industrial Practices Iii* (ss. 141-156).

Nemat-Nasser, S., & Sarva, S. (2003). Dynamic compressive failure of alumina under high-velocity impact. *Electron Microscopy: Its Role in Materials Science: The Mike Meshii Symposium* (ss. 97-106).

Orlovskaya, N., Lugovy, M., Subbotin, V., Rachenko, O., Adams, J., Chheda, M., Shih, J., Sankar, J., & Yarmolenko, S. (2003). Design and manufacturing B4C-SiC layered ceramics for armor applications. *Ceramic Armor and Armor Systems* (C. 151, ss. 59-70).

Palmieri, D., Deloo, P., & Lambert, M. (2003). Hypervelocity impact simulation on the cupola windows shutters. *International Journal of Impact Engineering*, 29(1-10), 503-511. <https://doi.org/10.1016/j.ijimpeng.2003.09.046>

Palmieri, D., Destefanis, R., Faraud, M., & Lambert, M. (2003). Penetration effectiveness of inhibited shaped charge launcher projectiles and solid spheres on spacecraft shields. *International Journal of Impact Engineering*, 29(1-10), 513-526. <https://doi.org/10.1016/j.ijimpeng.2003.10.001>

Palmieri, D., Lambert, M., & Mendoza, M. (2003). Effect of multi-layer insulation on top of spacecraft meteoroids/debris shields: Prediction of the automated transfer vehicle pressure module ballistic limit. *International Journal of Impact Engineering*, 29(1-10), 537-548. <https://doi.org/10.1016/j.ijimpeng.2003.10.003>

Patterson, M. C. L., DiGiovanni, A., Roy, D. W., & Gilde, G. (2003). Spinel armor—Clearly the way to go. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 441-446).

Patterson, M. C. L., Gilde, G., & Roy, D. W. (2003). Spinel armor—Clearly the way to go. *Ceramic Armor and Armor Systems* (C. 151, ss. 83-90).

Qian, L. X., Qu, M., & Feng, G. P. (2003). The synergistic effects of dense fragment cluster impact on armor plate. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 957-963).

Qiu, Z. M., & Guo, Y. (2003). Research on optimized configuration of naval gun weapon system onboard surface ships. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 892-894).

Ravid, M., Bodner, S. R., & Chocron, S. (2003). Penetration analysis of ceramic armor backed by composite materials. *Ceramic Armor and Armor Systems* (C. 151, ss. 145-152).

Ray, D., Flinders, M., Anderson, A., & Cutler, R. A. (2003). Hardness/toughness relationship for SiC armor. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 401-410).

Rocha, C. V., & Costa, C. A. (2003). Evaluation of silicon nitride for ballistic armour applications. *Computational Ballistics* (ss. 187-192).

Rocha, C. V., Costa, C. A., & Santos, M. a. P. (2003). Processing of alumina resistant to 7.62mm armour piercing. *Computational Ballistics* (ss. 179-185).

Schafer, F., Ullmann, T., Bickel, M., Lambert, M., & Schneider, E. (2003). Hypervelocity impact testing of CRV nose cap and body flap configurations. *4th European Workshop on Hot Structures and Thermal Protection Systems for Space Vehicles* (C. 521, ss. 205-218).

Shin, H. S., Oh, S. Y., Kim, D. K., Kim, C. W., & Chang, S. N. (2003). Investigation on fracture behavior of armor ceramics against HEAT penetration. *International Journal of Impact Engineering*, 29(1-10), 631-638. <https://doi.org/10.1016/j.ijimpeng.2003.10.010>

Skaggs, S. R. (2003). A brief history of ceramic armor development. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 337-349).

Speyer, R. F., & Lee, H. J. (2003). Improved pressureless densification of B4C. *Ceramic Armor and Armor Systems* (C. 151, ss. 71-82).

Swab, J. J. (2003). Tungsten carbides for armor applications. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 447-453).

Taylor, E. A., Glanville, J. P., Clegg, R. A., & Turner, R. G. (2003). Hypervelocity impact on spacecraft honeycomb: Hydrocode simulation and damage laws. *International Journal of Impact Engineering*, 29(1-10), 691-702. <https://doi.org/10.1016/j.ijimpeng.2003.10.016>

Tong, Y. N., Ma, X. Q., Huang, C. P., & Wang, P. (2003). The effects of the SAP projectile's head diameter on after-body strength. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 978-981).

Ulven, C., Vaidya, U. K., & Hosur, M. V. (2003). Effect of projectile shape during ballistic perforation of VARTM carbon/epoxy composite panels. *Composite Structures*, 61(1-2), 143-150. [https://doi.org/10.1016/S0263-8223\(03\)00037-0](https://doi.org/10.1016/S0263-8223(03)00037-0)

Vaidya, U. K., Ulven, C., Pillay, S., & Ricks, H. (2003). Impact damage of partially foam-filled co-injected honeycomb core sandwich composites. *Journal of Composite Materials*, 37(7), 611-626. <https://doi.org/10.1177/002199803029724>

Vural, M., Erim, M. Z., Bindal, C., Zeytin, S., & Ucisik, A. H. (2003). Traumatological and ballistic aspects of alumina ceramics. *Bioceramics 15* (C. 240-2, ss. 623-625). <https://doi.org/10.4028/www.scientific.net/KEM.240-242.623>

Wohlers, W., & Reimerdes, H. G. (2003). Analytical optimisation of protection systems. *International Journal of Impact Engineering*, 29(1-10), 803-819. <https://doi.org/10.1016/j.ijimpeng.2003.10.026>

Woolmore, N. J., Hazell, P. J., & Stuart, T. P. (2003). An investigation into fragmenting the 14.5 mm BS41 armour piercing round by varying a confined ceramic target setup. *Ceramic Armor and Armor Systems* (C. 151, ss. 175-186).

Xiao, X. Y., Li, B. X., Wang, Y. L., & Lu, T. S. (2003). Study on the effect of configuration of reactive armor plate on motion. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 853-858).

Yatteau, J. D., & Dzwilewski, P. T. (2003). Adaptation of full impact penetration models to partial impact geometries for tumbling rods penetrating spaced plates. *International Journal of Impact Engineering*, 29(1-10), 821-831. <https://doi.org/10.1016/j.ijimpeng.2003.10.027>

Zaretsky, E. B., Paris, V. E., Kanel, G. I., & Savinykh, A. S. (2003). Evidence of ductile (alumina) and brittle (boron carbide) response of ceramics under shock wave loading. *Ceramic Armor and Armor Systems* (C. 151, ss. 105-115).

Zaretsky, E., Frage, N., & Dariel, M. P. (2003). Dynamic failure and fracture of the TiC-steel composite. *Ceramic Armor and Armor Systems* (C. 151, ss. 117-128).

Zhang, J. L., Lu, C. L., Wang, J. Y., & Tan, Y. X. (2003). The selectivity of sensitivity about superfine explosive. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 344-347).

Zhang, Y. S., Ma, X. Q., Wang, P., & Wu, J. Y. (2003). The interaction between long rod projectile and reactive armor. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 964-968).

Zhao, T. Y., Hou, X. C., & Chen, Z. G. (2003). The experimental investigation on the power of compressed charge structure. *Theory and Practice of Energetic Materials, Vol 5, Parts a and B* (ss. 1003-1006).

Roberson, C., & Hazell, P. J. (2003a). Resistance of different ceramic materials to penetration by a tungsten carbide cored projectile. *Ceramic Armor and Armor Systems* (C. 151, ss. 153-163).

Roberson, C., & Hazell, P. J. (2003b). Resistance of silicon carbide to penetration by a tungsten carbide cored projectile. *Ceramic Armor and Armor Systems* (C. 151, ss. 165-174).

Lillo, T. M., Bailey, D. W., Laughton, D. A., Chu, H. S., & Harrison, W. M. (2003). Development of a pressureless sintered silicon carbide monolith and special-shaped silicon carbide whisker reinforced silicon carbide matrix composite for lightweight armor application. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 359-364).

Medvedovski, E. (2003a). Armor silicon carbide-based ceramics. *27th International Cocoa Beach Conference on Advanced Ceramics and Composites: A* (C. 24, Sayı 3, ss. 365-373).

Medvedovski, E. (2003b). Silicon carbide-based ceramics for ballistic protection. *Ceramic Armor and Armor Systems* (C. 151, ss. 19-35).

Arnold, W. (2004). Tungsten heavy alloys for multiple impact applications. *Shock Compression of Condensed Matter—2003, Pts 1 and 2, Proceedings* (C. 706, ss. 1319-1322).

Balasubramanian, S., Sadangi, R. K., Shukla, V., Kear, B. H., & Niesz, D. E. (2004). Plasma reaction synthesis of alumina-aluminium oxynitride nanocomposite powders. *Ceramic Nanomaterials and Nanotechnology II* (C. 148, ss. 83-90).

Cheng, W., Itoh, S., & Kuo, A. Y. (2004). Calculation of dynamic strain energy release rates due to shock wave loading. *Explosion, Shock Wave and Hypervelocity Phenomena in Materials* (C. 465-466, ss. 415-420).

Cheng, W. L., & Itoh, S. (2004). High velocity impact of steel fragment on thick aluminum target. *Explosion, Shock Wave and Hypervelocity Phenomena in Materials* (C. 465-466, ss. 49-54).

Dey, S., Borvik, T., Hopperstad, O. S., Leinum, J. R., & Langseth, M. (2004). The effect of target strength on the perforation of steel plates using three different projectile nose shapes. *International Journal of Impact Engineering*, 30(8-9), 1005-1038. <https://doi.org/10.1016/j.ijimpeng.2004.06.004>

Field, J. E., Walley, S. M., Proud, W. G., Goldrein, H. T., & Siviour, C. R. (2004). Review of experimental techniques for high rate deformation and shock studies. *International Journal of Impact Engineering*, 30(7), 725-775. <https://doi.org/10.1016/j.ijimpeng.2004.03.005>

Grantham, S. G., Proud, W. G., & Field, J. E. (2004). Internal displacements in cement during ballistic impact. *Shock Compression of Condensed Matter—2003, Pts 1 and 2, Proceedings* (C. 706, ss. 1335-1338).



Herrmann, B., Venkert, A., Favorsky, V., Shvarts, D., & Zaretsky, E. (2004). U-0.75Ti and Ti-6Al-4V in planar and ballistic impact experiments. *Shock Compression of Condensed Matter—2003, Pts 1 and 2, Proceedings* (C. 706, ss. 577-580).

Johnson, A. J. W., Kumar, K. S., & Briant, C. L. (2004). Strengthening mechanisms in Ti-6Al-4V/TiC composites. *Materials Processing and Design: Modeling, Simulation and Applications, Pts 1 and 2* (C. 712, ss. 1639-1644).

Joshi, V. S., & Iman, M. A. (2004). Dynamic characterization of shape memory titanium alloys. *Shock Compression of Condensed Matter—2003, Pts 1 and 2, Proceedings* (C. 706, ss. 581-584).

Mescheryakov, Y. I., Zhigacheva, N. I., Petrov, Y. A., Divakov, A. K., & Cline, C. F. (2004). Comparative analysis of uniaxial strain shock tests and Taylor tests for armor and maraging steels. *Shock Compression of Condensed Matter—2003, Pts 1 and 2, Proceedings* (C. 706, ss. 597-600).

Naik, N. K., & Shrirao, P. (2004). Composite structures under ballistic impact. *Composite Structures*, 66(1-4), 579-590. <https://doi.org/10.1016/j.compstruct.2004.05.006>

Rosenberg, Z., & Dekel, E. (2004). On the role of material properties in the terminal ballistics of long rods. *International Journal of Impact Engineering*, 30(7), 835-851. <https://doi.org/10.1016/j.ijimpeng.2004.03.007>

Schafer, F., Hiermaier, S., & Schneider, E. (2004). Ballistic limit equation for the normal impact of unyawed ellipsoid-shaped projectiles on aluminium Whipple Shields. *Space Debris and Space Traffic Management Symposium 2003* (C. 109, ss. 291-308).

Straight, J. W., Idar, D. J., Smith, L., Osborn, M. A., Viramontes, L. E., & Chavez, P. J. (2004). Measuring the energy release of low amplitude impact of high explosive events. *Shock Compression of Condensed Matter—2003, Pts 1 and 2, Proceedings* (C. 706, ss. 1041-1044).

Wetzel, E. D., Lee, Y. S., Egres, R. G., Kirkwood, K. M., Kirkwood, J. E., & Wagner, N. J. (2004). The effect of rheological parameters on the ballistic properties of shear thickening fluid (STF)-Kevlar composites., *Materials Processing and Design: Modeling, Simulation and Applications, Pts 1 and 2* (C. 712, ss. 288-293).

Barauskas, R., Abraitiene, A., & Vilkauskas, A. (2005). Simulation of a ballistic impact of a deformable bullet upon a multilayer fabric package. *Computational Ballistics II* (C. 40, ss. 41-51).

Bartus, S. D., & Vaidya, U. K. (2005). Performance of long fiber reinforced thermoplastics subjected to transverse intermediate velocity blunt object impact. *Composite Structures*, 67(3), 263-277. <https://doi.org/10.1016/j.compstruct.2004.07.023>

Bazylev, B. N., Janeschitz, G., Landman, I. S., & Pestchanyi, S. E. (2005). Erosion of tungsten armor after multiple intense transient events in ITER. *Journal of Nuclear Materials*, 337(1-3), 766-770. <https://doi.org/10.1016/j.jnucmat.2004.10.070>

Dey, S., Borvik, T., Hopperstad, O. S., & Langseth, M. (2005). Influence of the constitutive relation in numerical simulations of the perforation of steel plates. *Computational Ballistics II* (C. 40, ss. 181-191).

Dutta, P. K., & DiPaolo, B. (2005). Shock attenuation in graded materials. *Proceedings of the Fifteenth (2005) International Offshore and Polar Engineering Conference, Vol 4*, 509-512.

Fedaravicius, A., Ragulskis, M., & Klimavicius, Z. (2005). Computational support of the development of a mortar simulator with re-usable shells *Computational Ballistics II* (C. 40, ss. 381-389).

Galvez, F., Chocron, S., Cendon, D., & Sanchez-Galvez, V. (2005). Numerical simulation of the tumbling of kinetic energy projectiles after impact on ceramic/metal armours. *Computational Ballistics II* (C. 40, ss. 21-29).

Galvez, V. S. (2005). Analytical and numerical simulations of ballistic impact on composite lightweight armours. *Computational Ballistics II* (C. 40, ss. 3-10). Wit Press. <https://www.webofscience.com/wos/woscc/full-record/WOS:000230646700001>

Griffith, D. T., Turner, J. D., & Junkins, J. L. (2005). An embedded function tool for modeling and simulating estimation problems in aerospace engineering. *Spaceflight Mechanics 2004, Vol 119, Pt 1-3* (C. 119, ss. 723-742).

Guo, H. P., Ji, G. X., & Sun, X. L. (2005). 3-D numerical simulation of jet formation process of armor-piercing warhead with shaped charge. *Theory and Practice of Energetic Materials, Vol 6* (ss. 1025-1029).

Holmquist, T. J., Johnson, G. R., & Gooch, W. A. (2005). Modeling the 14.5 mm BS41 projectile for ballistic impact computations. *Computational Ballistics II* (C. 40, ss. 61-75).

Jeunieu, L., Lefebvre, M. H., Guillaume, P., & Wilker, S. (2005). Physical and chemical stability of deterred propellants. *Theory and Practice of Energetic Materials, Vol 6* (ss. 465-474).

Johnson, G. R., Stryk, R. A., Ray, S. E., & Johnson, A. A. (2005). Recent advances in Lagrangian computations for ballistics problems involving severe distortions. *Computational Ballistics II* (C. 40, ss. 87-96).

Kalia, R. K., Nakano, A., & Vashishta, P. (2005). Molecular dynamics simulations of shock propagation in high strength ceramics. *Proceedings of the HPCMP, Users Group Conference 2005*, 240-243.

Kepler, J., & Hansen, M. R. (2005). Numerical modeling of sandwich panel response to ballistic loading—Energy balance for varying impactor geometries. *Sandwich Structures7: Advancing with Sandwich Structures and Materials* (ss. 653-660). [https://doi.org/10.1007/1-4020-3848-8\\_66](https://doi.org/10.1007/1-4020-3848-8_66)

Kim, Y. N., Cho, Y. J., Lee, K. S., Im, K. H., Kim, K. S., & Yang, I. Y. (2005). Penetration fracture characteristics of CFRP curved laminates *Advances in Fracture and Strength, Pts 1-4* (C. 297-300, ss. 183-188). <https://doi.org/10.4028/www.scientific.net/KEM.297-300.183>

Kuhrt, A., & Rothe, H. (2005). The use of computer algebra and nonlinear optimization for real time computation of fire orders for direct fire. *Computational Ballistics II* (C. 40, ss. 337-346).

Lian, J., & Gu, B. H. (2005). A refined quasi-microstructure model for finite element analysis of 3-dimensional braided composites under ballistic perforation. *Proceedings of 2005 International Conference on Advanced Fibers and Polymer Materials (ICAFPM 2005), Vol 1 and 2: NEW CENTURY, NEW MATERIALS AND NEW LIFE*, 370-375.

Liang, C. C., Teng, T. L., & Wu, P. W. (2005). Resistant performance of perforation of layered targets using an estimation procedure with marine application. *Computational Ballistics II* (C. 40, ss. 193-203).

Lopez-Puente, J., Arias, A., Zaera, R., & Navarro, C. (2005). The effect of the thickness of the adhesive layer on the ballistic limit of ceramic/metal armours. An experimental and numerical study. *International Journal of Impact Engineering*, 32(1-4), 321-336. <https://doi.org/10.1016/j.ijimpeng.2005.07.014>

Madhu, V., Ramanjaneyulu, K., Bhat, T. B., & Gupta, N. K. (2005). An experimental study of penetration resistance of ceramic armour subjected to projectile impact. *International Journal of Impact Engineering*, 32(1-4), 337-350. <https://doi.org/10.1016/j.ijimpeng.2005.03.004>

Miura, H., & Matsuo, A. (2005). Two-phase flow simulation for interior ballistics. *Computational Ballistics II* (C. 40, ss. 291-299).

Morka, A., & Wekezer, J. W. (2005). Analysis of the kinetic energy transfer to the target during impact of the antitank projectiles. *Computational Ballistics II* (C. 40, ss. 31-40).

Motta, A. A., & Ebecken, N. F. F. (2005). Ballistics studies applied to offshore platforms. *Computational Ballistics II* (C. 40, ss. 371-380).

Naik, N. K., Shirao, P., & Reddy, B. C. K. (2005). Ballistic impact behaviour of woven fabric composites: Parametric studies. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing*, 412(1-2), 104-116. <https://doi.org/10.1016/j.msea.2005.08.019>

Nicholas, T., Thompson, S. R., Porter, W. J., & Buchanan, D. J. (2005). Comparison of fatigue limit strength of Ti-6Al-4V in tension and torsion after real and simulated foreign object damage. *International Journal of Fatigue*, 27(10-12), 1637-1643. <https://doi.org/10.1016/j.ijfatigue.2005.06.012>

Odeshi, A. G., Al-ameen, S., & Bassim, M. N. (2005). Effect of high strain rate on plastic deformation of a low alloy steel subjected to ballistic impact. *Journal of Materials Processing Technology*, 162, 385-391. <https://doi.org/10.1016/j.jmatprotec.2005.02.157>

Olovsson, L., & Helte, A. (2005). GRALE2D - an explicit finite element code for two-dimensional plane and axi-symmetric multi-material ALE simulations. *Computational Ballistics II* (C. 40, ss. 137-145).

Pettersson, A., Magnusson, P., Lundberg, P., & Nygren, M. (2005). Titanium-titanium diboride composites as part of a gradient armour material. *International Journal of Impact Engineering*, 32(1-4), 387-399. <https://doi.org/10.1016/j.ijimpeng.2005.04.003>

Putzar, R., Schafer, F., Romberg, O., & Lambert, M. (2005). Vulnerability of shielded fuel pipes and heat pipes to hypervelocity impacts. *Proceedings of the 4th European Conference on Space Debris* (C. 587, ss. 459-464).

Roberts, G. D., Pereira, J. M., Revilock, D. M., Binienda, W. K., Xie, M., & Braley, M. (2005). Ballistic impact of braided composites with a soft projectile. *Journal of Aerospace Engineering*, 18(1), 3-7. [https://doi.org/10.1061/\(ASCE\)0893-1321\(2005\)18:1\(3\)](https://doi.org/10.1061/(ASCE)0893-1321(2005)18:1(3))

Rothe, H., Kuhrt, A., Schroeder, S., & Trebing, S. (2005). Fire control algorithms and software for the modular naval artillery concept (MONARC) of the German navy. *Computational Ballistics II* (C. 40, ss. 391-400).

Sahafian, A., & Afshani, M. E. (2005). Performance simulation of a dual thrust rocket motor. *Theory and Practice of Energetic Materials, Vol 6* (ss. 547-556).

Schafer, F., Destefanis, R., Ryan, S., Riedel, W., & Lambert, M. (2005). Hypervelocity impact testing of CFRP/AL Honeycomb satellite structures. *Proceedings of the 4th European Conference on Space Debris* (C. 587, ss. 407-412).

Shukla, A., Grogan, J., Tekalur, S. A., Bogdanovich, A., & Coffelt, R. A. (2005). Ballistic resistance of 2D & 3D woven sandwich composites. *Sandwich Structures 7: Advancing with Sandwich Structures and Materials* (ss. 625-634). [https://doi.org/10.1007/1-4020-3848-8\\_63](https://doi.org/10.1007/1-4020-3848-8_63)

Smid, I. (2005). Material processing and testing of plasma-interactive components for fusion energy systems. *Prism 5: The Fifth Pacific Rim International Conference on Advanced Materials and Processing, Pts 1-5* (C. 475-479, ss. 1355-1360). <https://doi.org/10.4028/www.scientific.net/MSF.475-479.1355>

Son, S. J., Hinoki, T., & Kohyama, A. (2005). W coating on SiC and SiC/SiC composite using a hot-press method. *High Temperature Ceramic Matrix Composites 5* (ss. 619-625).

Tan, V. B. C., Shim, V. P. W., & Zeng, X. (2005). Modelling crimp in woven fabrics subjected to ballistic impact. *International Journal of Impact Engineering, 32*(1-4), 561-574. <https://doi.org/10.1016/j.ijimpeng.2005.06.008>

Templeton, D. W., & Holmquist, T. J. (2005). A computational study of ballistic transparencies. *Computational Ballistics II* (C. 40, ss. 171-179).

Venkataraman, R., Elbella, A., & Potluri, K. S. (2005). Numerical investigation on the impact strength properties of Weldox Steel, Pure Copper, 2024-T3-aluminum alloy, Ti-6Al-4V Titanium alloy and some composites. *Proceedings of the ASME International Design Engineering Technical Conferences and Computers and Information in Engineering Conference, Vol 6, Pts A-C*, 467-476.

Yang, H. Q., Wang, Z. S., & Wei, X. A. (2005). Influence on detonation from structure of explosive charge. *Theory and Practice of Energetic Materials, Vol 6* (ss. 662-665).

Zeng, X. S., Shim, V. P. W., & Tan, V. B. C. (2005). Influence of boundary conditions on the ballistic performance of high-strength fabric targets. *International Journal of Impact Engineering, 32*(1-4), 631-642. <https://doi.org/10.1016/j.ijimpeng.2005.06.011>

Wang, Y. L., Xiao, X. Y., Yu, W. L., & Wang, X. L. (2005). Effects of detonation pressure of reactive armor on velocity of armor-piercing projectile. *Theory and Practice of Energetic Materials, Vol 6* (ss. 586-588).

Antsiferova, E. V., Bogdanov, V. V., Derebenko, E. V., Lagutina, A. V., & Khmel'nikov, E. A. (2006). Calculation technique for kinematic characteristics of penetration of combined striker with oblong core part considering possible destruction of the latter. *Zababakhin Scientific Talks—2005* (C. 849, ss. 121).

Baek, W. H., Hong, M.-H., Kim, E.-P., Noh, J.-W., Lee, S., Song, H.-S., & Lee, S. H. (2006). Heat treatment behavior of tungsten heavy alloy. *Heat Treatment of Materials* (C. 118, ss. 35-+). <https://doi.org/10.4028/www.scientific.net/SSP.118.35>

Barauskas, R., Abraitiene, A., & Vilkauskas, A. (2006). Modelling of the bullet perforation of textile targets. *Structures Under Shock and Impact IX* (C. 87, ss. 355). <https://doi.org/10.2495/SU060351>

- Cardi, A. A., Adams, D. E., & Walsh, S. (2006). Locating and quantifying ceramic body armor impact forces on a compliant torso using acceleration mapping. *Health Monitoring and Smart Nondestructive Evaluation of Structural and Biological Systems V* (C. 6177, s. 617714). <https://doi.org/10.1117/12.658245>
- Casteno, V. M., & Rodriguez, R. (2006). Nanotechnology in Action: Protecting Ballistic Materials. *Processing and Fabrication of Advanced Materials Xv* (ss. 333-342).
- Chen, H.-L., Mullet, K., & Cluver, B. (2006). Evaluation of military ballistic helmets using a thermal manikin. *Thermal Manikins and Modelling* (ss. 330).
- Cheng, M., & Chen, W. N. (2006). Modeling transverse behavior of Kevlar (R) KM2 single fibers with deformation-induced damage. *International Journal of Damage Mechanics*, 15(2), 121-132. <https://doi.org/10.1177/1056789506060733>
- Ching, T. W., & Tan, V. B. C. (2006). Modelling ballistic impact on woven fabric with LS-DYNA. *Computational Methods, Pts 1 and 2* (ss. 1879). [https://doi.org/10.1007/978-1-4020-3953-9\\_128](https://doi.org/10.1007/978-1-4020-3953-9_128)
- Chocron, I. S., Anderson, C. E., Behner, T., & Hohler, V. (2006). Lateral confinement effects in long-rod penetration of ceramics at hypervelocity. *International Journal of Impact Engineering*, 33(1-12), 169-179. <https://doi.org/10.1016/j.ijimpeng.2006.09.023>
- Cui, X. D., Zeng, T., & Fang, D. N. (2006). Study on ballistic energy absorption of laminated and sandwich composites. *Fracture and Strength of Solids Vi, Pts 1 and 2* (C. 306-308, ss. 739-744). <https://doi.org/10.4028/www.scientific.net/KEM.306-308.739>
- Egres, R. G., Decker, M. J., Halbach, C. J., Lee, Y. S., Kirkwood, J. E., Kirkwood, K. M., Wagner, N. J., & Wetzel, E. D. (2006). Stab resistance of shear thickening fluid (STF)-Kevlar composites for body armor applications. *Transformational Science and Technology for the Current and Future Force* (C. 42, ss. 264). [https://doi.org/10.1142/9789812772572\\_0034](https://doi.org/10.1142/9789812772572_0034)
- Fang, Q., Hou, X. F., Zhang, Y. N., & Zhang, Y. D. (2006). Experimental and numerical investigations on projectile penetration into polypropylene fiber reinforced concrete targets. *Structures Under Shock and Impact Ix* (C. 87, ss. 215). <https://doi.org/10.2495/SU060221>
- Farquhar, T., & Marlowe, R. (2006). A novel lightweight sandwich panel with substantial resistance to ballistic penetration. *Structures Under Shock and Impact Ix* (C. 87, ss. 377). <https://doi.org/10.2495/SU060371>
- Faur-Csukat, G. (2006). A study on the ballistic performance of composites. *Macromolecular Symposia*, 239, 217-226. <https://doi.org/10.1002/masy.200690100>
- Hampton, R. D., Nygren, K. P., & Li, T. H. (2006). Analytical shock response of a transversely point-loaded linear rectangular plate. *Proceedings of the 8th Biennial Conference on Engineering Systems Design and Analysis, Vol 3*, 479-486.
- Huilan, R., Haikun, C., & Jianguo, N. (2006). Study on protection behaviors for impacted alumina ceramic armor. *in Safety Science and Technology, Vol 6, Pts a and B* (C. 6, ss. 2430-2434).
- Hwang, D. Y., Shimamoto, A., & Takayama, K. (2006). High-velocity impact characteristic of carbon fiber reinforced plastic laminates using ballistic range. *Fracture and Damage Mechanics V, Pts 1 and 2* (C. 324-325, ss. 1071).

Johnson, G. R., Beissel, S. R., Gerlach, C. A., Stryk, R. A., Johnson, A. A., & Holmquist, T. J. (2006). Advanced computations for ballistic impact problems. *Transformational Science and Technology for the Current and Future Force* (C. 42, ss. 111). [https://doi.org/10.1142/9789812772572\\_0015](https://doi.org/10.1142/9789812772572_0015)

Lin, E. E., Bodrenko, S. I., Burtsev, V. V., Bushmelev, P. S., Vasil'ev, M. L., Vlasova, M. A., Domnichev, V. V., Zhabitskii, S. K., Lobanov, V. N., Mel'tsas, V. Y., Portnyagina, G. F., Prokhorov, S. V., Stadnik, A. L., Tanakov, Z. V., & Yanilkin, Y. V. (2006). Development of explosive systems for investigating multiple impacts of solid projectiles with moderate velocity. *Zababakhin Scientific Talks—2005* (C. 849, ss. 179).

Lloyd, R. M., & Sebeny, J. L. (2006). Novel penetrator study for defeat of ballistic missile payloads. *International Journal of Impact Engineering*, 33(1-12), 380-389. <https://doi.org/10.1016/j.ijimpeng.2006.09.061>

Lynch, N. J., Bless, S. J., Cullis, I. G., & Berry, D. (2006). The influence of confinement on the penetration of ceramic targets by KE projectiles at 1.8 and 2.6 km/s. *International Journal of Impact Engineering*, 33(1-12), 390-401. <https://doi.org/10.1016/j.ijimpeng.2006.09.029>

Man, X., Swan, C. C., & Rahmatalla, S. (2006). A clothing modeling framework for uniform and armor system design. *Modeling and Simulation for Military Applications* (C. 6228, s. 62280A). <https://doi.org/10.1117/12.664974>

Mercado, A., Nable, J., & Sherman, A. (2006). Ternary Structural Reactive Metal Matrix Composites for Enhanced Munition Operational Capability. *Processing and Fabrication of Advanced Materials Xv* (ss. 393-424).

Milman, Y. V., Chugunova, S. I., Goncharova, I. V., Goncharuk, V. A., & Yefimov, N. A. (2006). Physics of deformation and fracture at impact loading and penetration. *International Journal of Impact Engineering*, 33(1-12), 452-462. <https://doi.org/10.1016/j.ijimpeng.2006.09.058>

Ohtani, K., Numata, D., Kikuchi, T., Sun, M., Takayama, K., & Togami, K. (2006). A study of hypervelocity impact on cryogenic materials. *International Journal of Impact Engineering*, 33(1-12), 555-565. <https://doi.org/10.1016/j.ijimpeng.2006.09.025>

O'Neil, E. F., Cummins, T. K., Durst, B. P., Kinnebrew, P. G., Boone, R. N., & Torres, R. X. (2006). Development of very-high-strength and high-performance concrete materials for improvement of barriers against blast and projectile penetration. *Transformational Science and Technology for the Current and Future Force* (C. 42, ss. 203). [https://doi.org/10.1142/9789812772572\\_0026](https://doi.org/10.1142/9789812772572_0026)

Paulus, G., & Schirm, V. (2006). Impact behaviour of PELE projectiles perforating thin target plates. *International Journal of Impact Engineering*, 33(1-12), 566-579. <https://doi.org/10.1016/j.ijimpeng.2006.09.026>

Pedersen, B., & Bless, S. (2006). Behind-armor debris from the impact of hypervelocity tungsten penetrators. *International Journal of Impact Engineering*, 33(1-12), 605-614. <https://doi.org/10.1016/j.ijimpeng.2006.09.007>

Piekutowski, A. J., & Poormon, K. L. (2006). Development of a three-stage, light-gas gun at the University of Dayton Research Institute. *International Journal of Impact Engineering*, 33(1-12), 615-624. <https://doi.org/10.1016/j.ijimpeng.2006.09.018>

Pizana, C., Murr, L. E., Putrevu, A., Tamoria, T. L., Chen, H. C., & Cytron, S. J. (2006). Mechanical alloying and related solid-state flow and mixing of single-crystal tungsten ballistic penetrator and steel target material. *Ultrafine Grained Materials Iv* (ss. 139).

Quan, X., Clegg, R. A., Cowler, M. S., Birnbaum, N. K., & Hayhurst, C. J. (2006). Numerical simulation of long rods impacting silicon carbide targets using JH-1 model. *International Journal of Impact Engineering*, 33(1-12), 634-644. <https://doi.org/10.1016/j.ijimpeng.2006.09.011>

Raftenberg, M. N. (2006). Modeling thoracic blunt trauma; Towards a finite-element-based design methodology for body armor. *Transformational Science and Technology for the Current and Future Force* (C. 42, ss. 219). [/10.1142/9789812772572\\_0028](https://doi.org/10.1142/9789812772572_0028)

Raguraman, M., & Deb, A. (2006). Robust prediction of residual velocities and ballistic limits of projectiles for impact on thin aluminium plates. *Structures Under Shock and Impact Ix* (C. 87, ss. 205). Ltd. <https://doi.org/10.2495/SU060211>

Ryan, S., Schaefer, F., & Riedel, W. (2006). Numerical simulation of hypervelocity impact on CFRP/Al HCSP spacecraft structures causing penetration and fragment ejection. *International Journal of Impact Engineering*, 33(1-12), 703-712. <https://doi.org/10.1016/j.ijimpeng.2006.09.072>

Schonberg, W. P., & Williamsen, J. E. (2006). RCS-based ballistic limit curves for non-spherical projectiles impacting dual-wall spacecraft systems. *International Journal of Impact Engineering*, 33(1-12), 763-770. <https://doi.org/10.1016/j.ijimpeng.2006.09.076>

Song, J., Vorburger, T., Renegar, T., Rhee, H., Zheng, A., Ma, L., Libert, J., Ballou, S., Bachrach, B., & Bogart, K. (2006). Correlation of topography measurements of NIST SRM 2460 standard bullets by four techniques. *Measurement Science and Technology*, 17(3), 500-503. <https://doi.org/10.1088/0957-0233/17/3/S07>

Vashishta, P., Kalia, R. K., & Nakano, A. (2006). Multimillion atom simulations and visualization of hypervelocity impact damage and oxidation. *Transformational Science and Technology for the Current and Future Force* (C. 42, ss. 89). [https://doi.org/10.1142/9789812772572\\_0012](https://doi.org/10.1142/9789812772572_0012)

Vogler, T. J., & Chhabildas, L. C. (2006). Strength behavior of materials at high pressures. *International Journal of Impact Engineering*, 33(1-12), 812-825. <https://doi.org/10.1016/j.ijimpeng.2006.09.069>

Walters, W., Williams, C., & Normandia, M. (2006). An explicit solution of the Alekseevski-Tate penetration equations. *International Journal of Impact Engineering*, 33(1-12), 837-846. <https://doi.org/10.1016/j.ijimpeng.2006.09.057>

Wenli, Y., Yuling, W., Tao, W., & Bin, H. (2006). Safe explosive charge for thin circular plate subjected to blast loads. *Progress in Safety Science and Technology, Vol 6, Pts a and B* (C. 6, ss. 1199-1202).

Williamsen, J. E., & Evans, S. W. (2006). Predicting orbital debris shape and orientation effects on spacecraft shield ballistic limits based on characteristic length. *International Journal of Impact Engineering*, 33(1-12), 862-871. <https://doi.org/10.1016/j.ijimpeng.2006.09.084>

Xixing, W., Jianshe, K., & Tiejun, L. (2006). A common framework based on weapons platform to evaluate weapon systems effectiveness. *Proceedings of the First International Conference on Maintenance Engineering* (ss. 1121-1127).

Yang, I. Y., Cho, Y. J., Im, K. H., Cha, C. S., & Kim, Y. N. (2006). Penetration fracture characteristics of CFRP curved shells according to oblique impact. *Fracture and Strength of Solids Vi, Pts 1 and 2* (C. 306-308, ss. 291-296). <https://doi.org/10.4028/www.scientific.net/KEM.306-308.291>

Yang, I.-Y., Cho, Y., Kim, Y.-N., Heo, U., Park, S., Im, K.-H., Kim, J.-H., & Sim, J.-K. (2006). The penetration characteristics of CF/Epoxy curved sheller according to stacking sequence. *Advanced Nondestructive Evaluation I, Pts 1 and 2, Proceedings* (C. 321-323, ss. 885-888). <https://doi.org/10.4028/www.scientific.net/KEM.321-323.885>

Yen, C. F. (2006). Modeling of composite material behavior for blast and ballistic impact. *Proceedings of the 8th Biennial Conference on Engineering Systems Design and Analysis, Vol 3*, 783-789.

Ying, L., Jian, D., & Longyang, X. (2006). Study on evaluation model for maintenance quality of weapon materiel. *Proceedings of the First International Conference on Maintenance Engineering* (ss. 1063-1067).

Akçay, M. (2007). Ulusal Savunmada Nanoteknoloji. *Ülkemizin Güvenliği İçin nanoteknolojide Doğru Modelin Belirlenmesi Sempozyumu*.

Baek, W.-H., Kim, E.-P., Song, H.-S., Hong, M.-H., Lee, S., Kim, Y., Lee, S. H., Noh, J.-W., & Ryu, J. H. (2007). Development of tungsten heavy alloy with hybrid structure for kinetic energy penetrator. *Progress in Powder Metallurgy, Pts 1 and 2* (C. 534-536, ss. 1249). <https://doi.org/10.4028/www.scientific.net/MSF.534-536.1249>

Baker, E. L., Chin, C., Fuchs, B. E., & Pham, J. (2007). Scalable parallel computation of explosively formed penetrators (EFPs). *Computational Ballistics Iii* (C. 45, ss. 163). <https://doi.org/10.2495/CBAL070151>

Bowman, B. R., & Hrcir, S. (2008). Drag coefficient variability at 100-300 km from the orbit decay analyses of rocket bodies. *Astrodynamics 2007, Pts I-Iii* (C. 129, ss. 207-222).

Brannon, R. M., Wells, J. M., & Strack, O. E. (2007). Validating theories for brittle damage. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science, 38A(12)*, 2861-2868. <https://doi.org/10.1007/s11661-007-9310-7>

Chen, X., Zhang, F., Liang, B., Xie, R., & Xu, A. (2007). Three modes of penetration mechanisms of A3 steel cylindrical projectiles impact onto 45 steel plates. *Engineering Plasticity and Its Applications from Nanoscale to Macroscale, Pts 1 and 2* (C. 340-341, ss. 295). <https://doi.org/10.4028/www.scientific.net/KEM.340-341.295>

Cuerdaneli, S., Ak, M. A., & Ulas, A. (2007). Experimental analysis on the measurement of ballistic properties of solid propellants. *2007 3rd International Conference on Recent Advances in Space Technologies, Vols 1 and 2*, 231. <https://doi.org/10.1109/RAST.2007.4283983>

Ehsani, N., Baharvandi, H. R., Abdizadeh, H., & Mazaheri, A. (2007). Mechanical properties and microstructure of Al-matrix composites reinforced with B4C produced by Vortex method. *International Conference on Smart Materials and Nanotechnology in Engineering, Pts 1-3* (C. 6423, s. 64235K). <https://doi.org/10.1117/12.780137>

Faur-Csukat, G. (2007). Development of composite structures for ballistic protection. *Materials Science, Testing and Informatics III* (C. 537-538, ss. 151-159). <https://doi.org/10.4028/www.scientific.net/MSF.537-538.151>



Fu, C. C., Chang, L. J., Huang, Y. C., Wong, P. W., & Jang, J. S. C. (2007). Microstructure and Mechanical Properties of Solid-Phase Sintered Heavy Tungsten Alloy. *Thermec 2006 Supplement: 5th International Conference on Processing and Manufacturing of Advanced Materials* (C. 15-17, ss. 575-580). <https://doi.org/10.4028/www.scientific.net/AMR.15-17.575>

Ghosh, A. K. (2007). On the measurement of strain-rate sensitivity for deformation mechanism in conventional and ultra-fine grain alloys. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing*, 463(1-2), 36-40. <https://doi.org/10.1016/j.msea.2006.08.122>

Hu, L., Xu, C., Tian, S., Zhang, J., & Li, F. (2007). Research on case-based reasoning in automatic weapon design. *Proceedings of the International Conference on Mechanical Engineering and Mechanics 2007, Vols 1 and 2* (ss. 1811-1814).

Huang, F.-L., & Zhang, L.-S. (2007). Investigation on ballistic performance of armor ceramics against long-rod penetration. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 38A(12), 2891-2895. <https://doi.org/10.1007/s11661-007-9281-8>

Jang, J. S. C., Fwu, J. C., Chang, L. J., Chen, G. J., & Hsu, C. T. (2007). Study on the solid-phase sintering of the nano-structured heavy tungsten alloy powder. *Journal of Alloys and Compounds*, 434, 367-370. <https://doi.org/10.1016/j.jallcom.2006.08.215>

Jin, M. M., & Richardson, M. (2007). The high velocity impact loading on symmetrical and woven hybrid composite laminates. *Proceedings of the 7th International Conference on Shock & Impact Loads on Structures* (ss. 323-334).

Joyce, J. A., & Joyce, P. J. (2007). An investigation of specimen geometry effects on the fracture behavior of a polytetrafluoroethylene polymer. *Fatigue & Fracture Mechanics, 35th Volume* (C. 35, ss. 390-406). <https://doi.org/10.1520/STP45526S>

Jun, L., Bojun, X., Chunping, X., & Bohong, G. (2007). Analytical modeling for the ballistic perforation of 3-dimensional braided composite target by projectile. *Proceedings of the 2007 International Conference on Advanced Fibers and Polymer Materials Vols 1 and 2*, 344-346.

Karandikar, P. G., Aghajanian, M. K., Agrawal, D., & Cheng, J. (2007). Microwave Assisted (mass) Processing of Metal-Ceramic and Reaction-Bonded Composites. *Mechanical Properties and Performance of Engineering Ceramics and Composites II* (C. 27, Sayı 2, ss. 435).

Li, H., Chen, J. L., Li, J. G., & Li, Z. X. (2007). High heat load properties of actively cooled tungsten/copper mock-ups by explosive joining. *Journal of Nuclear Materials*, 363, 1226-1230. <https://doi.org/10.1016/j.jnucmat.2007.01.284>

Li, W., Zhu, X., Me, Z., & Hou, H. (2007). Experimental studies on damage effect of missile warhead on cabin structure under internal explosion. *Proceedings of the 7th International Conference on Shock & Impact Loads on Structures* (ss. 359-364). Ci-Premier Pte Ltd. <https://www.webofscience.com/wos/woscc/full-record/WOS:000255430300044>

Lian, J., Gu, B., & Gao, W. (2007). Microstructure model for finite element analysis of 4-step 3-D rectangular braided composites under ballistic impact. *Advances in Composite Materials and Structures, Pts 1 and 2* (C. 334-335, ss. 485-+). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/KEM.334-335.485>

Liping, G., & Jianchun, Z. (2007). Ballistic characteristic of SiC nanofiber reinforced PI composite under high velocity impact. *Proceedings of the 2007 International Conference on Advanced Fibers and Polymer Materials Vols 1 and 2*, 864-867. <https://www.webofscience.com/wos/woscc/full-record/WOS:000251952000273>

Liu, N., & Zhang, X. (2007). Application of wavelet method in analyzing pressure oscillation in regenerative liquid propellant gun. *Proceedings of the International Conference on Mechanical Engineering and Mechanics 2007, Vols 1 and 2* (ss. 909-912).

Meda, L., Marra, G., Galfetti, L., Severini, F., & De Luca, L. (2007). Nano-aluminum as energetic material for rocket propellants. *Materials Science & Engineering C-Biomimetic and Supramolecular Systems*, 27(5-8), 1393-1396. <https://doi.org/10.1016/j.msec.2006.09.030>

Novotny, W. R., Cepas, E., Shahkarami, A., Vaziri, R., & Poursartip, A. (2007). Numerical investigation of the ballistic efficiency of multi-ply fabric armours during the early stages of impact. *International Journal of Impact Engineering*, 34(1), 71-88. <https://doi.org/10.1016/j.ijimpeng.2006.07.001>

Park, T. (2007). Explosion Bulge Test of High Strength Low Alloy Steel PFS-700 in Air and underwater. *Advanced Materials and Processing* (C. 26-28, ss. 1101). <https://doi.org/10.4028/www.scientific.net/AMR.26-28.1101>

Rotariu, T., Goga, D., Tiganescu, V., Chereches, T., & Carmaci, M. (2007). Some aspects regarding testing procedures for 9x19 mm ammunition system while evaluating ballistic and safety characteristics during life cycle. *Proceedings of the 6th Wseas International Conference on System Science and Simulation in Engineering (icossse '07): System Science and Simulation in Engineering* (ss. 168).

Sanghavi, R. R., Kihre, V. H., Shaikh, M. a. R., Chakraborty, T. K., & Singh, A. (2007). Ballistic evaluation of enhanced energy LOVA propellant in high calibre gun. *Theory and Practice of Energetic Materials, Vol VII* (ss. 90-95). <https://www.webofscience.com/wos/woscc/full-record/WOS:000252165900021>

Shah, Q. H. (2007). Effect of the PMMA sacrificial layer on the failure mechanism of PC and steel back plates subjected to impact at varying locations from the clamped edge. *Proceedings of the 7th International Conference on Shock & Impact Loads on Structures* (ss. 505-514).

Shahkarami, A., & Vaziri, R. (2007). A continuum shell finite element model for impact simulation of woven fabrics. *International Journal of Impact Engineering*, 34(1), 104-119. <https://doi.org/10.1016/j.ijimpeng.2006.06.010>

Shujia, L., Jia, W., & Yimin, W. (2007). Study on the preparation and application of small particles in UHMWPE-Fiber unidirectional plate. *Proceedings of the 2007 International Conference on Advanced Fibers and Polymer Materials Vols 1 and 2*, 361-363.

Wang, C., Wang, Y.-X., & Chen, H. (2007). Three dimensional simulation for dynamic failure of aluminum foam sandwich structure under ballistic impact. *Proceedings of the 5th International Conference on Nonlinear Mechanics* (ss. 686-690).

Wells, J. M. (2007). On the linkage of impact damage to modeling of ballistic performance. *Computational Ballistics III* (C. 45, ss. 89-98).. <https://doi.org/10.2495/CBAL070081>

Wells, J. M., & Brannon, R. M. (2007). Advances in X-ray computed tomography diagnostics of ballistic impact damage. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 38A(12), 2943-2949. <https://doi.org/10.1007/s11661-007-9304-5>

Xu, T., & Farris, R. J. (2007). Comparative studies of ultra high molecular weight polyethylene fiber reinforced composites. *Polymer Engineering and Science*, 47(10), 1544-1553. <https://doi.org/10.1002/pen.20876>

Yahya, M. Y., Cantwell, W. J., Langdon, G. S., & Nurick, G. N. (2007). The blast behaviour of fibre reinforced composite materials. *Proceedings of the 7th International Conference on Shock & Impact Loads on Structures* (ss. 691). <https://www.webofscience.com/wos/woscc/full-record/WOS:000255430300087>

Yang, H. C., Kwon, Y. M., Kim, T. S., & Kim, W. B. (2007). Finite element analysis of cable products for high impactation and fatigue resistance with nonlinear material models. *Advanced Materials and Processing* (C. 26-28, ss. 1045). <https://doi.org/10.4028/www.scientific.net/AMR.26-28.1045>

Zheng, L., Yuan, J., & Wang, Z. (2007). Drilling technologies of KFRP bulletproof backboard. *Proceedings of the International Conference on Mechanical Engineering and Mechanics 2007, Vols 1 and 2* (ss. 1571-1574).

Akçay, M., Altunok, T., & Balibaşa, D. (2008). M60 A3 Tank Kule Mürettebat Eğitim Simülatörünün Maliyet Etkinlik Analizi (in Turkish). *SAVTEK 2008 Savunma Teknolojileri Kongresi*.

Balikci, A. (2008). High velocity linear induction launchers. *International Journal of Impact Engineering*, 35(12), 1405-1409. <https://doi.org/10.1016/j.ijimpeng.2008.07.004>

Beissel, S. R., Gerlach, C. A., & Johnson, G. R. (2008). A quantitative analysis of computed hypervelocity debris clouds. *International Journal of Impact Engineering*, 35(12), 1410-1418. <https://doi.org/10.1016/j.ijimpeng.2008.07.059>

Buyuk, M., Kurtaran, H., Marzougui, D., & Kan, C. D. (2008). Automated design of threats and shields under hypervelocity impacts by using successive optimization methodology. *International Journal of Impact Engineering*, 35(12), 1449-1458. <https://doi.org/10.1016/j.ijimpeng.2008.07.057>

Carver, D., Campbell, L. L., & Roebuck, B. (2008). Large-scale, hypervelocity, high-fidelity interceptor lethality development in AEDC's range G. *International Journal of Impact Engineering*, 35(12), 1459-1464. <https://doi.org/10.1016/j.ijimpeng.2008.07.036>

Cheng, J., & Li, G. (2008). Blast response analysis of composite plate by multi-domain hermite differential quadrature method (MD-HDQ). *Proceedings of the Asme International Mechanical Engineering Congress and Exposition 2007, Vol 10, Pts a and B: Mechanics of Solids and Structures*, 619-627.

da Rocha, R. M., & de Mello, F. C. L. (2008). Sintering of B4C-SiC Powder Obtained In-Situ by Carbothermal Reduction. *Advanced Powder Technology Vi* (C. 591-593, ss. 493-497). <https://doi.org/10.4028/www.scientific.net/MSF.591-593.493>

Deka, L. J., Bartus, S. D., & Vaidya, U. K. (2008). Damage evolution and energy absorption of E-glass/polypropylene laminates subjected to ballistic impact. *Journal of Materials Science*, 43(13), 4399-4410. <https://doi.org/10.1007/s10853-008-2595-0>

Della, C. N., & Shu, D. (2008). Mechanical properties of carbon nanotubes reinforced ultra high molecular weight polyethylene. *Advanced Structural and Functional Materials for Protection* (C. 136, ss. 45-49). <https://doi.org/10.4028/www.scientific.net/SSP.136.45>

Ding, L., Li, C., Pang, B., & Zhang, W. (2008). Ballistic limit equations in ballistic and shatter regions. *International Journal of Impact Engineering*, 35(12), 1490-1496. <https://doi.org/10.1016/j.ijimpeng.2008.07.005>

Ghaemi, H., Fawaz, Z., Behdinin, K., & Amid, R. (2008). High Energy Impact Characteristics of Laminated Composites as a Function of Stacking Sequence. *Design, Manufacture and Applications of Composites* (ss. 133-140).

Gomez, L., & Ayllon, E. (2008). Resistance to the ballistic impact of doped zirconia. *Structures Under Shock and Impact X* (C. 98, ss. 283-292). <https://doi.org/10.2495/SU080281>

Gongshun, G., Baojun, P., Wei, Z., & Yue, H. (2008). Crater distribution on the rear wall of AL-Whipple shield by hypervelocity impacts of AL-spheres. *International Journal of Impact Engineering*, 35(12), 1541-1546. <https://doi.org/10.1016/j.ijimpeng.2008.07.028>

Horner, J. K. (2008). A comparison of ballistic limit with adaptive-mesh Eulerian hydrocode predictions of one- and two-plate aluminum shielding protection against millimeter-sized Fe-Ni space debris. *International Journal of Impact Engineering*, 35(12), 1602-1605. <https://doi.org/10.1016/j.ijimpeng.2008.07.039>

Hosur, M. V., Mayo, J. B., Wetzel, E., & Jeelani, S. (2008). Studies on the fabrication and stab resistance characterization of novel thermoplastic-kevlar composites. *Advanced Structural and Functional Materials for Protection* (C. 136, ss. 83). <https://doi.org/10.4028/www.scientific.net/SSP.136.83>

Huilan, R., & Jianguo, N. (2008). Compressive properties for alumina subjected to shock loading. *Advances in Fracture and Materials Behavior, Pts 1 and 2* (C. 33-37, ss. 345-350). <https://doi.org/10.4028/www.scientific.net/AMR.33-37.345>

Jones, T. L., Burkins, M. S., & Gooch, W. A. (2008). Analysis of magnesium alloy AZ31B-H24 for ballistic applications. *Magnesium Technology 2008* (ss. 81-84).

Karandikar, P. G., Evans, G., & Aghajanian, M. K. (2008). Carbon Nanotube (cnt) and Carbon Fiber Reinforced High Toughness Reaction Bonded Composites. *Nanostructured Materials and Nanotechnology* (C. 28, Sayı 6, ss. 53-63).

Lach, E., Anderson, C., Schirm, V., & Koerber, G. (2008). Hypervelocity impact into a high strength and ductile steel alloy. *International Journal of Impact Engineering*, 35(12), 1625-1630. <https://doi.org/10.1016/j.ijimpeng.2008.07.008>

Lee, M., Kim, E. Y., & Yoo, Y. H. (2008). Simulation of high speed impact into ceramic composite systems using cohesive-law fracture model. *International Journal of Impact Engineering*, 35(12), 1636-1641. <https://doi.org/10.1016/j.ijimpeng.2008.07.031>

Leng, S. E. (2008). Functional graded material with nano coating for protection. *Advanced Structural and Functional Materials for Protection* (C. 136, ss. 93-97). <https://doi.org/10.4028/www.scientific.net/SSP.136.93>

Lin, L., & Long, C. (2008). Contributions of surface engineering to military equipment maintenance. *Surface Engineering (icse 2007)* (C. 373-374, ss. 517). <https://doi.org/10.4028/www.scientific.net/KEM.373-374.517>

Lin, T., Yang, Q., Tan, C., Liu, B., & McDonald, A. (2008). Processing and ballistic performance of lightweight armors based on ultra-fine-grain aluminum composites. *Journal of Materials Science*, 43(23-24), 7344-7348. <https://doi.org/10.1007/s10853-008-2977-3>

Liu, S., Si, X., Li, W., Wang, Y., & Lau, A. K. T. (2008). The preparation and application of shell powder in UHMWPE-fiber unidirectional plate. *Multi-Functional Materials and Structures, Pts 1 and 2* (C. 47-50, ss. 545). <https://doi.org/10.4028/www.scientific.net/AMR.47-50.545>

Mahfuz, H., Lambert, V., Bordner, P., & Rangari, V. (2008). Development of Stab Resistant Body Armor Using Silated SiO<sub>2</sub> Nanoparticles Dispersed into Glutaraldehyde. *Nsti Nanotech 2008, Vol 1, Technical Proceedings: Materials, Fabrication, Particles, and Characterization* (ss. 202-205).

Pedersen, B., & Bless, S. (2008). Fragments produced when tungsten penetrates aluminum. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 39A(2), 335-339. <https://doi.org/10.1007/s11661-007-9395-z>

Raimondo, L., Iannucci, L., Robinson, P., & Pinho, S. T. (2008). A Numerical Material Model for Predicting the High Velocity Impact Behaviour of Polymer Composites. *Mechanical Response of Composites* (C. 10, ss. 161-177).

Ramos, R., Martins, C. de A., Pesce, C. P., & Roveri, F. E. (2008). A Case Study on the Axial-Torsional Behavior of Flexible Risers. *Proceedings of the 27th International Conference on Offshore Mechanics and Arctic Engineering - 2008, Vol 3*, 481-491.

Reddy, P. R. S., Madhu, V., Ramanjaneyulu, K., Bhat, T. B., Jayaraman, K., & Gupta, N. K. (2008). Influence of polymer restraint on ballistic performance of alumina ceramic tiles. *Defence Science Journal*, 58(2), 264-274. <https://doi.org/10.14429/dsj.58.1646>

Risby, M. S., Wong, S. V., Hamouda, A. M. S., Khairul, A. R., & Elsadig, M. (2008). Ballistic performance of coconut shell powder/Twaron fabric against non-armour piercing projectiles. *Defence Science Journal*, 58(2), 248-263. <https://doi.org/10.14429/dsj.58.1645>

Ryan, S., Schaefer, F., Destefanis, R., & Lambert, M. (2008). A ballistic limit equation for hypervelocity impacts on composite honeycomb sandwich panel satellite structures. *Advances in Space Research*, 41(7), 1152-1166. <https://doi.org/10.1016/j.asr.2007.02.032>

Saburi, T., Kubota, S., Yoshida, M., Wada, Y., & Ogata, Y. (2008). Experimental impact study using an explosive driven projectile accelerator and numerical simulation. *International Journal of Impact Engineering*, 35(12), 1764-1769. <https://doi.org/10.1016/j.ijimpeng.2008.07.012>

Schaefer, F. K., Ryan, S., Lambert, M., & Putzar, R. (2008). Ballistic limit equation for equipment placed behind satellite structure walls. *International Journal of Impact Engineering*, 35(12), 1784-1791. <https://doi.org/10.1016/j.ijimpeng.2008.07.074>

Schonberg, W. P., & Compton, L. E. (2008). Application of the NASA/JSC Whipple shield ballistic limit equations to dual-wall targets under hypervelocity impact. *International Journal of Impact Engineering*, 35(12), 1792-1798. <https://doi.org/10.1016/j.ijimpeng.2008.07.054>

Sevkat, E., Liaw, B. M., Delale, F., & Raju, B. B. (2008). Experimental and numerical studies of S2-glass fiber/toughened epoxy composite beams subject to drop-weight or ballistic

impact. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition 2007, Vol 10, Pts a and B: Mechanics of Solids and Structures*, 607-617.

Sibeaud, J.-M., Thame, L., & Puillet, C. (2008). Hypervelocity impact on honeycomb target structures: Experiments and modeling. *International Journal of Impact Engineering*, 35(12), 1799-1807. <https://doi.org/10.1016/j.ijimpeng.2008.07.037>

Sorensen, B. R., Kimsey, K. D., & Love, B. M. (2008). High-velocity impact of low-density projectiles on structural aluminum armor. *International Journal of Impact Engineering*, 35(12), 1808-1815. <https://doi.org/10.1016/j.ijimpeng.2008.07.077>

Starzewski, L. (2008). Microstructure of a composite padded layer of metal powders and its resistance to penetration with a hard core bullet. *Archives of Metallurgy and Materials*, 53(1), 247-251.

Turhan, L., Eksik, O., Yalcin, E. B., Demirural, A., Baykara, T., & Gunay, V. (2008). Computational simulations and ballistic verification tests for 7.62mm AP and 12.7mm AP bullet impact against ceramic metal composite armours. *Structures Under Shock and Impact X* (C. 98, ss. 379-388). <https://doi.org/10.2495/SU080371>

Wang, Y., Zhao, J., & Tang, Z. (2008). Mechanism Analysis of Case Rupture of a 5.56mm Small Caliber Cartridge. *Proceedings of First International Conference of Modelling and Simulation, Vol V: Modelling and Simulation in Mechanics and Manufacture* (ss. 184-188).

White, D. M., Wicklein, M., Clegg, R. A., & Nahme, H. (2008). Multi-layer insulation material models suitable for hypervelocity impact simulations. *International Journal of Impact Engineering*, 35(12), 1853-1860. <https://doi.org/10.1016/j.ijimpeng.2008.07.017>

Williamsen, J. E., Schonberg, W. P., Evans, H., & Evans, S. (2008). A comparison of NASA, DoD, and hydrocode ballistic limit predictions for spherical and non-spherical shapes versus dual- and single-wall targets, and their effects on orbital debris penetration risk. *International Journal of Impact Engineering*, 35(12), 1870-1877. <https://doi.org/10.1016/j.ijimpeng.2008.07.076>

Zhou, X. Q., Kuznetsov, V. A., Hao, H., & Waschl, J. (2008). Numerical prediction of concrete slab response to blast loading. *International Journal of Impact Engineering*, 35(10), 1186-1200. <https://doi.org/10.1016/j.ijimpeng.2008.01.004>

Zhu, J., Wang, W., & Zeng, L. (2008). Resisting Penetration Performance of certain Aluminum Alloy as a potential improvised Armour Plate. *Proceedings of First International Conference of Modelling and Simulation, Vol Vi: Modelling and Simulation in Architecture, Civil Engineering and Materials* (ss. 468-472).

Liu, L., Zhang, Q., Zhai, P., & Cao, D. (2008a). One dimension analytical model of normal ballistic impact on ceramic/metal gradient armor. *Multiscale and Functionally Graded Materials* (C. 973, ss. 106-114).

Liu, L., Zhang, Q., Zhai, P., & Cao, D. (2008b). The effect of ceramic/metal gradient armor's components characteristic on its impact-resistant characteristic. *Multiscale and Functionally Graded Materials* (C. 973, ss. 121-128).

Arias, A., Forquin, P., & Zaera, R. (2009). Impact damage in concrete targets subjected to perforation of high velocity metallic fragment. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1215. <https://doi.org/10.1051/dymat/2009171>

Banerjee, A., & Nayak, N. (2009). Experimental & numerical studies on ballistic impact of armour steel by armour piercing projectiles. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1715-1721. <https://doi.org/10.1051/dymat/2009242>

Borvik, T., Aunehaugen, H., & Hopperstad, O. S. (2009). Impact behaviour of the high-strength aluminium alloy AA7075-T651. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 695-701. <https://doi.org/10.1051/dymat/2009098>

Bottiglieri, S., & Haber, R. A. (2009). High Frequency Ultrasound of Armor-Grade Alumina Ceramics. *Review of Progress in Quantitative Nondestructive Evaluation, Vols 28a and 28b* (C. 1096, ss. 1301-1308).

Brennan, R., McCauley, J., Haber, R., & Niesz, D. (2009). Quantitative Characterization of Localized Amplitude Variations in Silicon Carbide Ceramics Using Ultrasound C-Scan Imaging. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 129).

Bresson, F., Marechal, C., Franck, O., & Drazetic, P. (2009). Evidence recovery from the post impact characterization of a Full Metal Jacket 9 mm Parabellum bullet. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1775. <https://doi.org/10.1051/dymat/2009250>

Brush, E. R., Adams, D. E., Zwink, B. R., & Walsh, S. (2009). Passive Health Monitoring Coupled with Full-Field Active Inspection of Multi-Layered Composite Armor Structures. *Review of Progress in Quantitative Nondestructive Evaluation, Vols 28a and 28b* (C. 1096, ss. 1083).

Chin, J., Forster, A., & Rice, K. (2009). Field and Laboratory Aging Effects on Poly(p-phenylene benzobisoxazole) Fibers Used in Body Armor. *Polymer Degradation and Performance* (C. 1004, ss. 113-120).

Chinella, J. (2009). DEVELOPMENT OF LOW COST, HIGH PERFORMANCE AlZn4.5Mg1 ALLOY 7020. *Aluminum Alloys: Fabrication, Characterization and Applications Ii* (ss. 3-9).

Curran, D. R., Shockey, D. A., & Simons, J. W. (2009). Mesomechanical Constitutive Relations for Glass and Ceramic Armor. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 3-13). <https://doi.org/10.1063/1.3295155>

Deka, L. J., Bartus, S. D., & Vaidya, U. K. (2009). Multi-site impact response of S2-glass/epoxy composite laminates. *Composites Science and Technology*, 69(6), 725-735. <https://doi.org/10.1016/j.compscitech.2008.03.002>

Delcourt, E., Gilson, L., Rabet, L., & Pirlot, M. (2009). Ballistic performance of dry stacked flax fabrics. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 881-+. <https://doi.org/10.1051/dymat/2009123>

Deletombe, E., Fabis, J., & Dupas, J. (2009). Resistance of composite materials and tank structures to the impact and hydraulic ram pressure generated by a ballistic projectile. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 663-669. <https://doi.org/10.1051/dymat/2009094>

Demirbas, M. V., Haber, R. A., & Brennan, R. E. (2009). Microstructural examination and quasi-static property determination of sintered armor grade SiC. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 119-127).

Dong, Z., & Sun, C. T. (2009). Testing and modeling of yarn pull-out in plain woven Kevlar fabrics. *Composites Part A-Applied Science and Manufacturing*, 40(12), 1863-1869. <https://doi.org/10.1016/j.compositesa.2009.04.019>

Fountzoulas, C. G., Sands, J. M., Gilde, G. A., & Patel, P. J. (2009). Applying Modeling Tools to Predict Performance of Transparent Ceramic Laminate Armors. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 45-53).

Garcia-Castillo, S. K., Sanchez-Saez, S., Lopez-Puente, J., Barbero, E., & Navarro, C. (2009). Impact behaviour of preloaded glass/polyester woven plates. *Composites Science and Technology*, 69(6), 711-717. <https://doi.org/10.1016/j.compscitech.2008.01.007>

Gooch, W., Showalter, D., Burkins, M., Montgomery, J., Squillacioti, R., Nichols, A., Martin, L., Bailey, R., & Swiatek, G. (2009). Development and Ballistic Testing of a New Class of Auto-Tempered High Hard Steels Under Military Specification Mil-Dtl-46100e. *Tms 2009 138th Annual Meeting & Exhibition - Supplemental Proceedings, Vol 3: General Paper Selections*, 321.

Green, W. H., Miller, H. T., LuSalvia, J. C., Dandekar, D. P., & Casem, D. (2009). Evaluation of Ballistically-Induced Damage in Ceramic Targets by X-Ray Computed Tomography. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 199).

Guo, Z., Xiao, X., Zhang, W., & Mu, Z. (2009). Experimental and numerical studies of cylindrical projectile high-velocity impact on steel targets in water. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 421-427. <https://doi.org/10.1051/dymat/2009060>

Haynes, N., Masters, K., Perritt, C., Simmons, D., Zheng, J., & Youngberg, J. E. (2009). Automated Non-Destructive Evaluation System for Hard Armor Protective Inserts of Body Armor. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 211).

He, X., Kong, X., Shi, L., & Li, M. (2009). High-Frequency Vibration Response of Metal Honeycomb Sandwich Structure. *Multi-Functional Materials and Structures Ii, Pts 1 and 2* (C. 79-82, ss. 1727-1730).

Inai, K., Ohya, K., Tomita, Y., Kirschner, A., Litnovsky, A., & Tanabe, T. (2009). Simulation of redeposition of carbon/hydrocarbon on a material surface with castellated structures. *Journal of Nuclear Materials*, 390-91, 119-122. <https://doi.org/10.1016/j.jnucmat.2009.01.136>

Jacquet, E., Rouquand, A., & Allix, O. (2009). High velocity impact of carbon composite plates: Perforation simulation. *Materials Characterisation Iv: Computational Methods and Experiments* (C. 64, ss. 175-183). <https://doi.org/10.2495/MC090171>

Jones, C. D., Rioux, J. B., Locher, J. W., Pluen, V., & Mandelartz, M. (2009). Advances in Ballistic Performance of Commercially Available Saint-Gobain Sapphire Transparent Armor Composites. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 63).

Karandikar, P. G., Evans, G., Wong, S., Aghajanian, M. K., & Sennett, M. (2009). A Review of Ceramics for Armor Applications. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 163).



Kepler, J. A., & Bull, P. H. (2009). Sensitivity of structurally loaded sandwich panels to localized ballistic penetration. *Composites Science and Technology*, 69(6), 696-703. <https://doi.org/10.1016/j.compscitech.2008.03.005>

LaRoche, A., Rozenburg, K., Voyles, J., Fehrenbacher, L., & Gilde, G. (2009). An Economic Comparison of Hot Pressing Vs. Pressureless Sintering for Transparent Spinel Armor. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 55).

Littell, J. D., Binienda, W. K., Arnold, W. A., Roberts, G. D., & Goldberg, R. K. (2009). Effect of microscopic damage events on static and ballistic impact strength of triaxial braid composites. *Composites Part A-Applied Science and Manufacturing*, 40(12), 1846-1862. <https://doi.org/10.1016/j.compositesa.2009.08.001>

Malecot, Y., Vu, X. H., & Daudeville, L. (2009). Unconfined compressive strength is a poor indicator of the high-pressure mechanical response of concrete. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1325-1331. <https://doi.org/10.1051/dymat/2009187>

Matejicek, J., Izdinsky, K., & Vondrous, P. (2009). Methods of Increasing Thermal Conductivity of Plasma Sprayed Tungsten-Based Coatings. *1st International Conference on New Materials for Extreme Environments* (C. 59, ss. 82).

McCuiston, R., LaSalvia, J., McCauley, J., & Mayo, W. (2009). The Possible Roles of Stoichiometry, Microstructure, and Defects on the Mechanical Behavior of Boron Carbide. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 153).

Mercurio, S., Jitianu, M., & Haber, R. A. (2009). Grain Boundary Engineering of Silicon Carbide by Means of Coprecipitation. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 141-152).

Munusamy, R., Deb, A., & Barton, D. C. (2009). Numerical procedure for the prediction of projectile residual velocity for impact on mild steel plates. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1707. <https://doi.org/10.1051/dymat/2009241>

Nayak, N., Banerjee, A., & Dutta, A. L. (2009). Ballistic performance of laminated composites against military impactors: Experimental and numerical studies. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1761-1766. <https://doi.org/10.1051/dymat/2009248>

Nsiampa, N., Coghe, F., & Dyckmans, G. (2009). Numerical investigation of the bodywork effect (K-effect). *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2*, 1561-1566. <https://doi.org/10.1051/dymat/2009220>

Odeshi, A. G., Bassim, M. N., & Bolduc, M. (2009). Damage mechanism in high hardness armor (HHA) steel subjected to V50 ballistic impact. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 563. <https://doi.org/10.1051/dymat/2009080>

Pontiroli, C., Malecot, Y., Vu, X. H., Daudeville, L., Buzaud, E., & Rouquand, A. (2009). Experimental and numerical analysis on dry and saturated concrete behaviour under high pressure confinement. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 11. <https://doi.org/10.1051/dymat/2009002>

Portune, A. R., & Haber, R. A. (2009). Role of Microstructure in Ultrasound Response for Armor Ceramics. *Review of Progress in Quantitative Nondestructive Evaluation, Vols 28a and 28b* (C. 1096, ss. 1309-1316).

Pranevicius, L., Pranevicius, L., Martinavicius, A., Kanapickas, A., & Templier, C. (2009). Studies of carbon behavior in tungsten under carbon and hydrogen mixed irradiation. *Vacuum*, 83, S45-S50. <https://doi.org/10.1016/j.vacuum.2009.01.019>

Rao, M. P., Nilakantan, G., Keefe, M., Powers, B. M., & Bogetti, T. A. (2009). Global/Local Modeling of Ballistic Impact onto Woven Fabrics. *Journal of Composite Materials*, 43(5), 445-467. <https://doi.org/10.1177/0021998308097684>

Rodriguez-Martinez, J. A., Rusinek, A., Arias, A., & Dossou, E. (2009). On the perforation process of 2024-T3 aluminium sheets subjected to low impact velocity: Effects of friction condition and initial temperature. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 319-+. <https://doi.org/10.1051/dymat/2009044>

Saevik, S., & Ye, N. (2009). Armour Layer Fatigue Design Challenges for Flexible Risers in Ultra-Deep Water Depth. *Omae 2009, Vol 3: Pipeline and Riser Technology*, 767-775. <https://www.webofscience.com/wos/woscc/full-record/WOS:000282993000080>

Schmidt, K. F., Little, J. R., Ellingson, W. A., & Green, W. (2009). A Portable Microwave Interference Scanning System for Nondestructive Testing of Multi-Layered Dielectric Materials. *Review of Progress in Quantitative Nondestructive Evaluation, Vols 28a and 28b* (C. 1096, ss. 1107).

Schmidt, K., Little, J., & Ellingson, W. A. (2009). A Portable Microwave Scanning Technique for Nondestructive Testing of Multilayered Dielectric Materials. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 179).

Sheikh, A. H., Bull, P. H., & Kepler, J. A. (2009). Behaviour of multiple composite plates subjected to ballistic impact. *Composites Science and Technology*, 69(6), 704-710. <https://doi.org/10.1016/j.compscitech.2008.03.022>

Shockey, D. A., Bergmannshoff, D., Curran, D. R., & Simons, J. W. (2009). Physics of Glass Failure During Rod Penetration. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 23-32).

Slamnoi, G., Bejan, M., Vladu, G., Ciuculin, A., & Bandrabur, D. L. (2009). About Ballistic Protection Structure Behaviour Under Impact. *Annals of Daaam for 2009 & Proceedings of the 20th International Daaam Symposium* (C. 20, ss. 619-620).

Sun, X., Lai, K. C., Gorsich, T., & Templeton, D. W. (2009). Optimizing Transparent Armor Design Subject to Projectile Impact Conditions. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 15).

Tsantinis, N., Song, J. W., & Paulson, R. (2009). Effect of projectile type and impact velocity on the ballistic impact failure of TROGAMID (R) CX-7323 Nylon: Experiment and simulation. *Dymat 2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 1*, 463-469. <https://doi.org/10.1051/dymat/2009066>

Wang, Y. W., Wang, F. C., Yu, X. D., Wang, C. Y., & Ma, Z. (2009). Dynamic mechanical properties and failure mechanism of 50vol%SiCp/2024Al composites. *Dymat*

2009: 9th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading, Vol 2, 1223-1229. <https://doi.org/10.1051/dymat/2009172>

Wells, J. M., & Rupert, N. L. (2009). Ballistic Damage Assessment of a Thin Compound Curved B4c Ceramic Plate Using Xct. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 191).

Wilantewicz, T. E., & McCauley, J. W. (2009). Analysis of Hardness Indentation Size Effect (ise) Curves in Ceramics: A New Approach to Determine Plasticity. *Advances in Ceramic Armor Iv* (C. 29, Sayı 6, ss. 219-227).

Yang, L., Wang, Y., Zhang, Q. M., & Du, Z. P. (2009). Numerical Study on Damage Response of Ship Composite Armor Structures to Contact Underwater Explosion. *Multi-Functional Materials and Structures Ii, Pts 1 and 2* (C. 79-82, ss. 1329). <https://doi.org/10.4028/www.scientific.net/AMR.79-82.1329>

Akçay, M., Arslan, S., B.E., B., & s, K. (2010). Avrupa Birliğinde Savunma Sanayii Gelişimi ve Stratejileri (in Turkish). *SAVTEK 2010 Savunma Teknolojileri Kongresi*.

Akçay, M., & Dede, G. (2010). Türkiye'nin Savunma Harcamaları ve AB ile Karşılaştırılması (in Turkish). *SAVTEK 2010 Savunma Teknolojileri Kongresi*.

Belloso, A., Guicciardi, S., Medri, V., Monteverde, F., Sciti, D., & Silvestroni, L. (2010). Processing and properties of ultra-refractory composites based on zr- and hf-borides: state of the art and perspectives. *Boron Rich Solids: Sensors, Ultra High Temperature Ceramics, Thermoelectrics, Armor* (ss. 147-160). [https://doi.org/10.1007/978-90-481-9818-4\\_10](https://doi.org/10.1007/978-90-481-9818-4_10)

Bivin, Y. K., & Simonov, I. V. (2010). Fracture mechanisms of metal plates under off-centred impact. *Advances in Fracture and Damage Mechanics Viii* (C. 417-418, ss. 249-252).

Blair, R. G. (2010). Mechanochemically Driven Syntheses of Boride Nanomaterials. *Boron Rich Solids: Sensors, Ultra High Temperature Ceramics, Thermoelectrics, Armor* (ss. 273-285). [https://doi.org/10.1007/978-90-481-9818-4\\_18](https://doi.org/10.1007/978-90-481-9818-4_18)

Bless, S., & Chen, T. (2010). Impact damage in layered glass. *International Journal of Fracture, 162*(1-2), 151-158. <https://doi.org/10.1007/s10704-009-9379-7>

Brooks, R., Lidgett, M., Warrior, N. A., & Brown, K. (2010). Multi-Scale Modelling of Damage in Textile Composite Materials at High Rates of Strain.., *Recent Advances in Textile Composites* (ss. 314-321).

Buitrago, B. L., Santiuste, C., Sanchez-Saez, S., Barbero, E., & Navarro, C. (2010). Modelling of composite sandwich structures with honeycomb core subjected to high-velocity impact. *Composite Structures, 92*(9), 2090-2096. <https://doi.org/10.1016/j.compstruct.2009.10.013>

Callinan, R. J., Wang, J., & White, C. (2010). Residual Strength of a Helicopter Composite Structure Subjected to Small Arms Fire. *Pricm 7, Pts 1-3* (C. 654-656, ss. 2596).

Casiano, M. J., Hulka, J. R., & Yang, V. (2010). Liquid-Propellant Rocket Engine Throttling: A Comprehensive Review. *Journal of Propulsion and Power, 26*(5), 897-923. <https://doi.org/10.2514/1.49791>

Do, J., Jeon, C., Nam, D.-H., Kim, C. P., Song, Y. B., & Lee, S. (2010). Ballistic Performance of Zr-Based Bulk Metallic Glass/Ti Surface Composites Fabricated by High-Energy Electron-Beam Irradiation. *Pricm 7, Pts 1-3* (C. 654-656, ss. 2700). <https://doi.org/10.4028/www.scientific.net/MSF.654-656.2700>

Gao, X., Shao, W., & Ji, H. (2010). Study on mechanical properties and damage behaviors of Kevlar fiber reinforced epoxy composites by digital image correlation technique under optical microscope. *5th International Symposium on Advanced Optical Manufacturing and Testing Technologies: Design, Manufacturing, and Testing of Micro- and Nano-Optical Devices and Systems* (C. 7657, s. 76571L). <https://doi.org/10.1117/12.866731>

Gebhard, S., Peters, P., Roth-Fagaraseanu, D., Turley, F., & Voggenreiter, H. (2010). The Effect of Impact on the TiAl Alloy TNBV3B Produced on Three Different Processing Routes. *Thermec 2009, Pts 1-4* (C. 638-642, ss. 1312). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/MSF.638-642.1312>

Ghosh, D., & Subhash, G. (2010). Scratch Studies in Boron-Rich Lightweight and Ultrahigh Temperature Ceramic. *Boron Rich Solids: Sensors, Ultra High Temperature Ceramics, Thermoelectrics, Armor* (ss. 83-94). [https://doi.org/10.1007/978-90-481-9818-4\\_6](https://doi.org/10.1007/978-90-481-9818-4_6)

Gu, B. (2010). Ballistic Penetration Damages of 3-D Orthogonal and 3-D Angle-interlock Woven Fabrics. *Proceeding of the Third World Conference on 3d Fabrics and Their Applications* (ss. 90-95).

He, X., & Kong, X. (2010). Tensile mechanical properties of metal honeycomb sandwich structure with interface connection defects. *Behavior and Mechanics of Multifunctional Materials and Composites 2010* (C. 7644, s. 764421). <https://doi.org/10.1117/12.847264>

He, X., Kong, X., Shi, L., & Li, M. (2010). Dynamic Response of Metal Honeycomb Sandwich Structure under High Speed Impact. *Fourth International Conference on Experimental Mechanics* (C. 7522, s. 752211). <https://doi.org/10.1117/12.851563>

Helte, A., & Liden, E. (2010). The Role of Kelvin-Helmholtz Instabilities on Shaped Charge Jet Interaction With Reactive Armor Plates. *Journal of Applied Mechanics-Transactions of the Asme*, 77(5), 051805. <https://doi.org/10.1115/1.4001738>

Jun, J., Lee, J., Shin, K., & Hong, J. (2010). Quantitative Nondestructive Evaluation of the Aluminum Alloy Using the Sheet Type Induced Current and the Single Sensor Scanning. *Advances in Fracture and Damage Mechanics Viii* (C. 417-418, ss. 641).

Lefebvre, M., Boussu, F., & Coutellier, D. (2010). Influence of Warp Interlock Parameters on the Ballistic Behavior of a Structure. *Recent Advances in Textile Composites* (ss. 322).

Li, X.-E., Chen, X.-G., & Sun, D.-M. (2010). Analysis of Ballistic Impact on Basalt Fabric. *Textile Bioengineering and Informatics Symposium Proceedings, Vols 1-3* (ss. 1192-1195). <https://doi.org/10.3993/tbis2010211>

Liaptsis, D., Cooper, I., Ludford, N., Gunner, A., Williams, M., & Willis, D. (2010). NDT characterisation of boron carbide for ballistic applications. *Non-Destructive Testing Conference 2010 (Ndt 2010)*, 166-177.

Lowther, J. E. (2010). Elastic and Vibration Properties of Boron-Carbon Ultra Hard Materials. *Boron Rich Solids: Sensors, Ultra High Temperature Ceramics, Thermoelectrics, Armor* (ss. 131-145). Springer. [https://doi.org/10.1007/978-90-481-9818-4\\_9](https://doi.org/10.1007/978-90-481-9818-4_9)

Magier, M. (2010). The Conception of the Segmented Kinetic Energy Penetrators for Tank Guns. *Journal of Applied Mechanics-Transactions of the Asme*, 77(5), 051802. <https://doi.org/10.1115/1.4001714>

Majewski, T. (2010). Investigations of Production Processes of W-Re-Ni and W-Re-Ni-Fe Heavy Metals. *Mechatronic Systems and Materials: Materials Production Technologies* (C. 165, ss. 124-129). <https://doi.org/10.4028/www.scientific.net/SSP.165.124>

Morrell, R. (2010). Effective Methods to Determine Hardness and Toughness of Structural Ceramics. *Characterization and Control of Interfaces for High Quality Advanced Materials Iii* (C. 219, ss. 355-361).

Mu, Z., Zhang, W., Pang, P., & Yang, Z. (2010). On the Resistance of Plain and Steel Fiber-reinforced Concrete Slabs against Short Ogival Projectiles Impacting. *Fourth International Conference on Experimental Mechanics* (C. 7522, s. 752204). <https://doi.org/10.1117/12.851244>

Orlovskaya, N., Lugovy, M., Slyunyayev, V., Subbotin, V., Liang, F., Gou, J., Kuebler, J., & Graule, T. (2010). Boron Carbide/Boron Carbide-Carbon Nanofibers Laminates with Weak Interfaces. *Boron Rich Solids: Sensors, Ultra High Temperature Ceramics, Thermoelectrics, Armor* (ss. 1). [https://doi.org/10.1007/978-90-481-9818-4\\_1](https://doi.org/10.1007/978-90-481-9818-4_1)

Phoenix, S. L., Yavuz, A. K., & Porwal, P. K. (2010). New Interference Approach for Ballistic Impact into Stacked Flexible Composite Body Armor. *Aiaa Journal*, 48(2), 490-501. <https://doi.org/10.2514/1.45362>

Pintsuk, G., & Uytendhouwen, I. (2010). Thermo-mechanical and thermal shock characterization of potassium doped tungsten. *International Journal of Refractory Metals & Hard Materials*, 28(6), 661-668. <https://doi.org/10.1016/j.ijrmhm.2010.03.001>

Ramaiah, G. B., Chennaiah, R. Y., & Satyanarayanarao, G. K. (2010). Investigation and modeling on protective textiles using artificial neural networks for defense applications. *Materials Science and Engineering B-Advanced Functional Solid-State Materials*, 168(1-3), 100-105. <https://doi.org/10.1016/j.mseb.2009.12.029>

Samiee, A., Isaacs, J., & Nemat-Nasser, S. (2010). Ballistic performance of polyurea-coated armor grade ceramic tiles. *Behavior and Mechanics of Multifunctional Materials and Composites 2010* (C. 7644, s. 76441Y). <https://doi.org/10.1117/12.847836>

Schulte, A. M., Lekakh, S. N., Richards, V. L., & Van Aken, D. C. (2010). Modeling for Improved Casting Quality of High Aluminum Steels. *Transactions of the American Foundry Society, Vol 118, 118*, 437-449.

Sha, S.-X., Chen, Y., & Liu, X.-Y. (2010). Finite-element Modelling of the Impact on Mechanical Protective Clothing. *Textile Bioengineering and Informatics Symposium Proceedings, Vols 1-3* (ss. 1090-1095). <https://doi.org/10.3993/tbis2010193>

Suhaimi, M. S., Mohamed, R., & Faiza, M. A. (2010). Effect of polymer microsphere incorporation on impact performance of STF cotton fabric composite. *9th National Symposium on Polymeric Materials (nspm 2009)* (C. 11, s. 012005). <https://doi.org/10.1088/1757-899X/11/1/012005>

Tao, C., Zhang, Y., Li, S., Jia, C., Li, Y., Zhang, X., & He, Z. (2010). Mechanism of Interior Ballistic Peak Phenomenon of Guns and Its Effects. *Journal of Applied Mechanics-Transactions of the Asme*, 77(5), 051405. <https://doi.org/10.1115/1.4001561>

Van Roey, J., Imad, A., Rabet, L., Vandeveld, T., Boussu, F., & Reck, B. (2010). Continuous Measurement of the Projectile Velocity During Ballistic Impact in Flexible Body

Armour. *Recent Advances in Textile Composites* (ss. 299).  
<https://www.webofscience.com/wos/woscc/full-record/WOS:000292709400037>

Vandeveld, T., & Coghe, F. (2010). Out-of-Plane Deflection of Rigid Body Armour Systems: Digital Image Correlation Techniques and Analytical Modelling. *Recent Advances in Textile Composites* (ss. 283-290).

Wang, Y., Chen, X., Young, R., & Kinloch, I. (2010). Finite element simulation of ballistic impact on woven fabric assemblies. *Icms2010: Proceedings of the Third International Conference on Modelling and Simulation, Vol 1: Engineering Computation and Finite Element Analysis* (ss. 1-6).

Wisniewski, A. (2010). Explosive Sensitivity Influence on One- and Two-Layered Reactive Armors' Behavior. *Journal of Applied Mechanics-Transactions of the Asme*, 77(5), 051901. <https://doi.org/10.1115/1.4001696>

Yingnan, G., Qin, S., & Ling, W. (2010). Study of Dynamic Impact Behaviors and Ballistic Properties of Hybrid Composites. *Advances in Fracture and Damage Mechanics Viii* (C. 417-418, ss. 213-216).

Yong, M., Iannucci, L., & Falzon, B. G. (2010). Efficient modelling and optimisation of hybrid multilayered plates subject to ballistic impact. *International Journal of Impact Engineering*, 37(6), 605-624. <https://doi.org/10.1016/j.ijimpeng.2009.07.004>

Yu, W., & Zhang, X. (2010). Aerodynamic Analysis of Projectile in Gun System Firing Process. *Journal of Applied Mechanics-Transactions of the Asme*, 77(5), 051406. <https://doi.org/10.1115/1.4001559>

Zabeen, S., Preuss, M., Withers, P. J., Spanrad, S., Tong, J., & Schofield, J. (2010). Synchrotron Strain Mapping Of The Residual Strain Distribution Around Foreign Object Damage In Laser Shock Peened Ti-6AL-4V Alloy. *Mechanical Stress Evaluation by Neutrons and Synchrotron Radiation* (C. 652, ss. 19). <https://doi.org/10.4028/www.scientific.net/MSF.652.19>

Zakikhani, M., Harrelson, D. W., Tom, J. G., Kissane, J. A., Allis, M. K., & Kolber, J. E. (2010). Environmental impacts on coastal structures with a case evaluation of armor stone protection at Keweenaw Waterway, USA. *Advances in Fluid Mechanics Viii* (ss. 417-426). <https://doi.org/10.2495/AFM100361>

Abdel-Wahed, M. A., Salem, A. M., Zidan, A. S., & Riad, A. M. (2010). Penetration of a Small Caliber Projectile into Single and Multi-layered Targets. *Icem 14: 14th International Conference on Experimental Mechanics, Vol 6* (C. 6, s. 02004). <https://doi.org/10.1051/epjconf/20100602004>

Aminanda, Y., & Hamid, W. L. H. (2011). Experimental study of energy absorption capability of metallic-palm fiber-metallic hybrid composite plate. *Advanced Materials and Processes, Pts 1-3* (C. 311-313, ss. 68-71). <https://doi.org/10.4028/www.scientific.net/AMR.311-313.68>

Asadi, A., & Vanini, S. S. (2011). Modeling of impact behavior of lightweight composites under metallic Projectile. *Computer-Aided Design, Manufacturing, Modeling and Simulation, Pts 1-2* (C. 88-89, ss. 214-218). <https://doi.org/10.4028/www.scientific.net/AMM.88-89.214>

Anderson, C. E., Weiss, C. E., & Chocron, S. (2011). Scaled Impact Experiments into Borosilicate Glass. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1488-1491).

Anderson, D. J., Hoffman, M. J., Martin, J. A., & Gunther, D. W. (2011). Materiel Availability Modeling and Analysis for a Complex Army Weapon System. *Annual Reliability and Maintainability Symposium (Rams), 2011 Proceedings*.

Assaf, Z., Aizik, F., Raz, H., Narodizky, D., Avraham, D., Ravid, M., & Shapira, N. (2011). Blast Mitigation Seats for Armored Platforms-Development and Evaluation Methodology. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1933-1941).

Auten, J. R. (2011). A Comparison of Penetration Algorithms: Predictions Vs. Test Data for Kinetic Energy Rods. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1522-1532).

Baum, J. D., Williams, G. D., Soto, O. A., Togashi, F., & Loehner, R. (2011). Numerical Modeling of Rocket Warhead Detonation and Fragmentation. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2119-2129).

Bianchi, D., Nasuti, F., Onofri, M., & Martelli, E. (2011). Thermochemical Erosion Analysis for Graphite/Carbon-Carbon Rocket Nozzles. *Journal of Propulsion and Power*, 27(1), 197-205. <https://doi.org/10.2514/1.47754>

Bottiglieri, S., & Haber, R. A. (2011). Ultrasonic Nondestructive Characterization and Its Correlation to Alumina Microstructure. *Advances in Ceramic Armor VII* (C. 32, ss. 129-137).

Brennan, R. E., & Green, W. H. (2011). Low Velocity Impact Damage Characterization of Transparent Materials. *Advances in Ceramic Armor VII* (C. 32, ss. 139-150).

Cao, H.-Q., Zhao, X.-N., Zhang, X.-F., Wang, J.-B., & Sun, S.-J. (2011). Study on Penetration Resistance of Tubular Spaced Armor by Jet. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1100-1107).

Carton, E. P., Roebroeks, G. H. J. J., & Abadjieva, E. (2011). Time Resolved Engineering Metal Penetration Models. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1280-1288).

Cavallini, E., Favini, B., Di Giacinto, M., & Serraglia, F. (2011). Internal Ballistics Simulation of a Nawc Tactical Srm. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 868-871).

Celmins, I. (2011). 5.56 mm M855 accuracy and jump measurements. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 987-998).

Chinella, J. F. (2011). Modeling Performance of Protection Materials Aluminum 7020-T651 and Rha Steel. *Tms2011 Supplemental Proceedings, Vol 2: Materials Fabrication, Properties, Characterization, and Modeling*, 221-228.

Chocron, S., Kirchdoerfer, T., King, N., & Freitas, C. J. (2011). Modeling of Fabric Impact with High Speed Imaging and Nickel-Chromium Wires Validation. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 45-49).

Clayton, J. D., & Kraft, R. H. (2011). Mesoscale Modeling of Dynamic Failure of Ceramic Polycrystals. *Advances in Ceramic Armor VII* (C. 32, ss. 237-248).

Courtney, M. W., & Courtney, A. C. (2011). Attenuation of a Blast Wave Through Cranial Bone. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2096-2107).

Dancer, C. E. J., Curtis, H. M., Bennett, S. M., Petrinic, N., & Todd, R. I. (2011). Measurement of Deformation in Alumina Samples Indented at High Strain Rates. *Advances in Ceramic Armor VII* (C. 32, ss. 227-236).

Daniela, C., Vasile, C., & Paul, B. D. (2011). Optimum Utilization Armored Vehicles in Military Actions. *Proceedings of the 5th International Conference on Manufacturing Science and Education (mse 2011), Vol I* (ss. 7-10).

D'Aries, L. J. (2011). Design, development, testing and deployment of the world's first fully automated individual body armor x-ray inspection system. *11th International Conference on the Mechanical Behavior of Materials (icm11)* (C. 10). <https://doi.org/10.1016/j.proene.2011.04.478>

Dejl, R., & Krupincova, G. (2011). Ballistic Testing of Experimental Composites. *Strutex: Structure and Structural Mechanics of Textiles Fabrics, 2011/Strukturni a Strukturni Mechanika Textilii, 2011*, 537-544.

Ding, Z., Zhang, Y., & Qian, X. (2011). The development and status of the stab-resistant body armor. *Advances in Textile Engineering* (C. 331, ss. 73-76). <https://doi.org/10.4028/www.scientific.net/AMR.331.73>

Dong, S. L., Ye, Z. Y., Geng, H. B., Zhang, H., Zou, Y., Yang, D. Z., He, S. Y., & Han, E. H. (2011). Damage of Ti-6Al-4V Alloy Induced by Hypervelocity Impact. *Journal of Spacecraft and Rockets*, 48(2), 256-265. <https://doi.org/10.2514/1.49458>

Dung, Y., Du, Z., Song, L., Zhong, K., & Wang, F. (2011). Influence of the Penetrator's Head Structure on Crater Formation. *Proceedings of the 4th International Conference on Mechanical Engineering and Mechanics* (ss. 502-506).

Egres, R. G., Carbajal, L. A., & Deakyne, C. K. (2011). Non-Orthogonal Kevlar (r) Fabric Architectures for Body Armor Applications. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1821-1832).

Erice, B., Galvez, F., Cendon, D. A., Sanchez-Galvez, V., & Borvik, T. (2011). An Experimental and Numerical Study of Ballistic Impacts on a Turbine Casing Material at Varying Temperatures. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1757-1760).

Favorsky, V., Assaf, Z., Aizik, F., Ran, E., Borenstein, A., Vizel, A., Ravid, M., & Shapira, N. (2011). Experimental-Numerical Study of Inclined Impact in Ai7075-T7351 Targets by 0.3 Ap Projectiles. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1644-1654).

Fountzoulas, C. G., & LaSalvia, J. C. (2011). Simulation of the Ballistic Impact of Tungsten-Based Penetrators on Confined Hot-Pressed Boron Carbide Targets. *Advances in Ceramic Armor VII* (C. 32, ss. 261-269).



Fountzoulas, C. G., & Sands, J. M. (2011). Modeling and Simulating the Performance of Transparent Spinel and the Effect of Defects on Dynamic Response. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1437-1444).

Fukumoto, M., Nakano, T., Itami, K., Wada, T., Ueda, Y., & Tanabe, T. (2011). Effects of carbon impurity on deuterium retention in VPS-tungsten coatings exposed to JT-60U divertor plasmas. *Journal of Nuclear Materials*, 415(1), S705-S708. <https://doi.org/10.1016/j.jnucmat.2010.12.310>

Gallardy, D. (2011). Ballistic Evaluation of Aluminum 7085-T7e01 and T7e02. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1357-1363).

Gao, C., Yuan, J., Jin, H., & Song, Z. (2011). Wear Characteristics of Impregnated Diamond Bit in Drilling Armor Ceramic. *Materials Science and Engineering, Pts 1-2* (C. 179-180, ss. 1150-1155). <https://doi.org/10.4028/www.scientific.net/AMR.179-180.1150>

Gao, J., Wang, Y., Zhang, L., Han, G., & Wang, F. (2011). Study on the Ballistic Performance of Ceramic Composite Armor with Different Adhesive. *Manufacturing Engineering and Automation I, Pts 1-3* (C. 139-141, ss. 308). <https://doi.org/10.4028/www.scientific.net/AMR.139-141.308>

Gasqueres, C., & Nussbaum, J. (2011). Ballistic Performance and Failure Mode of High Performance 2139-T8 and 7449-T6 Aluminium Alloys. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1289-1295).

Giglio, M., & Manes, A. (2011). Terminal ballistic effect on the crack growth assessment of a helicopter rotor drive. *Engineering Fracture Mechanics*, 78(8), 1542-1554. <https://doi.org/10.1016/j.engfracmech.2011.01.024>

Gkritzapis, D., & Panagiotopoulos, E. (2011). In-Bore Yaw Effects on Lateral Throwoff and Aerodynamic Jump Behavior for Small Caliber Projectiles Firing Sidewise from Air Vehicles. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 458-462).

Gooch, W. A. (2011). 2011 Overview of the Development of Ceramic Armor Technology: Past, Present and the Future. *Advances in Ceramic Armor Vii* (C. 32, ss. 195-213).

Guang-yan, H., Shun-shan, F., Guang, W., & Shun-ping, L. (2011). Performance of Different Projectile Nose Shapes in Normal Penetrating Armor Targets. *Advanced Design Technology, Pts 1-3* (C. 308-310, ss. 1420). <https://doi.org/10.4028/www.scientific.net/AMR.308-310.1420>

Gurganus, J., Hisley, D., & Drysdale, A. (2011). Experimental Methodology Using Digital Image Correlation to Assess Ballistic Helmet Blunt Trauma. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2003-2006).

Ha-Minh, C., Boussu, F., Kanit, T., Crepin, D., & Imad, A. (2011). Effect of Frictions on the Ballistic Performance of a 3d Warp Interlock Fabric: Numerical Analysis. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1792-1802).

Hathaway, W., Steinhoff, M., Hathaway, A., Whyte, R., & Burnett, J. (2011). Recent Improvements in Ballistic Data Reduction: Data Fusion. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 463-473).

Haynes, A. S., & Cordes, J. A. (2011). Characterization of a Potting Material for Gun Launch. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1038-1047).

Heider, N., & Salk, M. (2011). The Erosion Threshold for High Velocity Geo-Penetrators. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1338-1347).

Heine, A., Weber, K. E., & Wickert, M. (2011). Experimental Investigation of the Penetration and Perforation of Building Materials by Projectiles. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1669-1678).

Hornung, S. N. (2011). The Impact of High Accuracy Target Geometry in Modeling and Simulation to Support Live-Fire Test and Evaluation. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2007-2011). Destech Publications, Inc. <https://www.webofscience.com/wos/woscc/full-record/WOS:000297632200216>

Huang, S., Binner, J., Vaidhyanathan, B., Brown, P., Hampson, C., & Spade, C. (2011). Development of Nano Zirconia Toughened Alumina for Ceramic Armor Applications. *Advances in Ceramic Armor VII* (C. 32, ss. 103-113).

Huang, Z.-X., Zu, X.-D., Xiao, Q.-Q., & Jia, X. (2011). The Role of the Wave Impedance of the Sandwich Material in the Composite Armor Against Shaped Charge Jet. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1326-1333).

Hunn, D. L., & Lee, S. J. (2011). Development of a Novel Ceramic Armor System: Analysis and Test. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1108-1119).

Hunt, E., & Burdeshaw, M. (2011). Muses 3-Vulnerability/Lethality Analysis Tool of the Future. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2023-2034).

Ilie, F., & Petrisor, S. (2011). Numerical and Experimental Research on Ballistic Protection Systems Development. *17th International Conference - the Knowledge-Based Organization: Applied Technical Sciences and Advanced Military Technologies, Conference Proceeding 3*, 94-97.

Jannotti, P., Subhash, G., & Varshneya, A. (2011). Static and Dynamic Indentation Response of Ion-Armor (tm) Glass. *Advances in Ceramic Armor VII* (C. 32, ss. 21-25).

John, D., Radtke, C., Bailey, B., Smyth, D., Weidemann, F., & Berthold, U. (2011). Simulation of Small Ammunitions in Aviation Applications. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1843-1854).

Johnson, T. D., Hinz, B. J., West, M. K., Jasthi, B. K., Ellingsen, M. D., Widener, C. A., & Muci-Kuechler, K. H. (2011). Evaluation of the Response of Friction Stir Processed Panels Under Ballistic Loading. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1833-1842).

Joo, J., Lee, C., & Choi, J. (2011). A Numerical Research on the Penetration into a Semi-infinite Rolled Homogeneous Armor by a Medium-caliber Kinetic Energy Projectile. *Explosion, Shock Wave and High-Energy Reaction Phenomena* (C. 673, ss. 197-202). <https://doi.org/10.4028/www.scientific.net/MSF.673.197>

Kaiser, H.-J., Kern, A., Scharf, S., & Gooch, W. A. (2011). Ballistic Testing of Thyssenkrupp Steel Europe Armor Steel in Accordance with Us Military Armor Specifications. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1167-1176).

Karandikar, P. G., & Wong, S. (2011). Microstructural design for si-b4c-diamond system. *Advances in Ceramic Armor VII* (C. 32, ss. 61-70).

Kim, G., Tae, W., Lee, J., & Cho, M. (2011). Optimum Design of Magnesium-Based Multi-Layered Hybrid Armor. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1683-1693).

Kim, G. W., & Shin, K. S. (2011). A Study on the effect of dynamic behavior of external fuel tank horizontal fin on fatigue life. *11th International Conference on the Mechanical Behavior of Materials (icm11)* (C. 10). <https://doi.org/10.1016/j.proeng.2011.04.110>

Kim, H. S., Arnold, W., Hartmann, T., Rottenkolber, E., & Klavzar, A. (2011). A Model for Behind Armor Debris from Efp Impact. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1410-1419).

Kishimoto, H., Shibayama, T., Abe, T., Shimoda, K., Kawamura, S., & Kohyama, A. (2011). Diffusion Bonding Technology of Tungsten and SiC/SiC Composites for Nuclear Applications. *3rd International Congress on Ceramics (icc3): Ceramics and Composites for Advanced Nuclear Energy and Hazardous Waste Treatment Applications, 18*, 162015. <https://doi.org/10.1088/1757-899X/18/16/162015>

Kishimoto, H., Shibayama, T., Shimoda, K., Kobayashi, T., & Kohyama, A. (2011). Microstructural and mechanical characterization of W/SiC bonding for structural material in fusion. *Journal of Nuclear Materials*, 417(1-3), 387-390. <https://doi.org/10.1016/j.jnucmat.2010.12.079>

Kitta, S., Hasegawa, H., Murakami, M., & Obayashi, S. (2011). Aerodynamic properties of a shuttlecock with spin at high Reynolds number. *5th Asia-Pacific Congress on Sports Technology (apcst)* (C. 13, ss. 271-277). <https://doi.org/10.1016/j.proeng.2011.05.084>

Koene, L., Barou, J.-L., & Viot, P. (2011). Ballistic Gelatine Behaviour Under Quasi-Static and Dynamic Loadings. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1949-1958).

Kong, D., Di, C., Zhang, C., & Yang, L. (2011). Study on Quantity Value Transfer Method of Static Calibration System for Copper Cylinder. *Proceedings of the 4th International Conference on Mechanical Engineering and Mechanics* (ss. 201).

Lebon, G., Grmela, M., & Dubois, C. (2011). From ballistic to diffusive regimes in heat transport at nano-scales. *Comptes Rendus Mecanique*, 339(5), 324-328. <https://doi.org/10.1016/j.crme.2011.03.009>

Li, W., Wang, X., Li, W., & Zheng, Y. (2011). Research on the Process of Dual-Mode Efp Penetration into a Semi-Infinite Target. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1231-1241).

Liden, E., & Helte, A. (2011). Fracture Mechanics of Long Rod Projectiles Subjected to Oblique Moving Plates. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1736-1747).

Lidgett, M., Brooks, R., Warrior, N., & Brown, K. A. (2011). Virtual modelling of microscopic damage in polymer composite materials at high rates of strain. *Plastics Rubber and Composites*, 40(6-7), 324-332. <https://doi.org/10.1179/1743289810Y.0000000007>

Liu, W., Hu, Z., Ye, L., & Liu, Y. (2011). The study of projectile penetration into aluminum armor plate. *Materials and Design, Pts 1-3* (C. 284-286, ss. 2517). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/AMR.284-286.2517>

Lumassi, D., Manes, A., & Giglio, M. (2011). Protection effect on a ballistic impact of NATO 7.62 ball bullet into helicopter drive shaft: Numerical simulation. *Performance, Protection and Strengthening of Structures Under Extreme Loading* (C. 82, ss. 710-715). <https://doi.org/10.4028/www.scientific.net/AMM.82.710>

Luo, Q., & Zhang, X. (2011). Research for a Projectile Positioning Structure for Stacked Projectile Weapons. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 822-825).

Mach, J., & Lee, M. (2011). Ballistic Performance of Steels and Aluminums in Fe Firing Simulations. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 893-904).

Manes, A., Peroni, L., Scapin, M., & Giglio, M. (2011). Analysis of strain rate behavior of an A1 6061 T6 alloy. *11th International Conference on the Mechanical Behavior of Materials (icm11)* (C. 10, ss. 3477-3482). <https://doi.org/10.1016/j.proeng.2011.04.573>

Mapelli, C., Manes, A., Giglio, M., Mombelli, D., Baldizzone, C., & Gruttadauria, A. (2011). Microstructural investigation on an A1 6061 T6 alloy subjected to ballistic impact. *11th International Conference on the Mechanical Behavior of Materials (icm11)* (C. 10, ss. 3447-3452). <https://doi.org/10.1016/j.proeng.2011.04.568>

Marcisz, J., Garbarz, B., Burian, W., Adamczyk, M., & Wisniewski, A. (2011). New Generation Maraging Steel and High-Carbon Bainitic Steel for Armours. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1595-1606).

Mason, T. A., Stanfield, J., & Neidert, J. B. (2011). Damage Mechanisms in Dynamically Loaded Aisi 4130 Steel. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1812-1820).

Mayselless, M. (2011). Effectiveness of Explosive Reactive Armor. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 16-19).

Mayselless, M., Bianchi, S., Katzir, Z., & Chanukaev, S. (2011). Mass-Flux Model for Non Metallic Reactive Armor. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1144-1155).

McCouston, R., Ngernbamrung, S., Dateraksa, K., Sujirote, K., Wannasin, J., & Sungkapun, T. (2011). FABRICATION OF HIGH VOLUME FRACTION SiCp/Al METAL MATRIX COMPOSITES. *Advances in Ceramic Armor VII* (C. 32, ss. 71-80).

McDonough, W., Kobayashi, H., Virginie, L., Forster, A., Rice, K., & Holmes, G. (2011). The Mechanisms of Damage in Ballistic Fibers. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1348-1356).

Morka, A., & Jackowska, B. (2011). Ballistic resistance of the carbon nanotube fibres reinforced composites—Numerical study. *Computational Materials Science*, 50(4), 1244-1249. <https://doi.org/10.1016/j.commatsci.2010.03.046>

Morrow, C. P., Domnich, V., & Haber, R. A. (2011). Multi-scale computational investigations of SiC/B4C interfaces. *Advances in Ceramic Armor VII* (C. 32, ss. 249-260).

Nordendale, N. A., Heard, W. F., & Basu, P. K. (2011). Multi scale behavior of short-fiber reinforced cementitious material under ballistic impact. *11th International Conference on the Mechanical Behavior of Materials (icm11)* (C. 10). <https://doi.org/10.1016/j.proeng.2011.04.044>

Nsiampa, N. N., Robbe, C., & Papy, A. (2011). Numerical Simulation of Kinetic Energy Non-Lethal Projectiles on Human Thorax. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2086-2095).

Pang, C., He, Y., Shen, X., Du, Z., Zhang, X., & Pan, X. (2011). Experimental Studies of a Tandem Follow-through Warhead Penetrating Steel Plate. *Proceedings of the 4th International Conference on Mechanical Engineering and Mechanics* (ss. 467-471).

Papy, A., Robbe, C., & Nsiampa, N. (2011). Standardization of Skin Penetration Assessment for Non-Lethal Impact Projectiles. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2067-2073).

Park, H., & Chen, W. W. (2011). The Effects of Surface Conditions on Dynamic Crack Propagation Through an Interface in Glass. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1694-1699).

Piekutowski, A. J., Poormon, K. L., Christiansen, E. L., & Davis, B. A. (2011). Performance of Whipple shields at impact velocities above 9 km/s. *International Journal of Impact Engineering*, 38(6), 495-503. <https://doi.org/10.1016/j.ijimpeng.2010.10.021>

Plonka, B., Senderski, J., & Wisniewski, A. (2011). Light Metal-Ceramic Passive Armour for Special Application. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1576-1586).

Popa, I.-D., & Olan, G. (2011). Considerations on Evaluation of Ceramic Materials Used in Ballistic Protection. *17th International Conference - the Knowledge-Based Organization: Applied Technical Sciences and Advanced Military Technologies, Conference Proceeding 3*, 162-166.

Rabb, R. J., & Fahrenthold, E. P. (2011). Simulation of Large Fragment Impacts on Shear-Thickening Fluid Kevlar Fabric Barriers. *Journal of Aircraft*, 48(6), 2059-2067. <https://doi.org/10.2514/1.C031445>

Rahmalina, D., Sofyan, B. T., Suharno, B., & Siradj, E. S. (2011). Development of Steel Wire Rope—Reinforced Aluminium Composite for Armour Material Using the Squeeze Casting Process. *Advanced Materials Research QIR 12* (C. 277, ss. 27-35). <https://doi.org/10.4028/www.scientific.net/AMR.277.27>

Rashid, A. H. A., Ahmad, R., Jaafar, M., Roslan, M. N., & Ariffin, S. (2011). Mechanical Properties Evaluation of Woven Coir and Kevlar Reinforced Epoxy Composites. *Advanced Materials Research QIR 12* (C. 277, ss. 36). Ltd. <https://doi.org/10.4028/www.scientific.net/AMR.277.36>

Robbe, C., Nsiampa, N., & Papy, A. (2011). Impact measurements of different 40mm non-lethal sponge grenades. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2074-2085).

Rondot, F., & Nussbaum, J. (2011). Experimental and Computational Study on High Velocity Fragment Impacts. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1258-1264).

Ryan, J., Rhodes, S., & Stawarz, S. (2011). Application of a Ductile Damage Model to Ballistic Impact Analyses. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1883-1894).

Ryan, S., Bjorkman, M., & Christiansen, E. L. (2011). Whipple shield performance in the shatter regime. *International Journal of Impact Engineering*, 38(6), 504-510. <https://doi.org/10.1016/j.ijimpeng.2010.10.022>

Sano, T., & Randow, C. L. (2011). The Effect of Twins on the Mechanical Behavior of Boron Carbide. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 42A(3), 570-574. <https://doi.org/10.1007/s11661-010-0548-0>

Schmidt, K. F., Little, J. R., Ellingson, W. A., Franks, L. P., Meitzler, T. J., & Green, W. (2011). Application of a Miniaturized Portable Microwave Interference Scanning System for Nondestructive Testing of Composite Ceramic Armor. *Advances in Ceramic Armor VII* (C. 32, ss. 163-171).

Schraml, S. J. (2011). Sensitivity of Johnson-Cook Constitutive Model Parameters in Modeling Penetration of Rolled Homogeneous Armor Steel Targets by Tungsten Rods. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1133-1143).

Scott, B. R. (2011). Unusual Transverse Compression Response of Non-Woven Ballistic Laminates. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1859-1871).

Sha, J. J., Hao, X. N., Wang, J., & Gao, X. W. (2011). Numerical Analysis of Thermally-Induced Residual Stresses in Plasma Facing Components for Fusion Reactor. *Manufacturing Process Technology, Pts 1-5* (C. 189-193, ss. 1614). <https://doi.org/10.4028/www.scientific.net/AMR.189-193.1614>

Shemer, E., Armon, A., & Bar, Z. (2011). Discontinuity in the Energy Absorbed During Ballistic Impact in Aluminum Targets. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1587-1594).

Siano, A. (2011). Ballistic Vulnerability Analysis of Ground Combat Vehicles, Understanding the Process and Impact. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 2062-2066).

Singletary, J., Chang, K., Scott, B., & Squillacioti, R. (2011). Properties of Cross-Plied Unidirectional Aramid Fiber Laminates for a New Detailed Military Specification: Mil-Dtl-32378. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1302-1309).

Slusark, D. M., & Haber, R. A. (2011). Microstructure Property Relationship in Ceramic Armor Materials. *Advances in Ceramic Armor VII* (C. 32, ss. 115-126).

Song, B., Park, H., Lu, W.-Y., & Chen, W. (2011). Transverse Impact Response of a Linear Elastic Ballistic Fiber Yarn. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1296-1301).

Stanislawek, S., Morka, A., & Niezgoda, T. (2011). A Composite Consisting of a Set of Hexagonal Ceramic Bars—The Numerical Study of The Ballistic Resistance. *Composite*

*Science and Technology, Pts 1 and 2* (C. 471-472, ss. 1142).  
<https://doi.org/10.4028/www.scientific.net/KEM.471-472.1142>

Steckenrider, J. S., Meitzler, T. J., Franks, L. P., & Ellingson, W. A. (2011). Statistical Quantification and Sensitivity Prediction of Phased-Array Ultrasonic Data in Composite Ceramic Armor. *Advances in Ceramic Armor VII* (C. 32, ss. 173-184).

Strassburger, E., Patel, P., & McCauley, J. W. (2011). Visualization and Analysis of Impact Damage in Sapphire. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1772-1782).

Stubler, D. W., & Spears, T. A. (2011). Failure Analysis of .50 Caliber M20 Api-T Bullet Burst. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 999-1005).

Talladay, T. G., Weinhold, C., Leighton, K. T., Carberry, J. J., & Templeton, D. W. (2011). Investigation of Projectile Trajectory in Multi-Hit Scenarios and the Influence of Damage Characteristics in Glass-Ceramic Transparent Armor. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1533-1544).

Tanabe, Y., Yamada, M., Sasoh, A., Kunieda, M., Sekine, K., & Kumazawa, T. (2011). Impact Fracture Behavior of Ceramics and PE-Fiber-Reinforced Mortars. *Advanced Engineering Ceramics and Composites* (C. 484, ss. 75).  
<https://doi.org/10.4028/www.scientific.net/KEM.484.75>

Tian, M., Zili, Y., Jianmin, G., Zhonglei, Z., & Jianchun, Z. (2011). Microhardness of Various Bullet-Proof Ceramics. *Testing and Evaluation of Inorganic Materials I* (C. 177, ss. 154). <https://doi.org/10.4028/www.scientific.net/AMR.177.154>

VanAmburg, R. L. (2011). A Methodology to Predict Personnel Injury from Reflective Spall. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1942-1948).

Vargas-Gonzalez, L. R., Walsh, S. M., & Scott, B. R. (2011). Balancing Ballistic and Back-Face Deformation in Helmets: The Role of Alternative Resins, Fibers, and Fiber Architecture in Mass-Efficient Head Protection. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1872-1882).

Vicente, J. F., Jerusalem, A., Zhang, Y., Dao, M., Lu, J., & Galvez, F. (2011). Ballistic Testing of Nanocrystalline Hybrid Plates. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1906-1917).

Vilfayeau, J., Boussu, F., & Nussbaum, J. (2011). 3d Flexible Hybrid Textile Structures Against High Velocity Impact. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1369-1376).

Walker, J. D., & Chocron, S. (2011). Why Impacted Yarns Break at Lower Speed Than Classical Theory Predicts. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1855-1858).

Wang, D., Li, J., & Jiao, Y. (2011). Stab Resistance of Thermoset-impregnated UHMWPE Fabrics. *Manufacturing Engineering and Automation I, Pts 1-3* (C. 139-141, ss. 133-136). <https://doi.org/10.4028/www.scientific.net/AMR.139-141.133>

Weaver, C. M., Rigg, P. A., Cordes, J. A., Haynes, A., & Reinhardt, L. (2011). Analyses of fatigue life estimate for a pressure tap in a 40mm gun breech. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 872-882).

Wisniewski, A. (2011). Protection of Light Armors Against Shaped Charge Projectiles. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1895-1905).

Wong, Y. C., Ruan, D., Kim, S. Y., & Sesso, M. (2011). Recycling of Titanium Machined Chips as an Energy Absorption Material. *Advances in Building Materials, Pts 1-3* (C. 261-263, ss. 717-720). <https://doi.org/10.4028/www.scientific.net/AMR.261-263.717>

Wong, Y. C., Ruan, D., Sesso, M. L., & Kim, S. Y. (2011). The ballistic impact characteristic of sandwich panel consisting of Kevlar woven fabric and titanium chips. *Incorporating Sustainable Practice in Mechanics of Structures and Materials* (ss. 615-618).

Woodley, C. (2011). Modelling the Internal Ballistics of Lightweight Plastic Driving Band Projectiles. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 613-624).

Xitao, Z., Qiang, Y., & Linhu, G. (2011). Finite Element Analysis of 4-Step 3-Dimensional Braided Composite Structure under High Velocity Impact. *Fracture and Strength of Solids VII, Pts 1 and 2* (C. 462-463, ss. 289-294). <https://doi.org/10.4028/www.scientific.net/KEM.462-463.289>

Xu, W. F., Huang, X. C., Hao, Z. M., Wang, Y., & Xia, Y. M. (2011). The Concrete Model of the Penetration Problems on Meso-Level. *Advances in Heterogeneous Material Mechanics 2011* (ss. 913).

Yanning, G., Zheng, H., Yan, Y., & Hongtao, C. (2011). Igps-based high dynamic projectile flight ballistic real-time measurement techniques. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 431-439).

Yu, B., Li, X., Wang, L., & Du, Z. (2011). The Research on Fragmentation of Tungsten Heavy Alloy Fragile Material after Penetration. *Proceedings of the 4th International Conference on Mechanical Engineering and Mechanics* (ss. 640).

Yue, X., Ru, H., Zhang, C., & Wang, W. (2011). Synthesis of B4C/Al-B4C/TiB2 Composite with a Two-Layer Structure. *Advanced Engineering Materials, Pts 1-3* (C. 194-196, ss. 1703-1706). <https://doi.org/10.4028/www.scientific.net/AMR.194-196.1703>

Zhang, G., He, Y., Zhao, X., & Pan, X. (2011). Experimental Study on Penetration Resistance of Steel Fiber Reinforced Concrete by High-speed Long Rod Projectile. *Proceedings of the 4th International Conference on Mechanical Engineering and Mechanics* (ss. 472-476).

Zhang, J., Zhu, Z., Ma, D., Wang, R., & He, X. (2011). Optimum Design of Composite Armor against Transverse Impact. *Advanced Materials and Structures, Pts 1 and 2* (C. 335-336, ss. 101). <https://doi.org/10.4028/www.scientific.net/AMR.335-336.101>

Zhang, W., & Zhang, Y. (2011). Experiment Study on Resistance of Ultra-High Performance Cementitious Composites Subjected to the Deep Penetration Scaled Earth Penetrator. *Advances in Structures, Pts 1-5* (C. 163-167, ss. 4585-4589). <https://doi.org/10.4028/www.scientific.net/AMR.163-167.4585>



Zhang, X., Cui, D., Jia, H., & Liang, H. (2011). Numerical Simulation Study on Damage Mechanism of Throat Armor. *Manufacturing Processes and Systems, Pts 1-2* (C. 148-149, ss. 289). <https://doi.org/10.4028/www.scientific.net/AMR.148-149.289>

Zhong, K., Du, Z., Zhou, L., & Song, L. (2011). Numerical Simulation of Intercepting Efficiency on Airbag Active Protection System. *Advanced Manufacturing Technology, Pts 1, 2* (C. 156-157, ss. 360). <https://doi.org/10.4028/www.scientific.net/AMR.156-157.360>

Zhu, J., Fan, Z., Yi, J., & Liao, X. (2011). Study on the Ballistic Performance of Spaced Composite Armor with Multi-holes. *Proceedings of the 4th International Conference on Mechanical Engineering and Mechanics* (ss. 621-624).

Zou, M. M., Zhang, J., Li, B., Zhu, L. J., Liu, L., & Fu, H. Z. (2011). Effect of melt overheating history on the microstructure of Ni-base single crystal superalloy. *High Performance Structures and Materials Engineering, Pts 1 and 2* (C. 217-218, ss. 692). <https://doi.org/10.4028/www.scientific.net/AMR.217-218.692>

Zou, T., & Feng, Z. (2011). Optimization Design of Microwave Absorbing Composites Containing Activated Carbon Fibers. *Materials Science and Engineering Applications, Pts 1-3* (C. 160-162, ss. 24-28). <https://doi.org/10.4028/www.scientific.net/AMR.160-162.24>

Zu, X., Huang, Z., Zhang, L., & Zhu, C. (2011). Protection Capability of Different Confinement Plates for Rubber Composite Armours against Shaped Charges. *New Materials and Advanced Materials, Pts 1 and 2* (C. 152-153, ss. 959). <https://doi.org/10.4028/www.scientific.net/AMR.152-153.959>

Zviad, K., Jurgen G, H., Reinhard, G., Hansjoerg, B., Uwe, K., Natela, N., & Gulnazi, T. (2011). Investigation of Structural Properties of Hetero-Module Composite in the B4C-BN-TiC-SiC-C System. *3rd International Congress on Ceramics (Icc3): Advanced Engineering Ceramics and Composites, 18, 202015*. <https://doi.org/10.1088/1757-899X/18/20/202015>

Green, W. H., & Cho, K. C. (2011a). Comparison of penetration damage in novel mg specimens via computed tomography. *Advances in Ceramic Armor Vii* (C. 32, ss. 151-162).

Green, W. H., & Cho, K. C. (2011b). Nondestructive assessment and analysis of penetration damage in novel mg materials. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1456-1467).

Jones, T. L., & Kondoh, K. (2011). Ballistic Analysis of New Military Grade Magnesium Alloys for Armor Applications. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 1091-1099).

Nie, X., & Chen, W. W. (2011a). Impact Strength of Glass for Armor Applications. *Advances in Ceramic Armor Vii* (C. 32, ss. 215-226).

Nie, X., & Chen, W. W. (2011b). The Influence of Temperature and Confinement Pressure on the Dynamic Response of Damaged Borosilicate Glass. *Advances in Ceramic Armor Vii* (C. 32, ss. 3-10).

Adam, C., & Rozumov, E. (2011). Deterred Propellant Optimization for Gun Systems. *Ballistics 2011: 26th International Symposium on Ballistics, Vol 1 and Vol 2* (ss. 883-892).

Ahmadi, H., Sabouri, H., Liaghat, G., & Bidkhor, E. (2011). Experimental and Numerical Investigation on the High Velocity Impact Response of GLARE with Different Thickness Ratio. *11th International Conference on the Mechanical Behavior of Materials (icm11)* (C. 10). <https://doi.org/10.1016/j.proeng.2011.04.143>

Aziz, A., & Ali, W. K. W. (2012). A Study of Basic Aluminized Propellants Characteristics. *Mechanical and Aerospace Engineering, Pts 1-7* (C. 110-116, ss. 1321-1327). <https://doi.org/10.4028/www.scientific.net/AMM.110-116.1321>

Barton, J., Vcelak, J., Torres-Sanchez, J., O'Flynn, B., O'Mathuna, C., & Donahoe, R. V. (2012). Arrow-mounted Ballistic System for Measuring Performance of Arrows Equipped with Hunting Broadheads. *Engineering of Sport Conference 2012* (C. 34, ss. 455-460). <https://doi.org/10.1016/j.proeng.2012.04.078>

Cabral, R. F., Prado da Silva, M. H., Campos, J. B., & Lima, E. S. (2012). Study of the sintering of mixtures Al<sub>2</sub>O<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub> and Y<sub>2</sub>O<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub>. *Advanced Powder Technology VIII, Pts 1 and 2* (C. 727-728, ss. 799). <https://doi.org/10.4028/www.scientific.net/MSF.727-728.799>

Cui, Y., He, C., & Zhang, S. (2012). Application Research on TRIZ Technical Contradiction Solving Principles in Tank's Protective Armor. *Advances in Design Technology, Vols 1 and 2* (C. 215-216, ss. 518-521). <https://doi.org/10.4028/www.scientific.net/AMM.215-216.518>

Doherty, K., Squillacioti, R., Cheeseman, B., Placzankis, B., & Gallardy, D. (2012). Expanding the Availability of Lightweight Aluminum Alloy Armor Plate Procured from Detailed Military Specifications. *Proceedings of the 13th International Conference on Aluminum Alloys (icaa13)* (ss. 541-546).

Dong, J., Pan, J., Wang, M., Zhang, C., Liu, W., & Lv, Z. (2012). Effect of Heat Treatment on Microstructures and Hardness of SiC/Steel Armor Composite. *Eco-Materials Processing and Design XIII* (C. 724, ss. 431). <https://doi.org/10.4028/www.scientific.net/MSF.724.431>

Gouthama, & Yugesh, B. (2012). A Cross-sectional TEM Study of Abrasive Water Jet Cut Surface. *Textures of Materials, Pts 1 and 2* (C. 702-703, ss. 991-994). <https://doi.org/10.4028/www.scientific.net/MSF.702-703.991>

Grande, A. M., Coppi, S., Di Landro, L., Sala, G., Giacomuzzo, C., Francesconi, A., & Rahman, M. A. (2012). An experimental study of the self-healing behavior of ionomeric systems under ballistic impact tests. *Behavior and Mechanics of Multifunctional Materials and Composites 2012* (C. 8342, s. 83420U). <https://doi.org/10.1117/12.911870>

Guan, L., & Zhang, J. (2012). Study on the shearing characteristic of the epoxy resin matrix composite enforced promiscuously by SiC nano fiber and Twaron staple. *New Materials and Processes, Pts 1-3* (C. 476-478, ss. 417-420). <https://doi.org/10.4028/www.scientific.net/AMR.476-478.417>

Guo, Y., Sun, Q., & Wu, L. (2012). Study of Dynamic Impact Behaviors and Ballistic Properties of Ceramic/UHMWPE Composite Armor. *Frontiers of Manufacturing and Design Science II, Pts 1-6* (C. 121-126, ss. 397). <https://doi.org/10.4028/www.scientific.net/AMM.121-126.397>

Hespos, M. R. (2012). M2 Machine Gun Barrel Wear with SLAP Ammunition. *Materials and Manufacturing Processes, 27*(8), 869-874. <https://doi.org/10.1080/10426914.2011.648696>

Huang, D., & Zhao, W. (2012). The Resistance of SiC/Al Layered Composite to Ballistic Impacting. *Physical and Numerical Simulation of Material Processing VI, Pts 1 and 2* (C. 704-705, ss. 1011). <https://doi.org/10.4028/www.scientific.net/MSF.704-705.1011>

Huang, X., Zhou, H., Li, Y., Li, C., & Jiang, Y. (2012). Study on the Tensile Testing Method of p-Phenylene terephthalamid (PPTA) Fibers for Ballistic Protection. *Manufacturing Engineering and Automation II, Pts 1-3* (C. 591-593, ss. 989-992). <https://doi.org/10.4028/www.scientific.net/AMR.591-593.989>

Ilie, F. (2012). Research on Protection Materials Behavior at Their Projectile and Armor Impact. *18th International Conference - the Knowledge-Based Organization: Applied Technical Sciences and Advanced Military Technologies, Conference Proceeding 3*, 248-251.

Jena, P. K., Mondal, C., Kumar, K. S., & Singh, A. K. (2012). Effect of Modes of Rolling on Mechanical Properties, Texture and Ballistic Performance of Al-7017 Alloy. *Textures of Materials, Pts 1 and 2* (C. 702-703, ss. 979-982). <https://doi.org/10.4028/www.scientific.net/MSF.702-703.979>

Jena, P. K., Senthil, P. P., Kumar, K. S., & Singh, A. K. (2012). Effect of Texture on the Mechanical Properties and Ballistic Performance of an Extruded Al-6063 Rod. *Textures of Materials, Pts 1 and 2* (C. 702-703, ss. 299-302). <https://doi.org/10.4028/www.scientific.net/MSF.702-703.299>

Jia, X., Huang, Z. X., Zu, X. D., & Xia, M. (2012). An experiment study on woven fiber reinforced rubber composite armor against shaped charge jet. *Materials Processing Technology, Pts 1-3* (C. 418-420, ss. 593-596). <https://doi.org/10.4028/www.scientific.net/AMR.418-420.593>

Jia, Y., Feixiang, H., Liping, S., & Xintao, W. (2012). Simulation on Ballistic Performance of Ceramic/Metal Composite Armor. *Frontiers of Materials, Chemical and Metallurgical Technologies, Pts 1 and 2* (C. 581-582, ss. 759-+). <https://doi.org/10.4028/www.scientific.net/AMR.581-582.759>

Jia, Y., Xintao, W., Liping, S., & Feixiang, H. (2012). Numerical simulation on the effects of ceramic particle reinforcement distribution on the penetration of functionally graded material armor. *Frontiers of Materials, Chemical and Metallurgical Technologies, Pts 1 and 2* (C. 581-582, ss. 803). <https://doi.org/10.4028/www.scientific.net/AMR.581-582.803>

Jian-xin, H., & Ya-qin, B. (2012). Research on BIT Intelligence Maintenance Decision of Weapon Materiel. *Measuring Technology and Mechatronics Automation Iv, Pts 1 and 2* (C. 128-129, ss. 224-228). <https://doi.org/10.4028/www.scientific.net/AMM.128-129.224>

Junwei, Z., Mingjun, Z., Yonggang, Y., & Yongpeng, Y. (2012). Unscented Particle Filter Algorithm for Ballistic Target Tracking. *Mechanical and Electronics Engineering Iii, Pts 1-5* (C. 130-134, ss. 369). <https://doi.org/10.4028/www.scientific.net/AMM.130-134.369>

Kai, S., Xiao-dong, Y., Shu-hua, L., Cheng-wen, T., & Fu-chi, W. (2012). Multiple adiabatic shear bands in Ti-6Al-4V targets under ballistic impact. *Frontiers of Materials, Chemical and Metallurgical Technologies, Pts 1 and 2* (C. 581-582, ss. 448-452). <https://doi.org/10.4028/www.scientific.net/AMR.581-582.448>

Khoshgoftar, M. J., & Liaghat, G. H. (2012). Finite Element Evaluation of Projectile Nose Curvature Radius Effect in Ballistic Perforation of Composite Materials. *Icem15: 15th International Conference on Experimental Mechanics*.

Kong, X. P., Jiang, Z. G., & Liu, F. (2012). Simulation on Ceramic Composite Armors against Multi-hit of APPs. *Vibration, Structural Engineering and Measurement I, Pts 1-3* (C. 105-107, ss. 1648).

Kulkarni, S. G., Gao, X.-L., David, N. V., Horner, S. E., & Zheng, J. Q. (2012). Ballistic Helmets: Their Design, Materials, and Performance Against Traumatic Brain Injury. *International Mechanical Engineering Congress and Exposition - 2012, Vol 8*, 567-587.

Li, B., Zheng, J., Ni, X., Qu, Y., Li, X., & Zhao, S. (2012). Anti-penetration Performance of Ceramic Composite Armor Analysis Based on the Unified Strength Theory. *Advanced Materials and Processes II, Pts 1-3* (C. 557-559, ss. 353). <https://doi.org/10.4028/www.scientific.net/AMR.557-559.353>

Li, T., Yuan, X., Chen, L., & Zhang, N. (2012). Application in Testing of Bullet Ballistic Parameters Based on Linear Charge Coupled Device. *Manufacturing Engineering and Automation II, Pts 1-3* (C. 591-593, ss. 2591-2594). <https://doi.org/10.4028/www.scientific.net/AMR.591-593.2591>

Liu, B., Wang, Q., Liu, S., Yu, H., Li, D., & Yao, Y. (2012). Study on the performance of the modified single base gun propellant. *Advanced Materials, Pts 1-3* (C. 415-417, ss. 1656-1661). <https://doi.org/10.4028/www.scientific.net/AMR.415-417.1656>

Liu, W., Meng, Q., Miao, Y., Chen, F., & Hu, L.-F. (2012). Preparation and Characterization of Al-Mg-B thin films by magnetron sputtering. *Advanced in Nanoscience and Technology* (C. 465, ss. 112). <https://doi.org/10.4028/www.scientific.net/AMR.465.112>

Liu, Z., Ji, D., Xu, B., Jia, H., & Liao, X. (2012). Simulated Annealing Algorithm Optimization of the Detonated-coating Propellant Charge Design. *Functional Materials and Nanotechnology* (C. 496, ss. 99). <https://doi.org/10.4028/www.scientific.net/AMR.496.99>

Liu, Z., Wang, C., Su, Y., Zhao, F., & Li, L. (2012). Effect of heat input on structure and mechanical properties of low matched welded joint in a 1000MPa grade steel. *Materials Processing Technology, Pts 1-3* (C. 418-420, ss. 1184-1187). <https://doi.org/10.4028/www.scientific.net/AMR.418-420.1184>

Loh, K. K. M., Tan, W. C. K., & Oh, R. H. C. (2012). Developing Woven Enhanced Silk Fabric for Ballistic Protection. *Advanced Structural and Functional Materials for Protection* (C. 185, ss. 34-36). <https://doi.org/10.4028/www.scientific.net/SSP.185.34>

Lulu, L., Haijun, X., Guangtao, C., Dong, Y., Weirong, H., Jun, X., & Jin, W. (2012). Ballistic impact testing and analysis of triaxial braided composite fan case material. *Advanced Engineering Materials II, Pts 1-3* (C. 535-537, ss. 121). <https://doi.org/10.4028/www.scientific.net/AMR.535-537.121>

Manes, A., Giudici, L., & Giglio, M. (2012). Fatigue Spectrum Tests on Shafts Subjected to Ballistic Perforation. *Icem15: 15th International Conference on Experimental Mechanics* (s. 2746).

Mehmood, Z., Khan, M. B., Abbas, T., & Ahmad, N. (2012). Influence of Solid Particle Size on Burning and Mechanical Properties of AP/Al/HTPB Composites. *Advanced Materials Xii* (C. 510-511, ss. 500-+). <https://doi.org/10.4028/www.scientific.net/KEM.510-511.500>

Neckel, L., Hotza, D., Stainer, D., Janssen, R., Lezana, A. G. R., Dias, A., & Al-Qureshi, H. A. (2012). Solutions for Impact over Aerospace Protection. *Advances in Fracture and Damage Mechanics X* (C. 488-489, ss. 25). <https://doi.org/10.4028/www.scientific.net/KEM.488-489.25>

Niu, Z., Jin, L., Yu, L., Sun, B., Chen, P., & Su, J. (2012). Ballistic Penetration Damage of 2D Basalt Fiber Plain Woven Composite. *Emerging Materials and Mechanics Applications* (C. 487, ss. 530). <https://doi.org/10.4028/www.scientific.net/AMR.487.530>

Popa, I.-D., & Olan, G. (2012). Evaluation Methods Used in Ballistic Protection Applied for Ceramic Materials. *18th International Conference - the Knowledge-Based Organization: Applied Technical Sciences and Advanced Military Technologies, Conference Proceeding 3*, 287-291.

Ramadhan, A. A., Abu Talib, A. R., Rafie, A. S. M., & Zahari, R. (2012). The Behaviour of Fibre-Metal Laminates under High Velocity Impact Loading with Different Stacking Sequences of Al Alloy. *Aerotech Iv: Recent Advances in Aerospace Technologies* (C. 225, ss. 213-218). <https://doi.org/10.4028/www.scientific.net/AMM.225.213>

Rosa, M. da R., & Francisco, C. L. de M. (2012). Sintering of B4c-Sic Composites with Aln-Y2o3 Addition. *Advanced Powder Technology Viii, Pts 1 and 2* (C. 727-728, ss. 850-855). <https://doi.org/10.4028/www.scientific.net/MSF.727-728.850>

Santos, C. N., Marins, E. M., Machida, M., de Campos, E., Mota, R. P., Melo, F. C. L., & Oliveira Hein, L. R. (2012). Silicon Carbide Surface Modification by Nitrogen Plasma Expander. *Advanced Powder Technology Viii, Pts 1 and 2* (C. 727-728, ss. 1428). <https://doi.org/10.4028/www.scientific.net/MSF.727-728.1428>

Serjoui, A., Sridhar, I., & Hua, W. E. (2012). On The Design of Bi-Layer Armor Materials. *Advanced Structural and Functional Materials for Protection* (C. 185, ss. 48). <https://doi.org/10.4028/www.scientific.net/SSP.185.48>

Shi, L., Song, W., He, X., & Zhang, Z. (2012). Anti-air Missile Warhead with Multiple Explosive Forged Projectiles. *Machinery, Materials Science and Engineering Applications* (C. 510, ss. 128). <https://doi.org/10.4028/www.scientific.net/AMR.510.128>

Sultan, M. T. H., Basri, S., Rafie, A. S. M., Mustapha, F., Majid, D. L., & Ajir, M. R. (2012). High Velocity Impact Damage Analysis for Glass Epoxy—Laminated Plates. *New Materials, Applications and Processes, Pts 1-3* (C. 399-401, ss. 2318). <https://doi.org/10.4028/www.scientific.net/AMR.399-401.2318>

Veach, T. J., Scowen, P. A., Beasley, M., & Nikzad, S. (2012). Modified modular imaging system designed for a sounding rocket experiment. *Ground-Based and Airborne Instrumentation for Astronomy Iv* (C. 8446, s. 84467F). <https://doi.org/10.1117/12.925592>

Weifang, X., Xicheng, H., Zhiming, H., Yang, W., Yuanming, X., & Yong, Y. (2012). The Numerical Study of Concrete mesostructures' effect on ballistic responses in penetration problems. *Materials and Computational Mechanics, Pts 1-3* (C. 117-119, ss. 299). <https://doi.org/10.4028/www.scientific.net/AMM.117-119.299>

Wen-Jian, Y., Jian, H., & Ping, W. (2012). Numerical Simulation of Supercavity Shape Design of High-Speed Projectile. *Intelligent System and Applied Material, Pts 1 and 2* (C. 466-467, ss. 1041-1044). <https://doi.org/10.4028/www.scientific.net/AMR.466-467.1041>

Yaghoubi, A. S., & Liaw, B. (2012). Experimental and Numerical Investigations of Stacking Sequence Effect on Glare 5 Fml Plates Subjected to Ballistic Impact. *International Mechanical Engineering Congress and Exposition - 2012, Vol 8*, 161-169.

Yavuz, A. K., Phoenix, S. L., & Balkan, D. K. (2012). New Model for Interlaced Yarns in the Ballistic Impact of Flexible Body Armors. *Materials and Manufacturing Technologies Xiv* (C. 445, ss. 1023). <https://doi.org/10.4028/www.scientific.net/AMR.445.1023>

Zhou, F., Jiang, T., Wang, W., Zhang, K., & Zhan, F. (2012). Study on Damage Capabilities of Multiple Hulls Structure under Underwater Explosion. *Frontiers of Advanced Materials and Engineering Technology, Pts 1-3* (C. 430-432, ss. 1581). <https://doi.org/10.4028/www.scientific.net/AMR.430-432.1581>

Yang, Y., & Xin, J. (2012a). Penetration Mechanisms and Ballistic Performance of TiC-TiB<sub>2</sub> Composite Armour under the Impact of Long-rod Kinetic- energy Projectiles. *Engineering and Material Properties, Pts 1 and 2* (C. 391-392, ss. 236-241) <https://doi.org/10.4028/www.scientific.net/AMR.391-392.236>

Yang, Y., & Xin, J. (2012b). The Influences of Lateral Confinement on Ballistic Performance of TiC-TiB<sub>2</sub> Composites under the Impact of Long-rod Kinetic- energy Projectiles. *Chemical Engineering and Material Properties, Pts 1 and 2* (C. 391-392, ss. 230-235). <https://doi.org/10.4028/www.scientific.net/AMR.391-392.230>

Akbari, M. A., Liaghat, G., & Sabouri, H. (2012). A Simple Analytical Model to Simulate Oblique Ballistic Impact onto Fabric. *Mechanical and Aerospace Engineering, Pts 1-7* (C. 110-116, ss. 3453-3458). <https://doi.org/10.4028/www.scientific.net/AMM.110-116.3453>

Anderson, C. E., & Holmquist, T. J. (2013a). Computational Modeling of Failure for Hypervelocity Impacts into Glass Targets. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 194-203). <https://doi.org/10.1016/j.proeng.2013.05.023>

Anderson, C. E., & Holmquist, T. J. (2013b). Application of a computational glass model to compute propagation of failure from ballistic impact of borosilicate glass targets. *International Journal of Impact Engineering*, 56, 2-11. <https://doi.org/10.1016/j.ijimpeng.2012.06.002>

Anguswamy, V., & Gangwar, R. K. (2013). Shock-on-Shock Interaction Inside High Efficiency Muzzle Brake. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 419-427).

Assaf, Z., Ran, E., Blass, T., Vigel, A., Borenstein, A., Ravid, M., & Shapira, N. (2013). Oblique Penetration of Ap Projectile to Laminated Composites-Modeling and Verification. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1187-1194).

Assaf, Z., Ran, E., Golan, G., Drori, O., Ravid, M., & Shapira, N. (2013). Foot Pads for Armored Platforms-Development and Evaluation Methodology. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 506-516).

Behner, T., Heine, A., & Wickert, M. (2013). Protective Properties of Finite-Extension Ceramic Targets Against Steel and Copper Projectiles. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1598-1607).

Bless, S., Tolman, J., & McDonald, J. (2013). Behind-Armor Fragments from Tungsten Rods Penetrating Steel. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 355-362). <https://doi.org/10.1016/j.proeng.2013.05.040>

Bohl, W. E., Miller, J. E., Christiansen, E. L., & Davis, B. A. (2013). HVI Ballistic Performance Characterization of Non-Parallel Walls. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 21-30). <https://doi.org/10.1016/j.proeng.2013.05.005>

Borg, J. P., Maines, W. R., Nixon, M., & Chhabildas, L. (2013). Equation of State and Isentropic Release of Aluminum Foam and Fluoropolymer Composites. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 299-308). <https://doi.org/10.1016/j.proeng.2013.05.034>

Bouvenot, F., Karosich, B. A., Watkins, D., & Brown, R. E. (2013). HELD'S  $\rho v(2)d$  initiation threshold criteria revisited. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1175-1184).

Burian, W., Garbarz, B., Marcisz, J., Adamczyk, M., & Wisniewski, A. (2013). Nano-Duplex Bainitic-Austenitic and Nano-Precipitates Hardened Steels for Application in Armors Constructions. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1825-1832).

Capozzi, A., Loiseau, J., Nabavi, A., Petel, O., Higgins, A. J., & Frost, D. (2013). Ballistic Impact Response of Chromium-Sulfur Composite Cermets. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1914-1923).

Carton, E. P., & Roebroeks, G. H. J. J. (2013). Thermal Imaging During Ballistic Testing of Armour Materials. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1079-1089).

Cayzac, R., Carette, E., & Heddadj, S. (2013). Complex Aerodynamics Behavior of High Spin APFSDS Projectile. *Journal of Applied Mechanics-Transactions of the Asme*, 80(3), 031601. <https://doi.org/10.1115/1.4023337>

Chen, X. W., Gao, Y. B., & He, L. L. (2013). Analysis on Perforation of Ductile Metallic Plates by APM2 Bullets. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 68). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.68>

Cheng, M., Hedge, C., Dionne, J.-P., & Makris, A. (2013). Weight Reduction Estimation Through Parametric Study for Soft Personnel Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 473-481).

Chevalier, C., Nussbaum, J., & Boussu, F. (2013). Experimental Study on the Influence of Weaving Parameters on the Ballistic Performances of 3d Fabrics. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1402-1409).

Chocron, S., Kirchdoerfer, T., Scott, N., & Freitas, C. J. (2013). Mesoscale Simulations of Fabric Shoot Pack for Different Materials and Configurations. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1617-1629).

Chowdhury, S. C., Haque, B. Z., & Gillespie, J. W. (2013). Molecular Simulations of the Dynamic Impact of Graphite. *Proceedings of the American Society for Composites*.

Chuang, C., Xiaoming, W., Wenbin, L., & Weibing, L. (2013). Research on Jet Penetration Law of Biconical Liner Shaped Charge Under Large Standoff Distance Condition. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1769-1778).

Comet, C. S., Boogh, L., Jaquerod, C., & Arsene, S. (2013). Experimental Analysis of the Ballistic Impact Behaviour of Aluminium Alloy 7449 in Combination with Kevlar (r) Para-Aramid Backings. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1668-1679).

Corriveau, D., Tanguay, V., Harris, P., Laou, P., & Wong, F. C. (2013). Development of an Automatic Target Engagement System for Small-Arms. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 980-991).

Crawford, C. H., Carr, D. J., Lankester, C., & Gridley, N. (2013). Optimising Quilting of Body Armour. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1650-1655).

Cunrath, R., Kuder, J., Nau, S., & Wickert, M. (2013). Interaction of Extreme Electric Currents with Metals. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1877-1884).

Dar, U. A., Weihong, Z., & Yingjie, X. (2013). Modeling the perforation failure of honeycomb sandwich structures through numerical homogenization. *2013 10th International Bhurban Conference on Applied Sciences and Technology (ibcast)* (ss. 19-24).

Deniz, T., & Yildirim, R. O. (2013). Ballistic Penetration of Hardened Steel Plates. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1390-1401).

Dibelka, J. A., & Case, S. W. (2013). Behavior of Hybrid Metal Matrix Composites Reinforced with Continuous and Discontinuous Fibers. *9th International Conference on Composite Science and Technology: 2020—Scientific and Industrial Challenges* (ss. 511-520).

Dorsch, H., Bongartz, A., & Rossberg, D. (2013). Modeling of Ballistic Effects with Regard to Urban Operations. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 591-601).

Dos Santos Rocha, D. C., & Lopes, C. M. A. (2013). Kevlar (R) Fabrics Modified with SiC Particles. *9th International Conference on Composite Science and Technology: 2020—Scientific and Industrial Challenges* (ss. 566-573).

Dwivedi, A., Dalzell, M. W., Long, L. R., Slusarski, K. A., Fossey, S. A., Perry, J., & Wetzel, E. D. (2013). Continuous Filament Knit Aramids for Extremity Ballistic Protection. *Proceedings of the American Society for Composites*.

Eichhorst, C. (2013). Development of a Multi-Shot Launch Dynamics Model. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 372-381).

Franklin, J., Chevy, J., & Guerra, J. M. (2013). Prediction of Ballistic Performance Through Mechanical Properties. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1465-1472).

French, M. A., Wright, A. J., & Stapleton, M. A. (2013). Armour Qualification for Composite Military Vehicles. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1699-1710).

Galanov, B. A., Kartuzov, V. V., Grigoriev, O. N., Melakh, L. M., Ivanov, S. M., Kartuzov, E. V., & Swoboda, P. (2013). Penetration Resistance of B4C-CaB6 Based Light-Weight Armor Materials. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 328-337). <https://doi.org/10.1016/j.proeng.2013.05.037>

Galanov, B. A., Kartuzov, V. V., & Ivanov, S. M. (2013). A New Model of Penetration of Elastic Rods with Eroding Jacket. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1065-1074).



Gao, H. (2013). The Research Status of Equivalent Spaced Targets in Armor-Penetration Projectile Power Test. *Current Trends in the Development of Industry, Pts 1 and 2* (C. 785-786, ss. 1282-1285). <https://doi.org/10.4028/www.scientific.net/AMR.785-786.1282>

Gao, H., & Luo, X. (2013). Establishment for the Equivalent Target of Shaped Jet Penetration Composite Armor. *Mechatronics, Robotics and Automation, Pts 1-3* (C. 373-375, ss. 1995-1998). <https://doi.org/10.4028/www.scientific.net/AMM.373-375.1995>

Gupta, P. K., Iqbal, M. A., Tiwari, G., & Gupta, N. K. (2013). Effect of Configuration and Target Span on the Ballistic Resistance. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 52). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.52>

Haris, A., Lee, H. P., Tay, T. E., Khoo, B. C., & Tan, V. B. C. (2013). Effect of Incorporating Foam Based Flexible Blunt Trauma Pads on the Shock Wave Protective Performance of Flexible Body Armour. *9th International Conference on Composite Science and Technology: 2020—Scientific and Industrial Challenges* (ss. 554-565).

Hartmann, M., & Magnusson, P. (2013). Improved Component Impact Kill Criteria Simulations. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 536-546).

Hedenstierna, S., & Hartmann, M. (2013). Lethality Analysis of a Person-Borne Improvised Explosive Device. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 576-582).

Heine, A., Wickert, M., & Thoma, K. (2013). Future Vehicle Protection-Technologies for Ultra-Fast Close-Distance Active Protection Systems. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1030-1039).

Heisserer, U., van der Werff, H., & Hendrix, J. (2013). Ballistic Depth of Penetration Studies in Dyneema (r) Composites. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1936-1943).

Hirsch, E., Mayselless, M., & Dolinski, M. (2013). Cut-Off Velocity of Shaped-Charge Jet. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1735-1744).

Hollerman, W. A., Fontenot, R. S., Bhat, K. N., Aggarwal, M. D., Guidry, C. J., & Nguyen, K. M. (2013). Review of Triboluminescence Impact Research at Projectile Speeds of 1 m/s to 6 km/s. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 392-400).. <https://doi.org/10.1016/j.proeng.2013.05.045>

Hooper, J. P., Milby, C. L., Lee, R. J., & Jouet, R. J. (2013). High-velocity Impact Fragmentation of Brittle, Granular Aluminum Spheres. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 663-671 <https://doi.org/10.1016/j.proeng.2013.05.076>

Huang, X., Zhao, Z., & Zhang, L. (2013). Ballistic Performance of TiC-TiB<sub>2</sub> Composite Armour under the Impact of Long-rod Tungsten Alloy Projectiles of 1.4 km. S(-1). *Testing and Evaluation of Inorganic Materials Iii* (C. 544, ss. 310-315). <https://doi.org/10.4028/www.scientific.net/KEM.544.310>

Iqbal, M. A., Tiwari, G., & Gupta, P. K. (2013). Response of 1100-H12 Aluminum Targets to Varying Span and Configuration. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 539-542). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.539>

Ivers, D., & LeRoy, D. (2013). Improving vehicle performance and operator ergonomics: Commercial application of smart materials and systems. *Journal of Intelligent Material Systems and Structures*, 24(8), 903-907. <https://doi.org/10.1177/1045389X12445630>

Iyer, K. A., Poormon, K. L., Deacon, R. M., Mehoke, D. S., Swaminathan, P. K., & Brown, R. C. (2013). Hypervelocity Impact Response of Ti-6Al-4V and Commercially Pure Titanium. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 127-137). <https://doi.org/10.1016/j.proeng.2013.05.016>

Jaansalu, K. M. (2013). Material Properties and Interface Defeat. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1277-1288).

Jackson, E., Wilhelm, J., Browning, P. H., Mucino, V., & Gautam, M. (2013). Simplified Interior Ballistics Analysis of a Hybrid Projectile Prototype. *International Mechanical Engineering Congress and Exposition - 2012, Vol 3, Pts a-C: Design, Materials, and Manufacturing*, 251-260.

Jaramaz, S., Mickovic, D., & Elek, P. (2013). Explosive Reactive Armor: Theoretical and Experimental Studies. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1495-1505).

Ji, L., Huang, Z. X., Jia, X., Zu, X. D., Xiao, Q. Q., & Zhu, C. S. (2013). A Theoretical and Experimental Analysis of the Action Time of Double Layer Explosive Reactive Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 893-899).

Jia, X., Huang, Z. X., Zu, X. D., Xiao, Q. Q., Ji, L., & Zhu, C. S. (2013). Analysis of Impact of the Shaped Charge Jet Against the Woven Fabric Reinforced Composite Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1692-1698).

Jiang, Z., Song, D., & Liu, F. (2013). A Finite Cylindrical Cavity Expansion and Penetration Model of Exponential Strain-hardening Materials. *Advances in Chemical, Material and Metallurgical Engineering, Pts 1-5* (C. 634-638, ss. 2781-2786). <https://doi.org/10.4028/www.scientific.net/AMR.634-638.2781>

Jing, L., Wang, Z., Zhao, L., & Shim, V. P. W. (2013). Blast resistance of clamped cylindrical sandwich shells with metallic foam cores. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 461). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.461>

Joo, J. H., Choi, J. H., Lee, H. J., & Lee, C. H. (2013). Protection Against Shaped Charge by Reactive Armors Containing Energetic and Inert Materials. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1433-1442).

Ju, Y.-Y., Zhang, Q., Yang, L., & Gong, Z. (2013). Analysis on EFP Penetrating against Water-Partitioned Armor. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 543). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.543>

Kaufmann, H., & Lanz, W. (2013). Residual Penetration of L/D=21.8 and L/D=28.6 Monobloc Tungsten and L/D 40 Tungsten/Steel Jacketed Projectiles After Perforation of Explosive Reactive Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1924-1935).

Koene, L., Hermsen, R., & Brouwer, S. D. (2013). Projectile Ricochet from Wooden Targets. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1195-1205).

Kornecki, M., Holmquist, T. J., Horwath, E. J., & Krauthauser, C. (2013). Ballistic experiments and computed results for Ti-6Al-4V projectiles impacting Ti-6Al-4V targets. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1866-1876).

Kositski, R., Rosenberg, Z., & Dekel, E. (2013). On the Crater Diameters in Metallic Plates Impacted by High Velocity Rods. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1944-1953).

Krell, A., & Strassburger, E. (2013). Separation and Hierarchic Order of Key Influences on the Ballistic Strength of Opaque and Transparent Ceramic Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1053-1064).

Lamberson, L., & Rosakis, A. J. (2013). Modified Charters Model for Single Wall Perforation. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 214-222). <https://doi.org/10.1016/j.proeng.2013.05.025>

Leavy, R. B., Clayton, J. D., Strack, O. E., Brannon, R. M., & Strassburger, E. (2013). Edge on Impact Simulations and Experiments. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 445-452). <https://doi.org/10.1016/j.proeng.2013.05.051>

Lemonnier, S., Barraud, E., Nussbaum, J., Ternier, C., Quesnay, F., Sorrel, E., & Moitrier, F. (2013). First Ballistic Evaluations of Aluminium-Based Nanocomposites Consolidated by the Sps Process. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1756-1768).

Lexow, B., & Wickert, M. (2013). Neural Networks for Ballistic Applications. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 117-123).

Liang, S.-C., Li, Y., Chen, H., Huang, J., & Liu, S. (2013). Research on the technique of identifying debris and obtaining characteristic parameters of large-scale 3D point set. *International Journal of Impact Engineering*, 56, 27-31. <https://doi.org/10.1016/j.ijimpeng.2012.07.004>

Liao, X., Zhao, J., & Wang, Z. (2013). A New Interior Ballistics Model of Propellant with Actual Burning Parameters. *Proceedings of 2013 International Forum on Special Equipments and Engineering Mechanics* (ss. 146-151).

Lin, C.-C., Li, T.-T., Lou, C.-W., Lin, J.-Y., & Lin, J.-H. (2013). Investigations on Dynamic Puncture Behaviors of Integrated Composite Reinforced with Varying Fabrics. *Machine Design and Manufacturing Engineering II, Pts 1 and 2* (C. 365-366, ss. 1070). <https://doi.org/10.4028/www.scientific.net/AMM.365-366.1070>

Lips, H., & Menke, K. (2013). Fox7/Gap Rocket Propellants for a Shoulder Launched Projectile. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 59-69).

List, G., Sutter, G., & Arnoux, J. J. (2013). Analysis of the high speed sliding interaction between titanium alloy and tantalum. *Wear*, 301(1-2), 663-670. <https://doi.org/10.1016/j.wear.2012.11.070>

Lynch, N. J., & Townsley, R. G. (2013). A Review of the Effect of Adjacent Impact on Terminal Ballistic Performance. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1410-1420).

Ma, C., & Zhang, X. (2013). Interior Ballistic Modeling and Simulation for Different Charge Zones in Modular Charge System. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 82-85).

Mabbott, A., Carr, D. J., Champion, S., Malbon, C., & Tichler, C. (2013). Comparison of 10% Gelatine, 20% Gelatine and Perma-Gel™ for Ballistic Testing. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 648-654).

Mahbub, R. F., Ratnapandian, S., Wang, L., & Arnold, L. (2013). Evaluation of Comfort Properties of Coated Kevlar/Wool Ballistic Fabric. *Advances in Textile Engineering and Materials Iii, Pts 1 and 2* (C. 821-822, ss. 342-347). <https://doi.org/10.4028/www.scientific.net/AMR.821-822.342>

Marcisz, J., Garbarz, B., Burian, W., Stepień, J., & Starczewski, L. (2013). Ballistic Testing of Nano-Precipitation Hardened and Nano-Duplex Steels *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1833-1845).

Martinez, M., Bruno, N., & Kelly, R. (2013). Ballistic and Weaponing Analysis of Projectiles Using Optical Strobe Tracer as Self-Registration Method to Improve Accuracy and Decrease Dispersion of Direct and Indirect Fire Weapons. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 302-313).

Martinez, M.-A., Giner, J.-M., Encinas, N., & Abenojar, J. (2013). Improvement of Adhesive Behavior of Ballistic Woven Aramid by Atmospheric Pressure Plasma Treatment. *9th International Conference on Composite Science and Technology: 2020—Scientific and Industrial Challenges* (ss. 655-664).

Maysel, M., Bianchi, S., Kaufmann, H., Katzir, Z., & Chanukaev, S. (2013). Non-Metallic Reactive Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1745-1755).

Mei, H., Wang, Y. C., Liu, X., Cao, D. F., & Liu, L. S. (2013). Numerical investigation on anti-penetration behavior of ceramic/metal target under ballistic impact. *12th International Symposium on Multiscale, Multifunctional and Functionally Graded Materials (fgm 2012)* (C. 419, s. 012054). Iop Publishing Ltd. <https://doi.org/10.1088/1742-6596/419/1/012054>

Miao, C., Li, G., Zhong, T., Yang, W., Yang, L., & Li, S. (2013). Experimental and Modeling Studies of the interlayer effect on stress wave propagation of ceramic/Ti6Al4V armors. *Materials Processing and Manufacturing Iii, Pts 1-4* (C. 753-755, ss. 981). <https://doi.org/10.4028/www.scientific.net/AMR.753-755.981>

Moxnes, J. F., Teland, J. A., & Skjold, A. (2013). The Potential of Aps Against Ke-Penetrators. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1040-1046).

Moylan, B., Landrum, B., & Russell, G. (2013). Investigation of the Physical Phenomena Associated with Rain Impacts on Supersonic and Hypersonic Flight Vehicles. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 223-231). <https://doi.org/10.1016/j.proeng.2013.05.026>

Pan, C., Zhao, Z., Zhang, L., & Zhang, J. (2013). The Influence of Steel Cover Thickness on Ballistic Performance of Confined TiC-TiB<sub>2</sub> Ceramic Tiles Against the Impact of Long-Rod Tungsten Alloy Penetrator of 1.4 km. S(-1). *Testing and Evaluation of Inorganic Materials Iii* (C. 544, ss. 304-309). <https://doi.org/10.4028/www.scientific.net/KEM.544.304>

Papy, A., Robbe, C., Nsiampa, N., & Oukara, A. (2013). Enhancement of a Skin Penetration Surrogate for Non-Lethal Kinetic Impacts. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 558-563).

Paris, V., Asaf, Z., Weiss, A., Visel, A., Ran, E., & Aizik, F. (2013). The Influence of Spin on Fragmentation Modeling of Ap Projectiles Interacting with Oblique Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1473-1482).

Pavier, J., Eches, N., Langlet, A., & Bailly, P. (2013). Less Lethal Projectile Characterization-Analysis of Foam Nose Properties Influence on Terminal Effect. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 583-590).

Petel, O. E., Ouellet, S., Marr, B. J., Higgins, A. J., & Frost, D. L. (2013). Ballistic Penetration of Particle-Laden Elastomers. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1009-1018).

Phadnis, V. A., Pandya, K. S., Naik, N. K., Roy, A., & Silberschmidt, V. V. (2013). Ballistic impact behaviour of woven fabric composite: Finite element analysis and experiments. *International Symposium on Dynamic Deformation and Fracture of Advanced Materials (D2fam 2013)*, 451. <https://doi.org/10.1088/1742-6596/451/1/012019>

Piekutowski, A. J., & Poormon, K. L. (2013). Effects of Scale on the Performance of Whipple Shields for Impact Velocities Ranging from 7 to 10 km/s. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 642-652). <https://doi.org/10.1016/j.proeng.2013.05.074>

Pitcher, P., & Hameed, A. (2013). Assessment of Self Ignition Temperature (cook-Off) in Gun Barrels. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 86-98).

Protsan, Y. V., Maydaniuk, D. V., & Bondarenko, S. G. (2013). Rocket Propulsion Using Unitary Paste-like Propellant Analysis of Mass Efficiency for Applications in the Composition of Landing Units and Upper Stages of Launch Vehicles. *Proceedings of 2013 International Forum on Special Equipments and Engineering Mechanics* (ss. 56-62).

Qing, P. X., Wilson, H., Baines, A. G., Bordick, N., Banerjee, S., Chung, H., Beard, S., & Pappakostas, M. (2013). Hot-Spot Fatigue and Impact Damage Detection on a Helicopter Tailboom. *Structural Health Monitoring 2011: Condition-Based Maintenance and Intelligent Structures, Vol 2* (ss. 1907-1914).

Qingzhen, L., Zhonghua, D., & Kangkang, W. (2013). An Experimental study of high-velocity impact on aluminum foam composite shield structure. *Material Design, Processing and Applications, Parts 1-4* (C. 690-693, ss. 20). <https://doi.org/10.4028/www.scientific.net/AMR.690-693.20>

Ramezani, A., Huber, D., & Rothe, H. (2013). Numerical Simulation of Ballistic Tests to Analyse the Effect of Modern Armor. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1818-1824).

Ravid, M., Shapira, N., Galperin, S., & Medem, O. (2013). Armor Performance Analysis Utilizing Maximum Likelihood Ballistic Limit Calculation. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1379-1389).

Reda, D. C., Wilder, M. C., & Prabhu, D. K. (2013). Transition Experiments on Blunt Cones with Distributed Roughness in Hypersonic Flight. *Journal of Spacecraft and Rockets*, 50(3), 504-508. <https://doi.org/10.2514/1.A32426>

Riegel, J. (2013). The Analysis and Reporting of V-50-Should We Do Better? *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1311-1319).

Robbe, C., Nsiampa, N., Papy, A., & Oukara, A. (2013). An Hybrid Experimental/Numerical Method to Assess the Lethality of a Kinetic Energy Non-Lethal Weapon System. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 482-494).

Rondot, F., Vallee, D., Lequin, M., Nussbaum, J., & Thorat-Pierre, K. (2013). On the Use of Laminate Protections Against High Velocity Fragment Impact. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1506-1515).

Ryan, S., & Thaler, S. (2013). Artificial neural networks for characterising Whipple shield performance. *International Journal of Impact Engineering*, *56*, 61-70. <https://doi.org/10.1016/j.ijimpeng.2012.10.011>

Sasaki, S., & Kasano, H. (2013). Ballistic Performance Prediction of Three-Layered Thermoplastic Laminates. *Design, Manufacturing and Applications of Composites* (ss. 31-38).

Sherman, D., & Bir, C. (2013). Evaluation of the taser extended range electronic projectile (xrep). *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 279-289).

Shi-Chang, L., Yi, L., Hong, C., Jie, H., & Sen, L. (2013). Research on the Technique of Identifying Debris and Obtaining Characteristic Parameters of Large-scale 3D Point Set. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 526-532). <https://doi.org/10.1016/j.proeng.2013.05.060>

Sigit, S. R., & Sofyan, B. T. (2013). Characteristics of Heat Treated Al7Si-Mg-Zn-5 wt.% SiC Squeeze Casted Composite with Variation of Mg Content for Tactical Vehicle Application. *Advances in Materials, Processing and Manufacturing* (C. 789, ss. 198-203). <https://doi.org/10.4028/www.scientific.net/AMR.0.198>

Sockalingam, S., Gillespie, J. W., & Keefe, M. (2013). Modeling the Transverse Compression Response of Kevlar KM2. *Proceedings of the American Society for Composites*.

Sofyan, B. T., Rahmalina, D., Suharno, B., & Siradj, E. S. (2013). Deformation Behaviour of Silicon Carbide Reinforced Al-7Si Composite after Ballistic Impacts. *Advances in Materials, Processing and Manufacturing* (C. 789, ss. 33). <https://doi.org/10.4028/www.scientific.net/AMR.789.33>

Tan, G. E. B., & Yuan, J. (2013). Confined Al<sub>2</sub>O<sub>3</sub> Ceramic Tiles Against Long Rod Penetration. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1370-1378).

Tan, L. B., Tse, K. M., Lee, H. P., & Tan, V. B. C. (2013). Ballistic Impact Analysis on the Advanced Combat Helmet (ACH)-Testing and Simulation. *9th International Conference on Composite Science and Technology: 2020—Scientific and Industrial Challenges* (ss. 523-544).

Thota, J., Saadeh, M., Trabia, M. B., O'Toole, B., Lee, C.-H., Woo, K.-J., Park, H.-L., Lee, K.-W., Koo, M.-H., & Lee, K.-H. (2013). Material Characterization of Rubberized Aramid for Shock Mitigation. *International Mechanical Engineering Congress and Exposition - 2012, Vol 3, Pts a-C: Design, Materials, and Manufacturing*, 1261-1267.

Tierney, J. J., Faull, J., Kennedy, A., Yarlagadda, S., & Gillespie, J. W. (2013). Development of a Topology Optimized Upper Body Composite Support Structure. *Proceedings of the American Society for Composites*.

Trzcinski, W. A., Cudzilo, S., Dyjak, S., & Szymanczyk, L. (2013). Behaviour of a Model Reactive Armor with Nitrocellulose and Cellulose Composites After Jet Impact. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 756-769).

Velmurugan, R., Balaganesan, G., & Gupta, N. K. (2013). Impact Loading On Glass/Epoxy Composite Laminates with Nano Clay. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 72). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.72>

Verma, P., Bhujbal, J. G., Ghavate, R. B., Darekar, S. D., & Singh, R. V. (2013). Effect of Different Binders on Mechanical and Ballistic Properties of Boron—Viton Based Fuel Rich Propellant. *Proceeding of International Conference on Recent Trends in Applied Physics & Material Science (ram 2013)* (C. 1536, ss. 1248-1249). <https://doi.org/10.1063/1.4810693>

Vijayan, V., Hegde, S., & Gupta, N. K. (2013). Ballistic Response of Thin Targets Impacted by Truncated and Tip-Deforming Conical Projectiles. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1800-1806).

Wang, Y., Liu, Q., Li, Y., & Shen, Q. (2013). The influence of ALN-Al gradient material gradient index on ballistic performance. *12th International Symposium on Multiscale, Multifunctional and Functionally Graded Materials (fgm 2012)* (C. 419, s. 012026).. <https://doi.org/10.1088/1742-6596/419/1/012026>

Wang, Y., Miao, Y., Yen, C.-F., Yu, J., & Zheng, J. Q. (2013). Numerical Simulations to Determine Ballistic Strength of 2-D Woven Fabrics. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1680-1691).

Wang, Z., Liu, L. S., Mei, H., Lai, X., Zhai, P. C., & Cao, D. F. (2013). Numerical Simulation of the Dynamic Performance of the Ceramic Material Affected by Different Strain Rate and Porosity. *12th International Symposium on Multiscale, Multifunctional and Functionally Graded Materials (fgm 2012)* (C. 419, s. 012044). <https://doi.org/10.1088/1742-6596/419/1/012044>

Wen, Y., Xu, C., Dong, X., & Wang, S. (2013). Experimental study of the characterization of ultra-high molecular weight polyethylene fiber plastic. *Advanced Engineering Materials Iii, Pts 1-3* (C. 750-752, ss. 840). <https://doi.org/10.4028/www.scientific.net/AMR.750-752.840>

Wickert, M., & Osterholz, J. (2013). Terminal Effects of High Power Lasers and Classical Terminal Ballistics. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 996-1008).

Williamsen, J. E., Schonberg, W. P., & Evans, H. J. (2013). Generic module wall damage prediction equations for habitable spacecraft crew survivability evaluations. *International Journal of Impact Engineering*, 56, 71-80. <https://doi.org/10.1016/j.ijimpeng.2012.07.011>

Wisniewski, A., & Gmitrzuk, M. (2013). Validation of Numerical Model of the Twaron Ct709 Ballistic Fabric. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1535-1544).

Worsham, M. J., Treadway, S. K., & Shirley, A. D. (2013). Defeat of High Velocity Projectiles by a Novel Spaced Armor System. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 338-347). <https://doi.org/10.1016/j.proeng.2013.05.038>

Yang, F., Ma, D., Hu, X., & Le, G. (2013). Interior Ballistics Analysis of Ship Torpedo Air Launcher System. *Proceedings of 2013 International Forum on Special Equipments and Engineering Mechanics* (ss. 178-181).

Yang, S. Y., Liu, X., Cao, D. F., Mei, H., Lei, Z. T., & Liu, L. S. (2013). A Study on Propagation Characteristic of One-dimensional Stress Wave in Functionally Graded Armor Composites. *12th International Symposium on Multiscale, Multifunctional and Functionally Graded Materials (fgm 2012)* (C. 419, s. 012046). <https://doi.org/10.1088/1742-6596/419/1/012046>

Yu, K., Wang, F., Chen, R., & Zong, J. (2013). Study on the surface plasma hardening treatment and Anti-penetration Mechanism of Armor Steel. *Material Design, Processing and Applications, Parts 1-4* (C. 690-693, ss. 2141-2144). <https://doi.org/10.4028/www.scientific.net/AMR.690-693.2141>

Yuen, S. C. K., Nurick, G., Ranwaha, N., & Henchie, T. (2013). The response of circular plates to repeated uniform blast loads. *Advances in Engineering Plasticity Xi* (C. 535-536, ss. 44-47). <https://doi.org/10.4028/www.scientific.net/KEM.535-536.44>

Zamorano-Senderos, B., Elvin, N., & Shin, S. (2013). Some issues in passive impact location detection triangulation in composite materials using embedded piezoelectric sensors. *International Mechanical Engineering Congress and Exposition - 2012, Vol 3, Pts a-C: Design, Materials, and Manufacturing*, 1321-1328.

Zhu, D., Mobasher, B., & Rajan, S. D. (2013). Optimization of Finite Element Modeling of Woven Fabric Ballistic Impact. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1608-1616).

Zhu, Y., Qin, L., & Ma, B. (2013). The Influence of Loaded Conditions on the Interior Ballistic Performance. *Frontiers of Manufacturing and Design Science Iii, Pts 1 and 2* (C. 271-272, ss. 663). <https://doi.org/10.4028/www.scientific.net/AMM.271-272.663>

Zu, X. D., Huang, Z. X., Jia, X., & Xiao, Q. Q. (2013). Study on Rubber Composite Armor Anti-Shaped Charge Jet Penetration. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1185-1186).

Zu, X., Huang, Z., Liu, Y., & Jia, X. (2013). A Study on Rubber Composite Armor Anti-Shaped Charge Jet Penetration. *Proceedings of 2013 International Forum on Special Equipments and Engineering Mechanics* (ss. 253-258).

Cheng, C., & Zhang, X. (2013a). Modeling of Interior Ballistic Gas-Solid Flow Using a Coupled Cfd-Dem Approach. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 78-81).

Cheng, C., & Zhang, X. (2013b). Modeling of Interior Ballistic Gas-Solid Flow Using a Coupled Computational Fluid Dynamics-Discrete Element Method. *Journal of Applied Mechanics-Transactions of the Asme*, 80(3), 031403. <https://doi.org/10.1115/1.4023313>

Chocron, S., King, N., Bigger, R., Walker, J. D., Heisserer, U., & van der Werff, H. (2013). Impacts and Waves in Dyneema Hb80 Strips and Laminates. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1075-1078).

Horsfall, I., Watson, C. H., & Champion, S. M. (2013). Optimizing the Stacking Sequence in Dual-Purpose Body Armours. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1366-1369).

Loft, K., Price, M. C., Cole, M. J., & Burchell, M. J. (2013a). A New Online Resource for the Hypervelocity Impact Community and the Change of Debris Cloud Impact Patterns With Impact Velocity. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 508-516). <https://doi.org/10.1016/j.proeng.2013.05.058>

Loft, K., Price, M. C., Cole, M. J., & Burchell, M. J. (2013b). Impacts into metals targets at velocities greater than 1 km s(-1): A new online resource for the hypervelocity impact community and an illustration of the geometric change of debris cloud impact patterns with



impact velocity. *International Journal of Impact Engineering*, 56, 47-60. <https://doi.org/10.1016/j.ijimpeng.2012.07.007>

Mickovic, D., Jaramaz, S., Elek, P., Jaramaz, D., & Mickovic, D. D. (2013). Determination of Pressure Profiles Behind Projectiles During Interior Ballistic Cycle. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 74-77).

Miller, J. E., Bohl, W. E., Christiansen, E. L., & Davis, B. A. (2013). Ballistic Performance of Porous-Ceramic, Thermal Protection Systems. *Proceedings of the 12th Hypervelocity Impact Symposium* (C. 58, ss. 584-593). Elsevier Science Bv. <https://doi.org/10.1016/j.proeng.2013.05.067>

Strassburger, E., Hunzinger, M., Patel, P., & McCauley, J. W. (2013). Analysis of the Fragmentation of AlON and Spinel Under Ballistic Impact. *Journal of Applied Mechanics-Transactions of the Asme*, 80(3), 031807. <https://doi.org/10.1115/1.4023573>

Yu, W., & Zhang, X. (2013). Numerical Simulation and Analysis of the Muzzle Flow During the Revolving Barrel Gun Firing. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 404-418).

Perez-Martin, M. J., Enfedaque, A., Dickson, W., & Galvez, F. (2013). Impact Behaviour of Hybrid Glass/Carbon Epoxy Composites. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1146-1149).

Hwang, H. S., Patterson, B. A., Malakooti, M. H., & Sodano, H. A. (2013). Modification of pullout behavior of Kevlar fabric by zinc oxide nanowire reinforcement. In *ASME International Mechanical Engineering Congress and Exposition* (Vol. 56383, p. V009T10A012).

Abadjieva, E., & Carton, E. P. (2013). Ballistic Performance and Microstructure of Four Armor Ceramics. *27th International Symposium on Ballistics, Vols. 1 and 2* (ss. 1226-1233).

Akca, C., & Erarslan, Y. (2013). T Zone of Sic Particulate Reinforced Az91d Magnesium Alloys Under Ballistic Impact on a Specially Designed Gravitational Ballistic Test Apparatus. *Metal 2013: 22nd International Conference on Metallurgy and Materials*, 1418-1422.

Akçay, M., & Dede, G. (2014). Uzay Sektörü Faaliyetlerinin Planlanmasında Teknoloji Yönetimi Bakış Açısı ve Bir Model Önerisi (in Turkish). *SAVTEK 2014 Savunma Teknolojileri Kongresi*.

Akçay, M., & M., Ö. (2014). Meskun Mahallerde Muharebede Hassas Kuvvet Kullanımı (in Turkish). *SAVTEK 2014 Savunma Teknolojileri Kongresi*.

Alexander, C., Vyvial, B., & Wilson, F. (2014). Pipeline Repair of Corrosion and Dents: A Comparison of Composite Repairs and Steel Sleeves. *Proceedings of the 10th International Pipeline Conference - 2014, Vol 2*, V002T06A040.

Aydelotte, B., & Schuster, B. (2014). A Computational Study of the Arl Glass Model and Its Predictions of Ballistic Penetration and Fracture Conoid Development. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1117-1128).

Anderson, C. E., & Riegel, J. (2014). Estimate of Penetration/Perforation Performance Based on Semi-Infinite Penetration Data. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1231-1241).

Anderson, C. E., Weiss, C. E., Barnes, A. T., & Bigger, R. P. (2014). Investigation of Impact Performance of Transparent Armor. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1313-1324).

Behner, T., Heine, A., & Wickert, M. (2014). Assessment of a Layered Ceramic Armor Structure in Laboratory Tests Against Compact Copper Projectiles. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1339-1347).

Blot, A., & Chaplin, R. (2014a). Coupling of a Lumped Mass Interior Ballistic Code with the Structural Finite Element Code Abaqus. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 521-531).

Blot, A., & Chaplin, R. (2014b). Coupling of a Lumped Mass Interior Ballistic Code with the Structural Finite Element Code Abaqus. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 521-531).

Bougaev, A. V., Gerasimov, S., Erofeyev, V. I., Kolchev, S. V., & Mikhailova, Y. A. (2014a). Investigation of Two-Stage Powder Ballistic Installation. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 345-349).

Bougaev, A. V., Gerasimov, S., Erofeyev, V. I., Kolchev, S. V., & Mikhailova, Y. A. (2014b). Investigation of Two-Stage Powder Ballistic Installation. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 345-349).

Choi, J. H., Lee, H. J., Lee, C. H., & Kim, D. K. (2014). Dynamic Fracture Behaviors of Transparent Materials Under Detonation Loading. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1052-1063).

Chun, C., Weibing, L., Xiaoming, W., & Haitao, L. (2014). Research On Initial Velocity And Penetration Ability of 50SiMnVB Steel Shell Formed Fragments. *Materials Science, Civil Engineering and Architecture Science, Mechanical Engineering and Manufacturing Technology, Pts 1 and 2* (C. 488-489, ss. 162-166). <https://doi.org/10.4028/www.scientific.net/AMM.488-489.162>

Courtney, E., Courtney, A., & Courtney, M. (2014). Shock Tube Design for High Intensity Blast Waves for Laboratory Testing of Armor and Combat Materiel. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 11-14). <https://doi.org/10.1016/j.dt.2014.04.003>

Crouch, I. G. (2014). Effects of Cladding Ceramic and Its Influence on Ballistic., *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1084-1094).

Du, J., Chen, P., Zhang, L., Xiang, J., & Li, H. (2014). Application of the Projection Pursuit Regression in Forecasting the Torpedo Velocity at Tube Outlet. *Design, Manufacturing and Mechatronics* (C. 551, ss. 365-369). <https://doi.org/10.4028/www.scientific.net/AMM.551.365>

Elsadek, H., Zhang, X., Rashad, M. M., & Cheny, C. (2014). Two Phase Flow Modeling Of the Interior Ballistics for a Naval Medium Caliber Gun with Guided Projectile. *4th Mechanical and Manufacturing Engineering, Pts 1 and 2* (C. 465-466, ss. 531-535). <https://doi.org/10.4028/www.scientific.net/AMM.465-466.531>

Erzar, B., & Zinszner, J.-L. (2014). Dynamic Characterization of Ceramics Using a High Pulsed Power Generator. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 47-54).

Flores-Johnson, E. A., Carrillo, J. G., Gamboa, R. A., & Shen, L. (2014). Experimental and numerical study of plain-woven aramid fabric. *Material Science and Engineering Technology Ii* (C. 856, ss. 74). <https://doi.org/10.4028/www.scientific.net/AMR.856.74>

Fountzoulas, C. G., & Strassburger, E. (2014). Numerical Study of Damage Propagation and Dynamic Fracture in Sapphire. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 921-930).

Fredette, L., & Beach, E. (2014). Welding Simulation used in the Design of Metallic Armor Systems. *Residual Stresses Ix* (C. 996, ss. 518). <https://doi.org/10.4028/www.scientific.net/AMR.996.518>

Fresconi, F., DeSpirito, J., & Celmins, I. (2014). Flight Performance of a Man Portable Guided Projectile Concept. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 689-699).

Gao, H., Luo, X., & Zhang, Y. (2014). Experimental Study on the Impact of Jet Penetration with Different Spacing Interval. *Civil, Structural and Environmental Engineering, Pts 1-4* (C. 838-841, ss. 188). <https://doi.org/10.4028/www.scientific.net/AMR.838-841.188>

Garcia-Avila, M., Portanova, M., & Rabiei, A. (2014). Ballistic performance of a composite metal foam-ceramic armor system. *8th International Conference on Porous Metals and Metallic Foams* (C. 4, ss. 151-156). <https://doi.org/10.1016/j.mspro.2014.07.571>

Gerasimov, S. I., Bougaev, A. V., & Erofeyev, V. I. (2014). Schemes of Shadow Photographing in Practice of Aeroballistic Experiment. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 552-556).

Gibbon, R., Carr, D., Crawford, C., Lankester, C., & Gridley, N. (2014). Effect of Fragment Geometry on Ballistic Protection. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 873-879).

Heine, A., & Wickert, M. (2014). Pre-Fragmented Rod Interaction with Plate Target. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1190-1199).

Holmquist, T. J., & Rickert, F. C. (2014). An Experimental and Computational Study Investigating the Ballistic Response of Seams Connecting Steel Targets. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1396-1405).

Hu, H., & Wang, J. (2014). Semi-Active Vibration Control of Magnetorheological Impact Damper. *Advanced Research on Material Engineering, Chemistry, Bioinformatics Iii* (C. 830, ss. 97). <https://doi.org/10.4028/www.scientific.net/AMR.830.97>

Huang, X., Wang, W., Jiang, Y., Fu, L., & Fan, Z. (2014). Simulation Research on Three kinds of Alloy Material for Penetration. *Frontiers of Mechanical Engineering and Materials Engineering Ii, Pts 1 and 2* (C. 457-458, ss. 301-304). <https://doi.org/10.4028/www.scientific.net/AMM.457-458.301>

Jiangren, L., Xinli, S., Xinghui, C., Sanqiang, D., & Wang, G. (2014). Numerical Study on the Ballistic Impact on Lightweight Composite Armour. *Applied Mechanics, Materials and Manufacturing Iv* (C. 670-671, ss. 824-828). <https://doi.org/10.4028/www.scientific.net/AMM.670-671.824>

Kaiser, A., Hutzler, T., Krell, A., & Kremer, R. (2014). Optimized Shaping Process for Transparent Spinel Ceramic. *Innovative Processing and Manufacturing of Advanced Ceramics and Composites Ii* (C. 243, ss. 3).

Key, C. T., & Gorfain, J. E. (2014). An Improved Polyurea Model for Ballistic Impact Simulation. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1178-1189).

Kim, S. J., Mun, S.-H., Lee, K.-A., Lee, C., & Lee, S. (2014). Manufacturing and Evaluating for the Two Layer/Explosive Materials and Their Numerical Simulations. *Explosion, Shock Wave and High-Energy Reaction Phenomena II* (C. 767, ss. 52). <https://doi.org/10.4028/www.scientific.net/MSF.767.52>

Kirkpatrick, D., Bradley, K., Newell, D., Potter, R., & Slater, M. (2014). Measuring the Terminal Effects Performance of Eod Disruptors. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1220-1230).

Leciejewski, Z., Zawada, T., Kowalczyk, P., Szymonik, J., & Czyronis, P. (2014). Selected Ballistic Aspects of Fire Control System Designed to Anti-Aircraft Gun. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 655-665).

Lee, H. J., Choi, J. H., Lee, C. H., & Kim, D. K. (2014). Effective Analysis of Backup Plates of Explosive Reactive Armour. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 988-995).

Liu, J., Gu, W., Lu, M., & Xu, H. (2014). Explosively Formed Penetrators (efp) with Fins Formation and Flight Characteristics. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 609-612).

Liu, J., & Yuan, J. (2014). Effects of Specimen Size and Boundary Conditions on the Penetration Depth of Metal Ceramic Structure. *International Conference on Materials for Advanced Technologies (icmat2013), Symposium W - Advanced Structural and Functional Materials for Protection* (C. 75, ss. 71-77). <https://doi.org/10.1016/j.proeng.2013.11.014>

Lu, X., Lu, H., & Lu, H. (2014). Cover Confinement and Ballistic Performance of TiC-TiB<sub>2</sub> Ceramic Armor under the Impact of Long-rod KE Penetrator of 1400 m. S(-1). *Dianchi Advanced Materials Forum 2013* (C. 833, ss. 130). <https://doi.org/10.4028/www.scientific.net/AMR.833.130>

Maley, J., Fresconi, F., & Fairfax, L. (2014). Gps-Denied Navigation for Artillery Projectiles Equipped with a Course-Correcting Fuze. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 792-803).

Manes, A., Bresciani, L. M., & Giglio, M. (2014). Ballistic performance of multi-layered fabric composite plates impacted by different 7.62 mm calibre projectiles. *International Symposium on Dynamic Response and Failure of Composite Materials (draf2014)* (C. 88, ss. 208-215). <https://doi.org/10.1016/j.proeng.2014.11.146>

Marcisz, J., Burian, W., Stepien, J., Starczewski, L., Wnuk, M., & Janiszewski, J. (2014). Static, Dynamic and Ballistic Properties of Bainite-Austenite Steel for Armours. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1348-1361).

Martinez-Hergueta, F., Galvez, F., & Gonzalez, C. (2014). Influence of the Fiber Alignment in the Ballistic Performance of Dyneema Non-Woven Fabrics. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 931-941).

Mayselless, M., & Asaf, Z. (2014). Jet Interaction with High Explosive Flow. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1064-1075).

Monreal-Gonzalez, G., Oton-Martinez, R. A., Velasco, F. J. S., Garcia-Cascales, J. R., Vera-Garcia, F., Bullon-Sanchez, C., & Moratilla-Fernandez, D. (2014). A One-Dimensional

Code for the Analysis of Internal Ballistic Problems. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 750-759).

Nguyen, L. H., Ryan, S., Cimpoeru, S. J., Mouritz, A. P., & Orifici, A. C. (2014). The Effect of Target Thickness on the Ballistic Performance of Uhmw Polyethylene Composite. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 942-945).

Parab, N. D., Claus, B. J., Hudspeth, M. C., Black, J. T., Fezzaa, K., & Chen, W. W. (2014). Investigation of Failure Mechanisms in Glass Under Dynamic Loading Using High Speed X-Ray Phase Contrast Imaging. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1134-1137).

Parent, J.-F., & Jaansalu, K. M. (2014). Internal Ballistics Simulation Incorporating Shotshell Dynamics. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 509-520).

Paris, V., Hirschberg, Y., Assaf, Z., Ravid, M., & Shapira, N. (2014). Evaluation of Ballistic Performance of Bi-Layered Ceramic Armor Using Numerical Simulations. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 996-1006).

Price, C. D., & Rushing, T. S. (2014). Statistical Method for Determining Governing Properties of High-Velocity Polymer Penetrations. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 886-897).

Renbin, Z., Xuebing, L., Anqing, M., & Yongfeng, Z. (2014). Simulation Study on Armor-Piercing Effect of Armor-piercing bomb. *Research in Mechanical Engineering and Material Science* (C. 456, ss. 55-59). <https://doi.org/10.4028/www.scientific.net/AMM.456.55>

Ridky, R., Buchar, J., Rolc, S., Drdlova, M., & Kratky, J. (2014). Numerical Explicit Analysis of Absorbing Materials Used in Multilayer Mine Protection. *Engineering Mechanics 2014* (ss. 544-547).

Safrai, E., Armon, A., Bar, Z., Dyamant, I., & Shemer, E. (2014). The Effect of Coupon Dimensions on the Ballistic Resistance of Transparent Armor. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1214-1219).

Safri, S. N. A., Sultan, M. T. H., Razali, N., Basri, S., Yidris, N., & Mustapha, F. (2014). The Effect of Layers and Bullet Type on Impact Properties of Glass Fibre Reinforced Polymer (GFRP) Using A Single Stage Gas Gun (SSGG). *Advances in Mechanical and Manufacturing Engineering* (C. 564, ss. 428-+). <https://doi.org/10.4028/www.scientific.net/AMM.564.428>

Sanchez-Galvez, V., Sanchez Paradela, L., & Galvez, F. (2014). Analytical simulation of high-speed impact onto hybrid glass/carbon epoxy composites targets. *International Symposium on Dynamic Response and Failure of Composite Materials (draf2014)* (C. 88, ss. 101-108). <https://doi.org/10.1016/j.proeng.2014.11.132>

Segala, D. B., & Cavallaro, P. V. (2014). Energy Absorption Mechanisms in Hard Epoxy Resin Matrix Composite Laminates Subjected to Dynamic Loading Events. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2013, Vol 9, V009T10A030*.

Serjouei, A., Chi, R., Sridhar, I., & Tan, G. E. B. (2014). An empirical model for the ballistic limit of bi-layer ceramic/metal armour. *International Conference on Materials for Advanced Technologies (icmat2013), Symposium W - Advanced Structural and Functional Materials for Protection* (C. 75, ss. 14-18). <https://doi.org/10.1016/j.proeng.2013.11.003>

Songlin, W., & Xiaocheng, W. (2014). Analysis of Shock Wave Signals and Calculation of Trajectory Vector in Acoustic Positioning System. *Mechanical Design and Power Engineering, Pts 1 and 2* (C. 490-491, ss. 1317). <https://doi.org/10.4028/www.scientific.net/AMM.490-491.1317>

Sorrentino, L., Bellini, C., Corrado, A., Polini, W., & Arico, R. (2014). Ballistic performance evaluation of composite laminates in kevlar 29. *International Symposium on Dynamic Response and Failure of Composite Materials (draf2014)* (C. 88, ss. 255-262). <https://doi.org/10.1016/j.proeng.2015.06.048>

Strassburger, E., Bauer, S., & Popko, G. (2014). Damage Visualization and Deformation Measurement in Glass Laminates During Projectile Penetration. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1210-1213).

Tan, G. E. B., & Yuan, J. (2014). Oblique Penetration into Steel-Confined Ceramic Armour. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1030-1038).

Tribet, M., Rolland, S., Peugeot, S., Broudic, V., Magnin, M., Wiss, T., & Jegou, C. (2014). Irradiation impact on the leaching behavior of HLW glasses. *2nd International Summer School on Nuclear Glass Wasteform: Structure, Properties and Long-Term Behavior (sumglass 2013)* (C. 7, ss. 209-215). <https://doi.org/10.1016/j.mspro.2014.10.027>

Truyen, E., Coghe, F., & Desmaret, L. (2014). Modeling of the Impact of a Hep/Hesh Projectile on a Steel Armor Plate. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1362-1372).

Wang, Z., Tang, X., Wang, X., Meng, X., & Lv, H. (2014). Numerical simulation on the oblique penetration of ceramic particles reinforced metal matrix functional gradient armor. *Advances in Fracture and Damage Mechanics Xii* (C. 577-578, ss. 585-588). <https://doi.org/10.4028/www.scientific.net/KEM.577-578.585>

Weiss, A., & Durban, D. (2014). Cavitation Theory Applied to Polycarbonate Ballistic Response. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1007-1018).

Wey, P., Martinez, B., Cayzac, R., Carette, E., Denis, P., & Grignon, C. (2014). 2d Course Correction System for Spin-Stabilized Projectiles Using a Spoiler Control Surface. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 678-688).

Wickert, M., & Osterholz, J. (2014). Perforation of Thin Plate Targets by Laser Impact. *International Symposium on Ballistics, Vols 1 and 2* (ss. 36-46).

Wu, H., Li, D., Huang, F., & Zhang, S. (2014). Experimental Study on Ballistic Characteristics of Fiber Reinforced Aerogel Composite Structures. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 1299-1307).

Xiang-hai, Y., Hong-gang, S., Min-ming, Z., Kai-wen, T., Li-jun, Z., Jie, Z., & Wen-lu, S. (2014). Influence of Temperature Rise in Penetration of W-f/Zr-Based Amorphous Matrix Composite Projectile on Target Material. *Frontiers of Manufacturing and Design Science Iv, Pts 1-5* (C. 496-500, ss. 210-215). <https://doi.org/10.4028/www.scientific.net/AMM.496-500.210>

Yahaya, R., Sapuan, S. M., Leman, Z., & Zainudin, E. S. (2014). Selection of Natural Fibre for Hybrid Laminated Composites Vehicle Spall Liners Using Analytical Hierarchy Process (AHP). *Advances in Mechanical and Manufacturing Engineering* (C. 564, ss. 400). <https://doi.org/10.4028/www.scientific.net/AMM.564.400>

Yu, W., Sun, H., Fang, L., & Ma, Z. (2014). Study of the influence of the erosion and wear on artillery internal ballistic performance. *Sensors, Measurement and Intelligent Materials II, Pts 1 and 2* (C. 475-476, ss. 1499-1502). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/AMM.475-476.1499>

Zhao, S., Zhang, M., Ren, Y., Yang, W., & Wu, S. (2014). Impact Resistance of Shear Thickening Fluid (STF)/Kevlar Composites for Body Armor Application. *Research in Materials and Manufacturing Technologies, Pts 1-3* (C. 835-836, ss. 241). <https://doi.org/10.4028/www.scientific.net/AMR.834-836.241>

Ha, J. (2014). The Probability Analysis Method of the Target Being Within Seeker's Fov in the Loal (lock-on After Launch) System. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 613-621).

Gerasimov, S. I., Bougaev, A. V., & Kostin, V. I. (2014). Algorithm for Definition of External Parameters in Aeroballistic Experiment. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 545-551).

Cao, Y., Sun, X., Yuan, B., & Geng, W. (2014). Study on Design and Performance of Linear Efp Warhead. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 173-178).

Cech, V., Jedlicka, L., & Jevicky, J. (2014a). Problem of the Reference Height of the Projectile Trajectory as a Reduced Meteo-Ballistic Weighting Factor. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 7-10).

Cech, V., Jedlicka, L., & Jevicky, J. (2014b). Some Problems with the Estimation of Projectile Trajectory Perturbations. *Engineering Mechanics 2014* (ss. 116-119).

Chang, S., Qian, L., & Wang, Z. (2014). Modeling and Simulation of Ballistic Characteristics for Dual-Spin Stabilized Projectiles Equipped with Canards. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 557-567).

Wang, Z., & Chang, S. (2014). Method of Trajectory Prediction and Analysis of Correction Quantity for One-Dimensional Trajectory Correction Projectiles. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 568-576).

Wurster, S., & Fischer, T. S. (2014). Simulation of Propellant Combustion Using the Ict-Cellular-Combustion-Algorithm (icca). *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 394-401).

Dhote, K. D., Murthy, K. P. S., Rajan, K. M., & Sucheendran, M. M. (2014). Quantification of Projection Angle in Fragment Generator Warhead. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 112-115).

Rozumov, E., Caravaca, E., Grau, H., Wyckoff, J., Laquidara, J., Manning, T., Drummond, J., Brooks, J., & Pulver, R. (2014). Deterring of Double Based Ball Powder (r) with Inorganic and Organic Salts to Replace Dibutyl-Phthalate and Prevent Deterrent Migration. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 420-427).

Locking, P. M. (2014). Explosive Materials Characterisation by Tnt Equivalence. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 140-149).

Manning, T., Wyckoff, J., Adam, C., Rozumov, E., Klingaman, K., Panchal, V., Laquidara, J., Fair, M., Bolognini, J., Luhmann, K., Velarde, S., Knott, C., Piraino, S. M., & Boyd, K. (2014). Formulation Development and Characterization of Cellulose Acetate Nitrate

Based Propellants for Improved Insensitive Munitions Properties. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 471-485).

Mullin, S. A., Carpenter, A. J., Riegel, J. P., Cox, P. A., McFarland, J. M., Weiss, C., Walker, J. D., Riha, D. S., Grosch, D. J., & Mathis, J. T. (2014). New Analytical Formulations for Land Mine Total and Specific Impulse Predictions. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 255-266).

Quan, X. (2014). Numerical Simulation of Sabot Discarding Process of Apfstds. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 839-850).

Ritter, J. J. (2014). Barrel Leade Effects on 5.56-Mm Interior Ballistics. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 428-433).

Steier, V., Carr, D., Crawford, C., Teagle, M., Miller, D., Holden, S., & Helliker, M. (2014). Effect of Fsp Material on the Perforation of a Typical Body Armor Fabric. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 880-885).

van der Werff, H., Heisserer, U., Lassig, T., & Riedel, W. (2014). From a Hydrocode Model of Dyneema (r) Hb26 to Radically Improved Armor. *28th International Symposium on Ballistics, Vols 1 and 2* (ss. 898-908).

Gibbon, R., Carr, D., Crawford, C., Lankester, C., & Gridley, N. (2014). Effect of fragment geometry on ballistic protection. In *Proceedings of the 28th International Symposium on Ballistics, Atlanta, GA, USA* (pp. 22-26).

Courtney, E., Courtney, A., & Courtney, M. (2014). Shock tube design for high intensity blast waves for laboratory testing of armor and combat materiel. *Defence Technology, 10*(2), 245-250.

Wickert, M., & Osterholz, J. (2014). Perforation of thin plate targets by laser impact. *International Symposium on Ballistics 2014*.

Alil, L.-C., Matache, L., Badea, S. M., & Ilie, F. (2015). Small Scale Test Method to Determine the Capacity of the Ballistic Protection Materials to Mitigate the Blast Overpressure., *21st International Conference the Knowledge-Based Organization* (C. 21, ss. 764-769). <https://doi.org/10.1515/kbo-2015-0129>

Anggoro, D. D., & Kristiana, N. (2015). Combination of Natural Fiber Boehmeria nivea (Ramie) with Matrix Epoxide for Bullet Proof Vest Body Armor. *International Conference of Chemical and Material Engineering (iccme) 2015: Green Technology for Sustainable Chemical Products and Processes* (C. 1699, s. 040002). <https://doi.org/10.1063/1.4938317>

Azhar, A. B. M., Risby, M. S., Sohaimi, A. S. M., Hafizi, M. N., Khalis, S., & Asrul, S. (2015). Conceptual mold design for multi-curved natural fiber reinforced composite body armor panel. *Cirpe 2015—Understanding the Life Cycle Implications of Manufacturing* (C. 37, ss. 95-100). <https://doi.org/10.1016/j.procir.2015.08.017>

Badea, S. M., Lazaroaie, C., Zecheru, T., & Lazar, I. (2015). Methods and Criteria for Selecting the Suitable Materials to Achieve the New Ballistic Protection Vest Designed to Womens. *21st International Conference the Knowledge-Based Organization* (C. 21, ss. 782-786). <https://doi.org/10.1515/kbo-2015-0132>

Baltatescu, O., Florea, R. M., Rusu, I., & Carcea, I. (2015). Researches on the behaviour of cellular antiballistic composites based on AlMg-SiC alloys. *Modern Technologies in*



*Industrial Engineering (modtech2015)* (C. 95, s. 012014). <https://doi.org/10.1088/1757-899X/95/1/012014>

Beer, S., Kovarik, M., & Sy, N. T. (2015). Bore Wear by 3BM-15 Projectiles. *International Conference on Military Technologies (Icmt 2015)*, 37-41.

Bjerke, T., Greenfield, M., & Segletes, S. (2015). The Mechanochemistry of Damage and Terminal Ballistics. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 35-42). <https://doi.org/10.1016/j.proeng.2015.04.006>

Boussu, F., Garin, P., Pariente, J., & Lemercier, S. (2015). Carbon Fiber Textile Composite Solutions for High Speed Armor Piercing Ammunition. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 252-261).

Cai, L., Manasrah, A., Al-Ostaz, A., Li, X., Drzal, L. T., Rook, B., Cheng, A. H.-D., & Alkhateb, H. (2015). Processing and Mechanical Properties Investigation of Epoxy-Impregnated Graphene Paper. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 899-917).

Carpenter, A. J., Anderson, C. E., & Chocron, S. (2015). Mesoscale Simulations of High-Velocity Impact on Plain-Weave and 3-D Weave S-2 Glass Targets. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 60-67). <https://doi.org/10.1016/j.proeng.2015.04.009>

Carpenter, A. J., Chocron, S., & Anderson, C. E. (2015). Ballistic Modeling of S-2 Glass/SC-15 Epoxy Composites using Mesoscale Models. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 642-649).

Chaichuenchob, C., & Sinchai, S. (2015). The Damaged Analysis from Ballistic Threats on Transparent Armor. *2015 First Asian Conference on Defence Technology (Acdt)*, 7-11.

Chevallier, L., Govignon, Q., Olivier, P., Bernhart, G., & Mayne-L'Hermite, M. (2015). Mechanical Effects of the Injection-Cvd Nanostructuring of Carbon-Fibre Composites Investigated by Bundle Tensile Test and Dma. *20th International Conference on Composite Materials*.

Chocron, S., Carpenter, A. J., & Walker, J. D. (2015). Mesoscale Simulations of Ballistic Impact: From Woven Fabrics to Unidirectional Composites. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 888-898).

Chocron, S., Zaera, R., Walker, J., Brill, A., Kositski, R., Havazelet, D., Heisserer, U., & van der Werff, H. (2015). Transitioning a unidirectional composite computer model from mesoscale to continuum. *Dymat 2015—11th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading* (C. 94, s. 04048). <https://doi.org/10.1051/epjconf/20159404048>

Cwalina, C. D., Dombrowski, R. D., McCutcheon, C. J., Christiansen, E. L., & Wagner, N. J. (2015). MMOD Puncture Resistance of EVA Suits with Shear Thickening Fluid (STF)—Armor (TM) Absorber Layers. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 97-104). <https://doi.org/10.1016/j.proeng.2015.04.014>

Dippolito, M., Wang, Y., Ma, Y., Yen, C.-F., Zheng, J. Q., & Halls, V. (2015). Real Scale Simulation of Ballistic Tests for Multi-Layer Fabric Body Armors. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2014, Vol 9, UNSP V009T12A074*.

Dippolito, M., Wang, Y., Yen, C.-F., Zheng, J. Q., & Halls, V. (2015). Comparison between Numerical and Experimental Results on Ballistic Strength of Multi-layer Fabric Body Armors. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 2062-2073).

Dolganina, N. Y., Kudryavtsev, O. A., & Sapozhnikov, S. B. (2015). An Assessment of the Aramid Felt High Velocity Impact Resistance. *20th International Conference on Composite Materials*.

Dolinski, M., & Rittel, D. (2015). Experiments and modeling of ballistic penetration using an energy failure criterion. *Dymat 2015—11th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading* (C. 94). <https://doi.org/10.1051/epjconf/20159404016>

Ellis, J. L., Sayre, J. R., Jenkins, K. J., Hutson, T. B., Antel, R. E., Tolbert, B., Mcginniss, V., Risser, S. M., & Thurston, R. M. (2015). Extending Service Life and Detecting Degradation of Poly(p-phenylene-2,6-benzobisoxazole) (PBO) Fiber. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 78-86).

Esola, S., Bartoli, I., Horner, S. E., Zheng, J. Q., & Kontsos, A. (2015). Quantitative Acoustics Approach for Damage Detection in Hard Armor Protective Inserts. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 2028-2039).

Garcia-Gonzalez, D., Rodriguez-Millan, M., Vaz-Romero, A., & Arias, A. (2015). High impact velocity on multi-layered composite of polyether ether ketone and aluminium. *Composite Interfaces*, 22(8), 705-715. <https://doi.org/10.1080/09276440.2015.1051421>

Girardot, J., & Dau, F. (2015). Modeling Dry Fabrics Under Impact with a 3d Discrete Element Method (dem). *20th International Conference on Composite Materials*.

Haque, B. Z., Ali, M. A., & Gillespie, J. W. (2015). Modeling Transverse Impact on Multi-Layer UHMWPE Soft Ballistic Armor Pack (SBAP). *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 2468-2478).

Hoerth, T., Schaefer, F., Hupfer, J., Millon, O., & Wickert, M. (2015). Momentum Transfer in Hypervelocity Impact Experiments on Rock Targets. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 197-204). Bv. <https://doi.org/10.1016/j.proeng.2015.04.027>

Holmen, J. K., Borvik, T., Myhr, O. R., & Hopperstad, O. S. (2015). Perforation of welded aluminum extrusions Numerical prediction and experimental validation. *Dymat 2015—11th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading* (C. 94, s. 04015). <https://doi.org/10.1051/epjconf/20159404015>

Jenson, D., & Unnikrishnan, V. (2015). Multiscale Simulation of Ballistic Composites for Blast Induced Traumatic Brain Injury Mitigation. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2014, Vol 9, UNSP V009T12A072*.

Komenda, J., Kovarik, M., & Jedlicka, L. (2015). Relationship of Mass and Initial Velocity of the Pistol Projectile. *International Conference on Military Technologies (Icmt 2015)*, 43-47.

Kuznetsova, V., & Savelieva, L. (2015). Optimization of the Characteristics of High-Energy Materials. *Heat and Mass Transfer in the Thermal Control System of Technical and*

*Technological Energy Equipment* (C. 23, s. 01023).  
<https://doi.org/10.1051/mateconf/20152301023>

Latif, K., Kaan, C. N., Emrah, K. H., & Nuri, D. (2015). Effect of composition on the high rate dynamic behaviour of tungsten heavy alloys. *Dymat 2015—11th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading* (C. 94, s. 02017). <https://doi.org/10.1051/epjconf/20159402017>

Lazzarin, M., Faenza, M., Barato, F., Bellomo, N., & Bettella, A. (2015). Numerical Simulation of Hybrid Rockets Liquid Injection and Comparison with Experiments. *Journal of Propulsion and Power*, 31(1), 352-364. <https://doi.org/10.2514/1.B35223>

Liang, C.-S., Xie, Z.-H., & Li, X. (2015). Simulation on a Composite Laminate Subjected to Ballistic Impact. *Proceedings of the 2015 International Conference on Material Science and Applications (icmsa 2015)* (C. 3, ss. 1047-1052).

Liu, J., Pi, A., Wu, H., & Huang, F. (2015). Dynamic response of reverse Taylor impact based on DIC technology. *Dymat 2015—11th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading* (C. 94, s. 01074). <https://doi.org/10.1051/epjconf/20159401074>

Liu, L., Chen, W., He, M., Luo, G., & Zhao, Z. (2015). Meso-Scale Modeling of Triaxial Braided Textile Under Ballistic Impact. *20th International Conference on Composite Materials*.

McDonald, J., & Satapathy, S. (2015). Surface Wave Effects on the Ballistic Response of Brittle Materials. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 538-545). <https://doi.org/10.1016/j.proeng.2015.04.070>

Meng, C. M., Tan, Q. H., Jiang, Z. G., & Qiu, W. B. (2015). Static Analysis of Ceramics/metal Patterned Composite Armour. *3rd International Conference on Mechanics, Dynamic Systems and Material Engineering (Mdsme 2015)*, 30-34.

Miller, J. E., Christiansen, E. L., Davis, B. A., & Deighton, K. D. (2015). Ballistic performance model of crater formation in monolithic, porous thermal protection systems. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 398-404). <https://doi.org/10.1016/j.proeng.2015.04.038>

Miller, S. G., Roberts, G. D., Kohlman, L. W., Heimann, P. J., Pereira, J. M., Ruggeri, C. R., Martin, R. E., & McCorkle, L. S. (2015). Impact Behavior of Composite Fan Blade Leading Edge Subcomponent with Thermoplastic Polyurethane Interleave. *20th International Conference on Composite Materials*.

Monteiro, S. N., Leme Louro, L. H., Trindade, W., Elias, C. N., Ferreira, C. L., Lima, E. D. S., Weber, R. P., Miguez Suarez, J. C., Da Silva Figueiredo, A. B.-H., Pinheiro, W. A., Da Silva, L. C., & Lima, E. P. (2015). Natural Curaua Fiber-Reinforced Composites in Multilayered Ballistic Armor. *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, 46A(10), 4567-4577. <https://doi.org/10.1007/s11661-015-3032-z>

Nezval, V., & Prochazka, S. (2015). Improvement of the Barrel Bore Quality of Hammer Forged Barrels Technology Application for Ballistic Test Barrels. *International Conference on Military Technologies (Icmt 2015)*, 23-28.

Nguyen, L. H., Lassig, T. R., Ryan, S., Riedel, W., Mouritz, A. P., & Orifici, A. C. (2015). Numerical Modelling of Ultra-High Molecular Weight Polyethylene Composite Under Impact Loading. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 436-443). <https://doi.org/10.1016/j.proeng.2015.04.043>

Nitta, K., Higashide, M., Takeba, A., & Katayama, M. (2015). Response of a Wire Probe Antenna Subjected to Hyper-Velocity Impacts. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 450-457). <https://doi.org/10.1016/j.proeng.2015.04.059>

Pandya, K. S., McShane, G. J., & Stronge, W. J. (2015). Impact Damage and Perforation of Thin Monolithic Aluminium Alloy Plates: Insights for Impact Resistant Polymer-Metal Bi-Layer Laminates. *20th International Conference on Composite Materials*. Aalborg Univ Press.

Pirvu, C., Deleanu, L., Badea, S., & Istrate, M. (2015). Experimental Results on Ballistic Plates with Stratified Aramid Fabrics. *M2d2015: Proceedings of the 6th International Conference on Mechanics and Materials in Design* (ss. 1015-1022).

Pornpibunsompop, T. (2015). Ballistic Analysis of 14.5 AP Bullet on Armor Material. *2015 First Asian Conference on Defence Technology (Acdt)*, 115-118.

Ran, X., Bin, Z., & Yongshi, X. (2015). Simulation on the Equivalent Relation Between Different Armour Plates Penetrated a Tungsten Sphere. *Proceedings of the 2015 International Conference on Materials, Environmental and Biological Engineering* (C. 10, ss. 404-408).

Sabadin, G., Gaiotti, M., Rizzo, C. M., & Bassano, A. (2015). Optimization of the ballistic properties of an Advanced Composite Armor system: Analysis and validation of numerical models subject to high velocity impacts. *Maritime Technology and Engineering, Vols. 1 & 2* (ss. 463-471).

Salem, S. C., Jones, A., Brooks, R., & Lidgett, M. J. (2015). An Inverse Estimation of High Strain Rate Properties of Composite Material Constituents. *20th International Conference on Composite Materials* (ss. 1113-1).

Sangqaing, D., Xinghui, C., Guoliang, W., Yunliang, G., & Jiangren, L. (2015). Numerical simulations of semi-armor-piercing warhead penetrating aircraft carrier target. *2015 7th International Conference on Mechanical and Electronics Engineering (icmee 2015)* (C. 31, s. 10003). <https://doi.org/10.1051/mateconf/20153110003>

Schuster, B. E., Aydelotte, B. B., Leavy, R. B., Satapathy, S., & Zellner, M. B. (2015). Concurrent Velocimetry and Flash X-ray Characterization of Impact and Penetration in an Armor Ceramic., *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 553-560). <https://doi.org/10.1016/j.proeng.2015.04.072>

Sorensen, B. (2015). High-Velocity Impact of Encased Al/PTFE Projectiles on Structural Aluminum Armor. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 569-576). <https://doi.org/10.1016/j.proeng.2015.04.074>

Stiavnicky, M., & Adamec, N. (2015). Improved ballistic protection of vehicles using composites. *International Conference on Military Technologies (Icmt 2015)*, 163-168.

Sukumar, G., Singh, B. B., Bhattacharjee, A., Sivakumar, K., & Gogia, A. K. (2015). Effect of heat treatment on mechanical properties and ballistic performance of Ti-4Al-2.3V-1.9Fe alloy. *Materials Today-Proceedings*, 2(4-5), 1102-1108. <https://doi.org/10.1016/j.matpr.2015.07.015>

Tan, Y., Zhang, H., Zhang, X., & Zha, B. (2015). Design of an Exterior Ballistic Monitoring Device for Laser Proximity Fuze. *2nd International Conference on Simulation and Modeling Methodologies, Technologies and Applications (Smta 2015)*, 666-670.

Verreault, J., Day, J. P. R., Halswijk, W. H. C., Loiseau, J., Huneault, J., Higgins, A. J., & Devir, A. D. (2015). Emission Spectroscopy of Hypervelocity Impacts on Aluminum, Organic and High-Explosive Targets. *Proceedings of the 2015 Hypervelocity Impact Symposium (hvis 2015)* (C. 103, ss. 618-627). <https://doi.org/10.1016/j.proeng.2015.04.080>

Whisler, D., & Kim, H. (2015). Force Attenuation of Aluminum Foam Core and Stainless Honeycomb Armored Sandwich Specimens Subject to Dynamic Loading. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 869-887).

Xu, M., Huang, G., Feng, S., McShane, G. J., & Stronge, W. J. (2015). The Deformation Resistance and Perforation Behaviours of Polyethylene Sandwich Structure. *M2d2015: Proceedings of the 6th International Conference on Mechanics and Materials in Design* (ss. 999-1014).

Yao, G.-C., Luo, H.-J., & Cao, Z.-K. (2015). The Manufacturing Technology of Aluminum Foam Material and Some Special Equipments. *Proceedings of the 2015 International Conference on Material Science and Applications (icmsa 2015)* (C. 3, ss. 869-874).

Yongjie, X., Zhijun, W., Guodong, W., Jianya, Y., & Shouli, P. (2015). Ballistic Characteristics of Rocket Projectile with Deflection Nose. *Proceedings of the 2015 International Power, Electronics and Materials Engineering Conference* (C. 17, ss. 405-411).

Yongjie, X., Zhijun, W., Shouli, P., & Shuo, L. (2015). Research on Failure Behavior of 35CrMnSi based on Ballistic Experiment. *Proceedings of the 2015 International Conference on Materials Engineering and Information Technology Applications* (C. 28, ss. 519-525).

Zagirnyak, M. V., & Drahobetskyi, V. V. (2015). New Methods of Obtaining Materials and Structures for Light Armor Protection. *International Conference on Military Technologies (Icmt 2015)*, 705-710.

Zinszner, J.-L., Erzar, B., Forquin, P., & Barthelemy, F. (2015). On the characterisation of the dynamic compressive behaviour of silicon carbides subjected to isentropic compression experiments. *Dymat 2015—11th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading* (C. 94, s. 01072). <https://doi.org/10.1051/epjconf/20159401072>

Haque, B. Z., & Gillespie, J. W. (2015a). Progressive Composite Damage Modeling in LS-DYNA using MAT162: Part A - Properties and Parameters. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 2479-2489).

Haque, B. Z., & Gillespie, J. W. (2015b). Progressive Composite Damage Modeling in LS-DYNA using MAT162: Part B - Model Validating Experiments. *Proceedings of the American Society for Composites: Thirtieth Technical Conference* (ss. 2490-2499).

Liu, W. L., Chen, Z. F., Liu, G. F., Chen, X. H., Cheng, X. W., & Wang, Y. W. (2015). Experimental investigation and penetration analysis of ceramic composite armors subjected to ballistic impact. In *Advances in Engineering Materials and Applied Mechanics* (pp. 595-600).

Malik, O. A., & Khan, H. A. (2015). Impact resistance analysis using multiply fabric orientations. In *2015 Fourth International Conference on Aerospace Science and Engineering (ICASE)* (pp. 1-4).

Li, R. Y., & Sun, Y. X. (2015). Numerical simulation and experimental verification of long-rod projectile penetration into A95 ceramic composite armor. In *Advances in Engineering Materials and Applied Mechanics* (pp. 589-594).

Anderson, C. E., & McLoud, K. (2016). Simulations of a Gold Rod into Borosilicate Glass Using Experimentally Determined Constitutive Constants. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2284-2295).

Appleby-Thomas, G., Hameed, A., Fitzmaurice, B., Painter, J., & Wood, D. (2016). On the Selection of Tissue Simulants for Ballistic Testing. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2367-2377).

Appleby-Thomas, G., Hameed, A., Wood, D., Rowley, J., & Jaansalu, K. (2016). On the Ballistic Response of Rapidly-Prototyped Alumina. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2296-2306).

Appelgren, P., & Lundberg, P. (2016). Penetration Performance of a Calibre 5.56 Mm Tungsten-Rhenium Ap-Projectile into Steel and Ceramic Targets. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1936-1945).

Archambaud, C., & Guerry, C. (2016). Parameters Optimization for Numerical Effectiveness Determination of Fragmentation Warheads Against Land Vehicles. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1206-1212).

Arnold, W., Moon, O. M., Rottenkolber, E., & Hartmann, T. (2016). Shaped Precursor-Charge for a Multi-Effects Warhead System. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1490-1501).

Bevan, M. G., Luong, Q. T., Halls, V. A., & Zheng, J. Q. (2016). Effect of 7.62mm Round Mass and Composite Armor Areal Density on Clay Backface Deformation and Clay Internal Pressure. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2467-2476).

Bokhari, D., Teagle, M., & Horsfall, I. (2016). Terminal Ballistics of 7.62 Mm Armour Piercing Projectiles Against Spaced, Oblique Rha Plates. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2316-2322).

Carr, D. J., Malbon, C., Breeze, J., Heppell, S., & Lewis, E. A. (2016). Preliminary Findings: Will Breast Implants Rupture If Body Armour Is Struck? *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 975-981).

Cegla, M., Habaj, W., Bogajczyk, M., & Podgorzak, P. (2016). Multifunctional Concealed Bulletproof Vest-Development and Testing. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1076-1083).

Chocron, S., Walker, J. D., Bigger, R. P., & Anderson, C. E. (2016). Transverse Impact on S-2 Glass Yarns: Analysis of Crimp and Other Effects on the Critical and Transverse Wave Velocities. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2323-2331).

Coghe, F., Lenom, A., Lauwens, B., Tahenti, B., Maldague, M., & Pirlot, M. (2016). The V50 Approach Revisited: Application of the Brownian Motion Theory. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1084-1094).

Crouch, I., Sandlin, J., Thomas, S., & Seeber, A. (2016). Material Science Behind the Development of a New, Shapeable, Boron Carbide, Armour Material. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2332-2342).

Di Benedetto, G. (2016). Comparison of Penetrator Alloys for Armor-Piercing Ammunition. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2509-2515).

Duncan, A. P., Carr, D. J., O'Keeffe, C., Helliker, A. E., & Miller, D. (2016). Complex Bullet Interactions: An Experimental Study of Upper Leg Injuries to Demonstrate Ballistic Modelling in Multipart Limb Structures. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1158-1166).

Dyamant, I., Safrai, E., Shemer, E., Schentter, L., Hecht, A., & Bar, Z. (2016). The Effect of Transparent Ceramic Tiles Weak-Spots on the Ballistic Resistance of Transparent Armor. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2026-2033).

Fras, T., Klavzar, A., & Wolf, T. (2016). Fragment-Simulating Impacts into Aluminum Plates. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2166-2176).

Freitas, C. J., Grimm, M. V., Bigger, R. P., & Mackiewicz, J. F. (2016). Injury Characterization Due to Penetrating Projectiles. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1220-1232).

French, M. A. (2016). Investigation into Ballistic Performance of Environmentally Conditioned Ultra High Molecular Weight Polyethylene (uhmwpe) Composite Armour. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1050-1056).

Frueh, P., Heine, A., Weber, K. E., & Wickert, M. (2016). Effective Depth-of-Penetration Range Due to Hardness Variation for Different Lots of Nominally Identical Target Material. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1872-1875).

Groberet, S., Gedon, H., & Peschel, O. (2016). Experimental Investigations on Dynamic Back Face Deflection Caused by Ballistic Impact on Combat Helmets and the Effect to the Human Skull. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1110-1121).

Hani, A. R. A., Azman, N. S., Ahmad, R., Mariatti, M., Roslan, M. N., & Marsi, N. (2016). Ballistic Impact Response of Woven Hybrid Coir/Kevlar Laminated Composites. *2nd International Conference on Green Design and Manufacture 2016 (icongdm 2016)* (C. 78, s. 01048). <https://doi.org/10.1051/mateconf/20167801048>

Heine, A., & Wickert, M. (2016). Ballistic Resistance of Semi-Infinite and Finite-Thickness Adobe Targets. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1838-1846).

Heisserer, U., & van der Werff, H. (2016). Strength Matters: Which Strength of Dyneema (r) Fiber Composites to Use in Hydrocode Models?-A Discussion. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2200-2204).

Hernandez, E., El Khatib, E., Enfedaque, A., & Galvez, F. (2016). Impact Behavior of Carbon and Hybrid Carbon-Glass Laminates at Low Temperatures. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2355-2366).

Hu, C., & Zhang, X. (2016). Influence of Gun Bore Structure on the Performance of Interior Ballistic Process. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 868-879).

Hussain, T., Yan, L., Huang, F., & Yi, L. (2016). An Analysis of Double Layer Shaped Charges. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1314-1321).

Jannotti, P. A., & Subhash, G. (2016). Impact Response of Advanced Transparent Materials. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2424-2434).

Kandula, R., Prasad, P. S., & Harursampath, D. K. (2016). Estimation of Interlaminar Stresses in Asymmetric Composite Sandwich Panels Under Impact Loading Using the Variational Asymptotic Method. *Proceedings of the International Workshop on Mechanical Behavior of Thick Composites, 2016* (ss. 86-93).

Kim, J. Y., Koo, M. H., & Lee, C. H. (2016). Effects of Thickness and Thickness Ratio in Alumina-Aluminum Layered Structure on Ballistic Performance Against Steel Core Projectile. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2263-2271).

Lakshmi, L., & Nandakumar, C. G. (2016). Investigations on the Performance of Metallic and Composite Body Armors. *1st Global Colloquium on Recent Advancements and Effective Researches in Engineering, Science and Technology—Raerest 2016* (C. 25, ss. 170-177).

Li, C., Zheng, W., Zhong, Y., & Li, B. (2016). Effect on Ballistic Characteristics of Finned Rocket Due to Surface Wind and Its Correction. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 253-260).

Liang, A., Sun, X., & He, Y. (2016). Research of Lethality Enhancement of a Kinetic Kill Vehicle Technology of Air Defense and Anti-Missile Missile. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1068-1075).

Luo, Q., & Zhang, X. (2016). Numerical Simulation of Launch Process of Stacked Projectile Weapon Considering Muzzle Flow Field. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 888-894).

Mangione, J., Maybee, B., & Petel, O. E. (2016). A Scaling Technique to Predict Ballistic Limits. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2444-2450).

McFarlane, S. (2016). Caliber .50 Baseline Study Terminal Ballistic Performance. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2228-2237).

Mu, J., & Wang, C. (2016). Analysis of Influence of Key Parameter  $\mu$  on the Performance of Levenberg—Marquardt Based Iteration Square Root Cubature Kalman Filter. *Proceedings of the 2016 International Conference on Sensor Network and Computer Engineering* (C. 68, ss. 237-241).

Nespor, B., Junek, J., Nejedlik, M., & Cechmanek, R. (2016). Fiber cement composites with failure detection function. *Ecology and New Building Materials and Products 2016* (C. 151, ss. 183-190). <https://doi.org/10.1016/j.proeng.2016.07.375>

Nguyen, L. H., Ryan, S., & Orifici, A. C. (2016). A Numerical Investigation on the Response of Thick Ultra-High Molecular Weight Polyethylene Composite to Ballistic Impact. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2155-2165).

Pang, C., Xu, L., Chen, H., Ren, B., & Tao, G. (2016). The Ballistic of Fragment Penetration into Clay Soil. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2132-2143).



Parker, J. C., Cyganik, J. E., Kayhart, T. J., Kubiak, D., & Sykes, R. C. (2016). The Effect of Out-of-Plane Fiber Waviness on the Ballistic Performance of Ultra High Molecular Weight Polyethylene (uhmwpe) Laminates. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2458-2466).

Peles, S., Touati, D., Azulay, I., & Hayoun, S. (2016). Small Scale Structure for a Simulated Blast Event Below Add on Armor. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1641-1647).

Ramezani, A., Huber, D., & Rothe, H. (2016). Numerical Investigation and Optimization of Composite Armor Structures. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1268-1278).

Rashid, T., Aleem, M. A., Akbar, S., Rauf, A., & Shuaib, M. (2016). Numerical simulation of armor capability of Al<sub>2</sub>O<sub>3</sub> and SiC armor tiles. *14th International Symposium on Advanced Materials (isam 2015)* (C. 146, s. 012049). <https://doi.org/10.1088/1757-899X/146/1/012049>

Ren, B., Xu, L., Chen, H., Pang, C., & Tao, G. (2016). Comparative Analysis of X-Ray Experiment and Numerical Simulation of Soil Ballistic. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2098-2107).

Ren, X., Li, G., & Shen, F. (2016). Numerical Simulations on Spherical Fragments Penetrating Ly12 Aluminum Alloy Target. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1799-1803).

Seifert, W., Strassburger, E., Grefen, S., & Schaare, S. (2016). Experimental Study About the Influence of Adhesive Stiffness to the Bonding Strengths of Adhesives for Ceramic/Metal Targets. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2215-2218).

Stanislawek, S., & Slawinski, G. (2016). The influence of utilizing different materials and their configurations on ballistic panels blast resistance. *Advances in Mechanics: Theoretical, Computational and Interdisciplinary Issues* (ss. 543-546).

Strassburger, E., Bauer, S., Weber, S., & Gedon, H. (2016). Flash X-Ray Cinematography Analysis of Dwell and Penetration of Small Calibre Projectiles with Three Types of Sic Ceramics. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2128-2131).

Szachogluchowicz, I., Snizek, L., Mierzynski, J., & Koperski, W. (2016). Experimental study on ballistic AA 2519 / Ti6Al4V laminate according to STANAG 4569 Level 1. *11th International Conference on Intelligent Technologies in Logistics and Mechatronics Systems (itelms'2016)* (ss. 155-163).

Talladay, T. G., Hameed, A., & Rickert, F. C. (2016). The Effect of Inter-Tile Gap on Alumina-Aluminum Plates Impacted by a Steel Projectile. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1886-1896).

Tan, G. E. B., Yuan, J., & Goh, W. (2016). Steel-Confined Sic Armour Against Oblique Penetration. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2451-2457).

Tiansuo, F., Longtao, H., Dongguang, Z., Ru, C., Fengchen, L., & Bing, Z. (2016). The general Design of Tester System Based on ARM of Fuse. *Proceedings of the 2016 4th*

*International Conference on Machinery, Materials and Computing Technology* (C. 60, ss. 1050-1056).

Uhlig, W. C., & Heine, A. (2016). Application of an Electromagnetic Diagnostic Technique for in-Flight Shaped Charge Jet and Hypervelocity Particle Characterization. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1330-1340).

Veldanov, V. A., Kozlov, V. S., Khorev, I. E., Tolkachev, V. F., & Shutalev, V. B. (2016). On Stability Loss of Rod Projectiles During Penetration. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2108-2117).

Walker, J. D., Grosch, D. J., Chocron, S., Weiss, C., Barnes, A., Carpenter, A. J., & Mathis, J. T. (2016). Armor Panel Deformation Due to Simulated Land Mine Blast Testing and Simulation. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1698-1708).

Wang, Y., Jiang, J., Meng, J., & Men, J. (2016). Effect of Add-on Explosive Reactive Armor on Efp Penetration. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2395-2406).

Weiss, A., & Stan, G. B.-M. (2016). Behavior of Multi-Layered Metal Plates Under Ballistic Impact. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1925-1935).

Yuan, D., & Li, N. (2016). Simulation Research on Pistol Bullet Penetrating Gelatin Target with Soft Body Armor. *2016 International Conference on Manufacturing Science and Information Engineering (Icmsie 2016)*, 358-366.

Yuan, D., Sun, L., & Yi, W. (2016). Flight Trajectory Simulation of Ballistic Projectile. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 233-244).

Zhang, T. G., Satapathy, S. S., & Vargas-Gonzalez, L. R. (2016). Back Face Deformation (bfd) Response Comparison Between Km2 and Hb80 Flat Panels. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2238-2251).

Zhao, X., & Zhang, X. (2016). Study of Stick-Propellant Gun Interior Ballistic Considering Internal Perforation Erosive Burning. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 880-887).

Zichil, V., Coseru, A., Schnakovszky, C., Herghelegiu, E., & Radu, C. (2016). Shock imprint and rolling direction influence upon the breaking tenacity for 2P armor steel. *Modtech International Conference—Modern Technologies in Industrial Engineering Iv, Pts 1-7* (C. 145, s. 032011). <https://doi.org/10.1088/1757-899X/145/3/032011>

Cant, D. S., Ashmore, A., Dray, J., McKay, D. J. L., Saunders, C., Lewis, E. A., Miller, D., Teagle, M., & Carr, D. J. (2016). A Comparison of Fragment Simulating Projectiles and Real Fragments with Respect to Soft Body Armour Performance. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 982-991).

Klann, S., & Rickert, F. (2016a). An Experimental Evaluation of Composite Enclosures for Explosive Reactive Armor. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1860-1871).

Klann, S., & Rickert, F. (2016b). An Experimental Study Investigating the Response of Bolts to Ballistic Events. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1039-1049).

Leriche, D., & Tosello, R. (2016). Determination of the Efficiency of a Spaced Thin Layer Steel Target Against Small Caliber Ammunition. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 992-1003).

Ravid, M., Shapira, N., Asaf, Z., Blass, T., Bingham, B. L., & Bennett, R. H. (2016). The Use of Composites for Blast and Fragmentation Protection of Selected Infrastructure. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 1022-1034).

Saleh, M., Luzin, V., Kariem, M. M., & Ruan, D. (2016). Analysis of the residual stress in ARMOX 500T armour steel and numerical study of the resultant ballistic performance. *Residual Stresses 2016*, 437.

Sháněl, V., Španiel, M., & Doubrava, K. (2016). Application and development of numerical models in ballistics. *22nd International Conference ENGINEERING MECHANICS 2016*.

He, J., & Wang, M. (2016). Ballistic Performance of Laminated Functionally Graded Composites of TiB<sub>2</sub>-based Ceramic and Ti-6Al-4V Alloy against 14.5 mm heavy machine gun AP of impact velocity 990 m/s. In *2015 4th International Conference on Sustainable Energy and Environmental Engineering* (pp. 715-720). Atlantis Press.

Luo, Q., & Liu, C. (2016). The multi-axis motion control strategy of the multi-functional support mechanism for the wind tunnel. In *Design, Manufacturing and Mechatronics: Proceedings of the 2015 International Conference on Design, Manufacturing and Mechatronics (ICDMM2015)* (pp. 367-376).

Yao, G., Luo, H., & Cao, Z. (2016). The properties and application technology of the aluminum foam material. In *Advanced Material Engineering: Proceedings of the 2015 International Conference on Advanced Material Engineering* (pp. 442-450).

Zakharov, V. M. (2016). Dynamic effects of interaction of composite projectiles with targets. In *AIP Conference Proceedings* (Vol. 1698, No. 1, p. 040008).

McWilliams, B. A., Yu, J. H., & Pankow, M. (2016). Dynamic Failure Mechanisms in Woven Ceramic Fabric Reinforced Metal Matrix Composites During Ballistic Impact. In *Residual Stress, Thermomechanics & Infrared Imaging, Hybrid Techniques and Inverse Problems, Volume 9* (pp. 155-159).

Kedir, N., Faucett, D., Sanchez, L., & Choi, S. R. (2016). Foreign object damage in an oxide/oxide ceramic matrix composite (CMC) under prescribed tensile loading. In *Turbo Expo: Power for Land, Sea, and Air* (Vol. 49828, p. V006T02A005).

Wang, W. X., Wang, H. Y., & Lu, F. X. (2016). Simulation of effectiveness evaluation of warship multi-layer air defense system with extendsim. In *Material Engineering and Mechanical Engineering: Proceedings of Material Engineering and Mechanical Engineering (MEES2015)* (pp. 375-385).

Yanen, C., & Solmaz, M. Y. (2016). Investigation of ballistic performance of laminated hybrid composites. In *Proc. of the 22nd International Conference on Engineering Mechanics, Institute of Theoretical and Applied Mechanics Academy of Sciences of the Czech Republic* (pp. 590-593).

Jones, T. L., Riegel, J. P., Meredith, C. S., Darling, K., Catalano, J., & Roberts, A. (2016). Investigation of the plastic flow field in magnesium alloy AZ31B in three orientations for empirical penetration models. In *Magnesium Technology 2016* (pp. 203-208).

Forster, A. L., Chin, J., Peng, J. S., Kang, K. L., Rice, K., & Al-Sheikhly, M. (2016). Long term stability of UHMWPE fibers. In *Mechanics of Composite and Multi-functional Materials, Volume 7* (pp. 369-375).

Tang, X., Yin, P., Hui, T., Yu, W., & Yang, F. (2016). Numerical investigation on the interlayer surface strength effects in carbon/epoxy composite laminates subjected to low-velocity impact. In *2017 2nd International Conference on Machinery, Electronics and Control Simulation (MECS 2017)* (pp. 327-336).

Nobili, A., Radi, E., & Lanzoni, L. (2016). On the effect of the backup plate stiffness on the brittle failure of a ceramic armor. *Acta Mechanica*, 227(1), 159-172.

Khomenko, A., Karpenko, O., Koricho, E. G., Haq, M., Cloud, G. L., & Udpa, L. (2016). Optical transmission scanning for damage quantification in impacted GFRP composites. In *Nondestructive Characterization and Monitoring of Advanced Materials, Aerospace, and Civil Infrastructure 2016* (Vol. 9804, pp. 190-200).

Ansari, M. M., & Chakrabarti, A. (2016). Progressive damage of GFRP composite plate under ballistic impact: experimental and numerical study. *Polymers and Polymer Composites*, 24(7), 579-586.

Kim, J. H., Heckert, N. A., Kang, K. L., McDonough, W. G., Rice, K. D., & Holmes, G. A. (2016). Statistical Characterizations for Tensile Properties of Co-polymer Aramid Fibers: Loading Rate Effects. In *Dynamic Behavior of Materials, Volume 1* (pp. 69-73).

Alam, B., Ghasabeh, M., Toksoy, K., Dara, G., Goktepe, S., & Yaman, I. O. (2016). An Experimental and Numerical Study of Ballistic Performance of Sfrc Structures. *29th International Symposium on Ballistics, Vols 1 and 2* (ss. 2088-2097).

Asija, N., Chouhan, H., Gebremeskel, S. A., & Bhatnagar, N. (2017). Impact Response of Shear Thickening Fluid (STF) Treated High Strength Polymer Composites—Effect of STF Intercalation Method. *Plasticity and Impact Mechanics* (C. 173, ss. 655-662). <https://doi.org/10.1016/j.proeng.2016.12.133>

Aydelotte, B., Jannotti, P., Andrews, M., & Schuster, B. (2017). A Comparison of Damage in Glass and Ceramic Targets. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 3-12).

Ansari, M. M., & Chakrabarti, A. (2017). Ballistic performance of unidirectional glass fiber laminated composite plate under normal and oblique impact. *Plasticity and Impact Mechanics* (C. 173, ss. 161-168). <https://doi.org/10.1016/j.proeng.2016.12.053>

Ansari, M. M., Chakrabarti, A., & Iqbal, M. A. (2017). Dynamic response of laminated GFRP composite under low velocity impact: Experimental and Numerical study. *Plasticity and Impact Mechanics* (C. 173, ss. 153-160). <https://doi.org/10.1016/j.proeng.2016.12.052>

Bain, E. D., Knorr, D. B., Richardson, A. D., Masser, K. A., Yu, J., & Lenhart, J. L. (2017). Failure Processes Governing High Rate Impact Resistance of Epoxy Resins Filled with Core Shell Rubber Nanoparticles. *Dynamic Behavior of Materials, Vol 1* (ss. 271-283). [https://doi.org/10.1007/978-3-319-41132-3\\_36](https://doi.org/10.1007/978-3-319-41132-3_36)

Bandaru, A. K., & Ahmad, S. (2017). Ballistic impact behaviour of thermoplastic Kevlar composites: Parametric studies. *Plasticity and Impact Mechanics* (C. 173, ss. 355-362). <https://doi.org/10.1016/j.proeng.2016.12.029>

Banerjee, A., Dhar, S., Acharyya, S., Datta, D., & Nayak, N. (2017). Numerical simulation of ballistic impact of armour steel plate by typical armour piercing projectile. *Plasticity and Impact Mechanics* (C. 173, ss. 347-354). <https://doi.org/10.1016/j.proeng.2016.12.028>

Behler, K. D., LaSalvia, J. C., Shanholtz, E. R., Golt, M. C., Walck, S., & Kuwelkar, K. A. (2017). Effect Of Al<sub>2</sub>O<sub>3</sub> On The Densification And Microstructure Of B<sub>4</sub>C. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 21-30).

Bhattacharyya, J. J., Agnew, S. R., Lee, M. M., Whittington, W. R., & El Kadiri, H. (2017). Measuring and modeling the anisotropic, high strain rate deformation of Al alloy, 7085, plate in T711 temper. *International Journal of Plasticity*, 93, 46-63. <https://doi.org/10.1016/j.ijplas.2017.03.001>

Bodepati, V., Mogulanna, K., Rao, G. S., & Vemuri, M. (2017). Numerical simulation and experimental validation of E-Glass/epoxy composite material under ballistic impact of 9 mm soft projectile. *Plasticity and Impact Mechanics* (C. 173, ss. 740-746). <https://doi.org/10.1016/j.proeng.2016.12.068>

Braga, F. de O., Cabral, A. C., Lima, E. P., Monteiro, S. N., & de Assis, F. S. (2017). Curaua Non-woven Fabric Composite for Ceramic Multilayered Armors: A Lightweight, Natural, and Low Cost Alternative for Kevlar (TM). *Proceedings of the 3rd Pan American Materials Congress* (ss. 339-346). [https://doi.org/10.1007/978-3-319-52132-9\\_34](https://doi.org/10.1007/978-3-319-52132-9_34)

Carton, E., & Weerheijm, J. (2017). Ballistic Testing of Small 3d-Printed Alumina Disks with the Energy Method. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 31-38).

Cassiano Nascimento, L. F., Ferreira Holanda, L. I., Leme Louro, L. H., Monteiro, S. N., Gomes, A. V., & Lima Junior, E. P. (2017). Evaluation of Ballistic Armor Behavior with Epoxy Composite Reinforced with Malva Fibers. *Characterization of Minerals, Metals, and Materials 2017* (ss. 647-655). [https://doi.org/10.1007/978-3-319-51382-9\\_71](https://doi.org/10.1007/978-3-319-51382-9_71)

de Oliveira Braga, F., Cabral, A. C., Lima, É. P., Monteiro, S. N., & de Assis, F. S. (2017). Curaua Non-woven Fabric Composite for Ceramic Multilayered Armors: A Lightweight, Natural, and Low Cost Alternative for Kevlar<sup>TM</sup>. *Proceedings of the 3rd Pan American Materials Congress* (ss. 339-346). [https://doi.org/10.1007/978-3-319-52132-9\\_34](https://doi.org/10.1007/978-3-319-52132-9_34)

DeLucca, V., & Haber, R. A. (2017). The Effect of Powder Oxygen Content on the Morphology of Silicon Carbide Densified Via Spark Plasma Sintering. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 39-48).

Forquin, P., & Zinszner, J. L. (2017). Experimental Study of the Dynamic Fragmentation in Transparent Ceramic Subjected to Projectile Impact. *Dynamic Behavior of Materials, Vol 1* (ss. 165-170). [https://doi.org/10.1007/978-3-319-41132-3\\_23](https://doi.org/10.1007/978-3-319-41132-3_23)

Fouda, H., Ghith, K., & Guo, L. (2017). Enhancement the Armor Shielding Properties of CF/epoxy Composite by Addition Nanoparticles of Magnetic Iron Oxide. *2016 International Conference on Biomaterials, Nanomaterials and Composite Materials (cbncm 2016)* (C. 88, s. 01002). <https://doi.org/10.1051/mateconf/20178801002>

Iqbal, M. A., Rajput, A., & Bhargava, P. (2017). Plain and reinforced concrete targets subjected to projectile impact. *Plasticity and Impact Mechanics* (C. 173, ss. 138-144). <https://doi.org/10.1016/j.proeng.2016.12.050>

Jannotti, P., Schuster, B., Doney, R., Walter, T., & Andrews, D. (2017). Instrumented Penetration of Metal Alloys During High-Velocity Impacts. *Dynamic Behavior of Materials, Vol 1* (ss. 139-145). [https://doi.org/10.1007/978-3-319-41132-3\\_19](https://doi.org/10.1007/978-3-319-41132-3_19)

Jena, P. K., Sivakumar, K., Mandal, R. K., & Singh, A. K. (2017). Influence of heat treatment on the ballistic behavior of AA-7017 alloy plate against 7.62 deformable projectiles. *Plasticity and Impact Mechanics* (C. 173, ss. 214-221). <https://doi.org/10.1016/j.proeng.2016.12.060>

Jenket, D. R., Forster, A. M., Paulter, N. G., Weerasooriya, T., Gunnarsson, C. A., & Al-Sheikhly, M. (2017). An Investigation of the Temperature and Strain-Rate Effects on Strain-to-Failure of UHMWPE Fibers. *Challenges in Mechanics of Time Dependent Materials, Vol 2* (ss. 23-33). [https://doi.org/10.1007/978-3-319-41543-7\\_4](https://doi.org/10.1007/978-3-319-41543-7_4)

Jones, T., Swab, J. J., & Becker, B. (2017). The First Static and Dynamic Analysis of 3-D Printed Sintered Ceramics for Body Armor Applications. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 75-84).

Kamarudin, K. A., & Hamid, I. A. (2017). Effect of High Velocity Ballistic Impact on Pretensioned Carbon Fibre Reinforced Plastic (CFRP) Plates. *Colloquium of Advanced Mechanics (cams2016)* (C. 165, s. 012005). <https://doi.org/10.1088/1757-899X/165/1/012005>

Kumar, M., Deep, U., & Dixt, P. M. (2017). Simulation and Analysis of Ballistic Impact using Continuum Damage Mechanics (CDM) Model. *Plasticity and Impact Mechanics* (C. 173, ss. 190-197). <https://doi.org/10.1016/j.proeng.2016.12.057>

Laha, A., Majumdar, A., Biswas, I., Verma, S. K., & Bhattacharjee, D. (2017). Role of Fabric Geometry in Ballistic Performance of Flexible Armour Panels. *Plasticity and Impact Mechanics* (C. 173, ss. 747-754). <https://doi.org/10.1016/j.proeng.2016.12.071>

Long, T. R., Knorr, D. B., Masser, K. A., Elder, R. M., Sirk, T. W., Hindenlang, M. D., Yu, J. H., Richardson, A. D., Boyd, S. E., Spurgeon, W. A., & Lenhart, J. L. (2017). Ballistic Response of Polydicyclopentadiene vs. Epoxy Resins and Effects of Crosslinking., *Dynamic Behavior of Materials, Vol 1* (ss. 285-290). [https://doi.org/10.1007/978-3-319-41132-3\\_37](https://doi.org/10.1007/978-3-319-41132-3_37)

Matthes, M., O'Toole, B., Trabia, M., Roy, S., Jennings, R., Bodenachak, E., Boswell, M., Graves, T., Hixson, R., Daykin, E., Hawkins, C., Fussell, Z., Daykin, A., & Heika, M. (2017). Comparison of Failure Mechanisms Due to Shock Propagation in Forged, Layered, and Additive Manufactured Titanium Alloy. *Dynamic Behavior of Materials, Vol 1* (ss. 131-138). [https://doi.org/10.1007/978-3-319-41132-3\\_18](https://doi.org/10.1007/978-3-319-41132-3_18)

Merkulov, Y. Y., Solk, S. V., & Lebedev, O. A. (2017). Protection of orbital station optics against high-speed damaging elements. *Acta Astronautica*, 135, 21-25. <https://doi.org/10.1016/j.actaastro.2016.11.030>

Mirrahimi, A. H., Hasanzadeh, M., Mottaghitalab, V., & Sharma, P. (2017). Numerical Modelling of Ballistic Impact on HMPP Woven Fabric Impregnated with Shear-thickening Fluids. *Plasticity and Impact Mechanics* (C. 173, ss. 73-76). <https://doi.org/10.1016/j.proeng.2016.12.031>

Patel, S., Ahmad, S., & Mahajan, P. (2017). Safety Assessment of Composite Armor under Ballistic Impact. *Plasticity and Impact Mechanics* (C. 173, ss. 1901-1908). <https://doi.org/10.1016/j.proeng.2016.12.249>

Pradhan, P. K., Gupta, N. K., Ahmad, S., Biswas, P. P., & Dayanand. (2017). Numerical Investigations of Spherical Projectile Impact on 4mm Thick Mild Steel Plate. *Plasticity and Impact Mechanics* (C. 173, ss. 109-115). <https://doi.org/10.1016/j.proeng.2016.12.045>

Pradhan, P. K., Gupta, N. K., Ahmad, S., Dayanand, & Biswas, P. P. (2017). Large Deformation Investigations on 4mm MS Plate. *Plasticity and Impact Mechanics* (C. 173, ss. 116-122). <https://doi.org/10.1016/j.proeng.2016.12.046>

Pushparaja, M., Balaganesan, G., Velmurugan, R., & Gupta, N. K. (2017). Energy absorption characteristics of Carbon/Epoxy nano filler dispersed composites subjected to localized impact loading. *Plasticity and Impact Mechanics* (C. 173, ss. 175-181). <https://doi.org/10.1016/j.proeng.2016.12.055>

Pyka, D., Jamroziak, K., Blazejewski, W., & Bocian, M. (2017). Calculations with the Finite Element Method During the Design Ballistic Armour. *Proceedings of the 13th International Scientific Conference: Computer Aided Engineering* (ss. 451-459). [https://doi.org/10.1007/978-3-319-50938-9\\_47](https://doi.org/10.1007/978-3-319-50938-9_47)

Rajput, A., Iqbal, M. A., & Bhargava, P. (2017). Experimental and numerical study of concrete targets under high rate of loading. *Plasticity and Impact Mechanics* (C. 173, ss. 130-137). <https://doi.org/10.1016/j.proeng.2016.12.049>

Reza-E-Rabby, M., Ross, K., Whalen, S., Hovanski, Y., & McDonnell, M. (2017). Solid-State Joining of Thick-Section Dissimilar Materials Using a New Friction Stir Dovetailing (FSD) Process. *Friction Stir Welding and Processing IX* (ss. 67-77). [https://doi.org/10.1007/978-3-319-52383-5\\_8](https://doi.org/10.1007/978-3-319-52383-5_8)

Senthil, K., Arindam, B., Mittal, R., Iqbal, M. A., & Gupta, N. K. (2017). Numerical Investigations on the Impact of Hemi Spherically Tipped Projectiles on Thin Plates. *Plasticity and Impact Mechanics* (C. 173, ss. 1926-1931). <https://doi.org/10.1016/j.proeng.2016.12.254>

Shuai, C., Wei-bing, L., Xiao-ming, W., & Wen-jin, Y. (2017). Penetration research of dual-mode penetrator formed by shaped charge with wave shaper. *Plasticity and Impact Mechanics* (C. 173, ss. 57-64). <https://doi.org/10.1016/j.proeng.2016.12.022>

Singh, B. B., Kumar, K. S., Madhu, V., & Kumar, R. A. (2017). Effect of hot rolling on mechanical properties and ballistic performance of high nitrogen steel. *Plasticity and Impact Mechanics* (C. 173, ss. 926-933). <https://doi.org/10.1016/j.proeng.2016.12.144>

Sockalingam, S., Gillespie, J. W., Keefe, M., Casem, D., & Weerasooriya, T. (2017). Transverse Compression Response of Ultra-High Molecular Weight Polyethylene Single Fibers. *Dynamic Behavior of Materials, Vol 1* (ss. 7-13). [https://doi.org/10.1007/978-3-319-41132-3\\_2](https://doi.org/10.1007/978-3-319-41132-3_2)

Srikanth, T., Surendran, S., Balaganesan, G., & Manjunath, G. L. (2017). Response of CMT Welded Aluminum AA5086-H111 to AA6061-T6 Plate with AA4043 Filler for Ballistic. *10th International Conference on Marine Technology (martec 2016)* (C. 194, ss. 522-528). <https://doi.org/10.1016/j.proeng.2017.08.180>

Tiwari, G., Iqbal, M. A., & Gupta, P. K. (2017). Influence of target span and boundary conditions on ballistic limit of thin aluminum plate. *Plasticity and Impact Mechanics* (C. 173, ss. 169-174). <https://doi.org/10.1016/j.proeng.2016.12.054>

Wang, J. J., Chang, P., Baker, A. A., Litchfield, A., & Vuong, M. (2017). Implementation of Novel Design and Validation Approaches for Bonded Repairs of a

Composite Aircraft Component. *Iccm 21: 21st International Conference on Composite Materials (iccm-21)*.

Xinghua, Y., Demetrios, T., Jeff, B., Andrew, P. E., & Zhili, F. (2017). Tensile Residual Stress Mitigation Using Low Temperature Phase Transformation Filler Wire in Welded Armor Plates. *Residual Stresses 2016: Icrs-10* (C. 2, ss. 461-466). <https://doi.org/10.21741/9781945291173-78>

Yasar, Z. A., Haber, R. A., & Rafaniello, W. (2017). Sps Sintered Silicon Carbide-Boron Carbide Composites. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 13-20).

Yen, C.-F., Kaste, R., Yu, J., Chen, C. C.-T., & Carey, N. (2017). Dynamic Characterization and Modeling of Carbon Composite Ballistic Behavior. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2016, Vol. 1*, UNSP V001T03A050.

Yuan, J., Tan, G. E. B., & Goh, W. L. (2017). Simulation of dwell-to-penetration transition for sic ceramics subjected to impact of tungsten long rods. *Advances in Ceramic Armor, Bioceramics, and Porous Materials* (ss. 65-73).

Zhou, J., Kaboglu, C., Mohagheghian, I., Guan, Z., Dear, J. P., & Cantwell, W. J. (2017). The High Velocity Impact Resistance of Fibre Metal Laminates. *Iccm 21: 21st International Conference on Composite Materials (iccm-21)*.

Savio, S. G., & Madhu, V. (2017). Effect of tile thickness and projectile velocity on the ballistic performance of boron carbide against 12.7 mm AP. *Plasticity and Impact Mechanics* (C. 173, ss. 286-292). <https://doi.org/10.1016/j.proeng.2016.12.015>

Santosa, S. P., Arifurrahman, F., Izzudin, M. H., Widagdo, D., & Gunawan, L. (2017). Response Analysis of Blast Impact Loading of Metal-Foam Sandwich Panels. *Plasticity and Impact Mechanics* (C. 173, ss. 495-502). <https://doi.org/10.1016/j.proeng.2016.12.073>

Jena, P. K., Savio, S. G., Kumar, K. S., Madhu, V., Mandal, R. K., & Singh, A. K. (2017). An experimental study on the deformation behavior of Aluminium armour plates impacted by two different non-deformable projectiles. *Plasticity and Impact Mechanics* (C. 173, ss. 222-229). <https://doi.org/10.1016/j.proeng.2016.12.001>

Senthil, K., Arindam, B., Iqbal, M. A., & Gupta, N. K. (2017). Ballistic Response of 2024 Aluminium Plates Against Blunt Nose Projectiles. *Plasticity and Impact Mechanics* (C. 173, ss. 363-368). <https://doi.org/10.1016/j.proeng.2016.12.030>

Senthil, K., Iqbal, M. A., Bhargava, P., & Gupta, N. K. (2017). Experimental and Numerical Studies on Mild Steel Plates against 7.62 API Projectiles. *Plasticity and Impact Mechanics* (C. 173, ss. 369-374). <https://doi.org/10.1016/j.proeng.2016.12.032>

Sharma, P., Chandel, P., Mahajan, P., & Singh, M. (2017). Quasi-Brittle Fracture of Aluminium Alloy 2014 under Ballistic Impact. *Plasticity and Impact Mechanics* (C. 173, ss. 206-213). <https://doi.org/10.1016/j.proeng.2016.12.059>

Nayak, N., Banerjee, A., & Panda, T. R. (2017). Numerical study on the ballistic impact response of aramid fabric-epoxy laminated composites by armor piercing projectile. *Plasticity and Impact Mechanics* (C. 173, ss. 230-237). <https://doi.org/10.1016/j.proeng.2016.12.002>



Qing, Z., Yemao, H., & Ting, L. (2017). The study on the ballistic performance and failure mechanism of UHMWPE-Aramid1414 fiber hybrid composites. *Iccm 21: 21st International Conference on Composite Materials (iccm-21)* (s. 2753).

Rajput, M. S., Bhuarya, M. K., & Gupta, A. (2017). Finite element simulation of impact on PASGT army helmet. *Plasticity and Impact Mechanics* (C. 173, ss. 251-258). <https://doi.org/10.1016/j.proeng.2016.12.007>

Reddy, P. R. S., Reddy, T. S., Mogulanna, K., Srikanth, I., Madhu, V., & Rao, K. V. (2017). Ballistic impact studies on carbon and E-glass fibre based hybrid composite laminates. *Plasticity and Impact Mechanics* (C. 173, ss. 293-298). <https://doi.org/10.1016/j.proeng.2016.12.017>

Reddy, T. S., Reddy, P. R. S., & Madhu, V. (2017). Response of E-glass/epoxy and Dyneema (R) composite laminates subjected to low and high velocity impact. *Plasticity and Impact Mechanics* (C. 173, ss. 278-285). <https://doi.org/10.1016/j.proeng.2016.12.014>

Vijay, B. V., & Nithin, V. (2017). Shape- Optimized Bubbled- Armour Forms for High Resistance to Ballistic Penetration. *Plasticity and Impact Mechanics* (C. 173, ss. 299-305). <https://doi.org/10.1016/j.proeng.2016.12.019>

Kurzawa, A., Bocian, M., Jamroziak, K., & Pyka, D. (2017). Analysis of ceramic-metallic composites of ballistic resistance on shots by 5.56 mm ammunition. In *Proc. 23rd Int. Conf. Engineering Mechanics 2017* (pp. 15-18).

Frueh, P., Heine, A., & Riedel, W. (2017). Assessment of the protective properties of two different UHA steels based on material testing and numerical simulation. *Procedia engineering*, 197, 119-129.

Venkatesan, J., Iqbal, M. A., Gupta, N. K., Bratov, V., Kazarinov, N., & Morozov, F. (2017). Ballistic characteristics of bi-layered armour with various aluminium backing against ogive nose projectile. *Procedia Structural Integrity*, 6, 40-47.

Mohammed, I., Talib, A. A., Sultan, M. T. H., & Saadon, S. (2017). Ballistic impact velocity response of carbon fibre reinforced aluminium alloy laminates for aero-engine. In *IOP Conference Series: Materials Science and Engineering* (Vol. 270, No. 1, p. 012026).

Klavzar, A., Pursche, F., Herzig, N., & Wolf, T. (2017). Ballistic limit thickness and failure of steel targets with different strengths under EFP impact. *Procedia engineering*, 197, 270-277.

Venkatesan, J., Iqbal, M. A., & Madhu, V. (2017). Ballistic performance of bilayer alumina/aluminium and silicon carbide/aluminium armours. *Procedia engineering*, 173, 671-678.

Yuan, M. Q., Liu, Y., Gong, Z., & Qian, X. M. (2017). The application of PA/CF in stab resistance body armor. In *IOP Conference Series: Materials Science and Engineering* (Vol. 213, No. 1, p. 012027).

Kong, W., Brooks, R., Elena, S., Zhao, X., & Li, S. (2017). The Performance of 2.5 D Woven Polymeric Matrix Composites under Ballistic Impact Loadings. In *Second International Conference on Mechanics, Materials and Structural Engineering (ICMMSE 2017)* (pp. 23-30).

Zichil, V., Coseru, A., Nedeff, F., & Tomozei, C. (2017). Considerations on stress triaxiality variation for 2P armor steel. In *IOP Conference Series: Materials Science and Engineering* (Vol. 200, No. 1, p. 012066).

Zhu, P., Li, Y., Cui, H., & Zhang, D. (2017). Effects of quenching temperature on tempering microstructure and mechanical properties of 30MnB steel. In *IOP Conference Series: Materials Science and Engineering* (Vol. 274, No. 1, p. 012060).

Mohammad, Z., Gupta, P. K., Iqbal, M. A., & Baqi, A. (2017). Energy absorption in metallic targets subjected to oblique impact. *Procedia engineering*, 173, 145-152.

Karakoç, H., Çinici, H., Karabulut, Ş., & Çitak, R. (2017). Fabrication of AA6061/B4C composites and investigation of ballistic performances. In *2017 8th International Conference on Mechanical and Aerospace Engineering (ICMAE)* (pp. 822-825).

Sikarwar, R. S., Rajput, N. S., Velmurugan, R., & Naik, S. (2017). FE analysis of impact on Kevlar/epoxy laminates with different orientations and thicknesses. *Materials Today: Proceedings*, 4(2), 2599-2607.

Geantă, V., Cherecheş, T., Lixandru, P., Voiculescu, I., Ştefănoiu, R., Dragnea, D., ... & Matache, L. (2017). Simulation of Impact Phenomena on the Composite Structures Containing Ceramic Plates and High Entropy Alloys. In *IOP Conference Series: Materials Science and Engineering* (Vol. 209, No. 1, p. 012043).

Gour, G., Serjouei, A., & Sridhar, I. (2017). Influence of geometry and hardness of the backing plate on ballistic performance of Bi-layer ceramic armor. *Procedia Engineering*, 173, 93-100.

Tria, D., Ali, B., & Karim, H. (2017). Modeling assessment of ceramic\composite armour under ballistic impact Proc. In *Int. Conf. on Mechanics and Materials in Design (Albufeira)(Portugal)* (pp. 397-399).

Yang, G., Wan, X., & Hou, C. (2017). Numerical investigation into ballistic impact response of hybrid woven fabric laminates. In *2017 8th International Conference on Mechanical and Aerospace Engineering (ICMAE)* (pp. 56-61).

Zhao, X. D., Gao, X. Y., Liu, G. Q., & Zhang, Y. L. (2017). Research on Development of Armor Protection Materials and Technology. In *Materials in Environmental Engineering* (pp. 623-630).

Qiao, X., & Xu, H. (2017). Study on penetration-induced initiation of energetic fragment. In *IOP Conference Series: Materials Science and Engineering* (Vol. 242, No. 1, p. 012035).

Bibora, P., Drdlová, M., Prachař, V., & Sviták, O. (2017). UHPC for blast and ballistic protection, explosion testing and composition optimization. In *IOP conference series: materials science and engineering* (Vol. 251, No. 1, p. 012004).

Abadel, A., Abbas, H., Almusallam, T., Al-Salloum, Y., & Siddiqui, N. (2017). Local Impact Damage Response of CFRP Strengthened Concrete Slabs. *Plasticity and Impact Mechanics* (C. 173, ss. 85-92). <https://doi.org/10.1016/j.proeng.2016.12.047>

Akella, K. (2017). Studies for improved damage tolerance of ceramics against ballistic impact using layers. *Plasticity and Impact Mechanics* (C. 173, ss. 244-250). <https://doi.org/10.1016/j.proeng.2016.12.006>

Asavavisithchai, S., Marlaiwong, T., & Nuttayasakul, N. (2018). Development of Composite Armors Using Natural Rubber Reinforced with Steel Wire Mesh for Ballistic Resistance. *3rd International Conference on Manufacturing, Material and Metallurgical Engineering*, 409, 012001. <https://doi.org/10.1088/1757-899X/409/1/012001>

Akçay, M. (2018a). Hafif Silah Mühimmatının İç Balistik, Aerodinamik ve Dış balistik Parametrelerinin Tespiti (Determination of Internal, Aerodynamic and External Ballistic Parameters of Projectiles). *SAVTEK 2018 Savunma Teknolojileri Kongresi*.

Akçay, M. (2018b). Teknolojik Değişimin Savunma Organizasyonlarında Yarattığı Yapı Değişikliği. *SAVTEK 2018 Savunma Teknolojileri Kongresi*.

Arun, G. K., Sreenivas, N., Reddy, K. B., Reddy, K. S. K., Kumar, S. M. E., & Pramod, R. (2018). Investigation on Mechanical Properties of Graphene Oxide reinforced GFRP. *International Conference on Advances in Materials and Manufacturing Applications (iconamma-2017)* (C. 310, s. 012158). <https://doi.org/10.1088/1757-899X/310/1/012158>

Braga, F. de O., Lopes, P. H. L. M., da Luz, F. S., Lima, E. P., & Monteiro, S. N. (2018). Influence of the Areal Density of Layers in the Ballistic Response of a Multilayered Armor System Using Box-Behnken Statistical Design. *Characterization of Minerals, Metals, and Materials 2018* (ss. 557-564). [https://doi.org/10.1007/978-3-319-72484-3\\_59](https://doi.org/10.1007/978-3-319-72484-3_59)

Cassiano Nascimento, L. F., Leme Louro, L. H., Monteiro, S. N., Braga, F. O., da Luz, F. S., dos Santos, J. L., Santana Blazutti Marcal, R. L., de Oliveira Freitas, H. C., & Lima Junior, E. P. (2018). Limit Speed Analysis and Absorbed Energy in Multilayer Armor with Epoxy Composite Reinforced with Mallow Fibers and Mallow and Jute Hybrid Fabric. *Characterization of Minerals, Metals, and Materials 2018* (ss. 597-604). [https://doi.org/10.1007/978-3-319-72484-3\\_63](https://doi.org/10.1007/978-3-319-72484-3_63)

Chen, G., Zhang, Y., Liu, G., Wu, X., Zhang, Z., Guo, D., & Pan, C. (2018). Finite Element Analysis of Hotspot in Contact Fracture between Ground Wire and Performed Armor Rods based on Skin Effect and Contact Resistance. *2018 12th International Conference on the Properties and Applications of Dielectric Materials (Icpadm 2018)*, 641-645.

Chocron, S., Carpenter, A., Bigger, R., Scott, N., Warren, K., & Bayraktar, H. (2018). Material Tests and Mesoscale Computer Model for Ballistic Impact on Carbon Fiber Composite. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01048). <https://doi.org/10.1051/epjconf/201818301048>

David, N., Roslan, M. J. J., Amri, M. Q., Ryan, I. J., & Sundram, R. (2018). V50 Ballistic Performance of Unidirectional Woven Basalt Fiber Laminated Composites. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2017, Vol 9, UNSP V009T12A056*.

del Sorbo, P., Girardot, J., Dau, F., & Iordanoff, I. (2018). Hyperelastic modelling of yarn structures for dynamic applications. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01031). <https://doi.org/10.1051/epjconf/201818301031>

Dong, S.-Q., Wang, G.-L., & Cai, X.-H. (2018). Numerical Simulation Research on Effect of Warhead Penetrating Double-Layer Aircraft Carrier Target. *Mechanics and Materials Science* (ss. 537-542).

Drdlova, M., & Cechmanek, R. (2018). Comparison of tensile behaviour of polypropylene, aramid and carbon fibre reinforced cementitious composite at high strain rate loading. *Ecf22—Loading and Environmental Effects on Structural Integrity* (C. 13, ss. 1731-1738). <https://doi.org/10.1016/j.prostr.2018.12.364>

Du, J. (2018). Non-Destructive Inspection of Surface Defects in Cylindrical Structures. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2017, Vol 9*, UNSP V009T17A003.

Geanta, V., Voiculescu, I., Stefanoiu, R., Chereches, T., Zecheru, T., Matache, L., & Rotariu, A. (2018). Dynamic Impact Behaviour of High Entropy Alloys Used in the Military Domain. *Euroinvent Icir 2018* (C. 374, s. 012041). <https://doi.org/10.1088/1757-899X/374/1/012041>

Genest, M., Ouellet, S., & Williams, K. (2018). Infrared Thermography for Inspection of Aramid and Ultra-High- Molecular-Weight Polyethylene Armor Systems. *Thermosense: Thermal Infrared Applications XI* (C. 10661, s. UNSP 106610V). <https://doi.org/10.1117/12.2303829>

Ghangas, G., & Singhal, S. (2018). Investigations of Multi-pass Friction Stir Welding for Al-Zn-Mg Alloy. *Materials Today-Proceedings*, 5(9), 17107-17113. <https://doi.org/10.1016/j.matpr.2018.04.118>

Gollins, K., Chiu, J., Baudrand, C., & Delale, F. (2018). Characterization of Adhesively Bonded Composite Joints Under High Strain Rate Loading. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2017, Vol 9*, UNSP V009T12A008.

Gositanon, A., Chaiyarit, M., & Phabjanda, S. (2018). Ballistic Simulation and Verification of Ceramic/rubber Composite Armour. *2018 6th International Conference on Mechanical, Automotive and Materials Engineering (Cmame)*, 18-22.

He, G., Dou, Y., Guo, X., & Liu, Y. (2018). Effects of Grain Size on Ballistic Response of Copper Materials. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2017 Vol 14*, UNSP V014T11A004.

He, M., Chen, B., & Li, Q. (2018). Numerical Simulation on Ballistic Performance of Ceramic Composite Spaced Targets. *2018 International Symposium on Mechanics, Structures and Materials Science (msms 2018)* (C. 1995, s. 020001). <https://doi.org/10.1063/1.5048732>

Herbirowo, S., Adjiantoro, B., Romijarso, T. B., & Pramono, A. W. (2018). The Effect of Tempering Treatment on Mechanical Properties and Microstructure for Armored Lateritic Steel. *Metallurgy and Advanced Material Technology for Sustainable Development* (C. 1964, s. 020043). <https://doi.org/10.1063/1.5038325>

Ivancevic, D., Smojver, I., & Leko, M. (2018). Numerical Approach in the Evaluation of Aeronautical Structures Ballistic Protection. *Inair 2018: Aviation on the Growth Path* (C. 35, ss. 190-199). <https://doi.org/10.1016/j.trpro.2018.12.029>

Jena, P. K., Kumar, K. S., Mandal, R. K., & Singh, A. K. (2018). An experimental study on the ballistic behavior of AA 7017 alloy plates at room temperature and at-40 degrees C temperature. *Materials Today-Proceedings*, 5(9), 18095-18103. <https://doi.org/10.1016/j.matpr.2018.06.144>

Johnston, J. P., Pereira, J. M., Ruggeri, C. R., & Roberts, G. D. (2018). High-speed infrared thermal imaging during ballistic impact of triaxially braided composites. *Journal of Composite Materials*, 52(25), 3549-3562. <https://doi.org/10.1177/0021998318765290>

Jones, T. L. (2018). Update on Ballistic Characterization of the Scalability of Magnesium Alloy AMX602. *Magnesium Technology 2018* (ss. 157-163). [https://doi.org/10.1007/978-3-319-72332-7\\_24](https://doi.org/10.1007/978-3-319-72332-7_24)

Lee, K., Lee, Y., Woo, S., Lee, C., & Park, L. (2018). Experimental characterization of dynamic deformation behaviour for SCM440 steel at high strain rates. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 02019). <https://doi.org/10.1051/epjconf/201818302019>

Lee, Y., Lee, K., Woo, S., Lee, C., & Park, L. (2018). Static and dynamic behaviour of ECAPed copper alloy. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 03006). <https://doi.org/10.1051/epjconf/201818303006>

Lei, Z., & Pengduo, Z. (2018). Study on Deformation and Energy Absorption of Liquid Cabin Under Ballistic Impact. *Proceedings of the Asme 37th International Conference on Ocean, Offshore and Arctic Engineering, 2018, Vol 11b*, UNSP V11BT12A050.

Limido, J., Deconinck, P., Beucamp, A., Paintendre, F., & Hereil, P.-L. (2018). Additively manufactured penetrating warheads *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 04007). <https://doi.org/10.1051/epjconf/201818304007>

Lin, J., Patterson, B. A., Malakooti, M. H., & Sodano, H. A. (2018). Isolation of Aramid Nanofibers for Strong Nanocomposites and Multiscale Fiber Reinforcements. *Behavior and Mechanics of Multifunctional Materials and Composites Xii* (C. 10596, s. UNSP 105961L). <https://doi.org/10.1117/12.2300515>

McDonald, B., Bornstein, H., Ameri, A., Escobedo-Diaz, J. P., & Orifici, A. C. (2018). High strain rate and high temperature response of two armour steels: Experimental testing and constitutive modelling. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01022). <https://doi.org/10.1051/epjconf/201818301022>

Meena, K. L., & Karunakar, D. B. (2018). Development of alumina toughened zirconia nanocomposites using spark plasma sintering. *Materials Today-Proceedings*, 5(9), 16928-16935. <https://doi.org/10.1016/j.matpr.2018.04.096>

Moon, K., Kwon, H., Ryoo, C.-K., & Sim, H. (2018). Trajectory Estimation for a Ballistic Missile in Ballistic Phase using IR Images. *Proceedings of 2018 9th International Conference on Mechanical and Aerospace Engineering (Icmae 2018)*, 173-177.

Mukhammad, A. F. H., Setyoko, B., Murni, Mujiyono, & Nurhadiyanto, D. (2018). Ballistic Performance Investigation of Hybrid Ramie-Hard Facing Metal Reinforced Polymer Composite. *Advanced Science Letters*, 24(12), 9489-9492. <https://doi.org/10.1166/asl.2018.13056>

Murugan, P., Naresh, K., Shankar, K., Velmurugan, R., & Balaganesan, G. (2018). High velocity impact damage investigation of carbon/epoxy/clay nanocomposites using 3D Computed Tomography. *Materials Today-Proceedings*, 5(9), 16946-16955. <https://doi.org/10.1016/j.matpr.2018.04.098>

Nelson, E., Kohli, A., & Poirier, D. R. (2018). Hardness of H13 Tool Steel After Non-isothermal Tempering. *Journal of Materials Engineering and Performance*, 27(6), 2766-2771. <https://doi.org/10.1007/s11665-018-3369-8>

Park, L., Woo, S., Lee, Y., Lee, K., & Yi, Y. S. (2018). Comparison of dynamic tensile extrusion behaviour of WCu composites made by different processes. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 03004). <https://doi.org/10.1051/epjconf/201818303004>

Patel, S., Ahmad, S., & Mahajan, P. (2018). Safety assessment of composite beam under ballistic impact. *Thin-Walled Structures*, *126*, 162-170. <https://doi.org/10.1016/j.tws.2017.05.027>

Presby, M. J., Kedir, N., Sanchez, L. J., Faucett, D. C., Choi, S. R., & Morscher, G. N. (2018). Life-Limiting Behavior of an Oxide/Oxide Ceramic Matrix Composite at Elevated Temperature Subject to Foreign Object Damage. *Proceedings of the Asme Turbo Expo: Turbomachinery Technical Conference and Exposition, 2018, Vol 6, V006T02A008*.

Quintero, S., Porras, A., Hernandez, C., & Maranon, A. (2018). The Response of Manicaria saccifera Natural Fabric Reinforced PLA Composites to Impact by Fragment Simulating Projectiles. *Advances in Natural Fibre Composites: Raw Materials, Processing and Analysis* (ss. 89-98). [https://doi.org/10.1007/978-3-319-64641-1\\_9](https://doi.org/10.1007/978-3-319-64641-1_9)

Rajput, A., Iqbal, M. A., & Gupta, N. K. (2018). Ballistic performances of concrete targets subjected to long projectile impact. *Thin-Walled Structures*, *126*, 171-181. <https://doi.org/10.1016/j.tws.2017.01.021>

Rangacharyulu, P., Varma, V. B., Saran, S. S., & Sudhakar, I. (2018). Ballistic performance of armour grade heat treated steel using explicit dynamics. *Materials Today-Proceedings*, *5*(9), 19628-19637. <https://doi.org/10.1016/j.matpr.2018.06.325>

Roth, C. C., Fras, T., Faderl, N., & Mohr, D. (2018). Benefits of Using Lode Angle Dependent Fracture Models to Predict Ballistic Limits of Armor Steel. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01052). <https://doi.org/10.1051/epjconf/201818301052>

Sangamesh, Ravishankar, K. S., & Kulkarni, S. M. (2018). Ballistic Impact Study on Jute-Epoxy and Natural Rubber Sandwich Composites. *Materials Today-Proceedings*, *5*(2), 6916-6923. <https://doi.org/10.1016/j.matpr.2017.11.353>

SasankSekharMurty, A., LahariRamya, P., SaiGowtham, D., & Sudhakar, I. (2018). Simulation and validation of ballistic performance of armor grade AA7075 aluminum alloy using friction stir processing. *Materials Today-Proceedings*, *5*(9), 20186-20192. <https://doi.org/10.1016/j.matpr.2018.06.388>

Scazzosi, R., Manes, A., Petrone, G., & Giglio, M. (2018). Two different modelling approaches for fabric composites subjected to ballistic impact. *13th International Conference on Textile Composites (Texcomp-13)*, *406*, 012051. <https://doi.org/10.1088/1757-899X/406/1/012051>

Senthil, K., Iqbal, M. A., Arindam, B., Mittal, R., & Gupta, N. K. (2018). Ballistic resistance of 2024 aluminium plates against hemispherical, sphere and blunt nose projectiles. *Thin-Walled Structures*, *126*, 94-105. <https://doi.org/10.1016/j.tws.2017.02.028>

Sharma, A., Mishra, R., Jain, S., Padhee, S. S., & Agnihotri, P. K. (2018). Deformation behavior of single and multi-layered materials under impact loading. *Thin-Walled Structures*, *126*, 193-204. <https://doi.org/10.1016/j.tws.2017.08.021>

Sharma, P., Chandel, P., Bhardwaj, V., Singh, M., & Mahajan, P. (2018). Ballistic impact response of high strength aluminium alloy 2014-T652 subjected to rigid and deformable projectiles. *Thin-Walled Structures*, *126*, 205-219. <https://doi.org/10.1016/j.tws.2017.05.014>

Simon, P., Demarty, Y., & Rusinek, A. (2018). Mechanical behaviour modelling under dynamic conditions: Application to structural and high strength steels. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01056). <https://doi.org/10.1051/epjconf/201818301056>

Thakur, N., Kumar, P., & Bharj, R. S. (2018). Effect of Variation of Johnson-Cook Parameters on Kinetic Energy and Simulation of 4340 Steel Projectile. *Materials Today-Proceedings*, *5*(14), 27884-27892. <https://doi.org/10.1016/j.matpr.2018.10.027>

Thodsaratpreeyakul, W., Uawongsuwan, P., Kataoka, A., Negoro, T., Inoya, H., & Hamada, H. (2018). Damage behavior of low velocity impact test on glass fiber reinforced poly (ethylene terephthalate) composites. *Materials Today-Proceedings*, *5*(3), 9569-9578. <https://doi.org/10.1016/j.matpr.2017.10.139>

Tiwari, G., Iqbal, M. A., & Gupta, P. K. (2018). Energy absorption characteristics of thin aluminium plate against hemispherical nosed projectile impact. *Thin-Walled Structures*, *126*, 246-257. <https://doi.org/10.1016/j.tws.2017.04.014>

ul Haq, I., Weiguo, G., Arif, M., & Sheikh, M. Z. (2018). Study of Various Conical Projectiles Penetration into Inconel-718 Target. *Ecf22—Loading and Environmental Effects on Structural Integrity* (C. 13, ss. 1955-1960). <https://doi.org/10.1016/j.prostr.2018.12.265>

van der Wal, R., Carton, E., & Hilvers, F. (2018). The performance of armour steels with pre-layers against fragment simulating projectiles. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 04015). <https://doi.org/10.1051/epjconf/201818304015>

Wei, R., Zhai, W., Wang, X., Zhang, W., Liang, Y., Dong, B., & Li, F. (2018). Preparation, characterization and properties of shear thickening fluid impregnated fabric composites. *4th International Conference on Applied Materials and Manufacturing Technology*, *423*, 012087. <https://doi.org/10.1088/1757-899X/423/1/012087>

Woo, S., Lee, Y., & Park, L. (2018). Mechanical properties and strain rate sensitivity of 3D laser-deposited Ti-6Al-4V alloy. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 04002). <https://doi.org/10.1051/epjconf/201818304002>

Xu, Q. Z., Yin, J. P., Wang, Z. J., Yi, J. Y., & Dong, F. D. (2018). Effect of a Liner Material on the Formation of the Wrapping Explosively-Formed Penetrator. *Strength of Materials*, *50*(1), 54-62. <https://doi.org/10.1007/s11223-018-9942-4>

Yi, K., Sun, J., Yang, Z., Guo, H., Yang, J., & He, Y. (2018). Ballistic Impact Resistance of Hybrid Composite Materials. *9th International Conference on Times of Polymers and Composites: From Aerospace to Nanotechnology* (C. 1981, s. 020018). <https://doi.org/10.1063/1.5045880>

Zahari, R., Pillai, J. R., Ordys, A., Sultan, M. T. H., & Yidris, N. (2018). Ballistic impact analysis of double-layered metal plates. *Aerotech VII - Sustainability in Aerospace Engineering and Technology*, *405*, 012012. <https://doi.org/10.1088/1757-899X/405/1/012012>

Zakir, S. M., Yulong, L., Sohail, A., Dar, U. A., Rasheed, M. F., & Bibi, A. (2018). Numerical Study on the Optimum Design of Explosively Formed Projectile. *Proceedings of 2018 15th International Bhurban Conference on Applied Sciences and Technology (ibcast)* (ss. 128-133).

Zhang, X., Serjouei, A., & Sridhar, I. (2018). Criterion for interface defeat to penetration transition of long rod projectile impact on ceramic armor. *Thin-Walled Structures*, 126, 266-284. <https://doi.org/10.1016/j.tws.2017.04.016>

Zheng, C., Zhu, X., Xin, H., Shao, Z., Wang, H., Peng, H., Cheng, X., & Wang, F. (2018). Failure Mode of Ductile Hole Formation in Thick Ti-6Al-4V Targets Having Equiaxed and Lamellar Microstructures. *High Performance Structural Materials* (ss. 493-504). [https://doi.org/10.1007/978-981-13-0104-9\\_53](https://doi.org/10.1007/978-981-13-0104-9_53)

Zochowski, P., & Zielenkiewicz, M. (2018). Constitutive Modeling of High-Strength Steel Designed for Ballistic Protection. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01012) <https://doi.org/10.1051/epjconf/201818301012>

Özcan, B., Kurt, A., Şeker, U., & Seyis, M. (2018). Tabanca namlusunun sonlu elemanlar yöntemi ile iç balistiğe bağlı mukavemet analizi. *3'rd International Symposium On Industrial Design & Engineering*.

Abdulhamid, H., Deconinck, P., Hereil, P.-L., & Mespoulet, J. (2018). Study of the ballistic behaviour of UHMWPE composite material: Experimental characterization and numerical simulation. *12th International Conference on the Mechanical and Physical Behaviour of Materials Under Dynamic Loading (dymat 2018)* (C. 183, s. 01051). <https://doi.org/10.1051/epjconf/201818301051>

Adam, R., Botes, A., & Corderley, G. (2018). Metal matrix composite laser metal deposition for ballistic application. *Conference of the South African Advanced Materials Initiative (cosaami-2018)* (C. 430, s. 012001). <https://doi.org/10.1088/1757-899X/430/1/012001>

Adiputra, R. F., Wijanarko, R., Angela, I., & Sofyan, B. T. (2018). Effect of SiC addition to the characteristics of Al-11Zn-6.7Mg composite produced by squeeze casting for ballistic application. *Mineral Processing and Technology International Conference 2017* (C. 285, s. 012030). <https://doi.org/10.1088/1757-899X/285/1/012030>

Attalla, E., Jawad, B., Grate, S., Fernandez, V., Abro, S., & Liu, L. (2019). Design and Characteristic Analysis of Amalgamated Transparent Materials for Armor Structures Using Defeating Ballistic Experimentation. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition, 2018, Vol 9, V009T12A011*.

Beasock, D., Stokes, T. M., El-Ghannam, A., & Schmitz, T. (2019). Effect of processing parameters on the microstructure and mechanical behavior of a silicon carbide-silica composite. *47th Sme North American Manufacturing Research Conference (namrc 47)* (C. 34, ss. 747-753). <https://doi.org/10.1016/j.promfg.2019.06.211>

Bendarma, A., Jankowiak, T., Rusinek, A., Lodygowski, T., & Klosak, M. (2019). Perforation Tests of Aluminum Alloy Specimens for a Wide Range of Temperatures Using High-Performance Thermal Chamber—Experimental and Numerical Analysis. *4th International Conference on Mechanical and Aeronautical Engineering (Icmae 2018)*, 491, 012027. <https://doi.org/10.1088/1757-899X/491/1/012027>



Bezerra, W. B. A., Oliveira, M. S., Garcia Filho, F. C., Demosthenes, L. C. C., da Silva, L. C., & Monteiro, S. N. (2019). Characterization of Arapaima Fish Scales and Related Reinforced Epoxy Matrix Composites by XRD, EDS, and SEM. *Green Materials Engineering* (ss. 117-124). [https://doi.org/10.1007/978-3-030-10383-5\\_13](https://doi.org/10.1007/978-3-030-10383-5_13)

Bibora, P., Drdlova, M., Prachar, V., & Svitak, O. (2019). The impact of various types of steel fibres on the strength parameters and blast resistance of high—Performance concrete. *Fibre Concrete 2019*, 596, 012018. <https://doi.org/10.1088/1757-899X/596/1/012018>

Bocian, M., Jamroziak, K., Pyka, D., & Babej, E. (2019). Numerical Analysis of Energy Absorption by Sandwich Panels on the Aramid Fiber Backing. *Engineering Mechanics 2019* (C. 25, ss. 53-56). <https://doi.org/10.21495/71-0-53>

Braga, F. de O., Oliveira, M. S., Garcia Filho, F. da C., Monteiro, S. N., & Lima, E. P. (2019). Performance of Natural Curaua Non-woven Fabric Composites as Stand-Alone Targets Against Standard 9 mm and 7.62 mm Projectiles. *Green Materials Engineering* (ss. 233-239). [https://doi.org/10.1007/978-3-030-10383-5\\_27](https://doi.org/10.1007/978-3-030-10383-5_27)

Brock, J. M., Stern, E. C., & Wilder, M. C. (2019). Computational Fluid Dynamics Simulations of Supersonic Inflatable Aerodynamic Decelerator Ballistic Range Tests. *Journal of Spacecraft and Rockets*, 56(2), 526-535. <https://doi.org/10.2514/1.A34208>

Cabrilo, A., Sedmak, A., Burzic, Z., & Perkovic, S. (2019). Fracture mechanics and fatigue crack propagation in armor steel welds. *Engineering Failure Analysis*, 106, 104155. <https://doi.org/10.1016/j.engfailanal.2019.104155>

Cassiano Nascimento, L. F., Monteiro, S. N., dos Santos, J. L., Costa, U. O., & da Cruz Demosthenes, L. C. (2019). Evaluation of the Absorbed Energy and Velocity Limits of Reinforced Epoxy Composites with Mallow Natural Fibers Used in Ballistic Protection. *Green Materials Engineering* (ss. 185-192). [https://doi.org/10.1007/978-3-030-10383-5\\_21](https://doi.org/10.1007/978-3-030-10383-5_21)

Chatys, R., Kleinhofs, M., Panich, A., & Kisiel, M. (2019). Modeling of Mechanical Properties of Composite Structures taking into Account Military Needs. *Scientific Session on Applied Mechanics X* (C. 2077, s. 020011). <https://doi.org/10.1063/1.5091872>

da Cruz Demosthenes, L. C., Cassiano Nascimento, L. F., Oliveira, M. S., Garcia Filho, F. da C., Pereira, A. C., da Luz, F. S., Lima, E. P., da Cruz Demosthenes, L. A., & Monteiro, S. N. (2019). Evaluation of Buriti Fabric as Reinforcement of Polymeric Matrix Composite for Ballistic Application as Multilayered Armor System. *Green Materials Engineering* (ss. 177-183). [https://doi.org/10.1007/978-3-030-10383-5\\_20](https://doi.org/10.1007/978-3-030-10383-5_20)

da Silva, L. C., Oliveira, M. S., da Cruz Demosthenes, L. C., Almeida Bezerra, W. B., & Monteiro, S. N. (2019). Ballistic Tests of Epoxy Matrix Composites Reinforced with Arapaima Fish Scales. *Green Materials Engineering* (ss. 169-175). [https://doi.org/10.1007/978-3-030-10383-5\\_19](https://doi.org/10.1007/978-3-030-10383-5_19)

Fountzoulas, C. G., & Yu, J. H. (2019). Designing Future Materials with Desired Properties Using Numerical Analysis. *Proceedings of the First International Conference on Theoretical, Applied and Experimental Mechanics* (C. 5, ss. 114-115). [https://doi.org/10.1007/978-3-319-91989-8\\_26](https://doi.org/10.1007/978-3-319-91989-8_26)

Fras, T., Roth, C. C., & Mohr, D. (2019). Dynamic perforation of ultra-hard high-strength armor steel: Impact experiments and modeling. *International Journal of Impact Engineering*, 131, 256-271. <https://doi.org/10.1016/j.ijimpeng.2019.05.008>

Gao, Y., Feng, X., Liu, J., Fu, H., Li, S., & He, C. (2019). Design and Ballistic Penetration of “SiC/Ti6Al4V/UHMWPE” Composite Armor. *2019 International Conference on Advanced Electronic Materials, Computers and Materials Engineering (Aemcme 2019)*, 563, 042043. <https://doi.org/10.1088/1757-899X/563/4/042043>

Garcia Filho, F. da C., da Cruz Demosthenes, L. C., Oliveira, M. S., & Monteiro, S. N. (2019). Evaluation on the Design of Piassava Fiber Reinforcement Epoxy Matrix Composite for Ballistic Application. *Green Materials Engineering* (ss. 151-160). Springer International Publishing Ag. [https://doi.org/10.1007/978-3-030-10383-5\\_17](https://doi.org/10.1007/978-3-030-10383-5_17)

Goh, W. L., Luo, B., Zeng, Z., Yuan, J., & Ng, K. W. (2019). Effects of Hardness and Toughness of Ceramic in a Ceramic Armour Module Against Long Rod Impacts. *Proceedings of the 42nd International Conference on Advanced Ceramics and Composites: Ceramic Engineering and Science Proceedings, Vol 39, Issue 2* (ss. 187-198).

Goyo-Brito, F. J., Vogler, M., Silva, R. F., Soares-Pozzi, A. C., Barsi-Andreeta, M., Bonagamba, T. J., & Tarpani, J. R. (2019). Impact behavior of Glare (TM) hybrid laminate under extreme thermal conditions. *Materials Today-Proceedings*, 8, 769-777. <https://doi.org/10.1016/j.matpr.2019.02.019>

Greene, M. E., Horlick, J., Longhurst, D. A., Miller, L. L., O’Shea, M., Otterson, D., Robinson, C., Stoe, D. A., & Sundstrom, R. A. (2019). Developing a Suite of Ballistic Test Methods in ASTM E54.04 for Better Harmonization and Reuse in Various Ballistic Resistance Performance Standards. *Homeland Security and Public Safety: Research, Applications, and Standards* (C. 1614, ss. 181-188). <https://doi.org/10.1520/STP167420180047>

Huang, Q., Feng, S., Lan, X., Chen, C., Dong, Y., & Zhou, T. (2019). Firm embedding behavior of annular grooved projectiles impacting ductile metal targets. *Defence Technology*, 15(5), 768-778. <https://doi.org/10.1016/j.dt.2019.06.017>

Jianwei, C., Liangming, W., & Zijie, L. (2019). Research on Influence of Microburst on Ballistic Characteristics of Rockets. *2018 the 9th Asia Conference on Mechanical and Aerospace Engineering, 1215*, 012028. <https://doi.org/10.1088/1742-6596/1215/1/012028>

Jones, T. L., Swab, J., & Meredith, C. (2019). Additive Manufacturing of Ceramics for Protection Systems: Technical Challenges and Opportunities. *Proceedings of the 42nd International Conference on Advanced Ceramics and Composites: Ceramic Engineering and Science Proceedings, Vol 39, Issue 3* (C. 39, Sayı 3, ss. 147-162).

Kurzawa, A., Pyka, D., Jamroziak, K., Bocian, M., & Sliwinski, J. (2019). Experimental and Metallographic Analysis of the Energy-Absorbing Shield Subjected to the EFP Impact. *Computational Technologies in Engineering (Tki’2018)*, 2078, 020035. <https://doi.org/10.1063/1.5092038>

Mayselless, M., Friling, S., & Misiuk, L. (2019). Re-visiting the mass-flux model for Explosive Reactive Armor and the effect of plate thickness. *Defence Technology*, 15(5), 779-785. <https://doi.org/10.1016/j.dt.2019.08.015>

Monteiro, S. N., Drelich, J. W., Colorado Lopera, H. A., Cassiano Nascimento, L. F., da Luz, F. S., da Silva, L. C., dos Santos, J. L., Garcia Filho, F. da C., de Assis, F. S., Lima, E. P., Pereira, A. C., Simonassi, N. T., Oliveira, M. S., da Cruz Demosthenes, L. C., Costa, U. O., Morais Reis, R. H., & Almeida Bezerra, W. B. (2019). Natural Fibers Reinforced Polymer Composites Applied in Ballistic Multilayered Armor for Personal Protection-An Overview. *IGreen Materials Engineering* (ss. 33-47). [https://doi.org/10.1007/978-3-030-10383-5\\_4](https://doi.org/10.1007/978-3-030-10383-5_4)

NayanPundhir, Goyal, D., Singh, P., Pathak, H., & Zafar, S. (2019). Numerical simulation of composite armor subjected to ballistic impact. *Materials Today-Proceedings*, 18, 696-703. <https://doi.org/10.1016/j.matpr.2019.06.470>

Nazarudin, N., & Soegijono, B. (2019). Analysis of Damage Area of Fiberglass/Polyester Multi-Panel Composite Through a Ballistic Test. *Proceedings of the 4th International Symposium on Current Progress in Mathematics and Sciences (iscpms2018)* (C. 2168, s. 020009). <https://doi.org/10.1063/1.5132436>

Oliveira, M. S., Pereira, A. C., Garcia Filho, F. da C., da Cruz Demosthenes, L. C., & Monteiro, S. N. (2019). Performance of Epoxy Matrix Reinforced with Figue Fibers in Pullout Tests. *Characterization of Minerals, Metals, and Materials 2019* (ss. 729-734). [https://doi.org/10.1007/978-3-030-05749-7\\_73](https://doi.org/10.1007/978-3-030-05749-7_73)

Oliveira, M. S., Pereira, A. C., Garcia Filho, F. da C., da Cruz Demosthenes, L. C., Nunes, L. F., Braga, F. de O., da Luz, F. S., & Monteiro, S. N. (2019). Comparison of Interfacial Adhesion Between Polyester and Epoxy Matrix Composites Reinforced with Figue Natural Fiber. *Green Materials Engineering* (ss. 69-76). [https://doi.org/10.1007/978-3-030-10383-5\\_8](https://doi.org/10.1007/978-3-030-10383-5_8)

Oliveira, M. S., Pereira, A. C., Garcia Filho, F. da C., da Luz, F. S., Braga, F. de O., Cassiano Nascimento, L. F., Lima, E. P., da Cruz Demosthenes, L. C., & Monteiro, S. N. (2019). Figue Fiber-Reinforced Epoxy Composite for Ballistic Armor Against 7.62 mm Ammunition. *Green Materials Engineering* (ss. 193-199). [https://doi.org/10.1007/978-3-030-10383-5\\_22](https://doi.org/10.1007/978-3-030-10383-5_22)

Pereira, A. C., de Assis, F. S., Garcia Filho, F. da C., da Cruz Demosthenes, L. C., Colorado Lopera, H. A., & Monteiro, S. N. (2019). Ballistic Test of Multilayered Armor with Intermediate Polyester Composite Reinforced with Figue Fabric. *Green Materials Engineering* (ss. 161-167). [https://doi.org/10.1007/978-3-030-10383-5\\_18](https://doi.org/10.1007/978-3-030-10383-5_18)

Pusev, V., Kuslya, A. M., Markov, V. A., Popov, Y., & Sychev, S. (2019). On the Ballistic Limit of an Aerial Vehicle Impacting against a Thin Metal Screen at a High Velocity. *Proceedings of the X All-Russian Conference Fundamental and Applied Problems of Modern Mechanics (fapmm 2018)* (C. 2103, s. 020013). <https://doi.org/10.1063/1.5099877>

Pyka, D., Pach, J., & Jamroziak, K. (2019). Numerical modeling of ballistic resistance of thermoplastic laminate under 9x19 mm parabellum ammunition. *Engineering Mechanics 2019* (C. 25, ss. 307-310). <https://doi.org/10.21495/71-0-307>

Riyono, H., Suprihanto, A., Sulisty, & Rusnaldy. (2019). Study of Craters Morphology and Projectile Deformation from Ballistic Tests using Firearms on the Body Plate of Vehicle. *Materials Today-Proceedings*, 13, 270-275. <https://doi.org/10.1016/j.matpr.2019.03.226>

Rogaev, K., Ishchenko, A., Burkin, V., Kasimov, V., Diachkovskii, A., Samorokova, N., & Zykova, A. (2019). Rifle Shot Upgrading By Using Model Paste-like Propellant. *Proceedings of the X All-Russian Conference Fundamental and Applied Problems of Modern Mechanics (fapmm 2018)* (C. 2103, s. 020014). <https://doi.org/10.1063/1.5099878>

Rusu, O., & Rusu, I. (2019). Comparative study on antiballistic behaviour of AlMg10-SiCp type cellular ultralight composite metal materials. *Modern Technologies in Industrial Engineering Vii (modtech2019)* (C. 591, s. 012039). <https://doi.org/10.1088/1757-899X/591/1/012039>

Safronov, A. (2019). Study of Ballistic Capabilities of VPO-208 System with Charge Separation. *Proceedings of the X All-Russian Conference Fundamental and Applied Problems of Modern Mechanics (fapmm 2018)* (C. 2103, s. 020015). <https://doi.org/10.1063/1.5099879>

Scazzosi, R., Manes, A., & Giglio, M. (2019). Analytical Model of High-Velocity Impact of a Deformable Projectile Against Textile-Based Composites. *Journal of Materials Engineering and Performance*, 28(6), 3247-3255. <https://doi.org/10.1007/s11665-019-04026-x>

Sidorov, A., Burkin, V., Ishchenko, A., & Samorokov, N. (2019). Analysis of the Grain Powder Combustion under Electrothermal Chemical Technology of Shot At Different Initial Temperatures. *Proceedings of the X All-Russian Conference Fundamental and Applied Problems of Modern Mechanics (fapmm 2018)* (C. 2103, s. 020018). <https://doi.org/10.1063/1.5099882>

Sun, W., Ju, G., & Zhang, S. (2019). Ballistic Resistance of Double-Layered Metal Plates against Ogive-Nose Projectiles Impact. *Advances in Materials, Machinery, Electronics Iii* (C. 2073, s. 020008). <https://doi.org/10.1063/1.5090662>

Vigneshwar, M., Selvamani, S. T., Tarun, K., & Palanikumar, K. (2019). A novel approach for Joining Armor Grade AA7075 Metal Matrix Nano Composites using Various Welding Processes. *Materials Today-Proceedings*, 16, 1175-1181. <https://doi.org/10.1016/j.matpr.2019.05.211>

Wachowski, M., Frasz, T., Kosturek, R., Sniezek, L., Szachogluchowicz, I., & Grzelak, K. (2019). The Effect of Hypervelocity Impact Loading on Explosively Welded Ti/Al/Al Plate 2018 *International Conference on Materials Science and Manufacturing Engineering (msme 2018)* (C. 253, s. 01007). <https://doi.org/10.1051/mateconf/201925301007>

Zurina, A., & David, N. (2019). Woven Fabric and Composites Architecture Strategies Towards Ballistic Impact Protection. *International Conference on Applied Mechanics and Optimisation (icameo-2019)* (C. 2134, s. 050010). <https://doi.org/10.1063/1.5120225>

Zykova, A., Ishchenko, A., Burkin, V., Kasimov, V., & Samorokova, N. (2019). Increased Muzzle Velocity in the Simulation of the Medium-caliber Installation Shot. *Proceedings of the X All-Russian Conference Fundamental and Applied Problems of Modern Mechanics (fapmm 2018)* (C. 2103, s. 020021). <https://doi.org/10.1063/1.5099885>

Bhure, V., Tiwari, G., Iqbal, M. A., & Gupta, P. K. (2020). The Effect of Target Thickness on Ballistic Resistance of Thin Aluminium Plates. *Materials Today-Proceedings*, 21, 1999-2013.

Choi, H. J., Garlie, T. N., Tashjian, A., & Li, P. (2020). Effects of Body Armor Fit on Area of 3D Surface Coverage. *Advances in Additive Manufacturing, Modeling Systems and 3d Prototyping* (C. 975, ss. 571-583). [https://doi.org/10.1007/978-3-030-20216-3\\_53](https://doi.org/10.1007/978-3-030-20216-3_53)

Crawford, K. R., Mitiukov, N. W., Busygina, E. L., & Alies, M. Y. (2020). Internal ballistics of smoothbore guns. *International Conference on Modern Trends in Manufacturing Technologies and Equipment (Icmtmte) 2020*, 971, 042041. <https://doi.org/10.1088/1757-899X/971/4/042041>

El-Naggar, M., Belal, H., & Abdalla, H. M. (2020). Experimental investigation of star grains in dual thrust solid propellant motors. *19th International Conference on Applied Mechanics and Mechanical Engineering (Amme-19)*, 973, 012001. <https://doi.org/10.1088/1757-899X/973/1/012001>

Farfan, B. G., Reinhart, W. D., & Alexander, C. S. (2020). Equation of State Studies for Leaded Glass. *Shock Compression of Condensed Matter—2019* (C. 2272, s. 100008). <https://doi.org/10.1063/12.0000976>

Feng, Q., Chen, S., Ma, Y., Nan, F., Du, P., & Liao, X. (2020). Influence of Loading Parameters of Mixed Charge on Ballistic Performance. *2020 5th International Conference on Materials Science, Energy Technology and Environmental Engineering*, 571, 012146. <https://doi.org/10.1088/1755-1315/571/1/012146>

Ghanem, M., & Abdelsalam, O. (2020). Transient heat transfer for GPMG's barrel 7.62x51mm. *19th International Conference on Applied Mechanics and Mechanical Engineering (Amme-19)*, 973, 012032. <https://doi.org/10.1088/1757-899X/973/1/012032>

Goyal, C., Anudeep, A. V. S. C., & Sarweswaran, R. (2020). Analysis of high velocity bullet proof composite material. *Materials Today-Proceedings*, 33, 4533-4535. <https://doi.org/10.1016/j.matpr.2020.08.055>

Idrici, D., Soo, M. J., Goroshin, S., Higgins, A. J., & Frost, D. L. (2020). Reaction Initiation of Metal Spheres upon Ballistic Impact with an Anvil. *Shock Compression of Condensed Matter—2019* (C. 2272, s. 120008). <https://doi.org/10.1063/12.0000861>

Jena, P. K., Kumar, K. S., Mandal, R. K., & Singh, A. K. (2020). Effect of Directional Grain Structure on Microstructure, Mechanical and Ballistic Properties of an AA-7017 Aluminium Alloy Plate. *Advances in Lightweight Materials and Structures, Acalms 2020* (C. 8, ss. 409-417). [https://doi.org/10.1007/978-981-15-7827-4\\_41](https://doi.org/10.1007/978-981-15-7827-4_41)

Joshua, J. J., Venkatanarayanan, P. S., & Singh, D. (2020). A literature review on composite materials filled with and without nanoparticles subjected to high/low velocity impact loads. *Materials Today-Proceedings*, 33, 4635-4641. <https://doi.org/10.1016/j.matpr.2020.08.294>

KalaiThendral, K., & Antony, D. A. (2020). Ballistic Impact analysis of 2D woven Kevlar/Basalt reinforced composite. *3rd International Conference on Advances in Mechanical Engineering (Icame 2020), Pts 1-6*, 912, 052023. <https://doi.org/10.1088/1757-899X/912/5/052023>

Khair, N., Tiwari, G., & Gurusankar, A. (2020). Numerical Study of Energy Absorption Behaviour of Thin Aluminium Hemispherical Shell against Projectile Impact. *Materials Today-Proceedings*, 21, 1958-1963.

Koto, N., Soegijono, B., Kusmayati, A., Nasution, H. M., & Luchaq, M. F. (2020). The Behavior of Rice Husk Ash as a Filler in Polyester-Fiberglass Bi-Panel Composites which has the Ability to Withstand High-Speed Projectile Impact. *Proceedings of the 5th International Symposium on Frontier of Applied Physics (isfap 2019)* (C. 2256, s. 030024). <https://doi.org/10.1063/5.0014445>

Kumar, A., & Kumar, M. (2020). Mechanical and dry sliding wear behaviour of B4C and rice husk ash reinforced Al 7075 alloy hybrid composite for armors application by using taguchi techniques. *Materials Today-Proceedings*, 27, 2617-2625. <https://doi.org/10.1016/j.matpr.2019.11.075>

Kumar, G. A., Kumar, M. R., Babu, A. M. R., Kumar, R. R., Kumar, G. S., & Parameswaran, P. (2020). Experimental analysis on ballistic performance of newly developed sandwich hybrid natural composites. *Materials Today-Proceedings*, 21, 41-44. <https://doi.org/10.1016/j.matpr.2019.05.357>

Kumar, K. N., Kumar, C. H. B., Kumar, K. H., & Noolvi, B. (2020). Investigation of composite sandwich plates for ballistic armor application. *Materials Today-Proceedings*, 27, 1738-1742. <https://doi.org/10.1016/j.matpr.2020.03.651>

Ma, J., Yan, L., & Xu, M. (2020). Penetration resistance of concrete reinforced by hybrid fibre subjected to multiple projectile impacts. *2019 7th International Conference on Mechanical Engineering, Materials Science and Civil Engineering*, 758, 012004. <https://doi.org/10.1088/1757-899X/758/1/012004>

Malakooti, S., Qin, G., Mandel, C., Sotiriou-Leventis, C., Leventis, N., & Lu, H. (2020). High Thermo-Mechanical Stability in Polybenzoxazine Aerogels. *Proceedings of the Asme International Mechanical Engineering Congress and Exposition - 2019, Vol 12: Advanced Materials: Design, Processing, Characterization, and Applications*, V012T10A053.

Matejicek, J., Klecka, J., Cizek, J., Veverka, J., Vilemova, M., Chraska, T., & Ganesh, V. (2020). Tungsten-Steel and Tungsten-Chromium Composites Prepared by Rf Plasma Spraying. *29th International Conference on Metallurgy and Materials (Metal 2020)*, 757-764. <https://doi.org/10.37904/metal.2020.3548>

Mishra, Y., Kumar, N. H., & Priya, I. I. M. (2020). Simulation of high velocity impact test on GFRP. *3rd International Conference on Advances in Mechanical Engineering (Icamed 2020), Pts 1-6*, 912, 052004. <https://doi.org/10.1088/1757-899X/912/5/052004>

Naik, S., Dandagwhal, R. D., & Loharkar, P. K. (2020). A review on various aspects of Kevlar composites used in ballistic applications. *Materials Today-Proceedings*, 21, 1366-1374.

NourEldin, A. F., Adel, W. M., Attai, Y. A., & Ismail, M. A. (2020). An experimental study on mechanical and ballistic characteristics of different HTPB composite propellant formulations. *19th International Conference on Applied Mechanics and Mechanical Engineering (Amme-19)*, 973, 012030. <https://doi.org/10.1088/1757-899X/973/1/012030>

Ojoc, G. G., Pirvu, C., Sandu, S., & Deleanu, L. (2020). Standardization in testing ballistic protection systems. *International Conference on Tribology (Rotrib'19)*, 724, 012049. <https://doi.org/10.1088/1757-899X/724/1/012049>

Perry, J., Braithwaite, C. H., Taylor, N. E., & Jardine, A. P. (2020). The Effects of Grain-Scale Properties on the Rapid Compaction of Sand. *Shock Compression of Condensed Matter—2019* (C. 2272, s. 110009). Amer Inst Physics. <https://doi.org/10.1063/12.0000938>

Pudlak, D. J., & Miers, K. T. (2020). Characterization of Fracture, Dispersion and Energy Dissipation due to High Velocity Fragment Impacts on Warhead Cases and Armor Materials. *Shock Compression of Condensed Matter—2019* (C. 2272, s. 120021). Amer Inst Physics. <https://doi.org/10.1063/12.0001098>

Reznik, S., & Prosuntsov, P. (2020). History and experience of overcoming thermal barriers in rocket and space technology: 1. Ballistic missiles. *International Conference on Modern Trends in Manufacturing Technologies and Equipment (Icmtmte) 2020*, 971, 052047. <https://doi.org/10.1088/1757-899X/971/5/052047>

Rozehnal, O., & Cech, V. (2020). Design of Suitable Asymptotic Courses of Meteorological Ballistic Weighting Factor Functions for Sensitivity Analysis of Perturbed Projectile Trajectories. *Engineering Mechanics 2020 (im2020)* (ss. 440-443).. <https://doi.org/10.21495/5896-3-440>

Sazhenkov, N. A., Semenov, S., Voronov, L. V., Kurakin, A. D., Nikhamkin, M. S., Stergiou, T., Baxevanakis, K. P., Roy, A., & Silberschmidt, V. V. (2020). Polyurea-coated glass-fibre-reinforced laminate under high-speed impact: Experimental study. *1st Virtual European Conference on Fracture—Vecf1* (C. 28, ss. 1572-1578). <https://doi.org/10.1016/j.prostr.2020.10.129>

Shrivastava, S., Tiwari, G., Iqbal, M. A., & Gupta, P. K. (2020). The Ballistic Performance of Thin Aluminium Plates Against Blunt-Nosed Projectile. *Materials Today-Proceedings*, 21, 1763-1771.

Srinivasan, M., Kumar, S. R., & Rajasekaran, T. (2020). Comparative study of tungsten inert gas and friction stir welding of aluminium alloy aa5083 (armour grade) aluminium alloy joints. *3rd International Conference on Advances in Mechanical Engineering (Icame 2020), Pts 1-6*, 912, 032026. <https://doi.org/10.1088/1757-899X/912/3/032026>

Stergiou, T., Baxevanakis, K. P., Roy, A., Sazhenkov, N., Nikhamkin, M. A., & Silberschmidt, V. V. (2020). Ballistic performance of polyurea-coated thin aluminium plates: Numerical study. *1st Virtual European Conference on Fracture—Vecf1* (C. 28, ss. 1258-1266). Elsevier. <https://doi.org/10.1016/j.prostr.2020.11.107>

Subagyo, A., & Amin, T. M. (2020). Impact Modeling of Bio-Textile Composite from Agave and Pineapple Leaf Fibers with Sandwich Structure. *3rd International Conference on Engineering Technology for Sustainable Development (Icet4sd)*, 722, 012073. <https://doi.org/10.1088/1757-899X/722/1/012073>

Szala, M., Szymanczyk, L., Surma, Z., & Hara, M. (2020). Synthesis of Nitrogen-Rich Compounds and Their Use in Novel Composite Propellants. *Shock Compression of Condensed Matter—2019* (C. 2272, s. 120028). <https://doi.org/10.1063/12.0000819>

Vidya, Mandal, L., Verma, B., & Patel, P. K. (2020). Review on polymer nanocomposite for ballistic & aerospace applications. *Materials Today-Proceedings*, 26, 3161-3166. <https://doi.org/10.1016/j.matpr.2020.02.652>

Wang, H., Higgs, S., Ameri, A., Gonzales, M., McDonald, B., Hazell, P. J., Li, Z., & Escobedo-Diaz, J. P. (2020). Spall Fracture of Two High Strength Armor Steels. *Shock Compression of Condensed Matter—2019* (C. 2272, s. 120031). <https://doi.org/10.1063/12.0001024>

Wang, J., Escobedo-Diaz, J. P., East, D., Morozov, E., & Yang, K. (2020). Microstructure Evolution of Additively Manufactured TiC Reinforced Graded Metal Matrix Composite. *Characterization of Minerals, Metals, and Materials 2020* (ss. 319-328) [https://doi.org/10.1007/978-3-030-36628-5\\_30](https://doi.org/10.1007/978-3-030-36628-5_30)

Wu, H., Zhu, Y., Wang, Q., Wang, H., Zhao, L., Wu, P., Jiang, M., & Yang, L. (2020). Construction Process of Continuous Unreeling and Setting of Leading String Based on Trajectory Theory. *2019 5th International Conference on Mechanical and Aeronautical Engineering (Icmae 2019)*, 751, 012085. <https://doi.org/10.1088/1757-899X/751/1/012085>

Yin, J., Du, P., Nan, F., & Liu, D. (2020). Simulation of Double One-dimensional Two-phase Flow of Single Coated Propellant Internal Ballistic. *2020 5th International Conference on Materials Science, Energy Technology and Environmental Engineering*, 571, 012105. <https://doi.org/10.1088/1755-1315/571/1/012105>

Zhang, Y., Cheng, Z., Li, Y., & Han, R. (2020). Simulation Study of the Effect of Projectile Length-Diameter Ratio on Anti-Penetration Performance of Composite Armor. *7th*

*Annual International Conference on Material Science and Environmental Engineering*, 735, 012039. <https://doi.org/10.1088/1757-899X/735/1/012039>

Hoff, B., Fitzsimmons, J., Lacy, G., Dunn, J., Herriot, G., Crane, J., ... & Hardy, T. (2020). The InfraRed Imaging Spectrograph (IRIS) for TMT: support structure final design. In *Advances in Optical and Mechanical Technologies for Telescopes and Instrumentation IV* (Vol. 11451, pp. 393-407). SPIE.

Alam, S., & Nguyen, D. (2021). Ballistic Performance of Sandwich Composite Armor System. *Proceedings of Asme 2021 International Mechanical Engineering Congress and Exposition (Imece2021)*, Vol 12, V012T12A021. <https://www.webofscience.com/wos/woscc/full-record/WOS:000883362400021>

Alim, M. S. a. M., Mustapha, F., Abdullah, M. N., Sultan, M. T. H., & Muda, M. K. H. (2021). Fabrication technique using a core and cavity mold of a hybrid composite ballistic helmet. *Journal of Computational Methods in Sciences and Engineering*, 21(3), 623-629. <https://doi.org/10.3233/JCM-200047>

Amin, H., Wang, J., Ameri, A. A. H., Wang, H., East, D., & Escobedo-Diaz, J. P. (2021). Compressive Properties of Additively Manufactured Titanium-Carbide. *Characterization of Minerals, Metals, and Materials 2021* (ss. 297-307). [https://doi.org/10.1007/978-3-030-65493-1\\_29](https://doi.org/10.1007/978-3-030-65493-1_29)

Bagchi, A., Khine, Y. Y., Mott, D. R., & Tan, X. G. (2021). On a Framework to Integrate Performance of Helmet Systems for Blast, Blunt Impact and Thermal Loading. *Proceedings of Asme 2021 International Mechanical Engineering Congress and Exposition (Imece2021)*, Vol 5, V005T05A052.

Bagwe, S., Thale, S., Sawant, P., & Pawar, M. J. (2021). Finite element analysis of armor steel and aluminium alloy under the impact of 7.62 mm projectile. *Materials Today-Proceedings*, 44, 4086-4091. <https://doi.org/10.1016/j.matpr.2020.10.447>

Bendarma, A., Rusinek, A., Jankowiak, T., Lodygowski, T., & Jia, B. (2021). Experimental analysis of the aluminum alloy sheet subjected to impact and perforation process. *Materials Today-Proceedings*, 36, 88-93. <https://doi.org/10.1016/j.matpr.2020.05.408>

Bowman, A., Roth, M., Lawrimore, W., & Newman, J. (2021). Graphene Confined Polymer Thin Films Subjected to Supersonic Impact. *Proceedings of Asme 2021 International Mechanical Engineering Congress and Exposition (Imece2021)*, Vol 12, V012T12A014.

Cai, Q., Liu, W., Li, D., & Luo, J. (2021). Research on the Internal Ballistic Performance Prediction of Solid Rocket Motor Based on Monte Carlo. *2021 12th International Conference on Mechanical and Aerospace Engineering (Icmae)*, 193-198. <https://doi.org/10.1109/ICMAE52228.2021.9522461>

Fageehi, Y. A., Saminathan, R., Venugopal, G., Valder, J., Kumar, H., & Ravishankar, K. S. (2021). Effect of thermal and surface chemical treatment on the cyclic oxidation behavior of 7039 aluminum alloy used in aerospace armor applications. *Materials Today-Proceedings*, 42, 343-349. <https://doi.org/10.1016/j.matpr.2020.09.547>

Ghosh, M. (2021). Construction and simulation of a novel high altitude versatile armor comprising of X-Aerogel and Carbon fiber composite with Ansys 2020 R2. *Materials Today-Proceedings*, 44, 3045-3049. <https://doi.org/10.1016/j.matpr.2021.02.441>



Guyot, E., Marcotte, F., Ouellet, S., & Tombet, S. B. (2021). Analysis of Ballistic Impacts on Composite Materials by Infrared Active Thermography. *Thermosense: Thermal Infrared Applications Xliii* (C. 11743, s. 117430N). <https://doi.org/10.1117/12.2585315>

Hong, S. (2021). The Effect of Long Term Hygrothermal Aging by Immersion on Carbon/Epoxy Composites Exposed to the Heat Sources for Naval and Marine Applications. *International Conference on Advanced Engineering and Technology (Icaet 2020)*, 1117, 012018. <https://doi.org/10.1088/1757-899X/1117/1/012018>

Jamil, A., Nikzad, M., Ruan, D., & Masood, S. (2021). Failure analysis of 3-D woven and 3-D knitted structures. *Materials Today-Proceedings*, 46, 4672-4678. <https://doi.org/10.1016/j.matpr.2020.10.293>

Karthick, P., & Ramajeyathilagam, K. (2021). Numerical study of influence of target thickness and projectile incidence angle on ballistic resistance of the GFRP composites. *Materials Today-Proceedings*, 47, 992-999. <https://doi.org/10.1016/j.matpr.2021.05.459>

Kota, N., Jana, P., Sahasrabudhe, S., & Roy, S. (2021). Processing and characterization of Al-Si alloy/SiC foam interpenetrating phase composite. *Materials Today-Proceedings*, 44, 2930-2933. <https://doi.org/10.1016/j.matpr.2021.01.923>

Landi, L., Vittori, M., Stecconi, A., & Valigi, M. C. (2021). Influence of design parameters on the penetration resistance of machine guards. *49th Italian Association for Stress Analysis Conference (aias 2020)* (C. 1038, s. 012081). <https://doi.org/10.1088/1757-899X/1038/1/012081>

Langone, G. A., Davis, B. G., & Reisweber, N. A. (2021). Application of Bayesian Calibration to Improve Multiple Ballistic Impact Modeling. *Proceedings of Asme 2021 International Mechanical Engineering Congress and Exposition (Imece2021)*, Vol 13, V013T14A033.

Luo, H., & Fan, C. (2021). Numerical Analysis of Penetration of Planetary Penetrator. *2021 12th International Conference on Mechanical and Aerospace Engineering (Icmae)*, 435-439. <https://doi.org/10.1109/ICMAE52228.2021.9522511>

Marques, C. L. M., Kumar, S. R., Goswami, C., & Verma, R. (2021). Numerical simulation of armor materials and optimization using gray relational analysis. *Materials Today-Proceedings*, 44, 4717-4730. <https://doi.org/10.1016/j.matpr.2020.10.942>

Mehara, M., Goswami, C., Kumar, S. R., Singh, G., & Wagdre, M. K. (2021). Performance evaluation of advanced armor materials. *Materials Today-Proceedings*, 47, 6039-6042. <https://doi.org/10.1016/j.matpr.2021.04.611>

Melo Moreira Caminha, C. B., Oliveira, M. S., Cassiano Nascimento, L. F., & Monteiro, S. N. (2021). Evaluation of the Mechanical Behavior of Epoxy Matrix-Hybrid Natural Fabric Composite: Accelerated Aging by UV Radiation. *Characterization of Minerals, Metals, and Materials 2021* (ss. 409-416). [https://doi.org/10.1007/978-3-030-65493-1\\_40](https://doi.org/10.1007/978-3-030-65493-1_40)

Mishra, V., & Kukshal, V. (2021). Numerical analysis for estimating ballistic performance of armour material. *Materials Today-Proceedings*, 44, 4731-4737. <https://doi.org/10.1016/j.matpr.2020.11.221>

Oliveira, M. S., da Luz, F. S., & Monteiro, S. N. (2021). Research Progress of Aging Effects on Fiber-Reinforced Polymer Composites: A Brief Review. *Characterization of*

*Minerals, Metals, and Materials 2021* (ss. 505-515). [https://doi.org/10.1007/978-3-030-65493-1\\_51](https://doi.org/10.1007/978-3-030-65493-1_51)

Oliveira, M. S., da Luz, F. S., Nascimento, L., & Monteiro, S. N. (2021). Evaluation of Ballistic Behavior by Residual Velocity of Epoxy Composite Reinforced with Sisal Fabric After UV Radiation Exposure. *Materials Engineering-from Ideas to Practice: An Epd Symposium in Honor of Jiann-Yang Hwang* (ss. 293-299). [https://doi.org/10.1007/978-3-030-65241-8\\_29](https://doi.org/10.1007/978-3-030-65241-8_29)

Panda, H. S., & Jagadeesha, T. (2021). Impact analysis of Rifle bullet on corrugated sandwich panel structures for defense applications. *Materials Today-Proceedings*, 46, 8444-8449. <https://doi.org/10.1016/j.matpr.2021.03.477>

Pandey, P. K., & Ganpule, S. (2021). Investigation of Skin Material Models for Ballistic Response. *Proceedings of Asme 2021 International Mechanical Engineering Congress and Exposition (Imece2021)*, Vol 5, V005T05A051.

Park, C. K., Queitzsch, G., Carney, K., Du Bois, P., Kan, C. D., Cordasco, D., & Emmerling, W. (2021). Ballistic Impact Simulations of an Aluminum 2024 Panel Using \*MAT\_224 in LS-DYNA Considering Oblique Incidence and Attitude Angles of a Rectangular Projectile. *Earth and Space 2021: Materials, Structures, Dynamics, and Control in Extreme Environments* (ss. 152-165).

Pawar, M. J., Gautam, V., Kumar, A., & Kukshal, V. (2021). Computational analysis of aluminium alloy plates against conical-nose steel projectile. *Materials Today-Proceedings*, 46, 6552-6557. <https://doi.org/10.1016/j.matpr.2021.04.017>

Prabha, P. S., Ragavi, I. G., Rajesh, R., & Kumar, M. P. (2021). FEA analysis of ballistic impact on carbon nanotube bulletproof vest. *Materials Today-Proceedings*, 46, 3937-3940. <https://doi.org/10.1016/j.matpr.2021.02.424>

Rai, R., Kumar, G., Dagar, S., Somashekar, V., Mboreha, C. A., & Modi, P. (2021). Numerical simulation of ballistic impact on aluminium 5083-H116 plate with Johnson cook plasticity model. *Materials Today-Proceedings*, 46, 10619-10627. <https://doi.org/10.1016/j.matpr.2021.01.373>

Raja, P., & Raghu, A. (2021). A critical review of terrorism effects and their impacts on tourist destination countries. *Materials Today-Proceedings*, 37, 3461-3465. <https://doi.org/10.1016/j.matpr.2020.09.332>

Rathod, S., Tiwari, G., & Chougale, D. (2021). Ballistic performance of ceramic-metal composite structures. *Materials Today-Proceedings*, 41, 1125-1129. <https://doi.org/10.1016/j.matpr.2020.08.759>

Reza-E-Rabby, M., Roosendaal, T., Upadhyay, P., Overman, N., Silverstein, J., McDonnell, M., & Whalen, S. (2021). Process Robustness of Friction Stir Dovetailing of AA7099 to Steel with In Situ AA6061 Interlayer Linking. *Friction Stir Welding and Processing Xi* (ss. 149-158). [https://doi.org/10.1007/978-3-030-65265-4\\_14](https://doi.org/10.1007/978-3-030-65265-4_14)

Sazhenkov, N. A., Voronov, L. V., & Nikhamkin, M. S. (2021). Experimental Study of Polyurea Protective Coating Effectiveness for Layered Composite Material Reinforced by Glass-Fiber under Impact Loading. *Xxii Winter School on Continuous Media Mechanics (Wscmm 2021)*, 1945, 012051. <https://doi.org/10.1088/1742-6596/1945/1/012051>

Singh, B. B., Sukumar, G., Sivakumar, K., Madhu, V., & Kumar, R. A. (2021). A comparative study on the ballistic performance of high nitrogen steel and rolled homogeneous

armour steel against 7.62 mm ball and 12.7 mm armour piercing projectiles. *Materials Today-Proceedings*, 41, 1188-1194. <https://doi.org/10.1016/j.matpr.2020.10.345>

Sun, Y., Gu, Y., Chen, B., Yu, X., & Cheng, R. (2021). A Ballistic Transport Study for Advanced Transistors in Post-Moore Era: Parasitic Resistance, Self-heating and Cryogenic Analysis. *2021 International Conference on Ic Design and Technology (Icicdt)*. <https://doi.org/10.1109/ICICDT51558.2021.9626397>

Ul Haq, A., & Reddy, N. S. K. (2021). A brief review on various high energy absorbing materials. *Materials Today-Proceedings*, 38, 3198-3204. <https://doi.org/10.1016/j.matpr.2020.09.648>

Vignesh, S., Surendran, R., Sekar, T., & Rajeswari, B. (2021). Ballistic impact analysis of graphene nanosheets reinforced kevlar-29. *Materials Today-Proceedings*, 45, 788-793. <https://doi.org/10.1016/j.matpr.2020.02.808>

West, A., Venable, G., Flanagan, M., Harris, E., & Davis, B. G. (2021). Constitutive Modeling and Validation of Sintered Metal Powders Subjected to Large Strains and High Strain Rates. *Proceedings of Asme 2021 International Mechanical Engineering Congress and Exposition (Imece2021)*, Vol 3, V003T03A031.

Yueyue, S., Xuanyu, W., Weizhao, Y., Huiying, L., Zhilong, L., & Kai, L. (2021). Research progress on composite interference of infrared/millimeter smoke material and its extinction performance. *Global Intelligent Industry Conference 2020* (C. 11780, s. 1178018). <https://doi.org/10.1117/12.2590225>

Arteaga, O., Teran, H., Ortiz, M., Cardenas, E., Bonilla, W., Lara, M. A., & Amores, K. (2022). Multiple approach to crash analysis toward battle robot under impact loads. *Materials Today-Proceedings*, 49, 1932-1935. <https://doi.org/10.1016/j.matpr.2021.08.128>

Bendarma, A., EL Garouge, S., Rusinek, A., Akhrouz, H., Kardellass, S., Bouslikhane, S., & EL Minor, H. (2022). The behaviour of aluminum alloy 1050 sheet subjected to impact and perforation process: Experimental and numerical approaches. *Materials Today-Proceedings*, 52, 40-44. <https://doi.org/10.1016/j.matpr.2021.10.133>

Bird, D., Caravaca, E., Laquidara, J., Peabody, N., Houthuysen, C., & Ravindra, N. M. (2022). 3D Printing Energetics for Gun Propulsion Technology. *Tms 2022 151st Annual Meeting & Exhibition Supplemental Proceedings*, 211-221. [https://doi.org/10.1007/978-3-030-92381-5\\_19](https://doi.org/10.1007/978-3-030-92381-5_19)

Deora, P. S., Khurana, M., Priya, Muhal, R. A., Upadhyay, D., & Goswami, C. (2022). A review on fibrous materials for body armor application. *Materials Today-Proceedings*, 60, 2230-2235. <https://doi.org/10.1016/j.matpr.2022.03.209>

Karthick, P., & Ramajeyathilagam, K. (2022). Numerical study on ballistic impact behavior of hybrid composites. *Materials Today-Proceedings*, 59, 995-1003. <https://doi.org/10.1016/j.matpr.2022.02.270>

Keripale, A., & Kumbhar, S. B. (2022). Analysis of impact energy absorption and dissipation capacity of different composite materials using numerical simulation. *Materials Today-Proceedings*, 59, 661-666. <https://doi.org/10.1016/j.matpr.2021.12.196>

Kumar, S., Das, E. K., Ahuja, P., & Babu, R. G. (2022). Ballistic efficiency of Corchorus fiber and aramid reinforced epoxy composite for armor material application. *Materials Today-Proceedings*, 57. <https://doi.org/10.1016/j.matpr.2022.01.333>

Mohammad, Z., Venkatesan, J., & Gupta, P. K. (2022). On the contact behavior of aluminum plate targets subjected to ogive nosed projectile impact. *Materials Today-Proceedings*, 56, 420-424. <https://doi.org/10.1016/j.matpr.2022.01.390>

Ocegueda, E., & Bhattacharya, K. (2022). Phase-Field Modeling of Deformation Twinning and Dislocation Slip Interaction in Polycrystalline Solids. *Magnesium Technology 2022* (ss. 305-313). [https://doi.org/10.1007/978-3-030-92533-8\\_51](https://doi.org/10.1007/978-3-030-92533-8_51)

Praveen, R., Rao, S. R. K., Kumar, S. S., & Babu, T. R. (2022). Numerical evaluation of ballistic limit velocity and experimental ballistic response of 25 mm thick aluminium 7075 alloy targets. *Materials Today-Proceedings*, 62, 523-529. <https://doi.org/10.1016/j.matpr.2022.03.587>

Saleem, I. A., Ahmed, P. S., & Abed, M. S. (2022). Experimental and numerical investigation of Kevlar and UHMWPE multi-layered armors against ballistic impact. *Materials Today-Proceedings*, 56, 2516-2524. <https://doi.org/10.1016/j.matpr.2021.08.345>

Satkar, A. R., Mache, A., & Kulkarni, A. (2022). Numerical investigation on perforation resistance of glass-carbon/epoxy hybrid composite laminate under ballistic impact. *Materials Today-Proceedings*, 59, 734-741. <https://doi.org/10.1016/j.matpr.2021.12.464>

Saurabh, A., Meghana, C. M., Singh, P. K., & Verma, P. C. (2022). Titanium-based materials: Synthesis, properties, and applications. *Materials Today-Proceedings*, 56, 412-419. <https://doi.org/10.1016/j.matpr.2022.01.268>

Singh, P. K., & Kumar, M. (2022). Hypervelocity impact behavior of projectile penetration on spacecraft structure: A review. *Materials Today-Proceedings*, 62, 3167-3171. <https://doi.org/10.1016/j.matpr.2022.03.437>

Singh, R., & Rashid, F. M. (2022). Numerical investigation on the effect of different face sheet materials and core designs on the ballistic response of sandwich structures under low-velocity impact. *Materials Today-Proceedings*, 56, 3520-3526. <https://doi.org/10.1016/j.matpr.2021.11.238>

Sovjak, R., Konrad, P., Hala, P., Zatloukal, J., Schmidt, J., Zemanova, A., Janda, T., Zeman, J., & Sejnoha, M. (2022). Response of laminated float glass to 9 mm projectile impact. *Materials Today-Proceedings*, 62, 2446-2449. <https://doi.org/10.1016/j.matpr.2022.02.589>

Stephen, C., Shivamurthy, B., Selvam, R., Behara, S. R., Mourad, A.-H. I., & Kannan, S. (2022). Design and finite element study of Kevlar based combat helmet for protection against high-velocity impacts. *Materials Today-Proceedings*, 56, 3636-3641. <https://doi.org/10.1016/j.matpr.2021.12.338>

Sukanya, N. M., Sundaram, S. K., & David, A. (2022). Ballistic performance of nanopowder intruded Kevlar polymeric composite targets. *Materials Today-Proceedings*, 62, 781-786. <https://doi.org/10.1016/j.matpr.2022.03.682>

Venkatesan, J., Mohammad, Z., & Iqbal, M. A. (2022). Damage characteristics of semi-infinite aluminium targets subjected to normal and oblique projectile impact. *Materials Today-Proceedings*, 62, 1425-1429. <https://doi.org/10.1016/j.matpr.2022.01.155>

Salhan, P., & Rashid, F. M. (2022). Effect of shape and obliquity of projectiles on the ballistic response of sandwich structures with carbon/epoxy face sheet subjected to low-velocity impact. *Materials Today-Proceedings*, 62, 6780-6787. <https://doi.org/10.1016/j.matpr.2022.04.912>

Kar, S., Pattnaik, S., & Sutar, M. K. (2022). Ballistic performance of green woven fabrics—A short review. *Materials Today-Proceedings*, 62, 5965-5970. <https://doi.org/10.1016/j.matpr.2022.04.813>

## **IV**

### **Harp Silah ve Araçları Alanında Yazılan Ulusal Tezler**

Dedehayır, F. (1985). *Tanklarda Kullanılan Zırh Çeliklerinin Kaynak Kabiliyetinin Etüd* (Doktora Tezi, Erciyes Üniversitesi).

Avcı, A. (1989). *Yüksek basınçlı heterojen yanmalı iç balistik probleminin matematik modellenmesi* (Yüksek Lisans Tezi, Uludağ Üniversitesi).

Karagöz, İ. (1991). *Yüksek basınç ve sıcaklıklı iç balistik sistemlerinde sesaltı ve sesüstü akışların matematik modellenmesi* (Doktora Tezi, Uludağ Üniversitesi).

Görateş, M. (1994). *Development and testing of an existing ballistic type medium-speed impact device* (Master's Thesis, Middle East Technical University).

Vural, M. (1998). *Ballistic performance and impact behavior of alumina armor ceramics* (Doktora Tezi, İstanbul Teknik Üniversitesi).

Candan, C.(1998). *Ultra yoğun moleküler yapılu polietilen başlığın imalatı, balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Selçuk Üniversitesi).

Karakoç, M. (1999). *Nükleer patlama ile ortaya çıkan nötron radyasyonuna karşı zırh malzemesi olarak pomzanın kullanılabilirliğinin araştırılması* (Yüksek Lisans Tezi, Süleyman Demirel Üniversitesi).

Turhan, Y. (1999). *Balistik kumaşların dizaynı ve bilgisayar uygulamaları* (Yüksek Lisans Tezi, Ege Üniversitesi).

Özaydın, M. B. (1999). *Kompozit malzemelerin balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Taşdemirci, A. (2000). *Seramik takviyeli alüminyum metal matrisli kompozitin balistik performansının incelenmesi* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Erdem, M. (2001). *Alüminyum alaşımlarının (5083 ve 7039) kaynak öncesi ve sonrası mekanik ve balistik özelliklerinin araştırılması* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Şimşir, C. (2002). *Low velocity ballistic characterization of steel armour plates by drop-weight test* (Master's thesis, Middle East Technical University).

Kaya, S. (2002). *Low velocity ballistic impact behaviour of the Al-matrix composites* (Master's thesis, Middle East Technical University).

Çalışkan, M. (2002). *Modern K/M obüs kulesinde zırh kalınlığının bilgisayar destekli optimizasyonu* (Doktora Tezi, Sakarya Üniversitesi).

Demir, C. (2003). *Altı tahrikli (6x6) askeri bir aracın silah atış pozisyonlarında ve arzide seyir halinde dinamik durumunun incelenmesi* (Doktora Tezi, Yıldız Teknik Üniversitesi).

Özer, S. (2004). *Balistik koruma amacıyla kullanılan malzemeler ve bu malzemelerin balistik deformasyonuna etki eden faktörler* (Yüksek Lisans Tezi, Yıldız Teknik Üniversitesi).

Çalık, M. (2004). *Zırh tasarımında kullanılan farklı geometriye sahip kompozit kabukların balistik özellikleri* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Gömeç, G. (2004). *Zırh çeliklerinin balistik özelliklerinin deneysel ve bilgisayar destekli incelenmesi* (Master's thesis, Sakarya Üniversitesi).

Karafaki, E. (2004). *7039 alüminyum alaşımının partikül katkılı haldeki balistik performansının incelenmesi* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Durmuş, A. (2004). *H 320 LA saçlarının balistik darbe etkisindeki performanslarının belirlenmesi* (Doktora Tezi, Uludağ Üniversitesi).

Cerit, A. A. (2004). *Partikül ve fiber takviyeli alüminyum matrisli kompozitin balistik performansının incelenmesi* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Aybar, U. (2004). *Zırhlı araçlar için otomatik kontrollü silah istasyonu tasarımı* (Yüksek Lisans Tezi, Eskişehir Osmangazi Üniversitesi).

Ünaler, E. (2005). *Development and characterization of light-weight armor materials* (Yüksek Lisans Tezi, İzmir Teknoloji Üniversitesi).

Özek, T. (2005). *Hafif silahlara karşı zırh yapımında kullanılan polimer matrisli kompozitlerin mekaniksel özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Candan, C. (2005). *Kompozit zırh imalat parametrelerinin terminal balistik özellikler üzerine etkileri* (Doktora Tezi, Selçuk Üniversitesi).

Eren, A. (2005). *4 tekerlek tahrikli (4x4) ve silah platformlu askeri jipin dinamik analizi* (Yüksek Lisans Tezi, Yıldız Teknik Üniversitesi).

Temiz, S. (2005). *Balistik kumaşlar ve test yöntemleri üzerine bir araştırma* (Yüksek Lisans Tezi, Dokuz Eylül Üniversitesi)

Turan, M. (2005). *Yüksek dayanımlı polietilen-aramid kompozit malzemelerde değişik elyaf oryantasyon açılarındaki balistik özelliklerin belirlenmesi* (Doktora Tezi, Ege Üniversitesi).

Gençoğlu, S. (2006). *Bor Karbür Esaslı Seramik Zırh ve Adhesiv Aşınma Uygulamaları* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Atapek, Ş. H. (2006). *Zırh çeliklerinin fiziksel metalurjik esaslar doğrultusunda geliştirilmesi ve karakterizasyonu* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Gök, Ş. (2006), *Dış balistik analizi* (Yüksek Lisans Tezi, Kırıkkale Üniversitesi).

Başaran, M. B. (2007). *Computational analysis of advanced composite armor systems* (Master's thesis, Middle East Technical University).

Tellioğlu, Ş. K. (2007). *Seramik zırh plakası üretimi* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Yılmaz, S. (2007). *Zırh arkası etkinlik incelemesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Çerkez, İ. (2007). *Kolloidal Silika Dispersyonunun Polietilen Kumaşların Balistik Performansına Etkisi* (Yüksek Lisans Tezi, Uludağ Üniversitesi).



Uslu, M. (2007). *Docol 22 Mnb5 Çeliğinin Balistik Özelliklerinin İncelenmesi* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

Demir, T. (2008). *Metal ve katmanlı zırh malzemelerin 7, 62 mmlık zırh delici meriler karşısında balistik başarımının incelenmesi* (Yüksek Lisans Tezi, TOBB Ekonomi ve Teknoloji Üniversitesi).

Şenyılmaz, H. K. (2008). *Çelik-kompozit katmanlı zırh malzemelerinin dinamik modellenmesi* (Yüksek Lisans Tezi, Yıldız Teknik Üniversitesi).

Özer, G. (2008). *Dış balistik analizinde izdüşüm alanı etkilerinin araştırılması* (Yüksek Lisans Tezi, Kırıkkale Üniversitesi).

Deniz, H. (2009). *Çift Fazlı Bir Çeliğin 7, 62mm'lik Zırh Delici Mermi Karşısında Balistik Davranışının İncelenmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Erbay, K. (2009). *Silah gövdeleri için polimer esaslı kompozit malzeme üretimi ve özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Karadeniz Teknik Üniversitesi).

Yavaş, M. O. (2009). *Hafif silahlara karşı bireysel savunma amaçlı kompozit malzeme tasarımı ve balistik dayanımı* (Yüksek Lisans Tezi, Selçuk Üniversitesi).

Memiş, Ö. (2009). *Balistik amaçlı fiber takviyeli polimer matrisli kompozitler* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Gündüz, İ. Ö. (2009). *Seramik takviyeli polimer matrisli kompozitlerin üretimi ve balistik özelliklerinin değerlendirilmesi* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Korkmaz, M. (2009). *Aramid Kumaş Özelliklerine Bağlı İplik Çekme (Yarn Pull-Out) Testi ile Çok Katlı Dikişli Yapıların Balistik Performansının Deneysel Belirlenmesi* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Açık, S. (2010). *Internal ballistic design optimization of a solid rocket motor* (Master's thesis, Middle East Technical University).

Deniz, T. (2010). *Ballistic penetration of hardened steel plates* (Master's thesis, Middle East Technical University).

Zengin, E. (2010). *Farklı ön tav sıcaklıklarında kaynaklı birleştirilen zırh çeliklerinin mekanik özelliklerinin araştırılması* (Yüksek Lisans Tezi, Gazi Üniversitesi).

İpek, N. E. (2010). *Kaynak ağzı açısının ve geometrisinin zırh malzemesinin mekanik özellikleri üzerindeki etkisi* (Yüksek Lisans Tezi, Başkent Üniversitesi).

Gürel, B. (2010). *Menevişlenmiş çift fazlı bir çeliğin balistik başarımının incelenmesi* (Yüksek Lisans Tezi, TOBB Ekonomi ve Teknoloji Üniversitesi).

Derelioğlu, Z. (2010). *Al<sub>2</sub>O<sub>3</sub> ve Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> kaplı seramik plakaların balistik dayanımının incelenmesi* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

Özyılmaz, Ö. (2010). *Hafif silah tasarımının balistik açıdan incelenmesi* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Tunusoğlu, G. (2011). *The Effects of Light-Weight Interface Material on the Stress Wave Propagation in the Multilayered Composite Armor System* (Yüksek Lisans Tezi, İzmir Yüksek Teknoloji Enstitüsü).

Erdoğan, T. (2011). *Development of liquid armor materials and rheological behavior of shear thickening fluids (STFs)* (Yüksek Lisans Tezi, İzmir Yüksek Teknoloji Enstitüsü).

Büyükcivelek, F. (2011). *Analysis and control of gun barrel vibrations* (Master's thesis, Middle East Technical University).

Seven, A. (2011). *Baritli hazır sıva kaplamalarının radyasyon zırh elemanı olarak kullanılabilirliğinin görüntü işleme yöntemi ile araştırılması* (Yüksek Lisans Tezi, Süleyman Demirel Üniversitesi).

Kiliçarslan, G. (2011). *Alüminyum matrisli alümina seramik takviyeli kompozit malzemelerin zırh özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Gebze Yüksek Teknoloji Enstitüsü).

Atapek, Ş. H. (2011). *Bor katkılı bir zırh çeliğinin fiziksel metalurjik esaslar doğrultusunda geliştirilmesi ve balistik performansının değerlendirilmesi* (Doktora Tezi, Kocaeli Üniversitesi).

Özgüder, O. (2011). *Namlu cidarı boyutlandırılmasına iç balistik davranışın etkisi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Turan, A. K. (2012). *Dynamic force measurement techniques Split Hopkinson Pressure Bar testing of low acoustic impedance materials used as armor interlayer materials* (Yüksek Lisans Tezi, İzmir Yüksek Teknoloji Enstitüsü).

Güler, T. K. (2012). *Thermo-mechanical finite element analysis and design of tail section for a ballistic missile* (Master's thesis, Middle East Technical University).

Demirci, A. T. (2012). *Effect of austempering on the microstructural and ballistic properties of MIL-A-12560 and AISI 4340 steels* (Yüksek Lisans Tezi, Atılım Üniversitesi).

Yücel, O. (2012). *Ballistic design optimization of three-dimensional grains using genetic algorithms* (Master's thesis, Middle East Technical University).

Kara, S. (2012). *Çelik esaslı zırh malzemesinin 307si elektrodu ile kaynak edilebilirliğinin ve mikroyapı üzerindeki etkisinin deneysel araştırılması/Investigation weldability of armor steel based material by 307si electrode and the effect on microstructure* (Yüksek Lisans Tezi, Fırat Üniversitesi).

Aytaç, A. (2012). *HK33E / G3 piyade tüfeği silah kurma mekanizmalarında aşınan parçaların çalışma performanslarının artırılması* (Doktora Tezi, Gazi Üniversitesi).

Yalçın, E. B. (2012). *Farklı kumaş ve farklı yöntemlerle üretilmiş CTP kompozitlerin balistik davranışlarının incelenmesi* (Doktora Tezi, Yıldız Teknik Üniversitesi).

Yılmaz, H. (2012). *Üç fazlı elyaf tabakalı karma kompozit yapının balistik özelliklerinin incelenmesi* (Doktora Tezi, Yıldız Teknik Üniversitesi).

Akman, Y. (2012). *Eskitmeye tabi tutulan kompozit başlıkların balistik testlerinin yapılması ve analizi* (Yüksek Lisans Tezi, Balıkesir Üniversitesi).

Özgültekin, S. E. (2012). *Balistik zırhlarda kullanılan kompozit malzeme kombinasyonlarının incelenmesi* (Yüksek Lisans Tezi, Sakarya Üniversitesi).

Yıldız, S. (2013). *Synthesis and rheological behavior of shear thickening fluids (STFs) for liquid armor applications* (Yüksek Lisans Tezi, İzmir Yüksek Teknoloji Enstitüsü).

Çolpankan, O. (2013). *Development of liquid body armor systems* (Yüksek Lisans Tezi, İzmir Yüksek Teknoloji Enstitüsü).

Körpe, S. B. (2013). *Development of an external ballistics simulation software* (Master's thesis, Middle East Technical University).

Büyük, B. (2013). *Tungsten, Titanyum, Bor İçeren Bazı Malzemelerin Gama Ve Nötron Radyasyonu Karşısındaki Davranışının İncelenmesi, Xcom Bilgisayar Programı İle İrdelenmesi Ve Yeni Bir Radyasyon Zırh Malzeme Önerisi* (Doktora Tezi, İstanbul Teknik Üniversitesi).

Batıbay, A. B. (2013). *Alümina-geçiş Metali İkili Sistemlerin Zırh Malzemesi Olarak İncelenmesi* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

Merzalı, C. E. (2013). *Zırh Çeliklerinde Kaynak Sonrası Isı Tesiri Altında Kalan Bölgenin Özelliklerinin Isıl İşlem İle İyileştirilmesi* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

Sarıkan, B. (2013). *İşlevsel derecelendirilmiş bor karbür takviyeli AA7075 esaslı kompozitlerin 7, 62 mm'lik zırh delici mermiler karşısındaki balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, TOBB Ekonomi ve Teknoloji Üniversitesi).

Öztörün, Ö (2013). *Bir ağır silah namlusunun sonlu elemanlar yöntemi ile elastik-plastik gerilme analizi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Şen, H. (2013). *AlMg3/SiCp Kompozit malzemelerin balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Trakya Üniversitesi).

Yolaçan, G. (2013). *Katlı e-cam/polyester dokuma kumaş kompozitlerin dikişli ve nano-katkılı formlarının mekanik ve balistik özelliklerinin deneysel belirlenmesi* (Doktora Tezi, Erciyes Üniversitesi).

Yılmaz, B. (2013). *Aramid/kıvamlı kaygan akışkan (STF) balistik yapıların geliştirilmesi ve karakterize edilmesi* (Doktora Tezi, Erciyes Üniversitesi).

Macar, M. (2014). *Investigation of dynamic behavior of aluminum alloy armor materials* (Doktora Tezi, Orta Doğu Teknik Üniversitesi).

Kılıç, N. (2014). *Development of Multi-Layer Ballistic Armor Panel with Simulation and Ballistic Tests* (Doktora Tezi, Marmara Üniversitesi).

Çandır, E. (2014). *Cascaded proxy-based sliding mode control enhanced with disturbance observer for the stabilization and control of a gun-turret platform* (Master's thesis, Middle East Technical University).

Alarçin, S. (2014). *Investigation on the ballistic properties of the composite materials used in the defence industry* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi)

Danış, F. (2014). *Development of interior ballistic simulation software* (Master's thesis, Middle East Technical University).

Berk, B. (2014). *Finite element simulation of ballistic impact on composite plates* (Master's thesis, Dokuz Eylül University).

Canik, E. (2014). *Design of a shock absorber for weapon systems* (Master's thesis, Middle East Technical University).

Arslan, K. (2014). *Fonksiyonel kademelendirilmiş plakalar ile takviyelendirilmiş bal peteği sandviç yapıların balistik performansının incelenmesi* (Yüksek Lisans Tezi, Erciyes Üniversitesi)

Aydın, M. (2014). *Fonksiyonel kademelendirilmiş sandviç plakaların balistik davranışı* (Yüksek Lisans Tezi, Erciyes Üniversitesi)

Balcı, E. (2014). *Silisyum karbür ve alümina takviyeli alüminyum esaslı işlevsel dereceli malzemelerin balistik performansının incelenmesi* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Yakut, V. (2015). *Zırh çeliklerinin ferritik ve östenitik dolgu malzemeleri ile kaynağının incelenmesi* (Yüksek Lisans Tezi, Sakarya Üniversitesi).

Demirtaş, H. E. (2015) *Mermi-zırh etkileşiminin analizi* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

İlknur, Ö. (2015). *Balistik çarpma etkisinin sonlu elemanlar yöntemiyle incelenmesi* (Yüksek Lisans Tezi, Mustafa Kemal Üniversitesi).

Özer, E. (2015). *Isıl işlemin ve SiC ön katmanın 34CrNiMo6 çeliğinin balistik davranışına etkisinin incelenmesi* (Yüksek Lisans Tezi, Osmaniye Korkut Ata Üniversitesi).

Ergül, E. (2015). *Titanyum nitrit kaplanan 1040 nolu çelik ile 2842 nolu çeliğin balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Abant İzzet Baysal Üniversitesi)

Barut, C. (2015). *Aramid esaslı kompozit malzemelerin balistik performanslarının ve mekanik davranışlarının incelenmesi* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Memiş, İ. (2016). *Impact response of Ramor 500 Armor steel subjected to high velocities* (Yüksek Lisans Tezi, Dokuz Eylül üniversitesi).

Yılmaz, M. (2016). *A Comprehensive simulation of factors that affect performance of array based acoustic gunshot localization on helicopters* (Master's thesis, Middle East Technical University).

Çiloğlu, Ç. (2016). *Dynamic modelling and analysis of gun turret elevation drive system* (Master's thesis, Middle East Technical University).

Ayvaz, M. (2016) *T/M yöntemi ile üretilen katman içeren, çok katmanlı kompozit zırh plakalarının balistik dayanımının incelenmesi* (Doktora Tezi, Celal Bayar Üniversitesi).

Yiğittürk, N. (2016). *Ramor Zırh Çeliği İle AISI 304 Paslanmaz Çelik Çiftlerinin Plazma Transferli Ark Kaynak Yöntemi İle Birleştirilebilirliğinin Araştırılması* (Yüksek Lisans Tezi, Fırat Üniversitesi).

Yanen, C. (2016). *Tabakalı hibrit kompozitlerin bireysel zırh malzemesi olarak kullanılabilirliğinin araştırılması* (Yüksek Lisans Tezi, Fırat Üniversitesi).

Akbulut, M. (2016). *Ağır silah namlularında zorlanmış konveksiyon ile soğutmanın sayısal incelenmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi)

Binay, H. (2016). *CTP Destekli AA-6082 T6 Levhalarda Terminal Balistik Özelliklerinin İncelenmesi* (Yüksek Lisans Tezi, Yıldız Teknik Üniversitesi).

Işık, M. S. (2016). *Fırtına obüsünün silah sistemi üzerinde bulunan gaz paftasının kullanım ömrünün arttırılması* (Yüksek Lisans Tezi, Yıldız Teknik Üniversitesi)

Gezer, H. A. (2016). *Barut tane geometrisinin silah iç balistiğine etkisinin incelenmesi* (Yüksek Lisans Tezi, Sakarya Üniversitesi).

Durmaz, T. (2017). *Development of high strength aluminum matrix composite backing plates for ballistic armor* (Master's thesis, Middle East Technical University).

Al-Behadlı, D. S. H. (2017). *Ballistic impact behaviour of thick and thin composites* (Yüksek Lisans Tezi, Erciyes Üniversitesi)

Tepedüzü, B. (2017). *Ballistic performance of hybrid composite structures* (Yüksek Lisans Tezi, Dokuz Eylül Üniversitesi).

Gürgen, S. (2017). *Kayma altında katılaştıran sıvı takviyeli zırh kumaşının seramik toz katkıları ile özelliklerinin geliştirilmesi* (Doktora Tezi, Eskişehir Osmangazi Üniversitesi).

Asal, S. (2017). *Seramik matrisli radyasyon zırh malzemelerinin hazırlanması ve zırhlama performanslarının araştırılması* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

Tola, C. (2017). *Çok disiplinli yaklaşımla katı yakıtlı roket motoru yapısal dayanım ve iç balistik performans optimizasyonu* (Doktora Tezi, İstanbul Teknik Üniversitesi).

Hakan, M. (2017). *Fonksiyonel kademelendirilmiş plakaların farklı mermi çarpma açılarında balistik limitlerinin araştırılması* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Karakoç, H. (2017). *TM Yöntemi ile B4C Takviyeli AA6061 Metal Matrisli Kompozit Malzemelerin Üretimi, Mekanik Özelliklerinin ve Balistik Performansının İncelenmesi* (Doktora Tezi, Gazi Üniversitesi).

Akdağ, A. (2017). *Derin öğrenme algoritmaları kullanılarak gerçek zamanlı silah tanıma uygulaması* (Yüksek Lisans Tezi, Necmettin Erbakan Üniversitesi).

Kırmızı, G. (2017). *Al<sub>7</sub>XXX/SiC ve Al köpükten oluşan fonksiyonel derecelendirilmiş malzeme üretimi, mekanik ve balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Bel, T. (2017). *Multi-scale self-healing nanocomposite shielding material for aerospace* (Doktora Tezi, İstanbul Teknik Üniversitesi).

Gülsever, B. A. (2017). *Production and characterization of spark plasma sintered boron carbide ceramic composites suitable for ballistic use* (Doktora Tezi, İstanbul Teknik Üniversitesi).

İşcanoğlu, S. (2018). *Suspension design of an unmanned automatic gun shot system placed on a vehicle* (Yüksek Lisans Tezi, Çankaya Üniversitesi).

Ahmed, Z. O. (2018) *Investigation of ballistic performances of new generation UHDPE materials* (Yüksek Lisans Tezi, Van Yüzüncü Yıl Üniversitesi).

Tatar, A. (2018). *Modelling of Non-Linear Effect in Remote Controlled Stabilized Gun Systems* (Yüksek Lisans Tezi, Hacettepe Üniversitesi).

Öztürk, E. (2018). *Designing a new rotating gun mechanism* (Yüksek Lisans Tezi, Gaziantep Üniversitesi).

Aktaş L. T. (2018) *Finite element analysis of material and parameter effects in ballistic armors* (Yüksek Lisans Tezi, İzmir Katip Çelebi Üniversitesi).

Akdoğan, M. A. (2018). *Alümina seramik ön yüzü polietilen destekli zırh malzemesinin balistik davranışının deneysel ve sayısal analizi* (Doktora Tezi, Gazi Üniversitesi).

Arık, M. (2018). *Mars 240 (MIL A46100) zırh çeliğinin korumalı metal ark kaynağı ile birleştirilerek kaynak performansının incelenmesi* (Yüksek Lisans Tezi, Mersin Üniversitesi).

Örenler, A. (2018). *Zırh çeliklerinin kaynak kabiliyetinin incelenmesi* (Yüksek Lisans Tezi, Sakarya Üniversitesi).

Karacasulu, L. (2018). *Transparan Zırh Ve Kızılötesi Kubbe Uygulamaları İçin MgAl<sub>2</sub>O<sub>4</sub> Spinel Tozlarının Sentezi* (Yüksek Lisans Tezi, Anadolu Mersin Üniversitesi).

Ulus, S. (2018). *Balistik Koruyucu Kompozit Plakalarda Bazalt Fiber Kullanımı* (Yüksek Lisans Tezi, Yüksek Lisans Tezi).

Günay, A. B. (2018). *Seramik kaplama katmanlı kompozitlerin balistik dayanımının incelenmesi* (Yüksek Lisans Tezi, Bartın Üniversitesi).

Şenyılmaz, H. K. (2018). *Dilatant malzemelerin balistik özelliklerinin deneysel araştırması* (Doktora Tezi, Gazi Üniversitesi).

Yavuz, S. (2018). *Silah gövde malzemesi AA7075-T6 alaşımının anodik oksidasyonu* (Yüksek Lisans Tezi, Karadeniz Teknik Üniversitesi).

Sabah, A. (2018). *Çelik tel örgü aramid takviyeli kompozit tabaka üretimi ve balistik performansının incelenmesi* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Erdiş, B. (2019). *Finite element analysis of a transparent composite armor with computational ballistic testing* (Yüksek Lisans Tezi, Yeditepe Üniversitesi).

Adsız, M. A. (2019). *Multidisciplinary design, optimization and performance analysis tool for ballistic missiles* (Master's thesis, Middle East Technical University).

Soydemir, M. (2019). *Yüksek performanslı modüler zırh tasarımı* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Bitlisli, B. (2019). *Zırhlı araçlarda kullanılan kompozit zırh malzemelerinin balistik performanslarının incelenmesi* (Yüksek Lisans Tezi, Bursa Uludağ Üniversitesi).

Yüksel, C. (2019). *Hibrit plazma ark kaynağı (HPAK), gaz metal ark kaynağı (GMAK) ve soğuk metal transfer kaynağı (CMT) yöntemleri ile ARMOX 500T zırh çeliğinin kaynak edilebilirliğinin araştırılması* (Yüksek Lisans Tezi, İskenderun Teknik Üniversitesi).

Bayar, S. (2019). *Ramor 500 zırh çeliğinin farklı ark ergitme kaynak birleştirmelerinin metalurjik ve mekanik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, İskenderun Teknik Üniversitesi).

Doğrugiden, M. Y. (2019). *Farklı kaynak metotları ile birleştirilen zırh çeliklerinin kırılma tokluk değerlerinin incelenmesi* (Yüksek Lisans Tezi, Uşak Üniversitesi).

Yıldız, B. K. (2019). *Zırh uygulamaları için alümina seramiklerin sert seramik katkılar ve metal faz ile takviyelendirilerek üretilmesi ve karakterizasyonu* (Doktora Tezi, Gebze Teknik Üniversitesi).

Ardıçoğlu, H. (2019). *Balistik etkisine karşı AA5083 / Al<sub>2</sub>O<sub>3</sub> fonksiyonel derecelendirilmiş kompozit malzemeden ve AA5083 köpükten oluşan zırh malzemesinin üretilmesi ve geliştirilmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Yıldırım, M. (2019). *Poliüre kaplı metal levhaların mekanik özelliklerinin incelenmesi ve zırh malzemesi olarak kullanımının değerlendirilmesi ilmesi* (Yüksek Lisans Tezi, Yıldız Teknik Üniversitesi).

Kölük Taş, M. (2019). *Tabakalı kompozit malzemelerin balistik zırh özelliklerinin geliştirilmesi* (Yüksek Lisans Tezi, İnönü Üniversitesi).

Bekci, M. L. (2019). *Ramor 500 ve Ramor 550 zırh çeliklerinin balistik performanslarının incelenmesi* (Yüksek Lisans Tezi, Karadeniz Teknik Üniversitesi).

Kurtuluş, T. (2019). *Çok katmanlı kompozit zırh malzemesi üretimi ve balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Karabük Üniversitesi).

Ongun, A. (2019). *Ön yüzündeki her seramiği karbon-fiber kompozitle sarılmış çelik zırhların balistik davranışlarının incelenmesi* (Yüksek Lisans Tezi, Kırıkkale Üniversitesi).

Esenkaya, B. (2019). *Karbon fiber kompozitlerin vakum infüzyon yöntemi ile üretimi ve balistik özelliklerinin değerlendirilmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Ölçer, B. (2019). *Silah sistemlerinde kullanılan dişli çarklarda boşluk alma sistemi tasarımı ve iyileştirilmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Coşkun, A. (2019). *Elektro kıvılcım yöntemi ile yapılan balistik amaçlı kaplamaların test edilmesi ve karakterizasyonu* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Aydinözü, G. (2019) *NIJ 3A standartına göre yeni nesil balistik yüzey dizaynı ve enerji soğurumlarının simülatif ortamda incelenmesi* (Yüksek Lisans Tezi, Van Yüzüncü Yıl Üniversitesi).

Kısıkkıllar, T. (2019). *ESD tekniği ile değişik alaşım ve elementlerle kaplanmış çelik levhaların balistik performanslarının incelenmesi* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Kaştan, E. G. (2019). *Polimer matris aramid fiber önyüzlü fonksiyonel kademelendirilmiş malzemelerin balistik performansının incelenmesi* (Yüksek Lisans Tezi, Erciyes Üniversitesi).

Vardar, İ. M. (2019). *Dönü kararlı hafif kalibre mermiler için balistik katsayıların deneysel olarak hesaplanması ve doğrulanması* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Çelebi, M. F. (2019). *Panzer Obüsü Modernizasyonunda Geri Tepme ile Mahmuzlarda Oluşan Gerilme Analizi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Doğrar, T. (2020). *Experimental and Numerical Vibration Analysis of The Gun Control Unit Column with Isolator* (Yüksek Lisans Tezi, Hacettepe Üniversitesi).

Üstün, H. S. (2020). *Enhancement of ballistic properties by hybridization method of multi-layered composite panels* (Yüksek Lisans Tezi, İzmir Yüksek Teknoloji Enstitüsü).

Akçocuk, M. K. (2020). *A hardware based gunshot sound detection system* (Yüksek Lisans Tezi, İstanbul Teknik Üniversitesi).

Yorgun, E. (2020). *Zırh çeliklerinin özlü tel ile birleştirilmesi, mekanik özellikleri ve makro yapısının incelenmesi* (Yüksek Lisans Tezi, Sakarya Uygulamalı Bilimler Üniversitesi).

Akçay, B. (2020). *Bor karbür ve alümina seramik zırh plakalarının mekanik ve balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Van Yüzüncü Yıl Üniversitesi).

Alarçin, S. (2020). *Ultra yüksek yoğunluklu polietilen ile karbon fiber prepreglerden hibrit zırh geliştirilmesi ve balistik özelliklerinin incelenmesi* (Doktora Tezi, Afyon Kocatepe Üniversitesi).

Başar, M. (2020). *Armox 500 zırh çeliğinin tuz banyosunda TRD yöntemiyle VC kaplanabilirliğinin araştırılması* (Yüksek Lisans Tezi, Nevşehir Hacı Bektaş Veli Üniversitesi).

Doğankaya, E. (2020). *Talaşlı imalat ve aşındırıcı su jeti işlemlerinin kompozit balistik malzemeler üzerinde karşılaştırmalı deneysel çalışması ve eniyilenmesi* (Yüksek Lisans Tezi, TOBB ETÜ Fen Bilimleri Enstitüsü).

Zaralioğlu, B. (2020). *Yüzeyi geliştirilmiş silah namlusu çeliğinin yapısal, mekanik ve tribolojik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Ondokuz Mayıs Üniversitesi).

Kocataş, O. (2020). *T-155 fırtına k/m obüslerinin namlu ömürlerinin incelenmesi ile atım sayısının namlu ömrüne etkisi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Aslan, B. (2020). *Lazer kapalama yöntemiyle zırh çeliklerinde balistik performansın incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Sağdıç, E. (2020). *Karbon fiber takviyeli polimer(kftp) kompozit malzemelerin işlenmesinde oluşan kusurlar ve malzemenin mekanik özelliklerine etkilerinin analizi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Şahin, Ç. (2020). *Namlularda değişken yiv-set eğrisinin kararlılık faktörü ve set torkuna etkisi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Kılıç, B. (2020). *EYP ile mücadelede teknoloji yol haritasının belirlenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).



Doğan, S. (2020). *Balistik uygulamalarda kullanılan kompozit malzemelerin darbe davranışına değişik formlardaki vurucu uçların etkisi* (Yüksek Lisans Tezi, Dokuz Eylül Üniversitesi).

Kösedâğ, E. (2020). *Polimer - metal matrisli kompozitlerden oluşturulmuş sandviç yapıların balistik davranışları* (Doktora Tezi, Erciyes Üniversitesi).

Bayram, F. C. (2021). *The determination of hydrogen embrittlement behavior of armor steels by experimental methods and the optimization of hydrogen back-diffusion operation* (Yüksek Lisans Tezi, Abdullah Gül Üniversitesi).

Işık, A. M. (2021). *Serbest parçacık içeren modüler zırh sistemi tasarımının balistik performansa etkisi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Kahraman, Ş. B. (2021). *Personel koruyucu seramik kompozit zırhlarda ara yüzeyin balistik performansa etkilerinin incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Başkaya, B. B. (2021). *Silahlı insansız hava araçlarında (siha) geometrik kanat profilinin, enerji tüketimine etkisi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Mert, Ç. (2021). *Salan sistemleri kanca mekanizmalarının optimizasyon yöntemi ile tasarımı* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Öztürk, G. (2021). *Hava araçlarında kullanılan lazer tabanlı tarayıcının dinamik esaslı tasarımı* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Pala, G. Y. (2021). *Ses altı uçuş hızlarında kanat altı mühimmatların titreşim davranışının yapı-akışkan etkileşimi yöntemi ile sayısal incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Akyıldız, S. (2021). *Doğru akım motorlar için elektriksel yük benzetimcisi tasarımı ve model öngörülmesi kontrolü* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Karakaya, R. H. (2021). *Terahertz spektroskopi yöntemi ile barutlardaki nem değişiminin belirlenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Zeka, M. B. (2021) *Stres altında sertleşen sıvı emdirilmiş kompozitlerin balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Karakoca, Y. E. (2021). *Karbon fiber takviyeli polimer kompozit (kftp) ile alüminyum 7075 alaşımının istiflenmiş halde delinebilirliğinin incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Yüksel, M. (2021). *Simulation of ballistic test for personal body armor* (Yüksek Lisans Tezi, Çankaya Üniversitesi).

Kostak, E. (2021). *MIL DTL 46100 sınıfı zırh çeliklerinin farklı dolgu malzemeleri kullanılarak yapılan kaynak işleminde ön ısıtma gerekliliğinin araştırılması* (Yüksek Lisans Tezi, Selçuk Üniversitesi).

Ünalır, T. (2021). *Alümina ve alüminyum köpük takviyeli seviye 4 düzeyinde yeni bir standalone zırh sentezi* (Doktora Tezi, Eskişehir Osmangazi Üniversitesi).

Acar, G. O. (2021). *Seramik katmanlı zırh plakaların deneysel ve analitik balistik performans analizleri* (Yüksek Lisans Tezi, Başkent Üniversitesi).

Beller, İ. C. (2021). *Zırh çeliğinin kataforez kaplama sonrası fiziksel özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Mersin Üniversitesi).

Aksakallı, N. (2021). *Kara- deniz silah sistemleri için fonksiyonel kaplamaların geliştirilmesi incelenmesi* (Yüksek Lisans Tezi, Atatürk Üniversitesi).

Yanen, C. (2021). *Hibrit nanopartikül takviyeli kayma altında katılaştıran sıvıların balistik uygulamalarında kullanımının araştırılması* (Yüksek Lisans Tezi, Fırat Üniversitesi).

Bilir, Y. O. (2021). *Tekstil takviyeli kompozitlerin balistik amaçlı kullanım performansının araştırılması* (Yüksek Lisans Tezi, Çukurova Üniversitesi).

Taş, H. (2021). *Çok duvarlı karbon nanotüp bağlanmış ve kesme gerilimi altında kalınlaşan sıvı emdirilmiş kumaşların ve bunlar ile üretilen hibrit tabakalı kompozitlerin mekanik ve balistik özelliklerinin araştırılması* (Doktora Tezi, Manisa Celal Bayar Üniversitesi).

Muçogllava, B. (2022). *A novel layered boron-based neutron shield design and results from neutron and gamma irradiation studies* (Master's thesis, Middle East Technical University).

Garip, O. (2022). *Zırh çeliklerinin yapı ve ıslah çelikleri ile kaynak kabiliyetinin incelenmesi* (Yüksek Lisans Tezi, Sakarya Üniversitesi).

Başer, T. T. (2022). *Yapıştırıcı malzemelerin balistik zırh sistemine etkisinin araştırılması* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Vural, A. B. (2022). *Protac 500-600, mars-300 zırh çeliklerinin kaynaklı birleştirmelerinde mikroyapı, mekaniksel özellikleri ve abrasiv aşınma davranışlarının incelenmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

İbiş, M. Ö. (2022). *Zırh tasarımında farklı katman sayısı ve farklı birleştirme tekniklerinin balistik performansa etkisi* (Yüksek Lisans Tezi, Sakarya Üniversitesi).

Tatar, B. (2022). *Yüksek molekül ağırlıklı polimerlerin poliüretan matrise kompoze edilmesiyle darbe mukavemeti yüksek zırh elde edilmesi* (Doktora Tezi, Trakya Üniversitesi).

Yayla, M. (2022). *Ateşli silah atış artığının atış sayısı ve farklı mermi çekirdeklerine bağlı nicel değişiminin araştırılması* (Yüksek Lisans Tezi, Hitit Üniversitesi).

Günay, Z. K. (2022). *Zırhlı araç gövdelerinde iç donanım vidalı bağlantı elemanlarının balistik incelenmesi* (Yüksek Lisans Tezi, Kocaeli Üniversitesi).

Demirel, A. (2022). *Silah üstü dürbünlerin optik performans testleri ve kolimatör ayarları* (Yüksek Lisans Tezi, Sivas Cumhuriyet Üniversitesi).

Şahin, B. (2022). *Grafen katkılı aramid esaslı kompozit malzemelerin mekanik ve balistik özelliklerinin değerlendirilmesi* (Yüksek Lisans Tezi, Afyon Kocatepe Üniversitesi).

Araslı, A. (2022). *Grafen kaplı silisyum karbür seramiklerin mekanik ve balistik özelliklerinin incelenmesi* (Yüksek Lisans Tezi, Niğde Ömer Halisdemir Üniversitesi).

Yıldızlı, F. (2022). *Aramid ve yüksek yoğunluklu polietilen hibrit kompozitin balistik malzeme olarak kullanılabilirliğinin incelenmesi* (Yüksek Lisans Tezi, Ege Üniversitesi).

Kayır, S. (2022). *5083 alüminyum plaka malzemesinin çeşitli seramik tozlar kullanılarak termal sprey yöntemiyle balistik amaçlı kaplanabilirliğinin incelenmesi* (Yüksek Lisans Tezi, Gazi Üniversitesi).

Kuşcu, R. (2022). *Raylı elektromanyetik silahlarda mühimmat geometrisinin atışa etkisi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Atik, N. (2022). *Mikrodenetleyici tabanlı bir itki vektör kontrol sisteminin tasarımı ve gerçekleştirilmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Yılmaz, M. U. (2022). *EYP eylemlerinde kullanılan patlayıcı miktarının patlama çukurunun fiziksel incelenmesiyle belirlenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Baruk, M. B. (2022). *Kompozit zırh tasarımının balistik performansa etkisinin deneysel olarak modellenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Yılmaz, H. E. (2022). *Hava aracı silah taşıma ve bırakma sistemi askı kancasının topoloji optimizasyonu* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Erol, R. (2022). *Şahi Blok-2 elektromanyetik fırlatma sistemi mühimmatının aerodinamik analizi ve prototip geliştirilmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Orbey, P. A. (2022). *Hava araçlarında mühimmat askı ekipmanı kilit mekanizması tasarımının malzeme, kaplama ve işlenebilirlik açısından değerlendirilmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Gül, M. (2022). *Bor karbür ve grafen takviyeli alüminyum matrisli kompozit zırh yapısının mekanik özelliklerinin ve balistik dayanımının incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Atasay, N. (2022). *Uzay uygulamalarına yönelik proton değişim membranlı yakıt hücreleri sıvı soğutma akış alanının tasarımı ve termal analizi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).

Kürşat, M. B. (2022). *Uydularda kullanılan esnek bipod yapılarının fırlatma yükleri altında incelenmesi* (Yüksek Lisans Tezi, Millî Savunma Üniversitesi).